



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 05:06 PM UTC

PDB ID : 1XHB / pdb_00001xhb
Title : The Crystal Structure of UDP-GalNAc: polypeptide alpha-N-acetylgalactosa
minyltransferase-T1
Authors : Fritz, T.A.; Hurley, J.H.; Trinh, L.B.; Shiloach, J.; Tabak, L.A.
Deposited on : 2004-09-17
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	472	
2	B	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	B	1	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 3695 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polypeptide N-acetylgalactosaminyltransferase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	447	Total	C	N	O	S	0	0	0
			3616	2279	651	662	24			

- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 3 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mn	0	0
			1	1		

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Ca	0	0
			2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	37	Total	O	0	0
			37	37		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Polypeptide N-acetylgalactosaminyltransferase 1



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	65.61Å 65.61Å 125.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.39 – 2.50 46.39 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.2 (46.39-2.50) 99.2 (46.39-2.50)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.25 (at 2.51Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.218 , 0.255 0.224 , 0.261	Depositor DCC
R_{free} test set	1438 reflections (7.85%)	wwPDB-VP
Wilson B-factor (Å ²)	40.0	Xtriage
Anisotropy	0.259	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 35.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.058 for h,-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3695	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, BMA, NAG, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/3697	1.04	30/5002 (0.6%)

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	520	SER	N-CA-C	-13.22	93.08	110.53
1	A	498	HIS	N-CA-C	-7.82	96.93	109.76
1	A	373	TRP	N-CA-C	7.39	122.97	113.88
1	A	518	VAL	N-CA-C	7.25	117.38	110.42
1	A	234	VAL	N-CA-C	6.83	118.31	108.48
1	A	219	LEU	N-CA-C	6.70	119.58	111.40
1	A	187	SER	N-CA-C	6.67	121.84	113.43
1	A	544	ARG	N-CA-C	-6.45	105.38	113.18
1	A	171	VAL	N-CA-C	6.24	116.35	110.30
1	A	321	LEU	N-CA-C	-6.22	105.18	112.89
1	A	115	LEU	N-CA-C	-6.17	101.32	110.20
1	A	374	MET	N-CA-C	6.06	120.36	113.15
1	A	509	ASP	CA-C-N	6.05	125.73	119.56
1	A	509	ASP	C-N-CA	6.05	125.73	119.56
1	A	96	ARG	N-CA-C	-5.77	100.73	108.86
1	A	531	ASP	N-CA-C	-5.66	103.65	110.44
1	A	265	PHE	N-CA-C	-5.65	103.07	110.53
1	A	500	LEU	N-CA-C	5.28	119.03	112.59
1	A	240	VAL	N-CA-C	5.28	115.56	108.17
1	A	315	ILE	N-CA-C	5.26	119.40	112.04
1	A	134	ARG	N-CA-C	-5.24	105.74	111.82
1	A	257	GLY	N-CA-C	5.22	120.34	111.15
1	A	471	THR	N-CA-C	5.19	117.23	110.53
1	A	248	TYR	N-CA-C	5.15	118.61	109.96

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	517	HIS	N-CA-C	-5.13	101.40	109.25
1	A	180	VAL	N-CA-C	5.06	113.67	106.53
1	A	520	SER	CA-C-N	-5.03	115.68	123.17
1	A	520	SER	C-N-CA	-5.03	115.68	123.17
1	A	477	ARG	N-CA-C	5.03	117.79	109.85
1	A	336	ILE	N-CA-C	-5.01	99.95	107.37

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3616	0	3562	160	0
2	B	39	0	34	7	0
3	A	1	0	0	0	0
4	A	2	0	0	0	0
5	A	37	0	0	4	0
All	All	3695	0	3596	164	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:445:ASN:HD22	1:A:447:ALA:H	1.10	0.95
1:A:525:ASP:HB3	1:A:546:GLN:HG2	1.50	0.94
1:A:175:LYS:HD2	1:A:175:LYS:H	1.35	0.92
1:A:291:MET:HG2	1:A:293:GLY:H	1.36	0.91
1:A:291:MET:HE3	1:A:334:LEU:HD11	1.61	0.83
1:A:445:ASN:ND2	1:A:447:ALA:H	1.77	0.82
1:A:142:ARG:HA	1:A:142:ARG:HE	1.46	0.81
1:A:171:VAL:HG13	1:A:178:VAL:HB	1.69	0.74
1:A:291:MET:HG2	1:A:293:GLY:N	2.03	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:175:LYS:HD2	1:A:175:LYS:N	2.04	0.72
1:A:314:ASP:OD2	1:A:361:ILE:HG23	1.89	0.71
1:A:316:TRP:HB2	1:A:361:ILE:HD13	1.69	0.71
1:A:294:GLY:C	1:A:295:LEU:HD23	2.16	0.71
1:A:102:ARG:HD2	1:A:216:ALA:O	1.91	0.71
1:A:211:HIS:HB2	1:A:345:VAL:HG22	1.75	0.69
1:A:471:THR:OG1	1:A:475:GLU:HG2	1.94	0.68
1:A:233:VAL:HG21	1:A:327:ILE:HD13	1.76	0.67
1:A:315:ILE:HD13	1:A:315:ILE:H	1.60	0.66
1:A:117:THR:OG1	1:A:149:GLU:HG2	1.95	0.66
1:A:151:ILE:HB	1:A:178:VAL:HG22	1.78	0.66
1:A:552:ASN:CG	2:B:1:NAG:C1	2.69	0.66
1:A:437:VAL:HG21	1:A:547:GLN:HE21	1.62	0.65
1:A:525:ASP:HB3	1:A:546:GLN:CG	2.26	0.64
1:A:203:GLN:O	1:A:300:ARG:HB3	1.98	0.63
1:A:241:ILE:CG2	1:A:345:VAL:HG12	2.29	0.63
1:A:125:HIS:CG	1:A:186:ARG:HH22	2.16	0.62
1:A:545:SER:HB2	5:A:828:HOH:O	1.98	0.62
1:A:140:ILE:HG13	1:A:141:ASN:N	2.13	0.62
1:A:126:ASN:HD21	1:A:159:GLU:H	1.48	0.62
1:A:540:CYS:HA	1:A:546:GLN:HE22	1.63	0.62
1:A:150:GLU:HB3	1:A:177:PRO:HG2	1.82	0.60
1:A:244:ASP:OD1	1:A:245:THR:HG23	2.02	0.60
1:A:102:ARG:NH1	1:A:107:LYS:HA	2.17	0.60
1:A:215:THR:HG22	1:A:216:ALA:N	2.17	0.59
1:A:445:ASN:HD22	1:A:447:ALA:N	1.91	0.59
1:A:291:MET:CG	1:A:293:GLY:H	2.12	0.59
1:A:187:SER:O	1:A:315:ILE:HB	2.02	0.58
1:A:242:SER:O	1:A:246:PHE:HA	2.03	0.58
1:A:124:PHE:CZ	1:A:155:ASP:HB2	2.39	0.58
1:A:364:LYS:HG3	1:A:393:TYR:HA	1.86	0.58
1:A:126:ASN:HD21	1:A:159:GLU:N	2.01	0.57
1:A:203:GLN:NE2	1:A:203:GLN:HA	2.18	0.57
1:A:304:GLN:HA	5:A:804:HOH:O	2.05	0.57
1:A:120:VAL:HG23	1:A:151:ILE:HG23	1.87	0.57
1:A:142:ARG:HE	1:A:142:ARG:CA	2.15	0.56
1:A:265:PHE:O	1:A:266:ARG:HG2	2.06	0.56
1:A:509:ASP:O	1:A:513:LEU:N	2.39	0.55
1:A:325:PHE:HB3	1:A:329:GLN:HE21	1.71	0.55
1:A:140:ILE:HD12	1:A:175:LYS:HD3	1.89	0.55
1:A:183:MET:HE2	1:A:192:ALA:HA	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:444:ASP:HB3	1:A:466:GLN:HG2	1.89	0.55
1:A:379:ASN:O	1:A:383:ILE:HG22	2.07	0.55
1:A:325:PHE:HB3	1:A:329:GLN:NE2	2.21	0.54
1:A:115:LEU:H	1:A:115:LEU:HD22	1.72	0.54
1:A:529:GLU:C	1:A:531:ASP:H	2.16	0.53
1:A:537:ILE:CG2	1:A:537:ILE:O	2.57	0.53
1:A:102:ARG:HH12	1:A:107:LYS:HA	1.72	0.53
1:A:485:VAL:HB	1:A:517:HIS:CE1	2.44	0.53
1:A:552:ASN:OD1	2:B:1:NAG:C1	2.57	0.53
1:A:450:GLU:O	1:A:451:ASN:HB2	2.10	0.52
1:A:129:TRP:HB2	1:A:162:PHE:CD1	2.45	0.52
1:A:377:PHE:HZ	1:A:426:ARG:HE	1.57	0.52
1:A:411:PHE:O	1:A:415:LEU:HD22	2.09	0.52
1:A:242:SER:HB2	1:A:246:PHE:H	1.73	0.52
1:A:522:GLN:HB3	1:A:538:ARG:O	2.09	0.52
1:A:445:ASN:HD22	1:A:445:ASN:C	2.18	0.52
1:A:183:MET:HE1	1:A:195:LYS:CB	2.40	0.51
1:A:126:ASN:ND2	1:A:159:GLU:H	2.07	0.51
2:B:1:NAG:O3	2:B:1:NAG:H83	2.10	0.51
1:A:184:GLU:HA	1:A:184:GLU:OE1	2.09	0.51
1:A:220:GLU:H	1:A:220:GLU:CD	2.19	0.51
1:A:134:ARG:HD2	1:A:213:GLU:OE1	2.10	0.51
1:A:245:THR:O	1:A:246:PHE:HB2	2.11	0.51
1:A:437:VAL:HG12	1:A:549:LEU:HG	1.91	0.51
1:A:315:ILE:H	1:A:315:ILE:CD1	2.23	0.51
1:A:533:GLN:NE2	5:A:813:HOH:O	2.43	0.50
1:A:120:VAL:CG2	1:A:151:ILE:HG23	2.42	0.50
1:A:329:GLN:HE22	1:A:373:TRP:HB3	1.76	0.50
1:A:183:MET:HE1	1:A:195:LYS:HB3	1.94	0.50
1:A:294:GLY:O	1:A:295:LEU:HD23	2.11	0.50
1:A:517:HIS:O	1:A:520:SER:O	2.29	0.50
1:A:437:VAL:HG13	1:A:547:GLN:O	2.11	0.50
1:A:261:TRP:CD2	1:A:479:ASP:HA	2.47	0.50
1:A:476:ILE:CG2	1:A:483:LEU:HD22	2.42	0.50
1:A:231:ARG:HH11	1:A:231:ARG:HG3	1.76	0.50
1:A:115:LEU:HD22	1:A:115:LEU:N	2.27	0.50
1:A:437:VAL:HG22	1:A:544:ARG:O	2.11	0.50
1:A:149:GLU:HB3	1:A:150:GLU:HG3	1.94	0.50
1:A:115:LEU:HD12	1:A:224:ALA:HA	1.94	0.49
1:A:183:MET:CE	1:A:192:ALA:HA	2.42	0.49
1:A:460:HIS:NE2	1:A:466:GLN:HG3	2.27	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:LEU:O	1:A:171:VAL:HG23	2.13	0.49
1:A:552:ASN:HD21	2:B:1:NAG:C1	2.23	0.49
1:A:105:GLY:O	1:A:108:THR:HG22	2.13	0.48
1:A:185:GLN:O	1:A:186:ARG:O	2.31	0.48
1:A:115:LEU:HA	1:A:227:LYS:HD2	1.94	0.48
1:A:98:LEU:HB3	1:A:99:PRO:CD	2.44	0.48
1:A:225:ARG:HD3	1:A:285:PRO:HG2	1.96	0.48
1:A:498:HIS:HB2	1:A:500:LEU:CD2	2.44	0.48
1:A:149:GLU:HG3	1:A:202:GLY:HA2	1.96	0.47
1:A:260:ASN:HB2	1:A:479:ASP:OD2	2.14	0.47
2:B:1:NAG:H61	2:B:2:NAG:C1	2.45	0.47
1:A:444:ASP:CB	1:A:466:GLN:HG2	2.43	0.47
1:A:194:LEU:HD12	1:A:194:LEU:HA	1.80	0.47
1:A:230:ARG:HB2	1:A:230:ARG:HH21	1.79	0.47
1:A:241:ILE:HG21	1:A:345:VAL:HG12	1.97	0.47
1:A:412:SER:O	1:A:416:GLU:HG2	2.16	0.47
1:A:313:MET:HB3	1:A:365:ASN:OD1	2.15	0.46
1:A:492:VAL:HG22	1:A:492:VAL:O	2.14	0.46
1:A:215:THR:CG2	1:A:216:ALA:N	2.78	0.46
1:A:528:THR:HG22	5:A:807:HOH:O	2.14	0.46
1:A:191:ARG:NH2	1:A:311:ALA:O	2.49	0.45
1:A:185:GLN:O	1:A:186:ARG:C	2.58	0.45
1:A:300:ARG:HG3	1:A:301:ASP:N	2.31	0.45
1:A:310:ASP:O	1:A:313:MET:HG3	2.16	0.45
1:A:315:ILE:HD13	1:A:315:ILE:N	2.28	0.45
1:A:433:GLU:HB2	1:A:442:CYS:SG	2.56	0.45
1:A:233:VAL:HG21	1:A:327:ILE:CD1	2.43	0.45
1:A:488:LEU:C	1:A:490:GLY:H	2.24	0.45
1:A:230:ARG:HB2	1:A:230:ARG:NH2	2.32	0.45
1:A:225:ARG:HD3	1:A:335:GLU:OE2	2.16	0.45
1:A:476:ILE:HG21	1:A:483:LEU:HD22	1.98	0.44
1:A:135:THR:O	1:A:139:VAL:HG23	2.16	0.44
1:A:522:GLN:HB3	1:A:538:ARG:C	2.43	0.44
1:A:100:ASP:OD2	1:A:102:ARG:HD3	2.19	0.43
1:A:508:TYR:CZ	1:A:550:LEU:HG	2.54	0.43
1:A:317:GLY:HA3	1:A:365:ASN:ND2	2.34	0.43
1:A:374:MET:O	1:A:375:ASP:C	2.62	0.43
1:A:524:LEU:HD12	1:A:536:SER:O	2.18	0.43
1:A:256:TYR:C	1:A:256:TYR:CD2	2.97	0.43
2:B:1:NAG:H61	2:B:2:NAG:HN2	1.83	0.43
1:A:123:VAL:HG21	1:A:189:LEU:HD12	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:ASN:HD22	1:A:158:SER:HB3	1.83	0.42
1:A:278:ARG:HD2	1:A:284:LEU:HB2	2.01	0.42
1:A:140:ILE:CD1	1:A:175:LYS:HD3	2.49	0.42
1:A:129:TRP:O	1:A:133:LEU:HD13	2.20	0.42
1:A:203:GLN:HA	1:A:203:GLN:HE21	1.82	0.42
1:A:225:ARG:CD	1:A:285:PRO:HG2	2.48	0.42
1:A:369:LEU:C	1:A:369:LEU:HD12	2.44	0.42
1:A:441:GLN:HA	1:A:458:ASN:HA	2.00	0.42
1:A:164:LYS:O	1:A:168:GLU:HG3	2.20	0.42
1:A:307:GLY:O	1:A:308:THR:C	2.62	0.42
1:A:460:HIS:HE2	1:A:466:GLN:HG3	1.83	0.42
1:A:164:LYS:HA	1:A:182:ARG:HH11	1.85	0.42
1:A:526:LYS:HG2	1:A:545:SER:OG	2.20	0.42
1:A:498:HIS:HB2	1:A:500:LEU:HD22	2.02	0.42
1:A:125:HIS:ND1	1:A:186:ARG:NH2	2.68	0.42
1:A:256:TYR:CE1	1:A:289:PRO:HD3	2.55	0.42
1:A:225:ARG:NH1	1:A:335:GLU:OE1	2.53	0.41
1:A:129:TRP:HE3	1:A:162:PHE:HD1	1.68	0.41
1:A:383:ILE:CD1	1:A:553:VAL:HG21	2.50	0.41
1:A:103:LEU:O	1:A:104:GLU:C	2.63	0.41
1:A:126:ASN:ND2	1:A:158:SER:HB3	2.35	0.41
1:A:383:ILE:HD11	1:A:553:VAL:HG21	2.02	0.41
1:A:221:PRO:HB2	1:A:337:VAL:HG11	2.02	0.41
1:A:383:ILE:HG23	1:A:384:ILE:HG23	2.03	0.41
1:A:471:THR:HG21	1:A:477:ARG:HD3	2.01	0.41
1:A:439:THR:OG1	1:A:441:GLN:HG3	2.21	0.41
1:A:498:HIS:O	1:A:498:HIS:ND1	2.54	0.41
2:B:1:NAG:H61	2:B:2:NAG:N2	2.36	0.41
1:A:451:ASN:HA	1:A:495:LEU:HD12	2.04	0.40
1:A:124:PHE:CD1	1:A:124:PHE:C	2.99	0.40
1:A:478:THR:HG23	1:A:478:THR:O	2.21	0.40
1:A:239:ASP:OD1	1:A:341:HIS:HB3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	443/472 (94%)	409 (92%)	30 (7%)	4 (1%)	14 27

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	186	ARG
1	A	164	LYS
1	A	175	LYS
1	A	308	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	402/422 (95%)	366 (91%)	36 (9%)	9 19

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	123	VAL
1	A	142	ARG
1	A	150	GLU
1	A	155	ASP
1	A	160	ARG
1	A	163	LEU
1	A	172	LYS
1	A	174	LEU
1	A	183	MET
1	A	184	GLU
1	A	185	GLN
1	A	187	SER
1	A	194	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	204	VAL
1	A	230	ARG
1	A	242	SER
1	A	244	ASP
1	A	256	TYR
1	A	291	MET
1	A	295	LEU
1	A	300	ARG
1	A	315	ILE
1	A	389	THR
1	A	415	LEU
1	A	426	ARG
1	A	431	LEU
1	A	437	VAL
1	A	445	ASN
1	A	481	LEU
1	A	483	LEU
1	A	492	VAL
1	A	500	LEU
1	A	530	GLU
1	A	544	ARG
1	A	545	SER
1	A	552	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	126	ASN
1	A	185	GLN
1	A	203	GLN
1	A	264	ASN
1	A	272	GLN
1	A	304	GLN
1	A	320	ASN
1	A	329	GLN
1	A	445	ASN
1	A	465	ASN
1	A	504	GLN
1	A	516	GLN
1	A	533	GLN
1	A	546	GLN
1	A	547	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	1	2,1	14,14,15	0.42	0	17,19,21	0.81	0
2	NAG	B	2	2	14,14,15	0.51	0	17,19,21	0.61	0
2	BMA	B	3	2	11,11,12	0.55	0	15,15,17	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2,1	-	5/6/23/26	0/1/1/1
2	NAG	B	2	2	-	0/6/23/26	0/1/1/1
2	BMA	B	3	2	-	2/2/19/22	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	1	NAG	C8-C7-N2-C2
2	B	1	NAG	O7-C7-N2-C2
2	B	1	NAG	O5-C5-C6-O6
2	B	3	BMA	O5-C5-C6-O6
2	B	1	NAG	C4-C5-C6-O6
2	B	3	BMA	C4-C5-C6-O6
2	B	1	NAG	C3-C2-N2-C7

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	NAG	7	0
2	B	2	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	447/472 (94%)	0.20	19 (4%) 40 35	21, 36, 70, 88	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	316	TRP	4.2
1	A	187	SER	3.6
1	A	553	VAL	3.5
1	A	360	GLN	3.4
1	A	528	THR	3.2
1	A	315	ILE	3.1
1	A	98	LEU	3.1
1	A	243	ASP	3.0
1	A	174	LEU	3.0
1	A	95	ASN	2.9
1	A	317	GLY	2.9
1	A	246	PHE	2.6
1	A	318	GLY	2.5
1	A	172	LYS	2.5
1	A	362	ILE	2.5
1	A	184	GLU	2.3
1	A	117	THR	2.2
1	A	162	PHE	2.2
1	A	244	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	BMA	B	3	11/12	0.64	0.15	65,68,70,73	0
2	NAG	B	1	14/15	0.88	0.12	47,48,53,53	0
2	NAG	B	2	14/15	0.93	0.09	41,54,59,60	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	CA	A	601	1/1	0.96	0.06	36,36,36,36	0
4	CA	A	602	1/1	0.96	0.10	55,55,55,55	0
3	MN	A	600	1/1	0.97	0.10	46,46,46,46	0

6.5 Other polymers [i](#)

There are no such residues in this entry.