



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 05:11 AM UTC

PDB ID : 2AXV / pdb_00002axv
Title : Structure of PrgX Y153C mutant
Authors : Shi, K.; Brown, C.K.; Gu, Z.Y.; Kozlowicz, B.K.; Dunny, G.M.; Ohlendorf, D.H.; Earhart, C.A.
Deposited on : 2005-09-06
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	317	
1	B	317	
1	C	317	
1	D	317	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 10026 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PrgX.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	302	Total	C	N	O	S	0	0	0
			2496	1620	402	468	6			
1	B	303	Total	C	N	O	S	0	0	0
			2501	1623	403	469	6			
1	C	302	Total	C	N	O	S	0	0	0
			2496	1620	402	468	6			
1	D	302	Total	C	N	O	S	0	0	0
			2496	1620	402	468	6			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	153	CYS	TYR	engineered mutation	UNP Q04114
B	153	CYS	TYR	engineered mutation	UNP Q04114
C	153	CYS	TYR	engineered mutation	UNP Q04114
D	153	CYS	TYR	engineered mutation	UNP Q04114


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	8	Total	O	0	0
			8	8		
2	B	5	Total	O	0	0
			5	5		
2	C	8	Total	O	0	0
			8	8		
2	D	16	Total	O	0	0
			16	16		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: PrgX





• Molecule 1: PrgX



• Molecule 1: PrgX



• Molecule 1: PrgX



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	82.08Å 82.08Å 263.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 3.00 20.00 – 3.00	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-3.00) 99.1 (20.00-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.33 (at 2.58Å)	Xtriage
Refinement program	REFMAC 5.2.0005, CNS	Depositor
R, R_{free}	0.239 , 0.280 (Not available) , 0.242	Depositor DCC
R_{free} test set	2545 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	69.0	Xtriage
Anisotropy	0.654	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 47.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.021 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10026	wwPDB-VP
Average B, all atoms (Å ²)	78.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.06	1/2547 (0.0%)	1.11	4/3440 (0.1%)
1	B	1.11	2/2552 (0.1%)	1.17	7/3447 (0.2%)
1	C	1.15	1/2547 (0.0%)	1.16	9/3440 (0.3%)
1	D	1.18	2/2547 (0.1%)	1.10	2/3440 (0.1%)
All	All	1.12	6/10193 (0.1%)	1.14	22/13767 (0.2%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	179	VAL	CA-CB	6.45	1.62	1.54
1	A	271	ASP	CB-CG	5.83	1.66	1.52
1	B	249	LYS	CA-C	5.60	1.60	1.52
1	D	251	ILE	CA-CB	5.59	1.61	1.54
1	D	61	ILE	C-O	-5.43	1.18	1.24
1	C	112	ILE	CA-CB	5.20	1.60	1.54

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	134	ILE	CB-CA-C	-11.14	97.62	111.88
1	C	290	THR	CB-CA-C	7.85	120.64	110.13
1	B	134	ILE	N-CA-CB	7.62	118.96	110.51
1	B	134	ILE	N-CA-C	7.39	118.12	110.36
1	C	112	ILE	N-CA-CB	7.21	118.99	110.55
1	A	134	ILE	CB-CA-C	-7.07	99.69	111.29
1	A	290	THR	CB-CA-C	-7.05	102.04	110.15
1	C	147	THR	CB-CA-C	-6.75	98.09	109.50
1	B	236	ILE	CB-CA-C	-6.00	104.18	112.04
1	C	233	ASP	N-CA-C	-5.81	104.86	111.07
1	A	179	VAL	CB-CA-C	-5.69	105.07	110.70
1	C	242	ILE	CB-CA-C	-5.66	104.50	112.14
1	D	283	ILE	CB-CA-C	-5.56	104.64	112.14
1	C	248	ASP	N-CA-CB	-5.52	102.32	111.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	16	ASN	CB-CA-C	-5.52	104.46	111.86
1	B	266	ILE	CB-CA-C	-5.44	104.92	112.04
1	C	226	ILE	N-CA-C	-5.39	104.12	110.21
1	A	233	ASP	N-CA-C	-5.34	105.46	111.28
1	C	11	ILE	CB-CA-C	-5.33	104.87	112.22
1	B	190	ILE	CB-CA-C	-5.30	103.94	112.16
1	D	44	VAL	CB-CA-C	-5.20	105.22	112.04
1	B	278	GLU	CB-CA-C	-5.17	102.77	110.88

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2496	0	2532	64	0
1	B	2501	0	2537	43	0
1	C	2496	0	2532	46	0
1	D	2496	0	2532	34	0
2	A	8	0	0	0	0
2	B	5	0	0	0	0
2	C	8	0	0	0	0
2	D	16	0	0	1	0
All	All	10026	0	10133	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:262:ASN:HD21	1:C:265:LYS:NZ	1.59	1.01
1:C:262:ASN:HD21	1:C:265:LYS:HZ3	1.02	0.97
1:C:262:ASN:ND2	1:C:265:LYS:HZ3	1.78	0.81
1:D:29:LYS:O	1:D:33:ILE:HG13	1.80	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:297:MET:HE2	1:A:301:ASN:HD21	1.47	0.79
1:D:88:ASN:OD1	1:D:91:LEU:HD13	1.88	0.74
1:C:182:PHE:C	1:D:63:ASN:HD22	1.97	0.73
1:A:113:TYR:CE1	1:A:117:ILE:HD11	2.26	0.70
1:A:294:GLU:O	1:A:297:MET:HB3	1.91	0.69
1:A:263:ILE:CD1	1:B:263:ILE:HG13	2.22	0.69
1:A:197:ALA:HB1	1:A:213:TYR:CE2	2.29	0.67
1:D:3:LYS:HA	1:D:38:ASP:OD2	1.98	0.64
1:C:249:LYS:HZ1	1:C:287:GLU:HB3	1.62	0.64
1:B:241:GLN:HG2	1:B:256:ASN:HB2	1.80	0.63
1:A:297:MET:HE3	1:A:297:MET:HA	1.81	0.62
1:C:152:ASP:HB3	1:C:175:MET:HE1	1.82	0.62
1:D:269:LYS:HG2	1:D:272:ILE:HD12	1.81	0.62
1:C:26:ILE:HD11	1:C:53:ARG:NH1	2.14	0.61
1:D:204:ASN:HD22	1:D:204:ASN:N	1.98	0.61
1:A:190:ILE:O	1:A:194:LEU:HD22	2.00	0.61
1:D:156:VAL:HG11	1:D:172:ILE:HG12	1.82	0.61
1:A:251:ILE:HB	1:C:290:THR:O	2.00	0.61
1:A:148:PHE:CG	1:A:175:MET:HG2	2.36	0.60
1:A:108:GLN:HG2	1:B:55:GLY:O	2.02	0.60
1:C:262:ASN:ND2	1:C:265:LYS:NZ	2.40	0.60
1:D:72:VAL:HG22	2:D:326:HOH:O	2.01	0.59
1:C:243:TYR:O	1:C:247:THR:HG23	2.03	0.59
1:B:130:PHE:O	1:B:134:ILE:HD13	2.02	0.58
1:A:250:ASN:HB2	1:C:290:THR:HB	1.86	0.57
1:C:124:ASN:HD22	1:C:124:ASN:N	2.02	0.57
1:C:19:GLN:HE22	1:C:33:ILE:HG12	1.68	0.57
1:C:43:SER:HA	1:D:43:SER:HA	1.87	0.56
1:C:28:SER:OG	1:C:31:VAL:HG23	2.05	0.56
1:A:299:TYR:O	1:A:303:VAL:HG22	2.06	0.56
1:B:71:SER:HB3	1:B:80:LEU:HD11	1.87	0.56
1:B:20:ILE:H	1:B:20:ILE:HD12	1.70	0.55
1:A:198:LEU:HG	1:A:239:LEU:HD13	1.89	0.55
1:D:188:LEU:HD13	1:D:229:ASN:HD22	1.72	0.55
1:B:241:GLN:CG	1:B:256:ASN:HB2	2.37	0.55
1:A:67:MET:HE1	1:B:58:PHE:CD1	2.42	0.55
1:A:248:ASP:HB2	1:A:250:ASN:HD22	1.72	0.55
1:A:248:ASP:O	1:A:249:LYS:C	2.49	0.54
1:B:173:LYS:N	1:B:174:PRO:HD2	2.22	0.54
1:A:20:ILE:HD12	1:A:20:ILE:H	1.73	0.54
1:B:275:SER:O	1:B:279:GLU:HG3	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:177:PRO:HA	1:B:216:GLN:NE2	2.22	0.54
1:D:20:ILE:HD12	1:D:20:ILE:H	1.72	0.53
1:D:248:ASP:O	1:D:249:LYS:C	2.51	0.53
1:A:134:ILE:HD12	1:A:135:THR:H	1.72	0.53
1:A:251:ILE:O	1:A:255:LEU:HD22	2.08	0.53
1:B:234:LEU:HD22	1:B:260:ILE:HG23	1.91	0.53
1:D:11:ILE:HG22	1:D:54:LEU:HD22	1.90	0.53
1:B:262:ASN:O	1:B:265:LYS:HB3	2.08	0.52
1:C:234:LEU:HD23	1:D:267:ILE:HG21	1.91	0.52
1:A:297:MET:HE2	1:A:301:ASN:ND2	2.20	0.52
1:A:173:LYS:N	1:A:174:PRO:HD2	2.25	0.51
1:C:269:LYS:HG2	1:C:272:ILE:HD12	1.92	0.51
1:A:58:PHE:CE1	1:A:62:LEU:HD22	2.46	0.51
1:A:181:SER:HB2	1:A:226:ILE:HD12	1.91	0.51
1:A:238:TYR:CE2	1:A:261:ILE:HD11	2.46	0.51
1:A:103:ARG:HD2	1:A:113:TYR:CE2	2.45	0.51
1:C:108:GLN:O	1:C:112:ILE:HG12	2.10	0.51
1:D:47:LEU:HD21	1:D:62:LEU:HD13	1.93	0.50
1:A:44:VAL:HG11	1:B:4:ILE:HD11	1.93	0.50
1:A:82:ILE:HD11	1:A:112:ILE:HG22	1.94	0.50
1:A:104:LEU:HD13	1:A:140:HIS:ND1	2.26	0.50
1:A:234:LEU:HD22	1:A:260:ILE:HG23	1.94	0.50
1:A:289:PHE:CZ	1:C:289:PHE:HZ	2.30	0.50
1:C:249:LYS:NZ	1:C:287:GLU:HB3	2.27	0.50
1:C:134:ILE:HD12	1:C:135:THR:N	2.28	0.49
1:A:263:ILE:HD13	1:B:263:ILE:HG13	1.94	0.49
1:D:3:LYS:O	1:D:7:VAL:HG23	2.13	0.49
1:A:148:PHE:CD2	1:A:175:MET:HG2	2.47	0.49
1:D:291:PRO:HG2	1:D:296:THR:HG23	1.95	0.49
1:A:164:PRO:HG2	1:A:167:GLU:HB2	1.94	0.48
1:C:18:HIS:HB3	1:C:20:ILE:HD12	1.95	0.48
1:C:152:ASP:O	1:C:156:VAL:HG23	2.13	0.48
1:A:88:ASN:ND2	1:A:91:LEU:HD11	2.29	0.48
1:C:75:THR:HG21	1:C:108:GLN:HB3	1.95	0.48
1:C:88:ASN:O	1:C:88:ASN:OD1	2.32	0.48
1:A:197:ALA:HB1	1:A:213:TYR:CZ	2.49	0.47
1:B:251:ILE:O	1:B:255:LEU:HD22	2.13	0.47
1:A:28:SER:OG	1:A:31:VAL:HG23	2.13	0.47
1:A:289:PHE:CE2	1:C:251:ILE:HD11	2.49	0.47
1:C:79:LYS:NZ	1:C:108:GLN:HE22	2.11	0.47
1:B:88:ASN:OD1	1:B:91:LEU:HD12	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:277:VAL:O	1:A:281:THR:HG23	2.14	0.47
1:A:88:ASN:HD22	1:A:91:LEU:HD11	1.79	0.47
1:A:132:LYS:NZ	1:A:132:LYS:HA	2.29	0.47
1:C:297:MET:HA	1:C:297:MET:HE3	1.97	0.47
1:C:124:ASN:N	1:C:124:ASN:ND2	2.63	0.46
1:C:245:PHE:O	1:C:249:LYS:HA	2.15	0.46
1:D:269:LYS:CG	1:D:272:ILE:HD12	2.45	0.46
1:A:113:TYR:HE1	1:A:117:ILE:HD11	1.79	0.46
1:C:248:ASP:O	1:C:249:LYS:C	2.59	0.46
1:B:276:LEU:HA	1:B:279:GLU:HG3	1.98	0.46
1:C:92:PHE:CE2	1:C:125:ILE:HG21	2.51	0.46
1:A:135:THR:O	1:A:139:LYS:HG2	2.15	0.46
1:B:100:GLU:HG2	1:B:113:TYR:HE1	1.80	0.46
1:B:205:ARG:HD2	1:B:287:GLU:OE2	2.17	0.45
1:D:299:TYR:C	1:D:299:TYR:CD1	2.94	0.45
1:B:100:GLU:HG2	1:B:113:TYR:CE1	2.51	0.45
1:B:177:PRO:HB3	1:B:216:GLN:HE22	1.81	0.45
1:B:197:ALA:HB1	1:B:213:TYR:CE2	2.51	0.45
1:C:263:ILE:HG13	1:D:263:ILE:HD13	1.98	0.45
1:A:82:ILE:HD11	1:A:112:ILE:CG2	2.46	0.45
1:C:37:ALA:O	1:C:38:ASP:HB2	2.17	0.45
1:C:248:ASP:O	1:C:248:ASP:OD1	2.34	0.45
1:C:70:LYS:NZ	1:C:79:LYS:HE2	2.33	0.44
1:C:262:ASN:HD21	1:C:265:LYS:HZ1	1.58	0.44
1:A:78:GLU:OE1	1:A:99:ILE:HD11	2.16	0.44
1:A:241:GLN:HG3	1:A:256:ASN:HB2	1.99	0.44
1:A:249:LYS:O	1:C:289:PHE:HA	2.17	0.44
1:C:73:ASN:H	1:C:73:ASN:HD22	1.65	0.43
1:A:155:ILE:O	1:A:158:ASN:HB2	2.18	0.43
1:A:152:ASP:HB3	1:A:175:MET:CE	2.48	0.43
1:B:234:LEU:HB3	1:B:264:PHE:CZ	2.54	0.43
1:A:103:ARG:HG3	1:A:104:LEU:N	2.34	0.43
1:B:292:PRO:HD3	1:D:251:ILE:HG21	2.01	0.43
1:A:115:GLY:O	1:A:119:ILE:HG13	2.17	0.43
1:B:255:LEU:HD11	1:D:255:LEU:CD2	2.48	0.43
1:A:245:PHE:O	1:A:249:LYS:HA	2.18	0.43
1:B:250:ASN:ND2	1:B:253:SER:HB2	2.34	0.43
1:A:108:GLN:O	1:A:112:ILE:HG13	2.19	0.43
1:B:184:LYS:HZ2	1:B:184:LYS:HG3	1.80	0.43
1:B:248:ASP:O	1:B:249:LYS:C	2.62	0.43
1:C:153:CYS:HB2	1:C:189:THR:HG22	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:236:ILE:HA	1:C:239:LEU:HD12	2.01	0.43
1:B:8:LEU:HD23	1:B:8:LEU:HA	1.85	0.42
1:A:108:GLN:HG2	1:B:55:GLY:CA	2.49	0.42
1:A:138:LEU:HD21	1:A:159:LEU:HD21	2.02	0.42
1:B:299:TYR:CD1	1:B:299:TYR:C	2.97	0.42
1:B:166:GLU:H	1:B:166:GLU:CD	2.27	0.42
1:B:197:ALA:HB1	1:B:213:TYR:CZ	2.54	0.42
1:C:278:GLU:O	1:C:282:LYS:HG3	2.18	0.42
1:A:85:ILE:HD13	1:A:116:TYR:HE1	1.85	0.42
1:C:238:TYR:CE2	1:C:261:ILE:HD11	2.55	0.42
1:D:241:GLN:NE2	1:D:256:ASN:HD22	2.18	0.42
1:D:298:TYR:O	1:D:302:TYR:CD1	2.73	0.42
1:A:214:ILE:O	1:A:218:GLU:HG2	2.19	0.42
1:B:58:PHE:CE1	1:B:62:LEU:HD11	2.55	0.42
1:A:152:ASP:HB3	1:A:175:MET:HE3	2.01	0.42
1:B:15:LEU:HB3	1:B:17:TYR:CE1	2.55	0.42
1:A:89:PRO:HB3	1:A:123:TYR:CD2	2.54	0.42
1:B:232:TYR:O	1:B:233:ASP:C	2.61	0.42
1:D:58:PHE:CE1	1:D:62:LEU:HD22	2.55	0.42
1:D:35:VAL:HG22	1:D:40:ARG:HH21	1.85	0.41
1:D:234:LEU:HD21	1:D:263:ILE:CG2	2.50	0.41
1:D:26:ILE:HD11	1:D:53:ARG:NH1	2.36	0.41
1:D:195:LYS:HZ3	1:D:196:ASN:ND2	2.18	0.41
1:D:204:ASN:N	1:D:204:ASN:ND2	2.67	0.41
1:A:12:ARG:HG2	1:A:17:TYR:HB2	2.01	0.41
1:A:148:PHE:CD1	1:A:148:PHE:N	2.88	0.41
1:B:291:PRO:HG2	1:B:296:THR:HG23	2.02	0.41
1:B:293:LYS:O	1:B:297:MET:HB2	2.20	0.41
1:C:234:LEU:HD22	1:C:260:ILE:HG23	2.01	0.41
1:B:100:GLU:N	1:B:101:PRO:CD	2.83	0.41
1:D:173:LYS:HB2	1:D:174:PRO:HD3	2.02	0.41
1:A:178:ILE:O	1:A:223:ILE:HD11	2.20	0.41
1:C:187:ASP:O	1:C:190:ILE:HG12	2.21	0.41
1:A:289:PHE:CZ	1:C:289:PHE:CZ	3.08	0.41
1:B:177:PRO:HA	1:B:216:GLN:HE22	1.84	0.41
1:D:91:LEU:O	1:D:92:PHE:C	2.63	0.41
1:D:245:PHE:HD1	1:D:250:ASN:O	2.04	0.41
1:B:245:PHE:O	1:B:249:LYS:HA	2.21	0.41
1:B:130:PHE:CZ	1:B:134:ILE:HD12	2.56	0.40
1:A:73:ASN:OD1	1:A:73:ASN:C	2.63	0.40
1:A:152:ASP:CB	1:A:175:MET:CE	2.99	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:245:PHE:O	1:D:249:LYS:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	300/317 (95%)	283 (94%)	15 (5%)	2 (1%)	18	53
1	B	301/317 (95%)	287 (95%)	12 (4%)	2 (1%)	18	53
1	C	300/317 (95%)	285 (95%)	13 (4%)	2 (1%)	18	53
1	D	300/317 (95%)	287 (96%)	11 (4%)	2 (1%)	18	53
All	All	1201/1268 (95%)	1142 (95%)	51 (4%)	8 (1%)	18	53

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	249	LYS
1	D	249	LYS
1	B	249	LYS
1	C	249	LYS
1	C	92	PHE
1	A	297	MET
1	D	92	PHE
1	B	303	VAL

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	302/317 (95%)	-0.40	0	100 100	54, 75, 108, 119	0
1	B	303/317 (95%)	-0.29	1 (0%)	90 79	54, 75, 106, 114	0
1	C	302/317 (95%)	-0.32	2 (0%)	84 66	53, 74, 106, 114	0
1	D	302/317 (95%)	-0.31	3 (0%)	79 59	53, 75, 108, 114	0
All	All	1209/1268 (95%)	-0.33	6 (0%)	87 72	53, 75, 107, 119	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	91	LEU	2.7
1	C	125	ILE	2.6
1	D	70	LYS	2.3
1	D	71	SER	2.2
1	B	304	ALA	2.1
1	D	303	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.