



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:03 PM UTC

PDB ID : 2O8D / pdb\_00002o8d  
Title : human MutSalpha (MSH2/MSH6) bound to ADP and a G dU mispair  
Authors : Warren, J.J.; Pohlhaus, T.J.; Changela, A.; Modrich, P.L.; Beese, L.S.  
Deposited on : 2006-12-12  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	E	15	<div> <div>20%</div> <div>87%</div> <div>13%</div> </div>
2	F	15	<div> <div>20%</div> <div>80%</div> <div>20%</div> </div>
3	A	934	<div> <div>3%</div> <div>75%</div> <div>14%</div> <div>11%</div> </div>
4	B	1022	<div> <div>5%</div> <div>77%</div> <div>13%</div> <div>9%</div> </div>

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 14593 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-D(\*GP\*AP\*AP\*CP\*CP\*GP\*CP\*GP\*CP\*GP\*CP\*T  
P\*AP\*GP\*G)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	E	15	Total	C	N	O	P	0	0	0
			307	145	62	86	14			

- Molecule 2 is a DNA chain called 5'-D(\*CP\*CP\*TP\*AP\*GP\*CP\*GP\*(DU)P\*GP\*CP\*GP  
\*GP\*TP\*TP\*C)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	F	15	Total	C	N	O	P	0	0	0
			302	144	53	91	14			

- Molecule 3 is a protein called DNA mismatch repair protein Msh2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	830	Total	C	N	O	S	0	0	0
			6439	4085	1092	1228	34			

- Molecule 4 is a protein called DNA mismatch repair protein MSH6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	B	932	Total	C	N	O	S	0	0	0
			7443	4721	1277	1394	51			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	339	MET	-	initiating methionine	UNP P52701
B	340	GLY	-	cloning artifact	UNP P52701

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Mg 1 1	0	0
5	B	1	Total Mg 1 1	0	0

- Molecule 6 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C N O P 27 10 5 10 2	0	0
6	B	1	Total C N O P 27 10 5 10 2	0	0



- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	E	1	Total O 1 1	0	0
7	F	3	Total O 3 3	0	0
7	A	2	Total O 2 2	0	0
7	B	40	Total O 40 40	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: 5'-D(\*GP\*AP\*AP\*CP\*CP\*GP\*CP\*GP\*CP\*GP\*CP\*TP\*AP\*GP\*G)-3'




- Molecule 2: 5'-D(\*CP\*CP\*TP\*AP\*GP\*CP\*GP\*(DU)P\*GP\*CP\*GP\*GP\*TP\*TP\*C)-3'



- Molecule 3: DNA mismatch repair protein Msh2





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 3 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	260.38Å 260.38Å 260.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 3.00 50.00 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.8 (50.00-3.00) 99.8 (50.00-3.00)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.39 (at 3.01Å)	Xtriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.239 , 0.278 0.242 , 0.278	Depositor DCC
$R_{free}$ test set	3088 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	83.6	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 106.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	14593	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	92.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.47% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	E	0.27	0/345	0.91	0/531
2	F	0.45	0/337	0.98	1/518 (0.2%)
3	A	0.45	1/6539 (0.0%)	0.99	19/8828 (0.2%)
4	B	0.50	0/7587	1.00	22/10226 (0.2%)
All	All	0.47	1/14808 (0.0%)	1.00	42/20103 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	397	GLN	C-N	-5.11	1.27	1.33

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	787	LEU	N-CA-C	-10.34	100.28	113.72
4	B	1325	LYS	N-CA-C	-9.27	102.10	113.50
4	B	957	LYS	N-CA-C	-9.24	102.51	113.88
3	A	435	VAL	N-CA-C	-8.60	104.00	112.17
3	A	434	ALA	N-CA-C	-7.79	102.62	114.16
3	A	808	GLU	N-CA-C	-7.50	106.07	114.62
3	A	424	HIS	CB-CA-C	-7.31	108.13	116.54
4	B	598	LYS	N-CA-C	7.17	120.93	111.75
3	A	213	LEU	N-CA-C	-7.02	103.73	112.72
3	A	216	ILE	N-CA-C	-6.71	106.11	113.43
3	A	425	GLU	N-CA-C	-6.58	104.85	114.39
4	B	381	GLU	N-CA-C	-6.57	104.05	111.07
3	A	380	LEU	N-CA-C	6.53	119.67	111.24
4	B	1005	ARG	N-CA-C	6.43	118.96	109.24
3	A	96	ARG	N-CA-C	6.33	120.60	113.01
4	B	899	GLU	N-CA-C	6.23	118.22	107.93

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	180	ASP	N-CA-C	6.07	118.93	109.52
3	A	698	GLU	N-CA-C	-6.03	104.66	112.68
4	B	1055	ALA	N-CA-C	-5.76	105.08	111.36
4	B	901	ARG	N-CA-C	5.68	118.66	109.79
4	B	755	GLU	N-CA-C	5.55	117.91	108.02
4	B	1243	THR	N-CA-C	5.54	118.23	108.75
3	A	710	ALA	N-CA-C	5.48	117.60	108.99
4	B	1308	LEU	CA-C-N	5.47	126.68	119.84
4	B	1308	LEU	C-N-CA	5.47	126.68	119.84
4	B	402	PHE	N-CA-C	-5.46	104.74	111.40
3	A	624	ILE	N-CA-C	5.46	115.72	107.80
4	B	977	TYR	N-CA-C	5.46	119.23	112.24
4	B	898	PRO	N-CA-C	5.37	123.53	112.47
4	B	995	GLU	N-CA-C	5.36	118.56	109.76
4	B	906	THR	N-CA-C	5.35	117.54	111.02
4	B	592	VAL	N-CA-C	-5.30	107.65	113.43
2	F	19	DA	P-O3'-C3'	5.24	128.06	120.20
3	A	617	VAL	CA-C-N	5.23	126.37	119.84
3	A	617	VAL	C-N-CA	5.23	126.37	119.84
4	B	538	TYR	N-CA-C	5.21	118.22	110.14
4	B	835	GLN	N-CA-C	5.18	116.62	110.97
3	A	546	LYS	N-CA-C	-5.18	106.22	112.54
3	A	691	ILE	N-CA-C	-5.17	105.45	113.16
4	B	539	LEU	N-CA-C	-5.15	100.78	109.07
3	A	629	GLN	N-CA-C	-5.07	107.10	113.28
4	B	665	GLU	N-CA-C	5.02	121.50	110.80

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	307	0	168	1	0
2	F	302	0	169	1	0
3	A	6439	0	6409	70	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	7443	0	7414	80	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	27	0	12	0	0
6	B	27	0	12	0	0
7	A	2	0	0	0	0
7	B	40	0	0	0	0
7	E	1	0	0	0	0
7	F	3	0	0	0	0
All	All	14593	0	14184	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:897:ASN:HB3	4:B:901:ARG:HE	1.35	0.90
3:A:39:ARG:HE	3:A:44:THR:HG21	1.48	0.77
4:B:586:VAL:HG11	4:B:613:LEU:HD11	1.69	0.75
4:B:897:ASN:HB3	4:B:901:ARG:NE	2.02	0.75
4:B:380:ASP:HB2	4:B:384:ARG:H	1.52	0.74
3:A:646:ASP:CG	3:A:647:GLU:H	1.96	0.72
4:B:899:GLU:O	4:B:901:ARG:NH1	2.26	0.69
4:B:1235:LEU:HD21	4:B:1243:THR:HG21	1.75	0.69
4:B:892:SER:O	4:B:901:ARG:HB3	1.94	0.68
3:A:588:TYR:O	3:A:592:MET:HG2	1.94	0.67
3:A:204:GLY:H	3:A:214:ARG:HH22	1.42	0.65
4:B:380:ASP:O	4:B:397:TYR:HB2	1.96	0.65
4:B:554:ARG:HH22	4:B:604:GLU:HG3	1.61	0.64
4:B:1259:ASN:O	4:B:1261:ALA:N	2.28	0.63
4:B:733:MET:HE3	4:B:1173:VAL:HG23	1.79	0.63
4:B:777:TRP:HB3	4:B:1156:MET:HE3	1.81	0.62
4:B:746:PHE:CE1	4:B:775:LYS:HD2	2.34	0.62
3:A:39:ARG:HE	3:A:44:THR:CG2	2.13	0.61
1:E:4:DC:H2'	1:E:5:DC:C6	2.36	0.60
4:B:949:GLN:HA	4:B:952:LEU:HB3	1.83	0.60
3:A:235:LYS:HE2	3:A:271:SER:HB2	1.83	0.60
4:B:581:ARG:HH21	4:B:713:ASP:HB2	1.67	0.59
3:A:5:PRO:HB3	3:A:81:SER:HB3	1.86	0.58
3:A:321:THR:O	3:A:321:THR:HG23	2.02	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:1088:PHE:HB2	4:B:1117:CYS:H	1.68	0.58
3:A:33:THR:HG22	3:A:99:ARG:HH11	1.68	0.57
4:B:1127:ALA:H	4:B:1261:ALA:HA	1.69	0.56
4:B:1118:GLU:HG2	4:B:1124:ASN:HB2	1.87	0.56
3:A:194:ILE:HG13	3:A:196:PRO:HD3	1.88	0.55
3:A:671:ASN:O	3:A:672:MET:HB2	2.06	0.55
3:A:20:VAL:HG21	3:A:68:GLY:HA2	1.87	0.55
3:A:619:TYR:HB3	3:A:694:PHE:HB3	1.88	0.55
3:A:1:MET:O	3:A:2:ALA:HB3	2.07	0.55
3:A:527:CYS:HA	3:A:549:VAL:HG23	1.88	0.54
3:A:740:THR:HG23	3:A:742:ASP:H	1.71	0.54
3:A:488:LEU:O	3:A:492:MET:HG2	2.08	0.54
4:B:404:ASN:OD1	4:B:411:ARG:NH1	2.41	0.54
4:B:795:ILE:HG23	4:B:1064:ALA:HA	1.90	0.54
3:A:359:ARG:NH2	3:A:691:ILE:O	2.35	0.54
3:A:732:THR:O	3:A:736:LEU:HB2	2.08	0.53
4:B:733:MET:HE3	4:B:1173:VAL:CG2	2.37	0.53
3:A:16:GLU:HG3	3:A:67:MET:HE3	1.90	0.53
3:A:258:LEU:HB2	3:A:261:MET:HG2	1.90	0.53
3:A:204:GLY:H	3:A:214:ARG:NH2	2.06	0.53
3:A:231:ASP:OD1	3:A:272:ALA:HB2	2.09	0.53
4:B:733:MET:HE2	4:B:735:LEU:HD21	1.90	0.52
4:B:381:GLU:HB2	4:B:395:THR:HB	1.91	0.52
4:B:991:PRO:O	4:B:993:GLU:N	2.42	0.52
3:A:295:ASP:HB3	3:A:298:GLN:HG3	1.92	0.52
4:B:748:ASN:H	4:B:757:THR:HG21	1.75	0.51
3:A:680:ARG:NH2	3:A:748:ASP:OD1	2.44	0.51
3:A:131:PHE:HD1	3:A:134:ILE:HD12	1.75	0.51
4:B:1136:ASN:O	4:B:1137:MET:HB3	2.11	0.51
3:A:838:LYS:HG3	3:A:839:HIS:H	1.76	0.51
3:A:492:MET:HE3	3:A:513:LEU:HD11	1.93	0.50
3:A:235:LYS:HB2	3:A:239:GLN:HG3	1.94	0.50
4:B:667:ASP:CG	4:B:668:SER:H	2.19	0.50
4:B:585:LEU:HD12	4:B:709:TYR:CE2	2.47	0.50
4:B:993:GLU:HG3	4:B:1005:ARG:HD2	1.93	0.50
4:B:798:LEU:O	4:B:805:ILE:HD11	2.11	0.50
4:B:936:ASP:O	4:B:940:ALA:N	2.44	0.49
4:B:1234:GLU:HG3	4:B:1238:THR:HB	1.94	0.49
4:B:1270:MET:HE2	4:B:1286:LEU:HD21	1.94	0.49
3:A:460:MET:HA	3:A:463:VAL:HB	1.93	0.49
2:F:28:DT:H2"	2:F:29:DT:H5"	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:672:MET:SD	4:B:1188:SER:N	2.86	0.49
3:A:277:LEU:C	3:A:279:LEU:H	2.21	0.49
4:B:518:THR:HG21	4:B:593:GLN:NE2	2.29	0.48
4:B:1294:CYS:C	4:B:1296:LYS:H	2.22	0.48
4:B:667:ASP:C	4:B:669:ILE:H	2.22	0.48
4:B:1038:TYR:CE2	4:B:1042:LYS:HE3	2.48	0.48
3:A:210:MET:HA	3:A:213:LEU:HD12	1.96	0.47
3:A:634:LEU:HB2	3:A:655:VAL:HB	1.96	0.47
3:A:374:GLN:O	3:A:378:GLU:HG2	2.14	0.47
3:A:838:LYS:HG3	3:A:839:HIS:N	2.29	0.47
4:B:970:TRP:HZ3	4:B:997:LYS:HD2	1.79	0.47
3:A:492:MET:HE1	3:A:556:LEU:HG	1.97	0.47
3:A:619:TYR:HE1	3:A:688:MET:HE1	1.79	0.47
3:A:709:LEU:HD12	3:A:739:ALA:HB2	1.97	0.47
4:B:945:ARG:HD2	4:B:1024:ARG:HH12	1.80	0.47
3:A:496:LEU:HD21	3:A:513:LEU:HB2	1.97	0.47
3:A:667:ILE:HA	3:A:800:LEU:O	2.15	0.47
4:B:412:LYS:HE3	4:B:416:ILE:HD11	1.96	0.47
4:B:385:ARG:CD	4:B:386:PRO:HD2	2.45	0.46
3:A:463:VAL:C	3:A:465:ASN:H	2.23	0.46
4:B:381:GLU:HB2	4:B:395:THR:CB	2.45	0.46
4:B:936:ASP:HA	4:B:939:GLN:HB3	1.97	0.46
3:A:337:GLN:H	3:A:337:GLN:HG3	1.54	0.46
4:B:554:ARG:HH12	4:B:604:GLU:HB2	1.81	0.45
4:B:1177:LEU:O	4:B:1217:ARG:NH2	2.43	0.45
4:B:1109:ILE:HA	4:B:1110:PRO:HD3	1.82	0.45
4:B:889:GLN:O	4:B:901:ARG:HA	2.15	0.45
4:B:1213:ASP:HA	4:B:1246:SER:OG	2.17	0.45
3:A:520:GLY:HA3	3:A:560:ASN:HD21	1.82	0.45
4:B:801:VAL:HG21	4:B:878:VAL:HG21	1.98	0.45
4:B:1149:LEU:O	4:B:1153:MET:HG2	2.17	0.45
4:B:575:ASP:OD1	4:B:576:ASP:N	2.41	0.44
3:A:782:THR:HG21	3:A:787:LEU:HD13	1.99	0.44
3:A:300:MET:HA	3:A:351:MET:HE2	1.99	0.44
4:B:611:SER:OG	4:B:612:SER:N	2.51	0.44
4:B:658:VAL:O	4:B:662:MET:HG2	2.18	0.44
4:B:782:LEU:HD13	4:B:787:ALA:HB1	1.99	0.44
4:B:782:LEU:O	4:B:1155:GLN:HB3	2.18	0.44
3:A:336:PRO:HG2	3:A:386:ASP:HB2	2.00	0.43
3:A:706:ASP:HB2	3:A:742:ASP:HB2	2.00	0.43
4:B:1127:ALA:HB1	4:B:1263:ARG:HD2	1.99	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:29:LYS:HE3	3:A:49:ASP:OD2	2.18	0.43
4:B:990:LEU:HA	4:B:991:PRO:HD3	1.81	0.43
4:B:926:LEU:HA	4:B:926:LEU:HD23	1.76	0.43
3:A:415:PRO:O	3:A:419:GLN:HG2	2.19	0.43
4:B:385:ARG:HD2	4:B:386:PRO:HD2	2.00	0.43
4:B:662:MET:HE1	4:B:680:ALA:HB3	2.01	0.43
4:B:641:GLU:HB3	4:B:644:ARG:HG3	2.01	0.42
3:A:450:PHE:CZ	3:A:454:ILE:HD11	2.54	0.42
4:B:438:MET:H	4:B:438:MET:HG2	1.61	0.42
3:A:401:LEU:HD11	3:A:458:LEU:HD11	2.00	0.42
4:B:516:ILE:HB	4:B:694:CYS:HA	2.02	0.42
4:B:1308:LEU:HB3	4:B:1313:ILE:HD11	2.01	0.42
3:A:352:ASP:O	3:A:356:ILE:HG13	2.19	0.42
3:A:575:ASP:HA	3:A:578:VAL:HB	2.02	0.42
3:A:646:ASP:CG	3:A:647:GLU:N	2.67	0.41
3:A:672:MET:SD	4:B:1188:SER:HB2	2.60	0.41
4:B:1143:LEU:HD22	4:B:1267:MET:HE1	2.01	0.41
3:A:29:LYS:HA	3:A:30:PRO:HD3	1.95	0.41
3:A:288:GLN:O	3:A:289:PHE:HB2	2.20	0.41
3:A:475:ASP:HA	3:A:476:PRO:HD2	1.88	0.41
3:A:687:LEU:O	3:A:691:ILE:HG13	2.19	0.41
4:B:1081:LEU:HA	4:B:1082:PRO:HD3	1.89	0.41
3:A:197:LYS:HB3	3:A:197:LYS:HE2	1.73	0.41
4:B:496:CYS:HA	4:B:499:MET:HG2	2.02	0.41
4:B:1136:ASN:O	4:B:1137:MET:CB	2.68	0.41
3:A:300:MET:HG3	3:A:707:CYS:HA	2.02	0.41
4:B:889:GLN:HG2	4:B:901:ARG:NH1	2.35	0.41
3:A:1:MET:O	3:A:2:ALA:CB	2.69	0.41
4:B:664:SER:O	4:B:666:SER:N	2.53	0.41
4:B:1150:LEU:CD2	4:B:1161:PRO:HD2	2.50	0.41
3:A:749:GLU:HG3	3:A:783:HIS:ND1	2.35	0.41
4:B:920:LYS:NZ	4:B:927:ILE:HD12	2.36	0.41
3:A:493:GLN:HA	3:A:496:LEU:HD12	2.03	0.41
4:B:487:GLU:OE1	4:B:495:ARG:NH1	2.54	0.41
4:B:788:ILE:HG21	4:B:1079:ILE:HD12	2.02	0.41
4:B:1130:VAL:HB	4:B:1244:LEU:HD23	2.03	0.41
4:B:1176:ARG:HE	4:B:1193:GLU:HG3	1.85	0.41
4:B:662:MET:HE1	4:B:680:ALA:CB	2.52	0.40
3:A:586:SER:C	3:A:588:TYR:H	2.29	0.40
3:A:414:LEU:N	3:A:415:PRO:HD2	2.36	0.40
3:A:646:ASP:HB3	3:A:648:ILE:HG13	2.02	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:798:LEU:HD13	4:B:1061:LEU:HD23	2.02	0.40
3:A:148:VAL:HG12	3:A:165:TYR:HB3	2.03	0.40
3:A:506:ASP:HA	3:A:507:PRO:HD3	1.84	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	816/934 (87%)	732 (90%)	76 (9%)	8 (1%)	12	45
4	B	912/1022 (89%)	836 (92%)	66 (7%)	10 (1%)	11	43
All	All	1728/1956 (88%)	1568 (91%)	142 (8%)	18 (1%)	12	45

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	B	665	GLU
4	B	747	LEU
4	B	1297	SER
3	A	138	ASN
4	B	668	SER
4	B	745	ILE
3	A	120	ALA
3	A	146	GLY
4	B	931	ALA
3	A	115	ASN
4	B	667	ASP
4	B	1296	LYS
3	A	229	LYS
3	A	249	LYS
3	A	527	CYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
4	B	1260	VAL
3	A	426	GLY
4	B	1309	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	693/808 (86%)	692 (100%)	1 (0%)	88	93
4	B	819/899 (91%)	818 (100%)	1 (0%)	88	93
All	All	1512/1707 (89%)	1510 (100%)	2 (0%)	88	93

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	711	ARG
4	B	1007	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	24	GLN
3	A	61	GLN
3	A	127	ASN
3	A	239	GLN
3	A	242	ASN
3	A	337	GLN
3	A	348	GLN
3	A	388	ASN
3	A	560	ASN
4	B	367	HIS
4	B	1039	ASN
4	B	1048	GLN
4	B	1065	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
4	B	1124	ASN
4	B	1229	ASN
4	B	1327	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	ADP	B	202	5	28,29,29	1.44	4 (14%)	43,45,45	1.81	9 (20%)
6	ADP	A	936	5	28,29,29	1.49	5 (17%)	43,45,45	1.76	9 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ADP	B	202	5	-	2/16/32/32	0/3/3/3

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ADP	A	936	5	-	0/16/32/32	0/3/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	202	ADP	C5-C4	4.93	1.47	1.39
6	A	936	ADP	C5-C4	4.88	1.47	1.39
6	B	202	ADP	C5-C6	2.92	1.49	1.41
6	A	936	ADP	C5-C6	2.68	1.48	1.41
6	A	936	ADP	PA-O3A	2.50	1.62	1.59
6	B	202	ADP	C8-N7	2.39	1.36	1.31
6	A	936	ADP	C5-N7	-2.38	1.34	1.39
6	A	936	ADP	C8-N7	2.35	1.36	1.31
6	B	202	ADP	C5-N7	-2.04	1.35	1.39

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	202	ADP	C5-C4-N3	-5.67	118.91	126.72
6	A	936	ADP	C5-C4-N3	-5.56	119.06	126.72
6	B	202	ADP	N3-C4-N9	4.52	134.85	127.17
6	A	936	ADP	N3-C4-N9	4.40	134.65	127.17
6	B	202	ADP	C2-N3-C4	3.81	121.14	111.83
6	A	936	ADP	C2-N3-C4	3.54	120.48	111.83
6	B	202	ADP	N3-C2-N1	-3.50	123.29	128.58
6	A	936	ADP	C4-C5-N7	-3.42	106.67	110.58
6	A	936	ADP	N3-C2-N1	-3.34	123.53	128.58
6	B	202	ADP	C4-C5-N7	-3.32	106.79	110.58
6	B	202	ADP	C4-N9-C8	2.53	108.40	105.74
6	A	936	ADP	C5-N7-C8	2.49	107.36	103.45
6	A	936	ADP	C4-N9-C8	2.48	108.34	105.74
6	B	202	ADP	C5-N7-C8	2.37	107.17	103.45
6	B	202	ADP	C6-C5-N7	2.36	136.63	132.09
6	B	202	ADP	C3'-C2'-C1'	2.31	105.83	101.46
6	A	936	ADP	C2-N1-C6	2.18	122.31	118.73
6	A	936	ADP	C6-C5-N7	2.05	136.04	132.09

There are no chirality outliers.


All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	B	202	ADP	PA-O3A-PB-O3B
6	B	202	ADP	PA-O3A-PB-O2B

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	E	15/15 (100%)	1.25	3 (20%) <b>3</b> <b>2</b>	85, 93, 111, 114	0
2	F	14/15 (93%)	1.14	3 (21%) <b>2</b> <b>1</b>	86, 92, 123, 126	0
3	A	830/934 (88%)	0.47	24 (2%) 53 31	20, 93, 98, 107	0
4	B	932/1022 (91%)	0.52	49 (5%) 32 16	34, 93, 107, 116	0
All	All	1791/1986 (90%)	0.51	79 (4%) 39 21	20, 93, 103, 126	0

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	B	935	SER	4.8
1	E	15	DG	4.5
3	A	533	LEU	4.3
3	A	546	LYS	3.7
4	B	747	LEU	3.7
3	A	541	THR	3.5
4	B	1261	ALA	3.4
4	B	717	VAL	3.4
3	A	489	GLU	3.3
4	B	946	GLU	3.2
3	A	1	MET	3.2
4	B	939	GLN	3.1
4	B	362	PRO	3.1
3	A	216	ILE	3.1
4	B	716	THR	3.0
3	A	692	GLY	2.9
3	A	543	ASP	2.9
3	A	237	ILE	2.9
4	B	718	SER	2.9
4	B	937	TYR	2.9
2	F	25	DC	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	A	854	PHE	2.8
4	B	933	PHE	2.8
3	A	559	LEU	2.8
4	B	666	SER	2.8
4	B	931	ALA	2.7
4	B	932	GLY	2.6
4	B	1119	GLU	2.6
4	B	729	ALA	2.6
4	B	954	TYR	2.6
4	B	955	LEU	2.6
4	B	1118	GLU	2.6
4	B	1009	LYS	2.6
4	B	746	PHE	2.5
4	B	525	SER	2.5
3	A	292	THR	2.5
4	B	962	ILE	2.5
2	F	16	DC	2.5
4	B	996	LEU	2.5
3	A	394	PHE	2.4
2	F	24	DG	2.4
4	B	928	THR	2.4
4	B	552	HIS	2.4
4	B	900	GLY	2.4
4	B	645	GLU	2.4
4	B	651	ILE	2.3
3	A	137	GLY	2.3
3	A	542	VAL	2.3
4	B	1178	GLY	2.3
3	A	785	HIS	2.3
4	B	1117	CYS	2.3
3	A	250	GLY	2.3
4	B	647	LEU	2.3
4	B	950	SER	2.2
4	B	544	GLU	2.2
4	B	1010	THR	2.2
3	A	532	VAL	2.2
4	B	669	ILE	2.2
3	A	611	VAL	2.2
4	B	997	LYS	2.2
4	B	549	SER	2.2
3	A	230	ALA	2.2
4	B	528	GLU	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	A	304	ILE	2.1
4	B	730	TYR	2.1
3	A	488	LEU	2.1
4	B	668	SER	2.1
1	E	10	DG	2.1
4	B	553	THR	2.1
4	B	995	GLU	2.1
4	B	1295	PRO	2.1
4	B	518	THR	2.1
4	B	1006	TYR	2.1
4	B	1157	GLY	2.1
4	B	941	LEU	2.0
3	A	487	ASP	2.0
4	B	1129	CYS	2.0
3	A	324	GLN	2.0
1	E	9	DC	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	MG	A	935	1/1	0.77	0.23	92,92,92,92	0
5	MG	B	102	1/1	0.84	0.17	83,83,83,83	0
6	ADP	B	202	27/27	0.89	0.09	99,100,101,101	0
6	ADP	A	936	27/27	0.93	0.08	89,89,91,91	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around ADP B 202:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ADP A 936:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.