



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 03:58 PM UTC

PDB ID : 3SYT / pdb\_00003syt  
Title : Crystal structure of glutamine-dependent NAD<sup>+</sup> synthetase from *M. tuberculosis* bound to AMP/PPi, NAD<sup>+</sup>, and glutamate  
Authors : Chuenchor, W.; Gerratana, B.  
Deposited on : 2011-07-18  
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	680	
1	B	680	
1	C	680	
1	D	680	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	POP	C	682	-	-	X	-

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 21035 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glutamine-dependent NAD(+) synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	660	Total	C	N	O	S	0	0	0
			5104	3235	906	947	16			
1	B	660	Total	C	N	O	S	0	0	0
			5076	3224	895	941	16			
1	C	651	Total	C	N	O	S	0	0	0
			5010	3181	888	925	16			
1	D	649	Total	C	N	O	S	0	0	0
			5003	3174	889	924	16			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	expression tag	UNP P0A5L6
B	0	SER	-	expression tag	UNP P0A5L6
C	0	SER	-	expression tag	UNP P0A5L6
D	0	SER	-	expression tag	UNP P0A5L6

- Molecule 2 is GLUTAMIC ACID (CCD ID: GLU) (formula: C<sub>5</sub>H<sub>9</sub>NO<sub>4</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total 10	C 5	N 1	O 4	0	0
2	B	1	Total 10	C 5	N 1	O 4	0	0
2	C	1	Total 10	C 5	N 1	O 4	0	0
2	D	1	Total 10	C 5	N 1	O 4	0	0

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula:  $\text{C}_{21}\text{H}_{27}\text{N}_7\text{O}_{14}\text{P}_2$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is ADENOSINE MONOPHOSPHATE (CCD ID: AMP) (formula:  $C_{10}H_{14}N_5O_7P$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
4	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
4	C	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
4	D	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 5 is PYROPHOSPHATE 2- (CCD ID: POP) (formula:  $H_2O_7P_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	P	0	0
			9	7	2		
5	B	1	Total	O	P	0	0
			9	7	2		
5	C	1	Total	O	P	0	0
			9	7	2		
5	D	1	Total	O	P	0	0
			9	7	2		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	133	Total	O	0	0
			133	133		
7	B	111	Total	O	0	0
			111	111		
7	C	108	Total	O	0	0
			108	108		
7	D	134	Total	O	0	0
			134	134		




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glutamine-dependent NAD(+) synthetase




- Molecule 1: Glutamine-dependent NAD(+) synthetase





- Molecule 1: Glutamine-dependent NAD(+) synthetase





• Molecule 1: Glutamine-dependent NAD(+) synthetase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	177.75Å 177.75Å 213.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.30 – 2.65 49.30 – 2.65	Depositor EDS
% Data completeness (in resolution range)	98.5 (49.30-2.65) 90.9 (49.30-2.65)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.39 (at 2.65Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.1_743)	Depositor
R, $R_{free}$	0.155 , 0.200 0.160 , 0.204	Depositor DCC
$R_{free}$ test set	4873 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	27.0	Xtriage
Anisotropy	1.312	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 43.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	21035	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.43% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: POP, NAD, GOL, AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.92	6/5224 (0.1%)	1.02	9/7100 (0.1%)
1	B	0.90	4/5196 (0.1%)	1.04	9/7065 (0.1%)
1	C	0.88	2/5127 (0.0%)	1.01	8/6966 (0.1%)
1	D	0.91	4/5119 (0.1%)	1.04	9/6955 (0.1%)
All	All	0.90	16/20666 (0.1%)	1.03	35/28086 (0.1%)

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	292	ASN	CG-OD1	-9.55	1.05	1.23
1	A	292	ASN	CG-ND2	-8.31	1.15	1.33
1	A	410	ASN	CG-ND2	-8.07	1.16	1.33
1	D	410	ASN	CG-ND2	-7.95	1.16	1.33
1	A	410	ASN	CG-OD1	-7.42	1.09	1.23
1	D	410	ASN	CG-OD1	-7.01	1.10	1.23
1	B	119	VAL	CA-CB	6.92	1.60	1.54
1	C	514	GLN	CD-NE2	-5.59	1.21	1.33
1	A	514	GLN	CD-NE2	-5.51	1.21	1.33
1	B	514	GLN	CD-NE2	-5.47	1.21	1.33
1	B	163	ALA	CA-CB	-5.42	1.45	1.53
1	D	514	GLN	CD-NE2	-5.38	1.22	1.33
1	B	255	ALA	CA-CB	-5.38	1.45	1.53
1	C	514	GLN	CD-OE1	-5.37	1.13	1.23
1	A	514	GLN	CD-OE1	-5.26	1.13	1.23
1	D	454	PHE	CA-C	5.01	1.59	1.52

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	166	LEU	CA-C-N	8.21	127.94	119.56

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	166	LEU	C-N-CA	8.21	127.94	119.56
1	A	631	PHE	N-CA-C	7.17	118.74	111.07
1	B	166	LEU	CA-C-N	6.99	126.62	119.56
1	B	166	LEU	C-N-CA	6.99	126.62	119.56
1	C	631	PHE	N-CA-C	6.92	118.48	111.07
1	B	631	PHE	N-CA-C	6.57	118.44	111.28
1	A	560	LYS	CG-CD-CE	6.32	125.83	111.30
1	B	203	SER	CA-C-N	-6.24	113.35	119.78
1	B	203	SER	C-N-CA	-6.24	113.35	119.78
1	A	203	SER	CA-C-N	-6.17	113.43	119.78
1	A	203	SER	C-N-CA	-6.17	113.43	119.78
1	D	203	SER	CA-C-N	-6.15	113.45	119.78
1	D	203	SER	C-N-CA	-6.15	113.45	119.78
1	A	656	ASP	N-CA-C	6.06	118.85	111.82
1	B	329	VAL	CA-C-N	5.78	126.07	119.83
1	B	329	VAL	C-N-CA	5.78	126.07	119.83
1	A	431	THR	N-CA-C	-5.78	105.06	111.36
1	C	156	GLY	N-CA-C	5.71	117.76	110.96
1	D	604	PHE	O-C-N	5.68	126.61	121.04
1	C	166	LEU	CA-C-N	5.61	125.22	119.56
1	C	166	LEU	C-N-CA	5.61	125.22	119.56
1	A	560	LYS	CB-CG-CD	5.58	124.14	111.30
1	C	329	VAL	CA-C-N	5.53	125.80	119.83
1	C	329	VAL	C-N-CA	5.53	125.80	119.83
1	D	656	ASP	N-CA-C	5.51	119.26	112.54
1	D	329	VAL	CA-C-N	5.40	125.71	119.93
1	D	329	VAL	C-N-CA	5.40	125.71	119.93
1	A	559	ALA	N-CA-C	-5.39	106.84	113.41
1	C	306	ILE	CB-CA-C	-5.38	104.45	110.96
1	B	656	ASP	N-CA-C	5.32	118.00	111.82
1	D	559	ALA	N-CA-C	-5.29	107.00	113.50
1	C	656	ASP	N-CA-C	5.13	117.77	111.82
1	B	306	ILE	CB-CA-C	-5.07	103.94	110.84
1	A	306	ILE	CB-CA-C	-5.04	103.99	110.84

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5104	0	4986	85	2
1	B	5076	0	4945	76	1
1	C	5010	0	4892	84	1
1	D	5003	0	4888	89	1
2	A	10	0	5	0	0
2	B	10	0	5	0	0
2	C	10	0	5	0	0
2	D	10	0	5	2	0
3	A	44	0	26	4	0
3	B	44	0	26	4	0
3	C	44	0	26	5	0
3	D	44	0	26	6	0
4	A	23	0	12	1	0
4	B	23	0	12	1	0
4	C	23	0	12	4	0
4	D	23	0	12	1	0
5	A	9	0	0	1	0
5	B	9	0	0	1	0
5	C	9	0	0	6	0
5	D	9	0	0	3	0
6	A	6	0	8	0	0
6	C	6	0	8	1	0
7	A	133	0	0	1	0
7	B	111	0	0	0	0
7	C	108	0	0	3	0
7	D	134	0	0	1	0
All	All	21035	0	19899	335	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (335) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:518:ARG:NH2	1:D:603:GLY:HA3	1.77	1.00
1:A:214:ARG:NH2	1:A:259:GLU:OE1	2.02	0.92
1:C:518:ARG:NH2	1:C:603:GLY:HA3	1.85	0.91
1:A:518:ARG:NH2	1:A:603:GLY:HA3	1.86	0.90
1:C:214:ARG:NH2	1:C:259:GLU:OE1	2.06	0.88

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:214:ARG:NH2	1:B:259:GLU:OE1	2.08	0.87
1:C:671:GLN:NE2	1:C:675:GLU:HG3	1.91	0.85
1:B:441:HIS:CD2	1:B:442:PRO:HD2	2.11	0.84
1:D:671:GLN:NE2	1:D:675:GLU:HG3	1.92	0.84
1:B:518:ARG:NH2	1:B:603:GLY:HA3	1.93	0.84
1:A:441:HIS:CD2	1:A:442:PRO:HD2	2.12	0.84
1:C:297:ARG:NH2	1:D:142:GLU:OE2	2.12	0.82
1:B:671:GLN:NE2	1:B:675:GLU:HG3	1.94	0.82
1:A:671:GLN:NE2	1:A:675:GLU:HG3	1.93	0.82
1:C:441:HIS:CD2	1:C:442:PRO:HD2	2.15	0.81
1:D:127:TYR:HH	2:D:683:GLU:N	1.79	0.80
1:D:214:ARG:NH2	1:D:259:GLU:OE1	2.16	0.77
1:B:102:ARG:HD3	1:B:137:ALA:HB2	1.67	0.77
1:A:297:ARG:NH2	1:B:142:GLU:OE2	2.17	0.76
1:D:604:PHE:O	1:D:609:ARG:HD2	1.87	0.74
1:A:102:ARG:HD3	1:A:137:ALA:HB2	1.70	0.73
1:D:518:ARG:NH2	1:D:603:GLY:CA	2.50	0.73
1:A:518:ARG:NH2	1:A:603:GLY:CA	2.52	0.73
1:C:102:ARG:HD3	1:C:137:ALA:HB2	1.71	0.72
1:A:525:GLU:CD	1:A:525:GLU:H	1.97	0.71
1:B:468:ARG:NH2	1:C:495:VAL:O	2.24	0.71
1:C:518:ARG:NH2	1:C:603:GLY:CA	2.53	0.71
1:A:635:LYS:NZ	3:A:680:NAD:O2N	2.23	0.71
1:D:473:ARG:NE	7:D:803:HOH:O	2.24	0.71
1:C:525:GLU:CD	1:C:525:GLU:H	1.97	0.71
1:D:606:LYS:HA	1:D:609:ARG:HD3	1.74	0.70
4:C:681:AMP:O3P	5:C:682:POP:O2	2.10	0.70
1:A:523:ALA:CB	1:A:525:GLU:OE1	2.40	0.69
1:D:523:ALA:CB	1:D:525:GLU:OE1	2.41	0.69
1:D:525:GLU:CD	1:D:525:GLU:H	2.01	0.68
1:A:468:ARG:NH2	1:D:495:VAL:O	2.26	0.68
1:D:43:ASP:OD2	1:D:269:ARG:NH2	2.27	0.68
1:A:43:ASP:OD2	1:A:269:ARG:NH2	2.27	0.67
4:C:681:AMP:O3'	5:C:682:POP:O6	2.11	0.67
1:B:518:ARG:NH2	1:B:603:GLY:CA	2.58	0.67
1:B:43:ASP:OD2	1:B:269:ARG:NH2	2.28	0.67
1:D:102:ARG:HD3	1:D:137:ALA:HB2	1.77	0.67
1:A:518:ARG:HH22	1:A:603:GLY:HA3	1.61	0.66
1:A:495:VAL:O	1:D:468:ARG:NH2	2.29	0.65
1:D:373:SER:OG	5:D:682:POP:O5	2.14	0.65
1:C:671:GLN:HE21	1:C:675:GLU:HG3	1.60	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:363:VAL:CG1	1:B:478:LEU:HD22	2.27	0.65
1:B:495:VAL:O	1:C:468:ARG:NH2	2.29	0.65
1:C:363:VAL:CG1	1:C:478:LEU:HD22	2.26	0.65
1:C:523:ALA:CB	1:C:525:GLU:OE1	2.45	0.65
1:B:146:ILE:HG23	1:B:148:ILE:HD12	1.78	0.64
1:D:523:ALA:HB3	1:D:525:GLU:OE1	1.97	0.64
1:D:518:ARG:HH22	1:D:603:GLY:HA3	1.59	0.64
1:C:43:ASP:OD2	1:C:269:ARG:NH2	2.29	0.64
3:A:680:NAD:H6N	3:A:680:NAD:H3D	1.79	0.64
1:D:363:VAL:CG1	1:D:478:LEU:HD22	2.28	0.63
1:A:604:PHE:O	1:A:609:ARG:HD2	1.99	0.62
3:C:680:NAD:H6N	3:C:680:NAD:H3D	1.81	0.62
1:C:510:LYS:HD2	1:C:564:PHE:CD2	2.34	0.62
1:B:606:LYS:HA	1:B:609:ARG:HD3	1.79	0.62
1:A:510:LYS:HD2	1:A:564:PHE:CD2	2.35	0.62
1:D:520:VAL:O	1:D:525:GLU:OE2	2.17	0.62
1:B:140:ASP:HB2	1:D:295:HIS:CD2	2.35	0.61
1:A:493:TYR:HB2	1:A:635:LYS:HG2	1.81	0.61
1:A:606:LYS:HA	1:A:609:ARG:HD3	1.82	0.61
1:C:493:TYR:HB2	1:C:635:LYS:HG2	1.81	0.61
1:C:146:ILE:HG23	1:C:148:ILE:HD12	1.82	0.61
1:D:671:GLN:HE21	1:D:675:GLU:HG3	1.62	0.61
1:B:121:LYS:HD2	1:B:175:ILE:HG22	1.83	0.61
1:A:518:ARG:HH22	1:A:603:GLY:CA	2.13	0.60
1:C:523:ALA:HB3	1:C:525:GLU:OE1	2.01	0.60
1:D:635:LYS:NZ	3:D:680:NAD:O2N	2.34	0.60
1:C:121:LYS:HD2	1:C:175:ILE:HG22	1.84	0.59
1:C:636:ARG:HD2	1:C:651:LEU:HB3	1.85	0.59
1:C:372:ASP:HB2	5:C:682:POP:O6	2.02	0.59
4:C:681:AMP:P	5:C:682:POP:O2	2.59	0.59
1:D:490:TRP:CZ2	1:D:557:SER:HB2	2.37	0.59
1:B:295:HIS:CD2	1:D:140:ASP:HB2	2.37	0.59
1:C:520:VAL:O	1:C:525:GLU:OE2	2.21	0.59
1:A:523:ALA:HB3	1:A:525:GLU:OE1	2.02	0.58
1:D:493:TYR:HB2	1:D:635:LYS:HG2	1.83	0.58
1:A:671:GLN:HE21	1:A:675:GLU:HG3	1.67	0.58
1:B:604:PHE:O	1:B:609:ARG:HD2	2.03	0.58
1:D:452:VAL:HG22	3:D:680:NAD:O3D	2.04	0.58
1:A:567:GLN:OE1	1:A:567:GLN:HA	2.04	0.58
1:A:146:ILE:HG23	1:A:148:ILE:HD12	1.85	0.58
1:C:606:LYS:HA	1:C:609:ARG:HD3	1.85	0.58

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:523:ALA:HB1	1:A:525:GLU:OE1	2.02	0.58
1:C:490:TRP:CD1	3:C:680:NAD:H2N	2.38	0.57
1:D:510:LYS:HD2	1:D:564:PHE:CD2	2.38	0.57
3:A:680:NAD:H6N	3:A:680:NAD:C3D	2.34	0.57
1:B:600:TRP:CE2	1:B:609:ARG:HG2	2.39	0.57
1:A:490:TRP:CZ2	1:A:557:SER:HB2	2.40	0.57
1:C:604:PHE:O	1:C:609:ARG:HD2	2.05	0.57
1:A:363:VAL:CG1	1:A:478:LEU:HD22	2.34	0.56
3:B:680:NAD:N7N	4:B:681:AMP:O1P	2.38	0.56
1:D:518:ARG:HH22	1:D:603:GLY:CA	2.15	0.56
3:B:680:NAD:H6N	3:B:680:NAD:H3D	1.86	0.56
1:D:127:TYR:OH	2:D:683:GLU:N	2.39	0.56
1:B:510:LYS:HD2	1:B:564:PHE:CD2	2.41	0.55
1:A:468:ARG:HG3	1:D:457:VAL:HG22	1.87	0.55
1:B:567:GLN:HA	1:B:567:GLN:OE1	2.07	0.55
1:B:387:GLU:OE2	1:D:265:LYS:NZ	2.39	0.55
1:B:636:ARG:HD2	1:B:651:LEU:HB3	1.89	0.55
1:C:518:ARG:HH22	1:C:603:GLY:HA3	1.68	0.54
1:C:600:TRP:CD2	1:C:609:ARG:HG2	2.41	0.54
1:B:429:GLY:O	1:B:433:ARG:HG3	2.08	0.54
1:B:445:VAL:O	1:B:445:VAL:HG13	2.08	0.54
1:C:58:TYR:O	6:C:684:GOL:H11	2.08	0.54
1:D:523:ALA:HB1	1:D:525:GLU:OE1	2.08	0.53
4:D:681:AMP:P	5:D:682:POP:O2	2.67	0.53
1:C:490:TRP:CZ2	1:C:557:SER:HB2	2.44	0.53
1:C:600:TRP:CE2	1:C:609:ARG:HG2	2.43	0.53
1:D:567:GLN:HA	1:D:567:GLN:OE1	2.09	0.53
1:B:600:TRP:CD2	1:B:609:ARG:HG2	2.43	0.53
1:A:520:VAL:O	1:A:525:GLU:OE2	2.26	0.53
1:D:600:TRP:CD2	1:D:609:ARG:HG2	2.44	0.53
1:A:600:TRP:CD2	1:A:609:ARG:HG2	2.44	0.52
1:B:671:GLN:HE21	1:B:675:GLU:HG3	1.68	0.52
1:D:374:THR:HG23	1:D:415:LEU:CD2	2.39	0.52
1:C:567:GLN:OE1	1:C:567:GLN:HA	2.09	0.52
1:A:34:LEU:HD21	1:A:38:ARG:NH2	2.24	0.52
1:D:121:LYS:HG2	1:D:124:LEU:HD12	1.92	0.52
1:A:445:VAL:O	1:A:445:VAL:HG13	2.10	0.52
1:B:635:LYS:NZ	3:B:680:NAD:O2N	2.43	0.52
1:C:121:LYS:HD2	1:C:175:ILE:CG2	2.40	0.51
1:C:180:PHE:CD2	1:C:216:LEU:CD1	2.93	0.51
1:C:214:ARG:NH2	1:C:259:GLU:CD	2.68	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:328:PHE:CD2	1:D:509:PRO:HG3	2.45	0.51
1:C:328:PHE:CG	1:C:509:PRO:HG3	2.45	0.51
1:B:493:TYR:HB2	1:B:635:LYS:HG2	1.92	0.51
1:D:121:LYS:HD2	1:D:175:ILE:HG22	1.92	0.51
1:D:146:ILE:HG23	1:D:148:ILE:HD12	1.91	0.51
1:A:121:LYS:HD2	1:A:175:ILE:HG22	1.92	0.51
1:C:174:GLU:CD	1:C:186:SER:HB3	2.36	0.51
1:C:26:PRO:HD2	7:C:689:HOH:O	2.11	0.51
1:B:118:VAL:HG21	1:B:148:ILE:CD1	2.41	0.51
1:A:214:ARG:NH2	1:A:259:GLU:CD	2.68	0.51
1:C:21:THR:O	1:C:236:GLY:HA3	2.10	0.51
1:C:518:ARG:HH22	1:C:603:GLY:CA	2.21	0.51
1:A:469:ILE:HG23	1:A:473:ARG:HD3	1.93	0.50
1:D:200:LEU:HD12	1:D:200:LEU:N	2.26	0.50
1:A:88:LEU:N	1:A:89:PRO:HD2	2.27	0.50
1:B:214:ARG:NH2	1:B:259:GLU:CD	2.70	0.50
1:D:453:THR:O	1:D:457:VAL:HG23	2.11	0.50
1:C:429:GLY:O	1:C:433:ARG:HG3	2.12	0.50
1:B:88:LEU:N	1:B:89:PRO:HD2	2.26	0.50
1:B:265:LYS:NZ	1:D:387:GLU:OE2	2.42	0.50
1:C:490:TRP:NE1	3:C:680:NAD:H2N	2.27	0.50
1:B:34:LEU:HD21	1:B:38:ARG:NH2	2.27	0.50
1:A:451:ASP:HB3	1:A:454:PHE:H	1.77	0.50
1:B:200:LEU:N	1:B:200:LEU:HD12	2.26	0.50
1:A:457:VAL:HG22	1:D:468:ARG:HG3	1.92	0.49
1:B:121:LYS:HD2	1:B:175:ILE:CG2	2.41	0.49
1:A:368:SER:OG	5:A:682:POP:O5	2.30	0.49
1:A:636:ARG:HD2	1:A:651:LEU:HB3	1.94	0.49
1:C:451:ASP:HB3	1:C:454:PHE:H	1.76	0.49
1:C:523:ALA:HB1	1:C:525:GLU:OE1	2.12	0.49
1:B:118:VAL:HG21	1:B:148:ILE:HD13	1.94	0.49
1:A:174:GLU:CD	1:A:186:SER:HB3	2.38	0.49
1:B:125:PRO:HD2	1:B:132:GLU:CD	2.37	0.49
1:B:490:TRP:CZ2	1:B:557:SER:HB2	2.48	0.49
1:D:328:PHE:CG	1:D:509:PRO:HG3	2.48	0.49
1:A:180:PHE:CD2	1:A:216:LEU:CD1	2.96	0.48
1:D:429:GLY:O	1:D:433:ARG:HG3	2.13	0.48
1:A:650:ALA:O	1:A:656:ASP:HB2	2.12	0.48
1:D:230:TYR:CD1	1:D:230:TYR:C	2.91	0.48
1:D:523:ALA:HB3	1:D:525:GLU:CD	2.37	0.48
1:A:230:TYR:C	1:A:230:TYR:CD1	2.92	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:328:PHE:CD2	1:C:509:PRO:HG3	2.48	0.48
1:B:180:PHE:CD2	1:B:216:LEU:CD1	2.96	0.48
1:C:370:GLY:HA3	5:C:682:POP:O1	2.13	0.48
1:A:523:ALA:HB3	1:A:525:GLU:CD	2.37	0.48
1:B:174:GLU:CD	1:B:186:SER:HB3	2.37	0.48
1:D:174:GLU:CD	1:D:186:SER:HB3	2.38	0.48
1:A:328:PHE:CG	1:A:509:PRO:HG3	2.49	0.48
1:A:557:SER:C	1:A:559:ALA:H	2.22	0.48
3:D:680:NAD:H6N	3:D:680:NAD:H3D	1.96	0.48
1:C:34:LEU:HD21	1:C:38:ARG:NH2	2.30	0.47
1:A:453:THR:O	1:A:457:VAL:HG23	2.13	0.47
1:C:180:PHE:CE2	1:C:216:LEU:HD12	2.49	0.47
3:C:680:NAD:H6N	3:C:680:NAD:C3D	2.44	0.47
1:D:21:THR:O	1:D:236:GLY:HA3	2.14	0.47
1:B:518:ARG:HH22	1:B:603:GLY:CA	2.28	0.47
1:C:118:VAL:HG21	1:C:148:ILE:CD1	2.44	0.47
1:D:88:LEU:N	1:D:89:PRO:HD2	2.29	0.47
1:B:328:PHE:CG	1:B:509:PRO:HG3	2.50	0.47
1:D:636:ARG:HD2	1:D:651:LEU:HB3	1.96	0.47
1:C:88:LEU:N	1:C:89:PRO:HD2	2.29	0.47
3:B:680:NAD:H6N	3:B:680:NAD:C3D	2.45	0.47
1:C:363:VAL:HG11	1:C:478:LEU:HD22	1.96	0.47
1:D:372:ASP:N	5:D:682:POP:O4	2.44	0.47
3:D:680:NAD:H4B	3:D:680:NAD:O2A	2.15	0.47
1:A:126:THR:OG1	1:A:133:ARG:HB2	2.15	0.47
1:A:600:TRP:CE2	1:A:609:ARG:HG2	2.49	0.47
1:B:650:ALA:O	1:B:656:ASP:HB2	2.15	0.47
1:C:557:SER:C	1:C:559:ALA:H	2.23	0.47
1:A:409:LYS:HG3	1:A:410:ASN:H	1.79	0.47
1:D:121:LYS:HD2	1:D:175:ILE:CG2	2.44	0.47
1:A:328:PHE:CD2	1:A:509:PRO:HG3	2.51	0.46
1:A:451:ASP:H	1:A:454:PHE:HB3	1.80	0.46
1:A:468:ARG:NH1	1:A:471:ASN:OD1	2.46	0.46
1:B:468:ARG:HG3	1:C:457:VAL:HG22	1.97	0.46
1:B:230:TYR:CD1	1:B:230:TYR:C	2.93	0.46
1:D:214:ARG:NH2	1:D:259:GLU:CD	2.73	0.46
1:B:21:THR:O	1:B:236:GLY:HA3	2.16	0.46
1:A:136:MET:HE3	1:A:136:MET:HB2	1.73	0.46
1:D:348:VAL:HG11	1:D:382:HIS:HD2	1.81	0.46
1:A:118:VAL:HG21	1:A:148:ILE:CD1	2.46	0.46
1:B:180:PHE:CE2	1:B:216:LEU:HD12	2.51	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:34:LEU:HD21	1:D:38:ARG:NH2	2.30	0.46
1:A:200:LEU:HD12	1:A:200:LEU:N	2.31	0.45
1:A:125:PRO:HD2	1:A:132:GLU:CD	2.41	0.45
1:B:121:LYS:HG2	1:B:124:LEU:HD12	1.97	0.45
1:D:468:ARG:HA	1:D:468:ARG:HD3	1.44	0.45
1:A:111:HIS:CE1	1:A:112:ARG:HG3	2.51	0.45
1:C:125:PRO:HD2	1:C:132:GLU:CD	2.42	0.45
1:C:662:ASP:OD1	1:C:662:ASP:N	2.49	0.45
1:D:118:VAL:HG21	1:D:148:ILE:CD1	2.46	0.45
1:C:469:ILE:HG23	1:C:473:ARG:CD	2.47	0.45
1:D:557:SER:C	1:D:559:ALA:H	2.23	0.45
1:A:121:LYS:HD2	1:A:175:ILE:CG2	2.46	0.45
1:B:363:VAL:HG11	1:B:478:LEU:HD22	1.99	0.45
1:B:557:SER:C	1:B:559:ALA:H	2.22	0.45
1:C:64:LEU:HA	1:C:69:LEU:HD22	1.98	0.45
1:A:118:VAL:HG21	1:A:148:ILE:HD13	1.97	0.45
1:C:239:THR:HA	1:C:242:LEU:O	2.17	0.45
1:D:374:THR:HG23	1:D:415:LEU:HD22	1.98	0.45
1:B:451:ASP:HB3	1:B:454:PHE:H	1.82	0.45
1:C:590:HIS:HE1	7:C:784:HOH:O	1.99	0.45
1:B:457:VAL:HG22	1:C:468:ARG:HG3	1.99	0.44
1:B:50:PHE:HB3	1:B:51:PRO:CD	2.47	0.44
1:A:180:PHE:CE2	1:A:216:LEU:HD12	2.51	0.44
1:C:635:LYS:NZ	3:C:680:NAD:O2N	2.47	0.44
1:A:55:LEU:HD23	1:A:55:LEU:HA	1.78	0.44
1:B:88:LEU:N	1:B:89:PRO:CD	2.81	0.44
1:B:409:LYS:HG3	1:B:410:ASN:H	1.82	0.44
1:D:26:PRO:HA	1:D:55:LEU:O	2.18	0.44
1:D:224:CYS:O	1:D:225:LEU:C	2.61	0.44
1:D:600:TRP:CE2	1:D:609:ARG:HG2	2.53	0.44
1:B:26:PRO:HA	1:B:55:LEU:O	2.17	0.44
1:D:409:LYS:HG3	1:D:410:ASN:H	1.81	0.44
1:A:348:VAL:HG11	1:A:382:HIS:HD2	1.83	0.44
1:D:482:ASP:OD2	1:D:510:LYS:NZ	2.44	0.44
1:B:146:ILE:HG21	1:B:146:ILE:HD13	1.74	0.44
1:D:137:ALA:HB1	1:D:138:PRO:HD2	2.01	0.43
1:A:64:LEU:HA	1:A:69:LEU:HD22	2.00	0.43
1:A:186:SER:HB2	1:A:197:LEU:HD13	2.00	0.43
1:C:469:ILE:HG23	1:C:473:ARG:HD2	1.99	0.43
1:C:200:LEU:N	1:C:200:LEU:HD12	2.32	0.43
1:C:441:HIS:CG	1:C:442:PRO:HD2	2.51	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:523:ALA:HB3	1:C:525:GLU:CD	2.43	0.43
1:D:469:ILE:HG23	1:D:473:ARG:CD	2.49	0.43
1:A:363:VAL:HG11	1:A:478:LEU:HD22	1.99	0.43
1:B:372:ASP:N	5:B:682:POP:O4	2.41	0.43
1:D:644:LYS:HE3	1:D:656:ASP:OD2	2.17	0.43
1:B:126:THR:OG1	1:B:133:ARG:HB2	2.18	0.43
1:B:518:ARG:HH22	1:B:603:GLY:HA3	1.77	0.43
1:D:80:LEU:HA	1:D:80:LEU:HD23	1.65	0.43
1:D:516:LEU:O	1:D:520:VAL:HG23	2.18	0.43
1:C:678:LYS:HE3	7:C:765:HOH:O	2.18	0.43
1:D:241:ASP:C	1:D:242:LEU:HG	2.44	0.43
1:A:469:ILE:HG23	1:A:473:ARG:CD	2.49	0.43
1:B:469:ILE:HG23	1:B:473:ARG:CD	2.49	0.43
1:B:644:LYS:HE3	1:B:656:ASP:OD2	2.19	0.43
1:C:186:SER:HB2	1:C:197:LEU:HD13	2.01	0.43
1:D:34:LEU:O	1:D:38:ARG:HG3	2.19	0.43
1:D:363:VAL:HG11	1:D:478:LEU:HD22	2.00	0.43
1:D:490:TRP:NE1	3:D:680:NAD:H2N	2.34	0.43
1:A:21:THR:O	1:A:236:GLY:HA3	2.19	0.43
1:D:332:ASP:HA	1:D:333:PRO:HD3	1.89	0.42
1:A:301:GLU:HG3	7:A:786:HOH:O	2.19	0.42
1:B:239:THR:HA	1:B:242:LEU:O	2.19	0.42
1:B:136:MET:HE3	1:B:136:MET:HB2	1.82	0.42
1:D:186:SER:HB2	1:D:197:LEU:HD13	2.00	0.42
1:C:468:ARG:HA	1:C:468:ARG:HD3	1.35	0.42
1:D:180:PHE:CD2	1:D:216:LEU:CD1	3.02	0.42
1:A:565:ALA:HB1	1:A:592:TRP:CZ2	2.55	0.42
3:A:680:NAD:N7N	4:A:681:AMP:O1P	2.52	0.42
1:D:239:THR:HA	1:D:242:LEU:O	2.19	0.42
1:D:534:LEU:HA	1:D:534:LEU:HD23	1.79	0.42
1:A:468:ARG:HA	1:A:468:ARG:HD3	1.44	0.42
1:C:468:ARG:NH1	1:C:471:ASN:OD1	2.48	0.42
1:B:200:LEU:HD12	1:B:200:LEU:H	1.84	0.42
1:C:319:LEU:HB3	1:C:590:HIS:CD2	2.54	0.42
1:A:80:LEU:HD23	1:A:80:LEU:HA	1.78	0.42
1:A:534:LEU:HD23	1:A:534:LEU:HA	1.81	0.42
1:B:644:LYS:HG3	1:B:650:ALA:HB2	2.02	0.42
1:D:126:THR:OG1	1:D:133:ARG:HB2	2.20	0.42
1:D:468:ARG:NH1	1:D:471:ASN:OD1	2.50	0.42
1:B:186:SER:HB2	1:B:197:LEU:HD13	2.02	0.42
1:C:644:LYS:HG3	1:C:650:ALA:HB2	2.01	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:680:NAD:H6N	3:D:680:NAD:C3D	2.49	0.42
1:B:360:TYR:HB3	1:B:389:ARG:HD2	2.02	0.41
1:B:451:ASP:H	1:B:454:PHE:HB3	1.84	0.41
1:A:516:LEU:O	1:A:520:VAL:HG23	2.20	0.41
1:A:518:ARG:HA	1:A:521:ILE:HD12	2.01	0.41
1:C:126:THR:OG1	1:C:133:ARG:HB2	2.20	0.41
1:C:409:LYS:HG3	1:C:410:ASN:H	1.85	0.41
4:C:681:AMP:HO3'	5:C:682:POP:P2	2.42	0.41
1:C:230:TYR:CD1	1:C:230:TYR:C	2.98	0.41
1:C:650:ALA:O	1:C:656:ASP:HB2	2.20	0.41
1:A:332:ASP:HA	1:A:333:PRO:HD3	1.93	0.41
1:A:525:GLU:CD	1:A:525:GLU:N	2.72	0.41
1:C:1:MET:CG	1:C:2:ASN:N	2.84	0.41
1:D:237:GLU:HB2	1:D:244:TRP:CD1	2.55	0.41
1:B:478:LEU:HD12	1:B:478:LEU:HA	1.82	0.41
1:C:453:THR:O	1:C:457:VAL:HG23	2.21	0.41
1:D:210:ALA:HA	1:D:213:ARG:HD2	2.02	0.41
1:C:458:GLN:O	1:C:462:ARG:HG3	2.20	0.41
1:D:125:PRO:HD2	1:D:132:GLU:CD	2.45	0.41
1:A:204:PRO:O	1:A:209:ARG:NH1	2.54	0.41
1:A:659:ALA:HB1	1:A:660:PRO:CD	2.51	0.41
1:C:136:MET:HE3	1:C:136:MET:HB2	1.71	0.41
1:C:256:LEU:HD12	1:C:256:LEU:HA	1.80	0.41
1:C:518:ARG:HH11	1:C:518:ARG:HD2	1.69	0.41
1:D:77:LEU:O	1:D:81:VAL:HG23	2.21	0.41
1:D:469:ILE:HG23	1:D:473:ARG:HD3	2.01	0.41
1:A:674:ARG:NH1	1:A:674:ARG:HB3	2.36	0.41
1:B:80:LEU:HD23	1:B:80:LEU:HA	1.70	0.41
1:C:486:LEU:HD21	1:C:639:LEU:HD11	2.02	0.41
1:A:523:ALA:HB3	1:A:525:GLU:OE2	2.21	0.40
1:B:349:SER:HA	1:B:352:GLU:OE1	2.20	0.40
1:B:514:GLN:NE2	1:B:542:ILE:HD13	2.35	0.40
1:A:224:CYS:O	1:A:225:LEU:C	2.64	0.40
1:A:636:ARG:O	1:A:639:LEU:HB2	2.21	0.40
1:C:284:LEU:HD11	1:D:103:ILE:HG23	2.04	0.40
1:A:210:ALA:HA	1:A:213:ARG:HD2	2.03	0.40
1:B:278:LEU:HD23	1:B:278:LEU:C	2.47	0.40
1:C:26:PRO:HA	1:C:55:LEU:O	2.21	0.40
1:D:64:LEU:HA	1:D:69:LEU:HD22	2.04	0.40
1:A:92:VAL:CG1	1:A:200:LEU:HD11	2.52	0.40
1:B:468:ARG:HD3	1:B:468:ARG:HA	1.36	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:534:LEU:HD23	1:B:534:LEU:HA	1.79	0.40
1:C:348:VAL:HG11	1:C:382:HIS:HD2	1.86	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:142:GLU:OE2	1:D:297:ARG:NH2[8_554]	2.02	0.18
1:B:297:ARG:NH2	1:C:142:GLU:OE2[8_554]	2.03	0.17
1:A:265:LYS:NZ	1:A:387:GLU:OE2[8_554]	2.16	0.04

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	654/680 (96%)	632 (97%)	21 (3%)	1 (0%)	43	60
1	B	654/680 (96%)	627 (96%)	26 (4%)	1 (0%)	43	60
1	C	643/680 (95%)	622 (97%)	20 (3%)	1 (0%)	43	60
1	D	641/680 (94%)	617 (96%)	23 (4%)	1 (0%)	43	60
All	All	2592/2720 (95%)	2498 (96%)	90 (4%)	4 (0%)	43	60

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	176	CYS
1	A	176	CYS
1	B	176	CYS
1	D	176	CYS



### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	527/549 (96%)	501 (95%)	26 (5%)	22	38
1	B	519/549 (94%)	501 (96%)	18 (4%)	32	52
1	C	513/549 (93%)	494 (96%)	19 (4%)	30	50
1	D	513/549 (93%)	494 (96%)	19 (4%)	30	50
All	All	2072/2196 (94%)	1990 (96%)	82 (4%)	28	47

All (82) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	68	SER
1	A	69	LEU
1	A	88	LEU
1	A	133	ARG
1	A	148	ILE
1	A	166	LEU
1	A	201	SER
1	A	223	ARG
1	A	299	LEU
1	A	306	ILE
1	A	373	SER
1	A	413	ILE
1	A	445	VAL
1	A	468	ARG
1	A	473	ARG
1	A	478	LEU
1	A	518	ARG
1	A	525	GLU
1	A	528	GLU
1	A	543	THR
1	A	560	LYS
1	A	561	VAL
1	A	593	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	609	ARG
1	A	664	SER
1	B	68	SER
1	B	69	LEU
1	B	133	ARG
1	B	148	ILE
1	B	201	SER
1	B	223	ARG
1	B	299	LEU
1	B	413	ILE
1	B	445	VAL
1	B	451	ASP
1	B	468	ARG
1	B	478	LEU
1	B	528	GLU
1	B	543	THR
1	B	561	VAL
1	B	593	ASN
1	B	609	ARG
1	B	664	SER
1	C	1	MET
1	C	68	SER
1	C	69	LEU
1	C	133	ARG
1	C	148	ILE
1	C	166	LEU
1	C	201	SER
1	C	223	ARG
1	C	225	LEU
1	C	299	LEU
1	C	306	ILE
1	C	413	ILE
1	C	452	VAL
1	C	468	ARG
1	C	478	LEU
1	C	561	VAL
1	C	593	ASN
1	C	609	ARG
1	C	664	SER
1	D	69	LEU
1	D	133	ARG
1	D	148	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	166	LEU
1	D	201	SER
1	D	223	ARG
1	D	225	LEU
1	D	299	LEU
1	D	306	ILE
1	D	373	SER
1	D	413	ILE
1	D	452	VAL
1	D	468	ARG
1	D	478	LEU
1	D	528	GLU
1	D	561	VAL
1	D	593	ASN
1	D	609	ARG
1	D	664	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	295	HIS
1	A	382	HIS
1	A	410	ASN
1	A	441	HIS
1	A	573	GLN
1	A	590	HIS
1	B	111	HIS
1	B	172	HIS
1	B	295	HIS
1	B	347	GLN
1	B	514	GLN
1	B	573	GLN
1	C	111	HIS
1	C	172	HIS
1	C	253	ASN
1	C	514	GLN
1	C	573	GLN
1	C	590	HIS
1	D	111	HIS
1	D	295	HIS
1	D	345	ASN
1	D	382	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	410	ASN
1	D	514	GLN
1	D	573	GLN
1	D	590	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	NAD	C	680	-	46,48,48	1.05	4 (8%)	64,73,73	1.71	11 (17%)
2	GLU	B	683	-	8,9,9	1.05	1 (12%)	8,11,11	1.84	1 (12%)
4	AMP	D	681	-	25,25,25	0.98	2 (8%)	37,38,38	1.75	10 (27%)
5	POP	B	682	-	6,8,8	0.75	0	12,13,13	1.14	1 (8%)
4	AMP	C	681	-	25,25,25	0.95	1 (4%)	37,38,38	1.60	7 (18%)
5	POP	D	682	-	6,8,8	0.80	0	12,13,13	1.10	0
3	NAD	B	680	-	46,48,48	0.95	0	64,73,73	1.54	8 (12%)
6	GOL	C	684	-	5,5,5	0.65	0	5,5,5	0.51	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAD	A	680	-	46,48,48	0.95	1 (2%)	64,73,73	1.61	9 (14%)
3	NAD	D	680	-	46,48,48	1.03	3 (6%)	64,73,73	1.89	12 (18%)
6	GOL	A	684	-	5,5,5	0.61	0	5,5,5	0.65	0
2	GLU	A	683	-	8,9,9	1.16	1 (12%)	8,11,11	1.61	1 (12%)
5	POP	A	682	-	6,8,8	0.75	0	12,13,13	1.05	0
5	POP	C	682	-	6,8,8	0.86	0	12,13,13	1.12	1 (8%)
4	AMP	B	681	-	25,25,25	0.90	1 (4%)	37,38,38	1.81	9 (24%)
2	GLU	D	683	-	8,9,9	0.93	0	8,11,11	1.13	1 (12%)
4	AMP	A	681	-	25,25,25	0.98	1 (4%)	37,38,38	1.90	9 (24%)
2	GLU	C	683	-	8,9,9	0.92	0	8,11,11	1.19	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	C	680	-	-	12/30/62/62	0/5/5/5
2	GLU	B	683	-	-	8/9/9/9	-
4	AMP	D	681	-	-	4/10/26/26	0/3/3/3
5	POP	B	682	-	-	3/6/6/6	-
4	AMP	C	681	-	-	5/10/26/26	0/3/3/3
5	POP	D	682	-	-	3/6/6/6	-
3	NAD	B	680	-	-	11/30/62/62	0/5/5/5
6	GOL	C	684	-	-	2/4/4/4	-
3	NAD	A	680	-	-	17/30/62/62	0/5/5/5
3	NAD	D	680	-	-	13/30/62/62	0/5/5/5
6	GOL	A	684	-	-	2/4/4/4	-
2	GLU	A	683	-	-	6/9/9/9	-
5	POP	A	682	-	-	3/6/6/6	-
5	POP	C	682	-	-	1/6/6/6	-
4	AMP	B	681	-	-	5/10/26/26	0/3/3/3
2	GLU	D	683	-	-	1/9/9/9	-
4	AMP	A	681	-	-	0/10/26/26	0/3/3/3
2	GLU	C	683	-	-	6/9/9/9	-

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	680	NAD	PA-O3	3.45	1.63	1.59
3	A	680	NAD	O4D-C1D	3.37	1.45	1.40
3	C	680	NAD	PN-O3	3.09	1.62	1.59
3	D	680	NAD	O4D-C1D	2.84	1.44	1.40
4	D	681	AMP	C8-N7	2.51	1.36	1.31
4	A	681	AMP	C8-N7	2.51	1.36	1.31
3	D	680	NAD	C8A-N9A	-2.37	1.33	1.37
3	C	680	NAD	C8A-N7A	2.36	1.36	1.31
3	D	680	NAD	C5A-N7A	-2.32	1.34	1.39
3	C	680	NAD	O4D-C1D	2.32	1.43	1.40
4	B	681	AMP	C8-N7	2.28	1.36	1.31
4	D	681	AMP	C5-N7	-2.19	1.35	1.39
4	C	681	AMP	C5-N7	-2.10	1.35	1.39
2	A	683	GLU	OXT-C	-2.02	1.24	1.30
2	B	683	GLU	OXT-C	-2.01	1.24	1.30

All (81) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	680	NAD	C5A-C4A-N3A	-6.11	118.30	126.72
3	B	680	NAD	N3A-C2A-N1A	-6.00	119.50	128.58
3	D	680	NAD	N3A-C2A-N1A	-5.86	119.71	128.58
4	A	681	AMP	N3-C2-N1	-5.82	119.77	128.58
3	C	680	NAD	N3A-C2A-N1A	-5.58	120.14	128.58
3	A	680	NAD	C5A-C4A-N3A	-5.27	119.46	126.72
4	B	681	AMP	N3-C2-N1	-5.09	120.87	128.58
3	A	680	NAD	N3A-C2A-N1A	-5.06	120.93	128.58
3	B	680	NAD	C5A-C4A-N3A	-5.03	119.79	126.72
4	D	681	AMP	C5-C4-N3	-5.03	119.80	126.72
3	C	680	NAD	C5A-C4A-N3A	-4.93	119.94	126.72
2	B	683	GLU	OXT-C-O	-4.82	113.15	124.08
4	A	681	AMP	C5-C4-N3	-4.51	120.50	126.72
4	D	681	AMP	N3-C2-N1	-4.43	121.88	128.58
4	B	681	AMP	C5-C4-N3	-4.33	120.76	126.72
3	D	680	NAD	N9A-C8A-N7A	-4.25	107.91	113.94
3	D	680	NAD	C2A-N3A-C4A	4.22	122.14	111.83
3	D	680	NAD	N3A-C4A-N9A	4.21	134.33	127.17
2	A	683	GLU	OXT-C-O	-4.13	114.71	124.08
4	C	681	AMP	C5-C4-N3	-4.08	121.10	126.72
3	B	680	NAD	N3A-C4A-N9A	3.99	133.96	127.17
3	A	680	NAD	N3A-C4A-N9A	3.95	133.89	127.17
3	C	680	NAD	C2A-N3A-C4A	3.94	121.45	111.83
3	B	680	NAD	C2A-N3A-C4A	3.92	121.40	111.83

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	680	NAD	N9A-C8A-N7A	-3.82	108.51	113.94
4	C	681	AMP	N3-C2-N1	-3.73	122.94	128.58
4	A	681	AMP	C2-N3-C4	3.68	120.82	111.83
3	A	680	NAD	C2A-N3A-C4A	3.64	120.72	111.83
3	C	680	NAD	C4A-C5A-N7A	-3.62	106.44	110.58
4	B	681	AMP	N9-C8-N7	-3.41	109.09	113.94
3	C	680	NAD	C6N-N1N-C2N	-3.32	119.06	121.88
3	D	680	NAD	C5A-N7A-C8A	3.27	108.59	103.45
3	A	680	NAD	N9A-C8A-N7A	-3.24	109.34	113.94
3	A	680	NAD	O2N-PN-O3	3.21	115.95	107.27
4	C	681	AMP	N3-C4-N9	3.15	132.52	127.17
4	B	681	AMP	C2-N3-C4	3.15	119.52	111.83
4	D	681	AMP	C2-N3-C4	3.12	119.45	111.83
4	A	681	AMP	N3-C4-N9	3.09	132.42	127.17
4	D	681	AMP	C4-C5-N7	-3.03	107.11	110.58
4	A	681	AMP	N9-C8-N7	-3.02	109.65	113.94
3	D	680	NAD	C4A-N9A-C8A	3.00	108.88	105.74
3	D	680	NAD	C4A-C5A-N7A	-2.91	107.25	110.58
4	C	681	AMP	N9-C8-N7	-2.88	109.85	113.94
4	B	681	AMP	N3-C4-N9	2.88	132.06	127.17
4	B	681	AMP	C4-N9-C8	2.80	108.68	105.74
4	A	681	AMP	O3P-P-O5'	-2.80	99.36	106.67
3	C	680	NAD	C5A-N7A-C8A	2.79	107.84	103.45
2	C	683	GLU	OXT-C-O	-2.77	117.81	124.08
3	C	680	NAD	C4A-N9A-C8A	2.76	108.64	105.74
4	D	681	AMP	N3-C4-N9	2.74	131.82	127.17
3	A	680	NAD	C4A-N9A-C8A	2.73	108.61	105.74
4	A	681	AMP	C4-N9-C8	2.70	108.57	105.74
3	B	680	NAD	C5A-C6A-N6A	-2.68	116.66	123.29
3	D	680	NAD	C5B-C4B-C3B	-2.66	105.63	115.21
4	C	681	AMP	C4-N9-C8	2.58	108.45	105.74
4	B	681	AMP	O3P-P-O5'	-2.55	100.03	106.67
3	C	680	NAD	N3A-C4A-N9A	2.54	131.49	127.17
3	C	680	NAD	C5A-C4A-N9A	2.54	108.57	105.81
4	D	681	AMP	N9-C8-N7	-2.48	110.42	113.94
4	C	681	AMP	N6-C6-N1	2.38	123.68	118.38
4	B	681	AMP	C5-N7-C8	2.38	107.18	103.45
4	B	681	AMP	C4-C5-N7	-2.38	107.87	110.58
3	B	680	NAD	N9A-C8A-N7A	-2.37	110.57	113.94
4	D	681	AMP	C5-C4-N9	2.36	108.38	105.81
4	A	681	AMP	C2-N1-C6	2.33	122.55	118.73
4	C	681	AMP	C2-N3-C4	2.32	117.49	111.83

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	681	AMP	C5-N7-C8	2.31	107.07	103.45
3	A	680	NAD	C5A-N7A-C8A	2.29	107.05	103.45
4	D	681	AMP	O3P-P-O5'	-2.23	100.87	106.67
3	B	680	NAD	C4A-N9A-C8A	2.17	108.02	105.74
3	D	680	NAD	O5D-C5D-C4D	-2.17	101.61	108.99
5	C	682	POP	O5-P2-O4	2.17	119.28	110.83
4	A	681	AMP	C4-C5-N7	-2.17	108.11	110.58
2	D	683	GLU	OXT-C-O	-2.15	119.20	124.08
3	C	680	NAD	C6A-C5A-N7A	2.15	136.24	132.09
3	D	680	NAD	O4D-C4D-C3D	2.13	109.38	105.15
3	B	680	NAD	N6A-C6A-N1A	2.13	123.12	118.38
3	A	680	NAD	O3-PN-O1N	-2.04	104.57	110.70
4	D	681	AMP	O2P-P-O1P	2.02	118.71	110.83
5	B	682	POP	O3-P1-O2	2.00	115.32	107.80
3	D	680	NAD	C4D-O4D-C1D	-2.00	108.09	109.92

There are no chirality outliers.

All (102) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	683	GLU	N-CA-CB-CG
2	B	683	GLU	O-C-CA-N
2	B	683	GLU	N-CA-CB-CG
2	C	683	GLU	O-C-CA-N
3	A	680	NAD	C5D-O5D-PN-O3
3	A	680	NAD	C5D-O5D-PN-O2N
3	A	680	NAD	O4D-C1D-N1N-C2N
3	A	680	NAD	O4D-C1D-N1N-C6N
3	A	680	NAD	C2D-C1D-N1N-C2N
3	A	680	NAD	C2D-C1D-N1N-C6N
3	B	680	NAD	O4D-C1D-N1N-C2N
3	B	680	NAD	O4D-C1D-N1N-C6N
3	B	680	NAD	C2N-C3N-C7N-N7N
3	C	680	NAD	O4D-C1D-N1N-C6N
3	D	680	NAD	C4B-C5B-O5B-PA
3	D	680	NAD	O4D-C1D-N1N-C2N
3	D	680	NAD	O4D-C1D-N1N-C6N
4	B	681	AMP	C5'-O5'-P-O2P
4	B	681	AMP	C5'-O5'-P-O3P
4	C	681	AMP	C5'-O5'-P-O1P
4	C	681	AMP	C5'-O5'-P-O2P
4	C	681	AMP	C5'-O5'-P-O3P

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	C	681	AMP	O4'-C4'-C5'-O5'
4	D	681	AMP	C5'-O5'-P-O3P
5	A	682	POP	P1-O-P2-O5
5	A	682	POP	P1-O-P2-O6
5	B	682	POP	P2-O-P1-O2
6	A	684	GOL	O1-C1-C2-O2
6	A	684	GOL	O1-C1-C2-C3
6	C	684	GOL	O1-C1-C2-O2
6	C	684	GOL	O1-C1-C2-C3
3	B	680	NAD	C4N-C3N-C7N-O7N
3	B	680	NAD	C4N-C3N-C7N-N7N
3	B	680	NAD	C2N-C3N-C7N-O7N
3	D	680	NAD	C2N-C3N-C7N-O7N
3	D	680	NAD	C4N-C3N-C7N-O7N
3	C	680	NAD	O4D-C4D-C5D-O5D
4	C	681	AMP	C3'-C4'-C5'-O5'
3	D	680	NAD	C2N-C3N-C7N-N7N
3	D	680	NAD	C4N-C3N-C7N-N7N
3	A	680	NAD	O4D-C4D-C5D-O5D
3	B	680	NAD	O4D-C4D-C5D-O5D
3	D	680	NAD	O4D-C4D-C5D-O5D
2	B	683	GLU	OXT-C-CA-N
2	C	683	GLU	OXT-C-CA-N
3	A	680	NAD	C2N-C3N-C7N-O7N
3	C	680	NAD	C2N-C3N-C7N-O7N
3	A	680	NAD	C4N-C3N-C7N-O7N
3	A	680	NAD	C3D-C4D-C5D-O5D
3	B	680	NAD	C3D-C4D-C5D-O5D
3	C	680	NAD	C3D-C4D-C5D-O5D
3	D	680	NAD	C3D-C4D-C5D-O5D
3	A	680	NAD	C4N-C3N-C7N-N7N
3	A	680	NAD	C4B-C5B-O5B-PA
3	C	680	NAD	C4B-C5B-O5B-PA
3	C	680	NAD	C4N-C3N-C7N-O7N
3	C	680	NAD	C4N-C3N-C7N-N7N
3	A	680	NAD	C2N-C3N-C7N-N7N
4	B	681	AMP	O4'-C4'-C5'-O5'
2	A	683	GLU	OXT-C-CA-N
3	C	680	NAD	C2N-C3N-C7N-N7N
4	B	681	AMP	C5'-O5'-P-O1P
4	D	681	AMP	C5'-O5'-P-O1P
3	B	680	NAD	C4B-C5B-O5B-PA

*Continued on next page...*



*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
4	B	681	AMP	C3'-C4'-C5'-O5'
4	D	681	AMP	O4'-C4'-C5'-O5'
2	A	683	GLU	O-C-CA-N
3	C	680	NAD	PN-O3-PA-O5B
3	D	680	NAD	PN-O3-PA-O5B
5	C	682	POP	P2-O-P1-O2
5	D	682	POP	P2-O-P1-O2
2	A	683	GLU	C-CA-CB-CG
2	B	683	GLU	C-CA-CB-CG
2	C	683	GLU	OXT-C-CA-CB
4	D	681	AMP	C3'-C4'-C5'-O5'
3	A	680	NAD	PA-O3-PN-O2N
2	C	683	GLU	N-CA-CB-CG
2	C	683	GLU	O-C-CA-CB
3	B	680	NAD	PA-O3-PN-O2N
3	B	680	NAD	C2D-C1D-N1N-C2N
3	D	680	NAD	C2D-C1D-N1N-C2N
5	D	682	POP	P1-O-P2-O4
3	C	680	NAD	O4D-C1D-N1N-C2N
3	A	680	NAD	PA-O3-PN-O1N
2	B	683	GLU	OE2-CD-CG-CB
5	B	682	POP	P2-O-P1-O3
5	D	682	POP	P2-O-P1-O3
3	D	680	NAD	C3B-C4B-C5B-O5B
2	B	683	GLU	OE1-CD-CG-CB
3	A	680	NAD	C3B-C4B-C5B-O5B
3	A	680	NAD	C2B-C1B-N9A-C8A
3	D	680	NAD	C2B-C1B-N9A-C8A
2	B	683	GLU	OXT-C-CA-CB
2	A	683	GLU	OE2-CD-CG-CB
3	C	680	NAD	C2B-C1B-N9A-C8A
5	A	682	POP	P1-O-P2-O4
5	B	682	POP	P2-O-P1-O1
2	A	683	GLU	OE1-CD-CG-CB
2	B	683	GLU	O-C-CA-CB
2	D	683	GLU	OE2-CD-CG-CB
3	C	680	NAD	PA-O3-PN-O1N
2	C	683	GLU	OE2-CD-CG-CB



There are no ring outliers.


14 monomers are involved in 33 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	680	NAD	5	0
4	D	681	AMP	1	0
5	B	682	POP	1	0
4	C	681	AMP	4	0
5	D	682	POP	3	0
3	B	680	NAD	4	0
6	C	684	GOL	1	0
3	A	680	NAD	4	0
3	D	680	NAD	6	0
5	A	682	POP	1	0
5	C	682	POP	6	0
4	B	681	AMP	1	0
2	D	683	GLU	2	0
4	A	681	AMP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	660/680 (97%)	-0.33	9 (1%) 73 69	20, 34, 61, 95	0
1	B	660/680 (97%)	-0.29	8 (1%) 76 72	22, 35, 60, 98	0
1	C	651/680 (95%)	-0.25	9 (1%) 73 69	21, 35, 61, 99	0
1	D	649/680 (95%)	-0.28	13 (2%) 65 59	21, 34, 61, 96	0
All	All	2620/2720 (96%)	-0.29	39 (1%) 72 67	20, 35, 61, 99	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	409	LYS	5.8
1	B	409	LYS	5.2
1	A	409	LYS	4.9
1	B	1	MET	4.6
1	A	543	THR	4.5
1	D	409	LYS	4.5
1	D	1	MET	4.2
1	C	410	ASN	4.0
1	B	410	ASN	4.0
1	B	543	THR	3.8
1	A	1	MET	3.6
1	C	442	PRO	3.6
1	C	1	MET	3.4
1	D	605	PRO	3.3
1	C	557	SER	3.3
1	C	560	LYS	3.1
1	B	557	SER	2.9
1	D	441	HIS	2.9
1	B	679	GLY	2.9
1	D	452	VAL	2.9
1	D	560	LYS	2.9

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	557	SER	2.8
1	A	560	LYS	2.7
1	D	557	SER	2.7
1	D	679	GLY	2.7
1	D	604	PHE	2.7
1	D	437	HIS	2.6
1	D	606	LYS	2.6
1	A	402	PHE	2.4
1	A	335	ARG	2.4
1	A	441	HIS	2.3
1	C	402	PHE	2.3
1	C	679	GLY	2.2
1	D	402	PHE	2.2
1	C	451	ASP	2.2
1	D	608	GLU	2.1
1	A	607	SER	2.1
1	B	558	GLU	2.0
1	B	560	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	POP	D	682	9/9	0.72	0.14	83,117,144,342	0
5	POP	C	682	9/9	0.73	0.13	117,148,162,288	0
5	POP	B	682	9/9	0.75	0.13	101,124,141,304	0
5	POP	A	682	9/9	0.77	0.13	130,142,151,306	0
2	GLU	B	683	10/10	0.79	0.26	59,78,121,122	0

*Continued on next page...*

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GLU	D	683	10/10	0.84	0.26	58,98,127,140	0
2	GLU	C	683	10/10	0.86	0.23	54,86,116,134	0
2	GLU	A	683	10/10	0.86	0.25	47,94,123,126	0
4	AMP	C	681	23/23	0.88	0.10	39,54,101,115	0
6	GOL	C	684	6/6	0.89	0.17	50,61,66,76	0
6	GOL	A	684	6/6	0.90	0.20	40,48,62,65	0
4	AMP	A	681	23/23	0.92	0.08	31,57,110,124	0
4	AMP	D	681	23/23	0.92	0.09	30,55,97,104	0
4	AMP	B	681	23/23	0.93	0.08	41,54,101,127	0
3	NAD	C	680	44/44	0.94	0.12	31,51,134,141	0
3	NAD	D	680	44/44	0.94	0.12	28,49,135,143	0
3	NAD	B	680	44/44	0.94	0.12	26,54,134,148	0
3	NAD	A	680	44/44	0.95	0.11	29,49,122,130	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around AMP A 681:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around AMP D 681:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around AMP B 681:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around NAD C 680:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAD D 680:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAD B 680:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NAD A 680:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.