



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:23 AM UTC

PDB ID : 3UMQ / pdb_00003umq
Title : Crystal structure of peptidoglycan recognition protein-S complexed with butyric acid at 2.2 Å resolution
Authors : Pandey, N.; Sharma, P.; Sinha, M.; Bhushan, A.; Kaur, P.; Sharma, S.; Singh, T.P.
Deposited on : 2011-11-14
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	171	<div> <div>2%</div> <div>76%</div> <div>23%</div> <div>.</div> </div>
1	B	171	<div> <div>9%</div> <div>60%</div> <div>36%</div> <div>..</div> </div>
1	C	171	<div> <div>4%</div> <div>77%</div> <div>21%</div> <div>.</div> </div>
1	D	171	<div> <div>6%</div> <div>68%</div> <div>28%</div> <div>..</div> </div>

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 5941 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptidoglycan recognition protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	171	Total	C	N	O	S	0	0	0
			1337	834	254	241	8			
1	B	171	Total	C	N	O	S	0	0	0
			1337	834	254	241	8			
1	C	171	Total	C	N	O	S	0	0	0
			1337	834	254	241	8			
1	D	171	Total	C	N	O	S	0	0	0
			1337	834	254	241	8			

- Molecule 2 is butanoic acid (CCD ID: BUA) (formula: $C_4H_8O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	4	2		


- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	160	Total	O	0	0
			160	160		
4	B	111	Total	O	0	0
			111	111		
4	C	155	Total	O	0	0
			155	155		
4	D	155	Total	O	0	0
			155	155		



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	88.92Å 101.51Å 162.98Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.80 – 2.20 34.80 – 2.20	Depositor EDS
% Data completeness (in resolution range)	91.6 (34.80-2.20) 91.6 (34.80-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.73 (at 2.20Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.226 , 0.243 0.231 , 0.294	Depositor DCC
R_{free} test set	1737 reflections (4.60%)	wwPDB-VP
Wilson B-factor (Å ²)	32.2	Xtriage
Anisotropy	1.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 41.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5941	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, BUA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.86	0/1374	1.12	7/1871 (0.4%)
1	B	0.89	2/1374 (0.1%)	1.22	12/1871 (0.6%)
1	C	0.92	1/1374 (0.1%)	1.21	9/1871 (0.5%)
1	D	0.92	2/1374 (0.1%)	1.24	8/1871 (0.4%)
All	All	0.90	5/5496 (0.1%)	1.20	36/7484 (0.5%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	116	PRO	CA-C	11.03	1.59	1.52
1	B	3	PRO	CA-C	7.20	1.56	1.52
1	D	89	ILE	CA-CB	5.52	1.61	1.54
1	D	93	HIS	CG-ND1	-5.12	1.32	1.38
1	B	93	HIS	CG-ND1	-5.05	1.32	1.38

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	62	ARG	N-CA-C	9.42	121.31	111.14
1	B	78	ASP	N-CA-C	-8.86	102.48	113.38
1	B	98	TRP	N-CA-C	8.72	120.86	111.36
1	D	6	CYS	N-CA-C	7.60	121.29	108.90
1	B	148	ASP	N-CA-C	-7.58	103.02	111.28
1	C	39	ALA	N-CA-C	-7.05	104.26	112.86
1	A	102	SER	N-CA-C	7.00	119.81	109.24
1	A	31	ARG	N-CA-C	6.98	118.97	111.36
1	D	116	PRO	N-CA-C	-6.55	102.71	110.70
1	D	78	ASP	N-CA-C	-6.54	105.27	113.18
1	C	116	PRO	N-CA-C	-6.36	103.77	110.58
1	D	97	THR	N-CA-C	6.29	117.93	111.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	31	ARG	N-CA-C	6.23	118.15	111.36
1	C	113	ASN	N-CA-C	6.19	121.60	113.30
1	C	157	ASP	N-CA-C	5.93	118.23	111.11
1	B	101	ILE	N-CA-C	5.87	116.86	111.81
1	D	3	PRO	N-CA-C	5.86	117.85	110.70
1	C	8	SER	N-CA-C	-5.72	105.61	112.59
1	B	33	VAL	N-CA-C	-5.68	100.31	108.48
1	B	130	CYS	N-CA-C	-5.63	105.14	111.28
1	C	31	ARG	N-CA-C	5.62	117.48	111.36
1	B	39	ALA	N-CA-C	-5.58	106.05	112.86
1	A	39	ALA	N-CA-C	-5.58	106.43	113.23
1	A	100	PRO	N-CA-C	5.50	120.80	114.03
1	C	32	TYR	N-CA-C	5.41	118.30	109.59
1	A	18	LEU	N-CA-C	-5.32	103.51	110.53
1	D	149	VAL	N-CA-C	5.20	118.72	113.47
1	B	88	ASN	N-CA-C	5.19	120.61	113.97
1	B	50	ALA	N-CA-C	-5.17	105.34	110.97
1	B	10	VAL	N-CA-C	-5.14	103.36	108.96
1	D	88	ASN	N-CA-C	5.12	119.67	113.38
1	B	141	TYR	N-CA-C	5.06	118.02	110.52
1	B	31	ARG	N-CA-C	5.04	117.55	111.40
1	C	61	VAL	N-CA-C	5.04	115.71	110.82
1	A	6	CYS	N-CA-C	5.02	116.59	108.26
1	A	169	TYR	N-CA-C	5.01	116.96	109.59

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1337	0	1288	28	0
1	B	1337	0	1288	68	0
1	C	1337	0	1288	25	0
1	D	1337	0	1288	50	0
2	A	6	0	7	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	6	0	8	0	0
4	A	160	0	0	6	0
4	B	111	0	0	2	0
4	C	155	0	0	1	0
4	D	155	0	0	1	0
All	All	5941	0	5167	167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:15:TRP:CH2	1:D:17:ALA:HB2	2.08	0.88
1:C:72:ASN:HD22	1:C:104:GLY:H	1.23	0.87
1:A:72:ASN:HD22	1:A:104:GLY:H	1.27	0.81
1:D:72:ASN:HD22	1:D:104:GLY:H	1.30	0.80
1:B:99:ASN:N	1:B:100:PRO:HD2	1.97	0.78
1:D:28:ARG:HH21	1:D:88:ASN:HD21	1.34	0.75
1:B:164:GLN:HG2	1:B:169:TYR:CE2	2.22	0.74
1:D:15:TRP:CZ2	1:D:17:ALA:HB2	2.22	0.74
1:D:15:TRP:CZ3	1:D:17:ALA:HB2	2.22	0.74
1:D:114:ARG:HH11	1:D:114:ARG:HG3	1.53	0.74
1:D:74:LEU:HD22	1:D:108:MET:HE3	1.70	0.74
1:D:72:ASN:ND2	1:D:104:GLY:H	1.85	0.73
1:C:37:HIS:HD2	1:C:111:TYR:H	1.35	0.72
1:D:15:TRP:CH2	1:D:17:ALA:CB	2.73	0.71
1:A:23:ARG:HG3	4:A:294:HOH:O	1.91	0.70
1:D:37:HIS:HD2	1:D:111:TYR:H	1.40	0.70
1:B:158:ARG:O	1:B:161:GLU:HG2	1.93	0.69
1:B:98:TRP:CZ2	1:B:149:VAL:HG12	2.28	0.68
1:D:114:ARG:HG3	1:D:114:ARG:NH1	2.06	0.68
1:C:72:ASN:ND2	1:C:104:GLY:H	1.92	0.67
1:D:53:ALA:CA	1:D:108:MET:HE1	2.26	0.66
1:B:99:ASN:N	1:B:100:PRO:CD	2.58	0.66
1:B:169:TYR:O	1:B:170:ARG:NH1	2.30	0.65
1:D:38:THR:OG1	1:D:109:GLY:N	2.26	0.65
1:B:37:HIS:CE1	1:B:154:SER:HA	2.32	0.65
1:B:37:HIS:CE1	1:B:154:SER:HB2	2.31	0.64
1:A:40:GLY:O	1:A:109:GLY:HA2	1.98	0.64
1:B:72:ASN:ND2	1:B:104:GLY:H	1.97	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:72:ASN:HD22	1:B:104:GLY:H	1.45	0.63
1:B:98:TRP:NE1	1:B:149:VAL:HB	2.14	0.63
1:A:12:ARG:HG3	1:A:83:GLU:OE1	2.00	0.62
1:B:62:ARG:HH11	1:B:62:ARG:HG2	1.64	0.61
1:D:1:GLU:O	1:D:3:PRO:HD3	2.01	0.61
1:B:164:GLN:HA	1:B:169:TYR:CD2	2.36	0.60
1:B:146:HIS:O	1:B:149:VAL:HG22	2.01	0.60
1:C:62:ARG:HH11	1:C:62:ARG:HG3	1.66	0.60
1:B:98:TRP:C	1:B:100:PRO:HD2	2.27	0.59
1:D:28:ARG:HH21	1:D:88:ASN:ND2	1.99	0.59
1:C:16:ARG:HG3	1:C:16:ARG:HH11	1.68	0.58
1:D:38:THR:HG1	1:D:109:GLY:H	1.48	0.58
1:C:77:GLU:OE1	1:C:117:PRO:HD3	2.04	0.58
1:D:28:ARG:NH2	1:D:88:ASN:HD21	2.01	0.58
1:C:37:HIS:CD2	1:C:111:TYR:H	2.20	0.58
1:B:93:HIS:HE1	1:B:102:SER:OG	1.87	0.58
1:D:38:THR:O	1:D:39:ALA:HB3	2.04	0.58
1:D:114:ARG:HH11	1:D:114:ARG:CG	2.18	0.57
1:B:98:TRP:CD1	1:B:149:VAL:HB	2.39	0.57
1:D:48:SER:O	1:D:51:GLN:HB3	2.05	0.57
1:B:159:LEU:O	1:B:163:ILE:HG12	2.04	0.56
1:C:85:ARG:HD2	1:C:91:GLY:HA2	1.86	0.56
1:D:99:ASN:HB2	1:D:100:PRO:HD3	1.87	0.56
1:B:11:PRO:HG2	1:B:14:GLU:HB2	1.87	0.56
1:B:147:ARG:HA	1:B:150:GLN:O	2.05	0.56
1:B:29:PRO:HB2	1:B:138:ARG:HB3	1.89	0.55
1:B:147:ARG:O	1:B:148:ASP:C	2.47	0.55
1:B:9:ILE:HD12	4:B:237:HOH:O	2.07	0.55
1:D:15:TRP:CE2	1:D:17:ALA:HB2	2.42	0.55
1:D:53:ALA:HA	1:D:108:MET:HE1	1.89	0.55
1:A:126:ASN:HD21	1:B:8:SER:H	1.55	0.54
1:D:41:SER:O	1:D:52:GLN:NE2	2.39	0.54
1:B:138:ARG:NH1	1:B:140:ASN:HD21	2.05	0.54
1:D:22:CYS:SG	1:D:68:ASP:HB3	2.48	0.54
1:B:30:VAL:HG13	1:B:101:ILE:O	2.08	0.54
1:B:37:HIS:ND1	1:B:154:SER:CB	2.72	0.53
1:B:154:SER:HA	1:B:156:GLY:H	1.72	0.53
1:A:6:CYS:C	1:A:130:CYS:SG	2.92	0.53
1:D:12:ARG:HA	1:D:15:TRP:NE1	2.24	0.53
1:B:85:ARG:HD2	1:B:91:GLY:HA2	1.90	0.53
1:B:155:PRO:O	1:B:159:LEU:HB3	2.08	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:95:GLY:HA3	1:B:150:GLN:NE2	2.23	0.52
1:B:98:TRP:CE2	1:B:149:VAL:HB	2.44	0.52
1:C:96:PRO:O	1:C:100:PRO:CD	2.58	0.52
1:B:115:VAL:HG21	1:B:162:ILE:CD1	2.39	0.52
1:B:28:ARG:HB3	1:B:29:PRO:HA	1.91	0.51
1:D:53:ALA:N	1:D:108:MET:HE1	2.25	0.51
1:C:43:CYS:O	1:C:77:GLU:HB2	2.11	0.51
1:A:126:ASN:ND2	1:B:8:SER:H	2.09	0.51
1:C:62:ARG:HG3	1:C:62:ARG:NH1	2.26	0.51
1:B:37:HIS:CE1	1:B:154:SER:CB	2.94	0.51
1:B:37:HIS:ND1	1:B:154:SER:HB2	2.26	0.51
1:B:37:HIS:CE1	1:B:154:SER:CA	2.95	0.50
1:B:169:TYR:O	1:B:170:ARG:HD3	2.12	0.50
1:B:112:MET:HA	1:B:157:ASP:H	1.77	0.50
1:B:146:HIS:O	1:B:149:VAL:CG2	2.59	0.50
1:A:6:CYS:SG	2:A:172:BUA:H11	2.51	0.50
1:B:43:CYS:HB2	1:B:48:SER:OG	2.11	0.50
1:D:43:CYS:O	1:D:77:GLU:HB2	2.11	0.50
1:A:16:ARG:HD2	4:A:319:HOH:O	2.11	0.50
1:B:81:VAL:HG11	1:B:127:LEU:HD13	1.94	0.50
1:B:115:VAL:HG21	1:B:162:ILE:HD11	1.93	0.50
1:B:37:HIS:HD2	1:B:111:TYR:H	1.59	0.49
1:C:22:CYS:HB3	4:C:201:HOH:O	2.12	0.49
1:B:94:ALA:HB3	1:B:98:TRP:HB2	1.94	0.49
1:B:115:VAL:CG2	1:B:162:ILE:HD12	2.43	0.49
1:D:149:VAL:HG23	1:D:150:GLN:HG2	1.95	0.49
1:B:30:VAL:O	1:B:137:LEU:HD23	2.12	0.49
1:C:16:ARG:HG3	1:C:16:ARG:NH1	2.26	0.49
1:D:15:TRP:CZ2	1:D:17:ALA:CB	2.95	0.48
1:A:38:THR:O	1:A:39:ALA:HB3	2.14	0.48
1:A:37:HIS:CD2	1:A:154:SER:HA	2.48	0.48
1:A:38:THR:HG23	1:A:108:MET:HA	1.94	0.48
1:A:116:PRO:HG2	1:A:121:LEU:HD21	1.94	0.48
1:B:40:GLY:HA3	4:B:275:HOH:O	2.13	0.48
1:A:38:THR:CG2	1:A:108:MET:HA	2.43	0.48
1:D:15:TRP:CE3	1:D:17:ALA:HB2	2.48	0.48
1:A:15:TRP:CH2	1:A:17:ALA:HB2	2.49	0.48
1:D:53:ALA:HA	1:D:108:MET:CE	2.44	0.48
1:A:160:TYR:O	1:A:164:GLN:HG3	2.15	0.47
1:A:24:GLU:OE1	1:A:90:LYS:HE2	2.14	0.47
1:B:37:HIS:CD2	1:B:111:TYR:H	2.32	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:119:ARG:HB3	1:A:122:ARG:NH1	2.30	0.47
1:D:58:SER:O	1:D:62:ARG:HB2	2.14	0.47
1:B:30:VAL:CG1	1:B:101:ILE:O	2.63	0.47
1:C:43:CYS:O	1:C:49:CYS:SG	2.73	0.46
1:D:11:PRO:HD2	1:D:14:GLU:CB	2.46	0.46
1:D:85:ARG:HD2	1:D:91:GLY:HA2	1.98	0.46
1:A:85:ARG:HD2	1:A:91:GLY:HA2	1.98	0.46
1:C:140:ASN:O	1:C:140:ASN:OD1	2.33	0.46
1:A:13:ARG:HD3	4:A:178:HOH:O	2.16	0.46
4:A:264:HOH:O	1:B:8:SER:HB3	2.15	0.46
1:D:141:TYR:CD1	1:D:141:TYR:C	2.93	0.46
1:B:170:ARG:HD3	1:B:170:ARG:HA	1.34	0.45
1:B:22:CYS:SG	1:B:68:ASP:HB2	2.56	0.45
1:A:72:ASN:ND2	1:A:104:GLY:H	2.05	0.45
1:A:126:ASN:HD21	1:B:7:GLY:N	2.14	0.45
1:B:154:SER:OG	1:B:155:PRO:HA	2.16	0.45
1:C:42:HIS:HB2	1:C:77:GLU:HG3	1.98	0.45
1:D:3:PRO:HD2	1:D:4:PRO:HD2	1.97	0.45
1:A:126:ASN:ND2	1:B:8:SER:N	2.64	0.45
1:C:142:GLU:OE1	1:C:170:ARG:HG2	2.17	0.45
1:C:162:ILE:O	1:C:165:THR:OG1	2.35	0.45
1:A:71:TYR:CD1	1:A:106:SER:HB2	2.52	0.44
1:B:34:VAL:HG23	1:B:102:SER:HB2	1.99	0.44
1:D:141:TYR:O	1:D:168:HIS:CD2	2.71	0.44
1:B:37:HIS:HD2	1:B:110:ASN:HA	1.83	0.43
1:B:92:ALA:HA	1:B:99:ASN:ND2	2.32	0.43
1:D:6:CYS:HB2	1:D:130:CYS:HB2	1.72	0.43
1:B:98:TRP:CE2	1:B:149:VAL:HG12	2.53	0.43
1:C:140:ASN:O	1:C:140:ASN:CG	2.61	0.43
1:D:15:TRP:CZ3	1:D:17:ALA:CB	2.95	0.43
1:C:115:VAL:HG12	1:C:162:ILE:HD11	2.01	0.43
1:C:12:ARG:HG3	1:C:83:GLU:OE1	2.19	0.43
1:A:112:MET:HE1	1:A:157:ASP:OD2	2.18	0.43
1:B:6:CYS:HB2	1:B:130:CYS:HB2	1.79	0.42
1:A:24:GLU:HG3	4:A:185:HOH:O	2.20	0.42
4:A:309:HOH:O	1:C:25:ARG:HD3	2.19	0.42
1:D:42:HIS:HB2	1:D:77:GLU:OE2	2.20	0.42
1:A:140:ASN:O	1:A:140:ASN:CG	2.63	0.41
1:B:30:VAL:N	1:B:136:ALA:O	2.48	0.41
1:D:16:ARG:HE	1:D:16:ARG:HB3	1.62	0.41
1:A:2:ASP:CG	1:A:4:PRO:HD2	2.46	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:37:HIS:CD2	1:D:111:TYR:H	2.29	0.41
2:A:172:BUA:H31	1:B:6:CYS:HB3	2.01	0.41
1:D:24:GLU:OE1	1:D:90:LYS:NZ	2.45	0.41
1:D:67:CYS:N	4:D:316:HOH:O	2.52	0.41
1:B:28:ARG:HA	1:B:29:PRO:C	2.46	0.41
1:B:57:GLN:HG3	1:B:69:VAL:HB	2.03	0.41
1:C:16:ARG:CZ	1:C:54:GLN:HE22	2.34	0.41
1:D:99:ASN:N	1:D:100:PRO:CD	2.84	0.41
1:D:141:TYR:O	1:D:168:HIS:HD2	2.04	0.41
1:B:98:TRP:CE2	1:B:149:VAL:CG1	3.04	0.40
1:B:149:VAL:O	1:B:150:GLN:CG	2.69	0.40
1:C:15:TRP:CZ2	1:C:17:ALA:HB2	2.57	0.40
1:C:38:THR:O	1:C:39:ALA:HB3	2.21	0.40
1:D:10:VAL:HA	1:D:11:PRO:HD3	1.83	0.40
1:D:15:TRP:CD2	1:D:17:ALA:HB2	2.56	0.40
1:D:147:ARG:HD2	1:D:160:TYR:CD1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	169/171 (99%)	165 (98%)	4 (2%)	0	100	100
1	B	169/171 (99%)	164 (97%)	5 (3%)	0	100	100
1	C	169/171 (99%)	164 (97%)	3 (2%)	2 (1%)	10	8
1	D	169/171 (99%)	160 (95%)	8 (5%)	1 (1%)	21	23
All	All	676/684 (99%)	653 (97%)	20 (3%)	3 (0%)	30	34

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	3	PRO
1	C	3	PRO
1	C	4	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	139/139 (100%)	139 (100%)	0	100	100
1	B	139/139 (100%)	136 (98%)	3 (2%)	45	61
1	C	139/139 (100%)	138 (99%)	1 (1%)	76	87
1	D	139/139 (100%)	136 (98%)	3 (2%)	45	61
All	All	556/556 (100%)	549 (99%)	7 (1%)	61	76

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	28	ARG
1	B	130	CYS
1	B	170	ARG
1	C	37	HIS
1	D	16	ARG
1	D	37	HIS
1	D	114	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	ASN
1	A	125	GLN
1	A	126	ASN
1	A	150	GLN
1	A	164	GLN
1	B	51	GLN
1	B	52	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	72	ASN
1	B	93	HIS
1	B	113	ASN
1	B	150	GLN
1	B	168	HIS
1	C	37	HIS
1	C	42	HIS
1	C	51	GLN
1	C	52	GLN
1	C	54	GLN
1	C	72	ASN
1	C	88	ASN
1	C	150	GLN
1	D	37	HIS
1	D	63	ASN
1	D	72	ASN
1	D	88	ASN
1	D	164	GLN
1	D	168	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	BUA	A	172	-	5,5,5	1.03	1 (20%)	5,5,5	1.11	0
3	GOL	D	503	-	5,5,5	0.11	0	5,5,5	0.38	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BUA	A	172	-	-	2/3/3/3	-
3	GOL	D	503	-	-	0/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	172	BUA	O2-C4	-2.16	1.23	1.30

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	172	BUA	C2-C3-C4-O1
2	A	172	BUA	C2-C3-C4-O2

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	172	BUA	2	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	171/171 (100%)	0.15	4 (2%) 61 58	23, 38, 58, 102	0
1	B	171/171 (100%)	0.70	15 (8%) 15 13	26, 43, 76, 99	0
1	C	171/171 (100%)	0.17	6 (3%) 47 44	24, 37, 61, 103	0
1	D	171/171 (100%)	0.24	11 (6%) 25 22	22, 36, 56, 99	0
All	All	684/684 (100%)	0.31	36 (5%) 32 29	22, 38, 67, 103	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	2	ASP	5.3
1	B	5	ALA	5.3
1	C	5	ALA	5.0
1	C	3	PRO	4.3
1	B	3	PRO	4.2
1	D	4	PRO	4.2
1	B	4	PRO	4.0
1	D	3	PRO	3.7
1	A	3	PRO	3.7
1	C	6	CYS	3.6
1	C	4	PRO	3.4
1	B	2	ASP	3.4
1	B	27	THR	3.2
1	D	8	SER	3.1
1	D	1	GLU	3.0
1	B	169	TYR	3.0
1	A	2	ASP	2.8
1	A	4	PRO	2.7
1	D	113	ASN	2.7
1	B	149	VAL	2.6
1	D	95	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	5	ALA	2.6
1	B	153	LEU	2.4
1	B	171	ALA	2.4
1	B	1	GLU	2.4
1	B	115	VAL	2.4
1	B	140	ASN	2.3
1	B	7	GLY	2.3
1	A	6	CYS	2.2
1	C	2	ASP	2.2
1	C	1	GLU	2.2
1	D	44	ASP	2.1
1	D	6	CYS	2.1
1	B	116	PRO	2.1
1	D	40	GLY	2.0
1	B	100	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	BUA	A	172	6/6	0.81	0.15	62,63,63,64	0
3	GOL	D	503	6/6	0.82	0.16	67,69,71,73	0

6.5 Other polymers [i](#)

There are no such residues in this entry.