



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2026 – 06:03 PM UTC

PDB ID : 3ZSF / pdb\_00003zsf  
Title : Crystal structure of the L-cystine solute receptor of *Neisseria gonorrhoeae* in the unliganded open conformation  
Authors : Bulut, H.; Moniot, S.; Scheffel, F.; Gathmann, S.; Licht, A.; Saenger, W.; Schneider, E.  
Deposited on : 2011-06-27  
Resolution : 2.32 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.32 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	7754 (2.34-2.30)
Clashscore	190562	8383 (2.34-2.30)
Ramachandran outliers	187476	8303 (2.34-2.30)
Sidechain outliers	187428	8303 (2.34-2.30)
RSRZ outliers	180081	7760 (2.34-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	283	
1	B	283	
1	C	283	
1	D	283	
1	E	283	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	283	<div><div></div><div>8%</div><div>73%</div><div>10%</div><div>•</div><div>16%</div></div>
1	G	283	<div><div></div><div>%</div><div>71%</div><div>11%</div><div>•</div><div>17%</div></div>
1	H	283	<div><div></div><div>13%</div><div>73%</div><div>9%</div><div>•</div><div>17%</div></div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 14685 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ABC TRANSPORTER, PERIPLASMIC BINDING PROTEIN, AMINO ACID.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	237	Total	C	N	O	S	0	2	0
			1793	1128	302	361	2			
1	B	237	Total	C	N	O	S	0	1	0
			1756	1102	295	357	2			
1	C	235	Total	C	N	O	S	0	0	0
			1756	1106	297	351	2			
1	D	237	Total	C	N	O	S	0	0	0
			1763	1108	300	353	2			
1	E	237	Total	C	N	O	S	0	1	0
			1786	1124	302	357	3			
1	F	238	Total	C	N	O	S	0	1	0
			1757	1103	299	353	2			
1	G	235	Total	C	N	O	S	0	3	0
			1771	1115	299	355	2			
1	H	236	Total	C	N	O	S	0	0	0
			1724	1084	291	347	2			

There are 200 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	expression tag	UNP Q5F9M1
A	-6	GLY	-	expression tag	UNP Q5F9M1
A	-5	HIS	-	expression tag	UNP Q5F9M1
A	-4	HIS	-	expression tag	UNP Q5F9M1
A	-3	HIS	-	expression tag	UNP Q5F9M1
A	-2	HIS	-	expression tag	UNP Q5F9M1
A	-1	HIS	-	expression tag	UNP Q5F9M1
A	0	HIS	-	expression tag	UNP Q5F9M1
A	1	HIS	-	expression tag	UNP Q5F9M1
A	2	HIS	-	expression tag	UNP Q5F9M1
A	3	HIS	-	expression tag	UNP Q5F9M1
A	4	HIS	-	expression tag	UNP Q5F9M1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	5	SER	-	expression tag	UNP Q5F9M1
A	6	SER	-	expression tag	UNP Q5F9M1
A	7	GLY	-	expression tag	UNP Q5F9M1
A	8	HIS	-	expression tag	UNP Q5F9M1
A	9	ILE	-	expression tag	UNP Q5F9M1
A	10	ASP	-	expression tag	UNP Q5F9M1
A	11	ASP	-	expression tag	UNP Q5F9M1
A	12	ASP	-	expression tag	UNP Q5F9M1
A	13	ASP	-	expression tag	UNP Q5F9M1
A	14	LYS	-	expression tag	UNP Q5F9M1
A	15	HIS	-	expression tag	UNP Q5F9M1
A	16	MET	-	expression tag	UNP Q5F9M1
A	19	ALA	CYS	engineered mutation	UNP Q5F9M1
B	-7	MET	-	expression tag	UNP Q5F9M1
B	-6	GLY	-	expression tag	UNP Q5F9M1
B	-5	HIS	-	expression tag	UNP Q5F9M1
B	-4	HIS	-	expression tag	UNP Q5F9M1
B	-3	HIS	-	expression tag	UNP Q5F9M1
B	-2	HIS	-	expression tag	UNP Q5F9M1
B	-1	HIS	-	expression tag	UNP Q5F9M1
B	0	HIS	-	expression tag	UNP Q5F9M1
B	1	HIS	-	expression tag	UNP Q5F9M1
B	2	HIS	-	expression tag	UNP Q5F9M1
B	3	HIS	-	expression tag	UNP Q5F9M1
B	4	HIS	-	expression tag	UNP Q5F9M1
B	5	SER	-	expression tag	UNP Q5F9M1
B	6	SER	-	expression tag	UNP Q5F9M1
B	7	GLY	-	expression tag	UNP Q5F9M1
B	8	HIS	-	expression tag	UNP Q5F9M1
B	9	ILE	-	expression tag	UNP Q5F9M1
B	10	ASP	-	expression tag	UNP Q5F9M1
B	11	ASP	-	expression tag	UNP Q5F9M1
B	12	ASP	-	expression tag	UNP Q5F9M1
B	13	ASP	-	expression tag	UNP Q5F9M1
B	14	LYS	-	expression tag	UNP Q5F9M1
B	15	HIS	-	expression tag	UNP Q5F9M1
B	16	MET	-	expression tag	UNP Q5F9M1
B	19	ALA	CYS	engineered mutation	UNP Q5F9M1
C	-7	MET	-	expression tag	UNP Q5F9M1
C	-6	GLY	-	expression tag	UNP Q5F9M1
C	-5	HIS	-	expression tag	UNP Q5F9M1
C	-4	HIS	-	expression tag	UNP Q5F9M1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-3	HIS	-	expression tag	UNP Q5F9M1
C	-2	HIS	-	expression tag	UNP Q5F9M1
C	-1	HIS	-	expression tag	UNP Q5F9M1
C	0	HIS	-	expression tag	UNP Q5F9M1
C	1	HIS	-	expression tag	UNP Q5F9M1
C	2	HIS	-	expression tag	UNP Q5F9M1
C	3	HIS	-	expression tag	UNP Q5F9M1
C	4	HIS	-	expression tag	UNP Q5F9M1
C	5	SER	-	expression tag	UNP Q5F9M1
C	6	SER	-	expression tag	UNP Q5F9M1
C	7	GLY	-	expression tag	UNP Q5F9M1
C	8	HIS	-	expression tag	UNP Q5F9M1
C	9	ILE	-	expression tag	UNP Q5F9M1
C	10	ASP	-	expression tag	UNP Q5F9M1
C	11	ASP	-	expression tag	UNP Q5F9M1
C	12	ASP	-	expression tag	UNP Q5F9M1
C	13	ASP	-	expression tag	UNP Q5F9M1
C	14	LYS	-	expression tag	UNP Q5F9M1
C	15	HIS	-	expression tag	UNP Q5F9M1
C	16	MET	-	expression tag	UNP Q5F9M1
C	19	ALA	CYS	engineered mutation	UNP Q5F9M1
D	-7	MET	-	expression tag	UNP Q5F9M1
D	-6	GLY	-	expression tag	UNP Q5F9M1
D	-5	HIS	-	expression tag	UNP Q5F9M1
D	-4	HIS	-	expression tag	UNP Q5F9M1
D	-3	HIS	-	expression tag	UNP Q5F9M1
D	-2	HIS	-	expression tag	UNP Q5F9M1
D	-1	HIS	-	expression tag	UNP Q5F9M1
D	0	HIS	-	expression tag	UNP Q5F9M1
D	1	HIS	-	expression tag	UNP Q5F9M1
D	2	HIS	-	expression tag	UNP Q5F9M1
D	3	HIS	-	expression tag	UNP Q5F9M1
D	4	HIS	-	expression tag	UNP Q5F9M1
D	5	SER	-	expression tag	UNP Q5F9M1
D	6	SER	-	expression tag	UNP Q5F9M1
D	7	GLY	-	expression tag	UNP Q5F9M1
D	8	HIS	-	expression tag	UNP Q5F9M1
D	9	ILE	-	expression tag	UNP Q5F9M1
D	10	ASP	-	expression tag	UNP Q5F9M1
D	11	ASP	-	expression tag	UNP Q5F9M1
D	12	ASP	-	expression tag	UNP Q5F9M1
D	13	ASP	-	expression tag	UNP Q5F9M1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	14	LYS	-	expression tag	UNP Q5F9M1
D	15	HIS	-	expression tag	UNP Q5F9M1
D	16	MET	-	expression tag	UNP Q5F9M1
D	19	ALA	CYS	engineered mutation	UNP Q5F9M1
E	-7	MET	-	expression tag	UNP Q5F9M1
E	-6	GLY	-	expression tag	UNP Q5F9M1
E	-5	HIS	-	expression tag	UNP Q5F9M1
E	-4	HIS	-	expression tag	UNP Q5F9M1
E	-3	HIS	-	expression tag	UNP Q5F9M1
E	-2	HIS	-	expression tag	UNP Q5F9M1
E	-1	HIS	-	expression tag	UNP Q5F9M1
E	0	HIS	-	expression tag	UNP Q5F9M1
E	1	HIS	-	expression tag	UNP Q5F9M1
E	2	HIS	-	expression tag	UNP Q5F9M1
E	3	HIS	-	expression tag	UNP Q5F9M1
E	4	HIS	-	expression tag	UNP Q5F9M1
E	5	SER	-	expression tag	UNP Q5F9M1
E	6	SER	-	expression tag	UNP Q5F9M1
E	7	GLY	-	expression tag	UNP Q5F9M1
E	8	HIS	-	expression tag	UNP Q5F9M1
E	9	ILE	-	expression tag	UNP Q5F9M1
E	10	ASP	-	expression tag	UNP Q5F9M1
E	11	ASP	-	expression tag	UNP Q5F9M1
E	12	ASP	-	expression tag	UNP Q5F9M1
E	13	ASP	-	expression tag	UNP Q5F9M1
E	14	LYS	-	expression tag	UNP Q5F9M1
E	15	HIS	-	expression tag	UNP Q5F9M1
E	16	MET	-	expression tag	UNP Q5F9M1
E	19	ALA	CYS	engineered mutation	UNP Q5F9M1
F	-7	MET	-	expression tag	UNP Q5F9M1
F	-6	GLY	-	expression tag	UNP Q5F9M1
F	-5	HIS	-	expression tag	UNP Q5F9M1
F	-4	HIS	-	expression tag	UNP Q5F9M1
F	-3	HIS	-	expression tag	UNP Q5F9M1
F	-2	HIS	-	expression tag	UNP Q5F9M1
F	-1	HIS	-	expression tag	UNP Q5F9M1
F	0	HIS	-	expression tag	UNP Q5F9M1
F	1	HIS	-	expression tag	UNP Q5F9M1
F	2	HIS	-	expression tag	UNP Q5F9M1
F	3	HIS	-	expression tag	UNP Q5F9M1
F	4	HIS	-	expression tag	UNP Q5F9M1
F	5	SER	-	expression tag	UNP Q5F9M1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	6	SER	-	expression tag	UNP Q5F9M1
F	7	GLY	-	expression tag	UNP Q5F9M1
F	8	HIS	-	expression tag	UNP Q5F9M1
F	9	ILE	-	expression tag	UNP Q5F9M1
F	10	ASP	-	expression tag	UNP Q5F9M1
F	11	ASP	-	expression tag	UNP Q5F9M1
F	12	ASP	-	expression tag	UNP Q5F9M1
F	13	ASP	-	expression tag	UNP Q5F9M1
F	14	LYS	-	expression tag	UNP Q5F9M1
F	15	HIS	-	expression tag	UNP Q5F9M1
F	16	MET	-	expression tag	UNP Q5F9M1
F	19	ALA	CYS	engineered mutation	UNP Q5F9M1
G	-7	MET	-	expression tag	UNP Q5F9M1
G	-6	GLY	-	expression tag	UNP Q5F9M1
G	-5	HIS	-	expression tag	UNP Q5F9M1
G	-4	HIS	-	expression tag	UNP Q5F9M1
G	-3	HIS	-	expression tag	UNP Q5F9M1
G	-2	HIS	-	expression tag	UNP Q5F9M1
G	-1	HIS	-	expression tag	UNP Q5F9M1
G	0	HIS	-	expression tag	UNP Q5F9M1
G	1	HIS	-	expression tag	UNP Q5F9M1
G	2	HIS	-	expression tag	UNP Q5F9M1
G	3	HIS	-	expression tag	UNP Q5F9M1
G	4	HIS	-	expression tag	UNP Q5F9M1
G	5	SER	-	expression tag	UNP Q5F9M1
G	6	SER	-	expression tag	UNP Q5F9M1
G	7	GLY	-	expression tag	UNP Q5F9M1
G	8	HIS	-	expression tag	UNP Q5F9M1
G	9	ILE	-	expression tag	UNP Q5F9M1
G	10	ASP	-	expression tag	UNP Q5F9M1
G	11	ASP	-	expression tag	UNP Q5F9M1
G	12	ASP	-	expression tag	UNP Q5F9M1
G	13	ASP	-	expression tag	UNP Q5F9M1
G	14	LYS	-	expression tag	UNP Q5F9M1
G	15	HIS	-	expression tag	UNP Q5F9M1
G	16	MET	-	expression tag	UNP Q5F9M1
G	19	ALA	CYS	engineered mutation	UNP Q5F9M1
H	-7	MET	-	expression tag	UNP Q5F9M1
H	-6	GLY	-	expression tag	UNP Q5F9M1
H	-5	HIS	-	expression tag	UNP Q5F9M1
H	-4	HIS	-	expression tag	UNP Q5F9M1
H	-3	HIS	-	expression tag	UNP Q5F9M1

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	-2	HIS	-	expression tag	UNP Q5F9M1
H	-1	HIS	-	expression tag	UNP Q5F9M1
H	0	HIS	-	expression tag	UNP Q5F9M1
H	1	HIS	-	expression tag	UNP Q5F9M1
H	2	HIS	-	expression tag	UNP Q5F9M1
H	3	HIS	-	expression tag	UNP Q5F9M1
H	4	HIS	-	expression tag	UNP Q5F9M1
H	5	SER	-	expression tag	UNP Q5F9M1
H	6	SER	-	expression tag	UNP Q5F9M1
H	7	GLY	-	expression tag	UNP Q5F9M1
H	8	HIS	-	expression tag	UNP Q5F9M1
H	9	ILE	-	expression tag	UNP Q5F9M1
H	10	ASP	-	expression tag	UNP Q5F9M1
H	11	ASP	-	expression tag	UNP Q5F9M1
H	12	ASP	-	expression tag	UNP Q5F9M1
H	13	ASP	-	expression tag	UNP Q5F9M1
H	14	LYS	-	expression tag	UNP Q5F9M1
H	15	HIS	-	expression tag	UNP Q5F9M1
H	16	MET	-	expression tag	UNP Q5F9M1
H	19	ALA	CYS	engineered mutation	UNP Q5F9M1


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	83	Total O 83 83	0	0
2	B	60	Total O 60 60	0	0
2	C	74	Total O 74 74	0	0
2	D	63	Total O 63 63	0	0
2	E	85	Total O 85 85	0	0
2	F	64	Total O 64 64	0	0
2	G	83	Total O 83 83	0	0
2	H	67	Total O 67 67	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ABC TRANSPORTER, PERIPLASMIC BINDING PROTEIN, AMINO ACID



- Molecule 1: ABC TRANSPORTER, PERIPLASMIC BINDING PROTEIN, AMINO ACID





- Molecule 1: ABC TRANSPORTER, PERIPLASMIC BINDING PROTEIN, AMINO ACID




- Molecule 1: ABC TRANSPORTER, PERIPLASMIC BINDING PROTEIN, AMINO ACID










- Molecule 1: ABC TRANSPORTER, PERIPLASMIC BINDING PROTEIN, AMINO ACID




- Molecule 1: ABC TRANSPORTER, PERIPLASMIC BINDING PROTEIN, AMINO ACID




- Molecule 1: ABC TRANSPORTER, PERIPLASMIC BINDING PROTEIN, AMINO ACID



- Molecule 1: ABC TRANSPORTER, PERIPLASMIC BINDING PROTEIN, AMINO ACID





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	74.09Å 99.83Å 128.83Å 90.00° 91.50° 90.00°	Depositor
Resolution (Å)	48.00 – 2.32 48.00 – 2.32	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.00-2.32) 99.7 (48.00-2.32)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.55 (at 2.32Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.217 , 0.267 0.215 , 0.261	Depositor DCC
$R_{free}$ test set	4052 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	27.1	Xtriage
Anisotropy	0.725	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 38.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.178 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	14685	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.40 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.8659e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	1.15	0/1819	1.00	2/2460 (0.1%)
1	B	1.06	1/1781 (0.1%)	0.98	5/2413 (0.2%)
1	C	1.14	2/1781 (0.1%)	1.06	3/2408 (0.1%)
1	D	1.02	1/1789 (0.1%)	1.02	6/2421 (0.2%)
1	E	1.21	1/1812 (0.1%)	1.02	1/2449 (0.0%)
1	F	1.03	0/1783	1.04	6/2419 (0.2%)
1	G	1.06	1/1796 (0.1%)	1.02	2/2430 (0.1%)
1	H	1.01	2/1749 (0.1%)	0.99	3/2371 (0.1%)
All	All	1.09	8/14310 (0.1%)	1.02	28/19371 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1
1	F	0	1
All	All	0	2

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	53	VAL	CA-CB	-6.39	1.46	1.54
1	B	245	ALA	CA-CB	5.58	1.62	1.53
1	H	102	ALA	CA-CB	5.52	1.61	1.53
1	H	77	GLU	C-O	-5.33	1.17	1.24
1	C	119	THR	CA-CB	5.28	1.61	1.53
1	C	113	ALA	CA-CB	-5.24	1.44	1.53
1	D	236	VAL	CA-C	-5.22	1.46	1.52
1	G	236	VAL	CA-C	-5.20	1.46	1.52

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	108	ARG	CD-NE-CZ	13.38	143.13	124.40
1	F	108	ARG	CD-NE-CZ	13.26	142.96	124.40
1	F	108	ARG	NE-CZ-NH2	-13.07	107.44	119.20
1	D	108	ARG	NE-CZ-NH1	-12.80	108.70	121.50
1	B	108	ARG	NE-CZ-NH2	-9.83	110.35	119.20
1	D	108	ARG	NE-CZ-NH2	9.50	127.75	119.20
1	H	108	ARG	NE-CZ-NH2	-9.25	110.87	119.20
1	B	108	ARG	CD-NE-CZ	8.74	136.63	124.40
1	H	108	ARG	CD-NE-CZ	8.61	136.45	124.40
1	B	108	ARG	NE-CZ-NH1	7.19	128.69	121.50
1	F	108	ARG	NE-CZ-NH1	6.96	128.46	121.50
1	C	206	VAL	N-CA-C	6.77	117.53	110.62
1	H	108	ARG	NE-CZ-NH1	6.69	128.19	121.50
1	F	108	ARG	CG-CD-NE	-6.17	98.44	112.00
1	F	216	ALA	N-CA-C	-6.15	102.25	110.24
1	D	108	ARG	CG-CD-NE	-6.09	98.60	112.00
1	G	97	TRP	N-CA-C	5.53	117.75	111.11
1	D	182	ASP	N-CA-C	5.43	117.28	111.36
1	E	189	THR	N-CA-C	-5.37	105.51	111.36
1	B	219	LYS	N-CA-C	5.35	116.41	108.60
1	D	241	ASP	N-CA-C	5.34	116.79	111.07
1	B	104	LEU	N-CA-C	-5.30	105.39	111.07
1	A	102	ALA	N-CA-C	-5.29	105.51	111.28
1	F	182	ASP	N-CA-C	5.29	117.13	111.36
1	A	206	VAL	N-CA-C	5.29	115.50	110.42
1	C	74	TYR	N-CA-C	5.28	117.71	111.33
1	C	83	ALA	N-CA-C	-5.22	105.67	111.36
1	G	264	GLY	N-CA-C	-5.03	106.40	112.49

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	108	ARG	Sidechain
1	F	108	ARG	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1793	0	1772	14	0
1	B	1756	0	1707	28	0
1	C	1756	0	1743	22	0
1	D	1763	0	1745	19	0
1	E	1786	0	1780	24	0
1	F	1757	0	1714	18	0
1	G	1771	0	1739	25	0
1	H	1724	0	1667	18	0
2	A	83	0	0	3	0
2	B	60	0	0	2	0
2	C	74	0	0	1	0
2	D	63	0	0	1	0
2	E	85	0	0	1	0
2	F	64	0	0	3	0
2	G	83	0	0	2	0
2	H	67	0	0	2	0
All	All	14685	0	13867	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:53:VAL:HG22	1:C:111:VAL:CG1	2.02	0.88
1:B:140:LEU:HD21	1:B:154:ILE:HD13	1.55	0.86
1:B:182:ASP:OD1	1:B:186:GLN:HG3	1.76	0.83
1:D:236:VAL:HG21	1:D:244:VAL:HG23	1.61	0.82
1:H:236:VAL:HG21	1:H:244:VAL:HG23	1.63	0.81
1:C:119:THR:HG23	2:C:2031:HOH:O	1.82	0.79
1:F:236[A]:VAL:HG11	1:F:244:VAL:HG23	1.65	0.78
1:B:140:LEU:HD21	1:B:154:ILE:CD1	2.14	0.77
1:C:159:THR:HG21	1:C:171:ALA:HB1	1.68	0.75
1:G:101:MET:HE1	1:G:116:VAL:HG21	1.68	0.74
1:B:154:ILE:O	1:B:154:ILE:HG23	1.91	0.70
1:G:159:THR:HG21	1:G:171:ALA:HB1	1.75	0.68
1:E:163:LEU:HD21	1:E:180:PRO:HB3	1.76	0.68
1:C:74:TYR:O	1:C:78:VAL:HG23	1.94	0.67
1:B:236:VAL:HG21	1:B:244:VAL:CG2	2.24	0.67
1:F:236[B]:VAL:HG21	1:F:244:VAL:HG23	1.76	0.66
1:G:159:THR:CG2	1:G:176:ALA:HB1	2.26	0.66
1:E:255:LYS:HG3	1:E:260:LEU:HD12	1.77	0.66

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:236:VAL:HG21	1:H:244:VAL:CG2	2.27	0.65
1:C:53:VAL:HG13	1:C:111:VAL:HG13	1.79	0.64
2:A:2028:HOH:O	1:B:98[A]:ASP:OD2	2.15	0.63
1:B:154:ILE:O	1:B:154:ILE:CG2	2.45	0.63
1:C:236:VAL:HG21	1:C:244:VAL:CG2	2.28	0.62
1:H:159:THR:HG23	1:H:198:ALA:HB3	1.80	0.62
1:D:236:VAL:HG21	1:D:244:VAL:CG2	2.28	0.62
1:F:236[A]:VAL:HG11	1:F:244:VAL:CG2	2.30	0.61
1:A:159:THR:HG21	1:A:171:ALA:HB1	1.81	0.61
1:G:118:LEU:HD12	1:G:123:ARG:HB3	1.84	0.59
1:H:192:GLU:CB	2:H:2051:HOH:O	2.51	0.59
1:B:181:VAL:CG1	1:B:186:GLN:HB2	2.32	0.59
1:F:213:ASN:N	1:F:213:ASN:OD1	2.36	0.59
1:E:101[A]:MET:HE1	1:E:116:VAL:HG21	1.85	0.58
1:E:163:LEU:CD2	1:E:180:PRO:HB3	2.32	0.58
1:C:53:VAL:HG22	1:C:111:VAL:HG12	1.85	0.58
1:H:213:ASN:N	1:H:213:ASN:OD1	2.36	0.58
1:B:181:VAL:HG21	1:B:190:LEU:HD13	1.85	0.58
1:D:227:ASP:N	1:D:227:ASP:OD1	2.36	0.58
1:E:159:THR:HG21	1:E:176:ALA:CB	2.34	0.57
1:D:213:ASN:N	1:D:213:ASN:OD1	2.38	0.57
1:D:159:THR:HG23	1:D:198:ALA:HB3	1.87	0.57
1:B:181:VAL:HG11	1:B:186:GLN:HB2	1.86	0.57
1:C:56:GLU:OE1	1:D:122:GLU:OE2	2.23	0.57
1:G:255:LYS:NZ	2:G:2038:HOH:O	2.38	0.57
1:B:213:ASN:N	1:B:213:ASN:OD1	2.38	0.56
1:C:53:VAL:HG22	1:C:111:VAL:HG11	1.86	0.56
1:A:216:ALA:HB1	1:A:218:VAL:HG22	1.88	0.56
1:B:159:THR:HG23	1:B:198:ALA:HB3	1.88	0.56
1:C:255:LYS:HG3	1:C:260:LEU:HD12	1.89	0.55
1:B:161:GLN:N	2:B:2042:HOH:O	2.39	0.55
1:G:118:LEU:CD1	1:G:123:ARG:HB3	2.36	0.54
1:A:148:ILE:HG23	1:A:153:ASP:HB2	1.89	0.54
1:F:159:THR:HG23	1:F:198:ALA:HB3	1.89	0.54
1:F:227:ASP:N	1:F:227:ASP:OD1	2.40	0.54
1:E:55:THR:O	1:E:94:GLU:HA	2.08	0.54
1:G:159:THR:HG21	1:G:176:ALA:CB	2.38	0.53
1:B:236:VAL:HG21	1:B:244:VAL:HG22	1.88	0.53
1:G:56:GLU:OE1	1:H:122:GLU:OE2	2.25	0.53
1:G:111:VAL:HG22	1:G:236:VAL:HG12	1.89	0.53
1:G:159:THR:HG22	1:G:176:ALA:HB1	1.90	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:236:VAL:HG21	1:E:244:VAL:CG2	2.39	0.53
1:G:244:VAL:HG11	1:H:164:THR:CG2	2.39	0.52
1:E:101[A]:MET:HE1	1:E:116:VAL:CG2	2.39	0.52
1:G:157:VAL:HG13	1:G:197:ASP:OD2	2.09	0.52
1:B:181:VAL:HG23	2:B:2042:HOH:O	2.10	0.52
1:E:100:MET:CE	1:E:101[A]:MET:HE2	2.39	0.52
1:G:66:ASP:OD1	1:G:66:ASP:C	2.52	0.52
1:D:236:VAL:CG2	1:D:244:VAL:CG2	2.88	0.51
1:F:255:LYS:HG3	1:F:260:LEU:HD12	1.92	0.51
1:E:163:LEU:HD23	2:E:2045:HOH:O	2.10	0.51
1:A:56:GLU:OE1	1:B:122:GLU:OE2	2.28	0.51
1:A:148:ILE:HG23	1:A:153:ASP:CB	2.41	0.51
1:A:244:VAL:HG11	1:B:164:THR:HG22	1.94	0.50
1:H:145:ASP:OD1	1:H:145:ASP:N	2.44	0.50
1:B:255:LYS:HG3	1:B:260:LEU:HD12	1.94	0.49
1:G:96[B]:GLN:HB2	2:G:2018:HOH:O	2.12	0.49
1:G:240:ASN:O	1:G:244:VAL:HG23	2.12	0.49
1:C:244:VAL:HG11	1:D:164:THR:CG2	2.42	0.49
1:G:204:LEU:CD2	1:G:272:ILE:HG21	2.42	0.49
1:B:140:LEU:CD2	1:B:154:ILE:HD13	2.36	0.49
1:C:122:GLU:OE2	1:D:56:GLU:OE1	2.31	0.49
1:E:111:VAL:HG12	1:E:112:VAL:N	2.27	0.49
1:E:159:THR:CG2	1:E:176:ALA:HB1	2.43	0.49
1:D:255:LYS:HG3	1:D:260:LEU:HD12	1.95	0.48
1:A:159:THR:CG2	1:A:159:THR:O	2.61	0.48
1:E:122:GLU:OE2	1:F:56:GLU:OE1	2.32	0.48
1:G:157:VAL:CG1	1:G:197:ASP:HB2	2.44	0.48
1:E:159:THR:O	1:E:159:THR:HG23	2.13	0.48
1:A:39:GLY:N	2:A:2001:HOH:O	2.47	0.48
1:C:55:THR:O	1:C:94:GLU:HA	2.13	0.48
1:G:111:VAL:HG12	1:G:112:VAL:N	2.29	0.48
1:A:63:THR:HG23	1:A:63:THR:O	2.14	0.47
1:E:45:ILE:HA	1:E:88:VAL:HG11	1.95	0.47
1:G:101:MET:HE1	1:G:116:VAL:CG2	2.42	0.47
1:B:145:ASP:OD1	1:B:145:ASP:N	2.47	0.47
1:E:159:THR:HG21	1:E:176:ALA:HB3	1.96	0.47
1:B:101:MET:HE1	1:B:235:ILE:HG21	1.96	0.47
1:H:236:VAL:CG2	1:H:244:VAL:CG2	2.93	0.47
1:B:154:ILE:CG2	1:B:176:ALA:HB2	2.45	0.47
1:F:74:TYR:O	1:F:78:VAL:HG23	2.14	0.46
1:G:181:VAL:CG1	1:G:190:LEU:HD22	2.45	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:204:LEU:HD22	1:B:272:ILE:HD13	1.96	0.46
1:G:244:VAL:HG11	1:H:164:THR:HG22	1.97	0.46
1:E:123:ARG:HD2	2:F:2027:HOH:O	2.16	0.46
1:C:159:THR:CG2	1:C:178:LEU:HD23	2.45	0.46
1:D:55:THR:O	1:D:94:GLU:HA	2.17	0.46
1:G:159:THR:CG2	1:G:176:ALA:CB	2.94	0.46
1:D:145:ASP:N	1:D:145:ASP:OD1	2.48	0.45
1:B:186:GLN:H	1:B:186:GLN:CD	2.23	0.45
1:F:253:GLU:HB3	2:F:2022:HOH:O	2.17	0.45
1:C:179:VAL:CG1	1:C:190:LEU:HD21	2.47	0.45
1:C:244:VAL:HG11	1:D:164:THR:HG22	1.99	0.45
1:F:43:GLU:CD	1:F:47:ASN:HD22	2.25	0.45
1:E:56:GLU:OE1	1:F:122:GLU:OE2	2.35	0.44
1:E:159:THR:HG21	1:E:176:ALA:HB1	2.00	0.44
1:E:188:LEU:HD12	1:E:209:TYR:CE2	2.53	0.44
1:F:145:ASP:N	1:F:145:ASP:OD1	2.50	0.44
1:C:155:LYS:NZ	1:H:275:GLN:OXT	2.51	0.44
1:F:236[A]:VAL:HG13	1:F:237:ASN:O	2.18	0.44
1:A:159:THR:O	1:A:159:THR:HG23	2.18	0.44
1:C:140:LEU:HD13	1:C:200:LEU:CD2	2.47	0.43
1:C:206:VAL:O	1:C:210:LEU:HG	2.17	0.43
1:H:181:VAL:HG21	1:H:190:LEU:HD22	2.00	0.43
1:G:250:ALA:O	1:G:254:LEU:HG	2.18	0.43
1:A:66:ASP:OD1	1:A:66:ASP:C	2.61	0.43
1:F:85:LYS:NZ	2:F:2022:HOH:O	2.50	0.43
1:D:65:HIS:NE2	1:D:94:GLU:OE1	2.38	0.43
1:E:255:LYS:HE3	1:E:273:SER:O	2.19	0.43
1:H:67:LYS:HG2	2:H:2014:HOH:O	2.19	0.43
1:C:151:ILE:HD11	1:C:200:LEU:HD21	2.01	0.43
1:B:182:ASP:OD1	1:B:182:ASP:N	2.49	0.43
1:D:43:GLU:CD	1:D:47:ASN:HD22	2.27	0.42
1:D:96:GLN:O	1:D:97:TRP:C	2.62	0.42
1:D:162:SER:O	1:D:165:SER:OG	2.32	0.42
1:E:171:ALA:HB3	1:E:178:LEU:HD21	2.01	0.42
1:G:190:LEU:HD12	1:G:190:LEU:HA	1.94	0.42
1:A:122:GLU:OE2	1:B:56:GLU:OE1	2.36	0.42
1:E:117:GLY:O	1:E:129:LYS:NZ	2.51	0.42
1:G:244:VAL:HG11	1:H:164:THR:HG21	2.02	0.42
1:C:179:VAL:HG11	1:C:190:LEU:HD21	2.02	0.41
1:H:45:ILE:HA	1:H:88:VAL:HG11	2.02	0.41
1:H:101:MET:HE1	1:H:235:ILE:HG21	2.02	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:236:VAL:CG2	1:B:244:VAL:CG2	2.97	0.41
1:F:236[A]:VAL:CG1	1:F:244:VAL:CG2	2.99	0.41
1:D:108:ARG:NH1	2:D:2027:HOH:O	2.45	0.41
1:D:181:VAL:CG1	1:D:186:GLN:CB	2.99	0.41
1:H:227:ASP:N	1:H:227:ASP:OD1	2.54	0.41
1:A:169:GLU:HG2	2:A:2053:HOH:O	2.20	0.41
1:C:188:LEU:HD23	1:C:188:LEU:HA	1.89	0.41
1:F:181:VAL:CG1	1:F:186:GLN:CB	2.99	0.41
1:H:255:LYS:HG3	1:H:260:LEU:HD12	2.02	0.41
1:B:236:VAL:CG2	1:B:244:VAL:HG22	2.51	0.41
1:E:213:ASN:C	1:E:215:ASN:N	2.79	0.41
1:F:55:THR:O	1:F:94:GLU:HA	2.22	0.40
1:A:257:ASP:OD1	1:A:257:ASP:C	2.63	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	237/283 (84%)	227 (96%)	9 (4%)	1 (0%)	30	37
1	B	234/283 (83%)	229 (98%)	5 (2%)	0	100	100
1	C	231/283 (82%)	223 (96%)	8 (4%)	0	100	100
1	D	235/283 (83%)	229 (97%)	6 (3%)	0	100	100
1	E	236/283 (83%)	225 (95%)	8 (3%)	3 (1%)	9	10
1	F	237/283 (84%)	232 (98%)	5 (2%)	0	100	100
1	G	234/283 (83%)	226 (97%)	7 (3%)	1 (0%)	30	37
1	H	232/283 (82%)	226 (97%)	6 (3%)	0	100	100
All	All	1876/2264 (83%)	1817 (97%)	54 (3%)	5 (0%)	36	45

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	215	ASN
1	E	216	ALA
1	E	66	ASP
1	G	146	SER
1	A	114	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/221 (84%)	179 (97%)	6 (3%)	34	50
1	B	180/221 (81%)	167 (93%)	13 (7%)	13	17
1	C	182/221 (82%)	177 (97%)	5 (3%)	39	56
1	D	182/221 (82%)	171 (94%)	11 (6%)	17	24
1	E	186/221 (84%)	178 (96%)	8 (4%)	26	38
1	F	179/221 (81%)	168 (94%)	11 (6%)	17	23
1	G	181/221 (82%)	174 (96%)	7 (4%)	28	42
1	H	173/221 (78%)	165 (95%)	8 (5%)	24	35
All	All	1448/1768 (82%)	1379 (95%)	69 (5%)	23	33

All (69) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	55	THR
1	A	109	PHE
1	A	120	SER
1	A	126	THR
1	A	151	ILE
1	A	159	THR
1	B	38	SER
1	B	67	LYS
1	B	154	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	159	THR
1	B	169	GLU
1	B	178	LEU
1	B	182	ASP
1	B	186	GLN
1	B	189	THR
1	B	190	LEU
1	B	213	ASN
1	B	246	LYS
1	B	270	LYS
1	C	90	VAL
1	C	109	PHE
1	C	169	GLU
1	C	190	LEU
1	C	219	LYS
1	D	149	LYS
1	D	155	LYS
1	D	159	THR
1	D	178	LEU
1	D	182	ASP
1	D	189	THR
1	D	213	ASN
1	D	227	ASP
1	D	244	VAL
1	D	246	LYS
1	D	262	LYS
1	E	43	GLU
1	E	84	GLU
1	E	109	PHE
1	E	151	ILE
1	E	165	SER
1	E	190	LEU
1	E	194	LYS
1	E	262	LYS
1	F	38	SER
1	F	151	ILE
1	F	159	THR
1	F	178	LEU
1	F	182	ASP
1	F	189	THR
1	F	190	LEU
1	F	213	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	F	227	ASP
1	F	246	LYS
1	F	262	LYS
1	G	109	PHE
1	G	119	THR
1	G	126	THR
1	G	143	HIS
1	G	151	ILE
1	G	190	LEU
1	G	262	LYS
1	H	109	PHE
1	H	159	THR
1	H	164	THR
1	H	178	LEU
1	H	182	ASP
1	H	189	THR
1	H	213	ASN
1	H	246	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	ASN
1	A	96	GLN
1	A	124	GLN
1	A	143	HIS
1	A	144	ASN
1	A	177	GLN
1	A	215	ASN
1	A	252	ASN
1	B	47	ASN
1	B	144	ASN
1	B	186	GLN
1	C	96	GLN
1	C	266	GLN
1	D	47	ASN
1	E	147	ASN
1	F	47	ASN
1	F	115	GLN
1	F	166	ASN
1	G	177	GLN
1	G	266	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	H	47	ASN
1	H	144	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	237/283 (83%)	-0.15	1 (0%) 88 89	12, 25, 43, 56	2 (0%)
1	B	237/283 (83%)	0.64	55 (23%) 2 2	12, 25, 155, 190	1 (0%)
1	C	235/283 (83%)	-0.16	2 (0%) 81 82	15, 26, 42, 57	1 (0%)
1	D	237/283 (83%)	0.18	4 (1%) 69 71	15, 26, 67, 75	0
1	E	237/283 (83%)	-0.20	0 100 100	11, 24, 44, 58	1 (0%)
1	F	238/283 (84%)	0.32	24 (10%) 12 14	8, 26, 84, 100	1 (0%)
1	G	235/283 (83%)	-0.07	2 (0%) 81 82	11, 28, 48, 68	3 (1%)
1	H	236/283 (83%)	0.50	38 (16%) 4 5	13, 27, 101, 115	2 (0%)
All	All	1892/2264 (83%)	0.13	126 (6%) 24 26	8, 26, 86, 190	11 (0%)

All (126) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	164	THR	6.5
1	B	159	THR	5.8
1	B	178	LEU	5.5
1	B	166	ASN	5.1
1	B	163	LEU	4.9
1	B	151	ILE	4.6
1	H	164	THR	4.2
1	F	179	VAL	4.1
1	B	198	ALA	4.1
1	B	182	ASP	4.0
1	B	195	ARG	3.9
1	B	160	ALA	3.9
1	B	183	GLY	3.9
1	B	148	ILE	3.9
1	B	180	PRO	3.9
1	B	179	VAL	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	190	LEU	3.8
1	F	163	LEU	3.8
1	H	178	LEU	3.8
1	H	163	LEU	3.8
1	B	167	TYR	3.7
1	H	182	ASP	3.7
1	H	195	ARG	3.6
1	H	180	PRO	3.6
1	B	172	LYS	3.6
1	B	193	GLN	3.5
1	B	147	ASN	3.5
1	B	170	LYS	3.4
1	B	188	LEU	3.4
1	H	169	GLU	3.4
1	H	185	ALA	3.4
1	B	194	LYS	3.4
1	H	166	ASN	3.4
1	H	151	ILE	3.3
1	F	164	THR	3.3
1	H	174	ALA	3.2
1	B	154	ILE	3.2
1	H	159	THR	3.2
1	B	168	GLY	3.2
1	F	159	THR	3.1
1	H	179	VAL	3.1
1	B	156	GLY	3.1
1	H	215	ASN	3.1
1	B	173	ALA	3.1
1	F	173	ALA	3.1
1	H	172	LYS	3.1
1	B	174	ALA	3.0
1	B	176	ALA	3.0
1	B	196	ALA	3.0
1	B	191	ILE	2.9
1	H	196	ALA	2.9
1	B	192	GLU	2.9
1	F	180	PRO	2.9
1	B	158	LYS	2.8
1	B	217	GLY	2.8
1	F	151	ILE	2.8
1	H	148	ILE	2.8
1	C	39	GLY	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	157	VAL	2.7
1	F	177	GLN	2.7
1	H	177	GLN	2.7
1	H	193	GLN	2.7
1	B	175	GLY	2.7
1	F	178	LEU	2.7
1	B	171	ALA	2.7
1	H	173	ALA	2.7
1	A	215	ASN	2.7
1	H	181	VAL	2.7
1	C	217	GLY	2.7
1	B	184	LEU	2.7
1	D	163	LEU	2.7
1	H	147	ASN	2.6
1	D	179	VAL	2.6
1	F	165	SER	2.6
1	B	185	ALA	2.6
1	F	171	ALA	2.6
1	B	169	GLU	2.5
1	H	167	TYR	2.5
1	B	145	ASP	2.5
1	F	152	ALA	2.5
1	B	189	THR	2.5
1	H	189	THR	2.5
1	H	145	ASP	2.5
1	B	162	SER	2.5
1	H	191	ILE	2.5
1	H	175	GLY	2.5
1	B	165	SER	2.4
1	H	190	LEU	2.4
1	F	186	GLN	2.4
1	H	142	ALA	2.4
1	H	214	PRO	2.4
1	H	194	LYS	2.4
1	G	145	ASP	2.3
1	H	168	GLY	2.3
1	F	181	VAL	2.3
1	F	196	ALA	2.3
1	H	184	LEU	2.3
1	B	215	ASN	2.3
1	F	183	GLY	2.3
1	B	181	VAL	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	F	145	ASP	2.3
1	F	182	ASP	2.3
1	B	214	PRO	2.3
1	B	153	ASP	2.2
1	F	169	GLU	2.2
1	H	152	ALA	2.2
1	H	176	ALA	2.2
1	B	152	ALA	2.2
1	B	209	TYR	2.2
1	B	199	THR	2.2
1	H	160	ALA	2.2
1	F	153	ASP	2.1
1	D	164	THR	2.1
1	F	216	ALA	2.1
1	B	155	LYS	2.1
1	F	172	LYS	2.1
1	B	197	ASP	2.1
1	D	182	ASP	2.1
1	B	187	SER	2.1
1	F	170	LYS	2.1
1	H	154	ILE	2.1
1	B	227	ASP	2.1
1	F	192	GLU	2.0
1	B	177	GLN	2.0
1	G	143	HIS	2.0
1	H	158	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.