



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 06:54 PM UTC

PDB ID : 4DTZ / pdb_00004dtz
Title : cytochrome P450 BM3h-8C8 MRI sensor bound to dopamine
Authors : Brustad, E.M.; Lelyveld, V.S.; Snow, C.D.; Crook, N.; Martinez, F.M.; Scholl, T.J.; Jasanoff, A.; Arnold, F.H.
Deposited on : 2012-02-21
Resolution : 1.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2145 (1.56-1.56)
Clashscore	190562	2189 (1.56-1.56)
Ramachandran outliers	187476	2153 (1.56-1.56)
Sidechain outliers	187428	2150 (1.56-1.56)
RSRZ outliers	180081	2146 (1.56-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	469	<div> <div>%</div> <div> <div></div> <div>84%</div> <div>12%</div> <div>.</div> </div> </div>
1	B	469	<div> <div>4%</div> <div> <div></div> <div>83%</div> <div>12%</div> <div>..</div> </div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8549 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cytochrome P450 BM3 variant 8C8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	453	Total	C	N	O	S	0	7	0
			3678	2349	629	682	18			
1	B	453	Total	C	N	O	S	0	6	0
			3665	2342	623	682	18			

There are 22 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	75	PRO	LEU	engineered mutation	UNP P14779
A	189	ARG	GLN	engineered mutation	UNP P14779
A	263	ALA	ILE	engineered mutation	UNP P14779
A	268	ALA	THR	engineered mutation	UNP P14779
A	286	GLU	VAL	engineered mutation	UNP P14779
A	464	HIS	-	expression tag	UNP P14779
A	465	HIS	-	expression tag	UNP P14779
A	466	HIS	-	expression tag	UNP P14779
A	467	HIS	-	expression tag	UNP P14779
A	468	HIS	-	expression tag	UNP P14779
A	469	HIS	-	expression tag	UNP P14779
B	75	PRO	LEU	engineered mutation	UNP P14779
B	189	ARG	GLN	engineered mutation	UNP P14779
B	263	ALA	ILE	engineered mutation	UNP P14779
B	268	ALA	THR	engineered mutation	UNP P14779
B	286	GLU	VAL	engineered mutation	UNP P14779
B	464	HIS	-	expression tag	UNP P14779
B	465	HIS	-	expression tag	UNP P14779
B	466	HIS	-	expression tag	UNP P14779
B	467	HIS	-	expression tag	UNP P14779
B	468	HIS	-	expression tag	UNP P14779
B	469	HIS	-	expression tag	UNP P14779

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is L-DOPAMINE (CCD ID: LDP) (formula: $C_8H_{11}NO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total 11	C 8	N 1	O 2	0	0
3	B	1	Total 11	C 8	N 1	O 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	573	Total 573	O 573	0	0
4	B	525	Total 525	O 525	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: cytochrome P450 BM3 variant 8C8



• Molecule 1: cytochrome P450 BM3 variant 8C8



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	58.70Å 146.37Å 63.98Å 90.00° 97.59° 90.00°	Depositor
Resolution (Å)	37.39 – 1.55 37.39 – 1.55	Depositor EDS
% Data completeness (in resolution range)	95.6 (37.39-1.55) 95.6 (37.39-1.55)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 1.55Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.177 , 0.222 0.175 , 0.220	Depositor DCC
R_{free} test set	7801 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	17.0	Xtriage
Anisotropy	0.052	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 49.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8549	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LDP, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.51	20/3785 (0.5%)	1.30	5/5116 (0.1%)
1	B	1.54	25/3769 (0.7%)	1.35	16/5095 (0.3%)
All	All	1.53	45/7554 (0.6%)	1.32	21/10211 (0.2%)

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	177	MET	SD-CE	-8.61	1.58	1.79
1	B	288	GLN	CG-CD	8.50	1.73	1.52
1	B	324	LEU	C-O	7.14	1.32	1.24
1	A	440	LYS	N-CA	7.03	1.52	1.45
1	B	415	GLY	C-O	6.91	1.32	1.23
1	B	288	GLN	CD-OE1	6.84	1.36	1.23
1	B	289	LYS	C-O	6.49	1.31	1.24
1	A	156	CYS	C-O	-6.45	1.16	1.24
1	B	74	ALA	N-CA	6.31	1.51	1.46
1	B	283	ASN	CA-CB	6.19	1.61	1.53
1	A	325	TRP	N-CA	6.14	1.53	1.46
1	A	211	VAL	CA-CB	-6.08	1.47	1.54
1	B	315	GLY	N-CA	5.98	1.53	1.45
1	A	289	LYS	C-O	5.96	1.30	1.24
1	B	222	ASP	N-CA	5.96	1.53	1.46
1	A	269	THR	C-O	5.93	1.30	1.24
1	A	351	ASP	N-CA	5.92	1.53	1.46
1	A	105	PRO	C-O	5.89	1.31	1.24
1	B	335	ALA	CA-CB	5.88	1.62	1.53
1	B	120	VAL	N-CA	5.87	1.53	1.46
1	B	150	LEU	N-CA	5.83	1.53	1.46
1	A	255	ARG	C-O	5.78	1.30	1.24
1	B	320	GLU	C-O	5.78	1.31	1.24
1	A	177	MET	C-O	-5.62	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	180	ALA	C-O	5.57	1.30	1.24
1	B	359	GLN	CB-CG	-5.53	1.35	1.52
1	B	11	PHE	C-O	5.53	1.29	1.23
1	A	146	THR	N-CA	5.45	1.53	1.46
1	A	120	VAL	N-CA	5.45	1.53	1.46
1	B	51	TYR	CA-C	-5.44	1.46	1.52
1	B	375	ARG	N-CA	5.43	1.52	1.46
1	B	178	VAL	CA-CB	5.35	1.61	1.54
1	A	104	LEU	C-O	5.32	1.30	1.24
1	B	165	PHE	N-CA	5.32	1.53	1.46
1	A	96	TRP	N-CA	5.32	1.52	1.46
1	A	324	LEU	C-O	5.27	1.30	1.24
1	A	44	ALA	CA-CB	-5.27	1.47	1.53
1	A	88	THR	N-CA	5.25	1.52	1.46
1	B	152	THR	CA-CB	5.17	1.61	1.53
1	A	5	MET	C-O	-5.14	1.17	1.23
1	B	357	ILE	CA-CB	5.13	1.57	1.53
1	B	167	ARG	C-O	5.10	1.30	1.23
1	B	234	LEU	N-CA	5.05	1.52	1.46
1	A	359	GLN	C-O	5.04	1.30	1.24
1	A	14	LEU	C-O	-5.01	1.17	1.24

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	357	ILE	N-CA-CB	7.33	115.11	110.50
1	B	420	HIS	N-CA-C	6.92	121.81	113.23
1	A	453	ILE	CA-C-N	6.75	126.78	119.90
1	A	453	ILE	C-N-CA	6.75	126.78	119.90
1	B	288	GLN	CB-CG-CD	6.67	123.94	112.60
1	B	453	ILE	CA-C-N	-6.58	113.86	120.31
1	B	453	ILE	C-N-CA	-6.58	113.86	120.31
1	B	17	LEU	CA-C-N	-5.90	113.73	119.87
1	B	17	LEU	C-N-CA	-5.90	113.73	119.87
1	B	244	GLU	N-CA-C	5.78	117.45	111.03
1	B	237	MET	N-CA-C	5.77	117.65	111.36
1	B	195	ASP	CA-C-N	5.73	125.44	119.82
1	B	195	ASP	C-N-CA	5.73	125.44	119.82
1	B	220	ILE	O-C-N	5.58	127.38	121.91
1	B	96	TRP	CA-CB-CG	-5.49	103.16	113.60
1	A	46	GLY	N-CA-C	5.41	122.55	115.36
1	B	190	ARG	N-CA-C	5.36	117.45	109.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	420	HIS	N-CA-C	5.32	119.83	113.23
1	B	329	PRO	N-CA-C	5.30	122.33	114.80
1	B	283	ASN	CA-C-N	5.05	125.32	119.47
1	B	283	ASN	C-N-CA	5.05	125.32	119.47

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3678	0	3655	29	1
1	B	3665	0	3633	26	0
2	A	43	0	30	0	0
2	B	43	0	30	0	0
3	A	11	0	9	0	0
3	B	11	0	9	0	0
4	A	573	0	0	10	1
4	B	525	0	0	11	2
All	All	8549	0	7366	54	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:229:GLN:HE22	1:B:239:ASN:HD21	1.08	0.98
1:A:74:ALA:HB3	1:A:75:PRO:HD3	1.54	0.90
1:A:296[B]:ARG:NH2	4:A:866:HOH:O	2.06	0.87
1:A:16:ASN:HD22	1:A:43:GLU:H	1.21	0.86
1:B:23:ASP:OD2	4:B:702:HOH:O	1.93	0.85
1:B:244:GLU:HG3	4:B:1119:HOH:O	1.76	0.85
1:B:74:ALA:HB3	1:B:75:PRO:HD3	1.57	0.84
1:A:7:GLN:HE21	1:A:16:ASN:HD21	1.25	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:380[A]:GLU:OE2	4:B:1116:HOH:O	1.99	0.80
1:A:136:ASP:OD2	1:B:218:LYS:NZ	2.18	0.74
1:A:370:ASP:OD2	1:A:375[A]:ARG:NH2	2.21	0.74
1:B:31:LYS:HE2	4:B:712:HOH:O	1.96	0.66
1:B:74:ALA:HB3	1:B:75:PRO:CD	2.29	0.62
1:A:310:GLN:HG2	4:A:1106:HOH:O	2.00	0.62
1:A:289:LYS:HZ1	1:A:289:LYS:HB2	1.63	0.61
1:B:41:LYS:HE2	1:B:48:VAL:HG21	1.82	0.61
1:A:289:LYS:HB2	1:A:289:LYS:NZ	2.16	0.60
1:A:73:GLN:NE2	4:A:1034:HOH:O	2.19	0.59
1:A:388:HIS:HA	1:A:391:LYS:HD3	1.84	0.59
1:A:97:LYS:HB2	4:A:743:HOH:O	2.02	0.59
1:B:73:GLN:HG3	1:B:188:LEU:HD22	1.85	0.58
1:B:76:LYS:HD2	4:B:1082:HOH:O	2.04	0.58
1:A:381:ASN:ND2	4:A:885:HOH:O	2.37	0.57
1:A:126:LEU:HD21	1:A:145:MET:HE1	1.87	0.57
1:A:7:GLN:HE21	1:A:16:ASN:ND2	2.00	0.56
1:A:280:LEU:HB3	1:A:287:LEU:HD13	1.88	0.55
1:B:229:GLN:HE22	1:B:239:ASN:ND2	1.90	0.54
1:A:289:LYS:NZ	1:A:289:LYS:CB	2.71	0.53
1:A:74:ALA:HB3	1:A:75:PRO:CD	2.35	0.53
1:B:73:GLN:CG	1:B:188:LEU:HD22	2.40	0.51
1:B:229:GLN:NE2	1:B:239:ASN:HD21	1.92	0.51
1:A:47:ARG:HD2	4:A:988:HOH:O	2.09	0.51
1:B:306:LYS:HG2	4:B:697:HOH:O	2.11	0.50
1:A:128:GLN:NE2	4:A:822:HOH:O	2.45	0.49
1:B:200:GLU:HA	1:B:200:GLU:OE1	2.13	0.49
1:A:422:ASP:OD1	1:A:451:LYS:NZ	2.46	0.49
1:A:289:LYS:HD2	1:A:313:TYR:CE1	2.49	0.48
1:B:94:LYS:NZ	4:B:1125:HOH:O	2.47	0.47
1:A:449:LYS:HE3	4:A:1109:HOH:O	2.15	0.47
1:B:440:LYS:HE2	4:B:1057:HOH:O	2.13	0.47
1:A:124:VAL:HG13	1:A:455:LEU:HD13	1.95	0.47
1:B:195:ASP:OD2	1:B:196:PRO:HD2	2.14	0.46
1:A:16:ASN:ND2	1:A:43:GLU:H	2.01	0.46
1:B:189:ARG:HD2	4:B:1054:HOH:O	2.16	0.46
1:B:231:ASP:CG	4:B:1092:HOH:O	2.59	0.46
1:A:44:ALA:HB3	1:A:47:ARG:HG3	2.00	0.44
1:B:53:SER:HB3	1:B:359:GLN:HB3	2.01	0.42
1:A:31:LYS:HE2	4:A:680:HOH:O	2.19	0.41
1:B:283:ASN:HB3	1:B:286:GLU:OE1	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:272:LEU:HD13	1:B:322:LEU:HG	2.01	0.41
1:A:302:VAL:HA	1:A:303:PRO:HD3	1.96	0.41
1:A:364:LYS:NZ	4:A:972:HOH:O	2.49	0.41
1:B:241:LYS:HE3	4:B:901:HOH:O	2.21	0.41
1:B:41:LYS:NZ	1:B:43:GLU:CD	2.79	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:ASP:OD2	4:B:1077:HOH:O[2_646]	2.05	0.15
4:A:1065:HOH:O	4:B:1044:HOH:O[2_545]	2.10	0.10

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	458/469 (98%)	446 (97%)	12 (3%)	0	100	100
1	B	457/469 (97%)	444 (97%)	12 (3%)	1 (0%)	43	24
All	All	915/938 (98%)	890 (97%)	24 (3%)	1 (0%)	48	26

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	191	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	399/409 (98%)	394 (99%)	5 (1%)	61	36
1	B	397/409 (97%)	394 (99%)	3 (1%)	73	56
All	All	796/818 (97%)	788 (99%)	8 (1%)	68	47

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	148	LEU
1	A	158	PHE
1	A	182	ASP
1	A	195	ASP
1	A	289	LYS
1	B	148	LEU
1	B	158	PHE
1	B	383	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	ASN
1	A	109	GLN
1	A	169	GLN
1	A	204	GLN
1	A	310	GLN
1	A	381	ASN
1	A	428	ASN
1	B	70	ASN
1	B	169	GLN
1	B	192	ASN
1	B	204	GLN
1	B	229	GLN
1	B	236	HIS
1	B	283	ASN
1	B	381	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	LDP	B	501	2	11,11,11	1.89	3 (27%)	14,14,14	1.98	4 (28%)
2	HEM	A	500	1,3	50,50,50	1.62	10 (20%)	67,82,82	1.28	9 (13%)
2	HEM	B	500	1,3	50,50,50	1.72	11 (22%)	67,82,82	2.25	24 (35%)
3	LDP	A	501	2	11,11,11	1.65	2 (18%)	14,14,14	1.82	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LDP	B	501	2	-	3/3/3/3	0/1/1/1
2	HEM	A	500	1,3	-	2/14/54/54	-
2	HEM	B	500	1,3	-	2/14/54/54	-
3	LDP	A	501	2	-	1/3/3/3	0/1/1/1

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	500	HEM	C3D-C2D	5.55	1.48	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	501	LDP	C3-C4	4.63	1.47	1.40
2	A	500	HEM	C1C-C2C	3.88	1.53	1.45
3	A	501	LDP	C5-C6	3.63	1.44	1.38
2	A	500	HEM	CMC-C2C	3.57	1.58	1.50
2	B	500	HEM	CMC-C2C	3.20	1.57	1.50
2	A	500	HEM	CMA-C3A	3.19	1.57	1.50
2	B	500	HEM	CAC-C3C	3.10	1.55	1.47
2	B	500	HEM	FE-ND	2.84	2.03	1.94
3	A	501	LDP	C3-C4	2.81	1.44	1.40
2	A	500	HEM	CBD-CGD	2.77	1.57	1.50
2	A	500	HEM	CAC-C3C	2.70	1.54	1.47
2	B	500	HEM	FE-NB	2.68	2.03	1.94
2	A	500	HEM	CHC-C4B	-2.68	1.33	1.39
2	A	500	HEM	O1D-CGD	2.63	1.30	1.22
2	B	500	HEM	FE-NA	2.62	2.03	1.95
2	B	500	HEM	O2A-CGA	-2.53	1.22	1.30
2	B	500	HEM	CBA-CAA	2.44	1.60	1.51
2	A	500	HEM	C3D-C2D	2.43	1.42	1.36
3	B	501	LDP	C2-C1	2.40	1.43	1.39
2	A	500	HEM	FE-NA	2.32	2.02	1.95
2	A	500	HEM	CAD-C3D	2.23	1.57	1.51
3	B	501	LDP	O2-C4	2.20	1.40	1.36
2	B	500	HEM	CHB-C4A	-2.10	1.34	1.39
2	B	500	HEM	CAA-C2A	2.03	1.56	1.51
2	B	500	HEM	CHC-C1C	2.00	1.42	1.38

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	500	HEM	C4D-ND-C1D	5.78	112.06	105.21
2	B	500	HEM	CHD-C1D-ND	5.67	130.52	124.42
2	B	500	HEM	CMD-C2D-C1D	5.62	133.81	125.03
2	B	500	HEM	C3B-C2B-C1B	5.16	110.28	106.41
3	B	501	LDP	C6-C5-C4	-4.73	115.77	120.50
3	A	501	LDP	C8-C7-C1	-4.42	102.93	112.82
2	B	500	HEM	CHC-C1C-NC	4.39	129.23	124.45
2	B	500	HEM	O2A-CGA-CBA	4.33	127.68	114.00
2	B	500	HEM	CHC-C4B-NB	3.94	128.66	124.42
2	A	500	HEM	CHB-C1B-NB	3.92	129.21	124.37
2	B	500	HEM	CHB-C4A-NA	3.54	130.27	123.86
3	A	501	LDP	C2-C3-C4	3.52	123.14	119.89
2	B	500	HEM	CAA-CBA-CGA	-3.41	104.62	113.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	500	HEM	C1C-CHC-C4B	-3.37	118.85	126.02
3	B	501	LDP	C8-C7-C1	3.34	120.29	112.82
2	B	500	HEM	C3D-C4D-ND	-3.16	106.71	110.17
2	B	500	HEM	CMD-C2D-C3D	-3.01	118.01	126.15
2	B	500	HEM	CBA-CAA-C2A	-2.91	104.50	112.53
2	A	500	HEM	CMD-C2D-C1D	2.83	129.46	125.03
2	B	500	HEM	O1A-CGA-CBA	-2.82	114.16	123.09
2	A	500	HEM	CHC-C1C-NC	2.76	127.46	124.45
2	B	500	HEM	CBD-CAD-C3D	-2.65	105.20	112.53
2	B	500	HEM	C4B-C3B-C2B	-2.59	104.90	107.28
3	B	501	LDP	C3-C2-C1	-2.53	118.19	120.81
3	B	501	LDP	C5-C6-C1	2.51	124.30	121.00
2	A	500	HEM	C2A-C1A-NA	-2.42	107.47	110.15
2	A	500	HEM	CBD-CAD-C3D	-2.38	105.94	112.53
2	B	500	HEM	C4C-CHD-C1D	-2.33	121.06	126.02
2	B	500	HEM	CAC-C3C-C4C	-2.33	119.26	124.82
2	B	500	HEM	CMB-C2B-C1B	-2.27	121.48	125.03
3	A	501	LDP	C5-C4-C3	-2.27	117.23	119.66
2	B	500	HEM	C2D-C1D-ND	-2.18	107.38	109.90
2	B	500	HEM	CHD-C1D-C2D	-2.15	121.64	125.03
2	B	500	HEM	O2A-CGA-O1A	-2.12	117.89	123.33
2	A	500	HEM	CMB-C2B-C3B	-2.11	123.31	128.43
2	A	500	HEM	CMB-C2B-C1B	2.05	128.24	125.03
2	A	500	HEM	CHC-C4B-NB	-2.04	122.23	124.42
2	B	500	HEM	CHD-C4C-NC	2.02	126.65	124.45
2	A	500	HEM	C3B-C2B-C1B	2.01	107.92	106.41
2	B	500	HEM	C3A-C4A-NA	-2.00	106.93	110.14

There are no chirality outliers.


All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	501	LDP	C1-C7-C8-N1
3	B	501	LDP	C2-C1-C7-C8
3	B	501	LDP	C6-C1-C7-C8
2	A	500	HEM	CAD-CBD-CGD-O1D
2	B	500	HEM	CAD-CBD-CGD-O1D
2	B	500	HEM	CAD-CBD-CGD-O2D
2	A	500	HEM	CAD-CBD-CGD-O2D
3	A	501	LDP	C1-C7-C8-N1

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	453/469 (96%)	-0.14	7 (1%) 72 79	7, 17, 33, 55	7 (1%)
1	B	453/469 (96%)	-0.08	18 (3%) 42 50	7, 17, 37, 70	6 (1%)
All	All	906/938 (96%)	-0.11	25 (2%) 55 63	7, 17, 35, 70	13 (1%)

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	191	ALA	4.6
1	B	197	ALA	3.8
1	B	384	ALA	3.7
1	A	191	ALA	3.5
1	B	188	LEU	3.5
1	B	193	PRO	3.5
1	B	198	TYR	3.5
1	A	193	PRO	3.4
1	A	196	PRO	3.0
1	B	196	PRO	3.0
1	B	194	ASP	2.9
1	A	197	ALA	2.8
1	B	136	ASP	2.8
1	B	381	ASN	2.7
1	B	455	LEU	2.6
1	A	198	TYR	2.6
1	B	74	ALA	2.4
1	B	385	ILE	2.3
1	B	382	PRO	2.2
1	B	192	ASN	2.2
1	B	225	ALA	2.1
1	B	383	SER	2.1
1	A	201	ASN	2.1
1	B	73	GLN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	188	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	LDP	B	501	11/11	0.95	0.07	11,13,16,22	0
3	LDP	A	501	11/11	0.97	0.05	10,12,14,15	0
2	HEM	A	500	43/43	0.99	0.04	6,10,12,16	0
2	HEM	B	500	43/43	0.99	0.05	6,9,13,14	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEM A 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM B 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.