



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:02 PM UTC

PDB ID : 4FWJ / pdb\_00004fwj  
Title : Native structure of LSD2/AOF1/KDM1b in spacegroup of I222 at 2.9A  
Authors : Zhang, Q.; Chen, Z.  
Deposited on : 2012-07-01  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	796	 4% 77% 15% • 6%
1	B	796	 6% 76% 16% • 7%

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 12080 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lysine-specific histone demethylase 1B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	750	Total	C	N	O	S	0	1	0
			5800	3712	992	1054	42			
1	B	742	Total	C	N	O	S	0	2	0
			5698	3641	962	1053	42			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	27	GLY	-	expression tag	UNP Q8NB78
A	28	HIS	-	expression tag	UNP Q8NB78
A	29	MET	-	expression tag	UNP Q8NB78
B	27	GLY	-	expression tag	UNP Q8NB78
B	28	HIS	-	expression tag	UNP Q8NB78
B	29	MET	-	expression tag	UNP Q8NB78

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Zn	0	0
			3	3		
2	B	3	Total	Zn	0	0
			3	3		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C<sub>27</sub>H<sub>33</sub>N<sub>9</sub>O<sub>15</sub>P<sub>2</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 4 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	K	0	0
			1	1		

- Molecule 5 is PHOSPHATE ION (CCD ID: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	284	Total	O	0	0
			284	284		
6	B	180	Total	O	0	0
			180	180		


### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Lysine-specific histone demethylase 1B



#### • Molecule 1: Lysine-specific histone demethylase 1B





## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	144.32Å 170.93Å 202.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.90 50.00 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.6 (50.00-2.90) 99.6 (50.00-2.90)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.39 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.6.0116	Depositor
R, $R_{free}$	0.186 , 0.222 0.189 , 0.188	Depositor DCC
$R_{free}$ test set	2820 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	45.2	Xtriage
Anisotropy	0.622	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 40.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	12080	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.87% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, FAD, ZN, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.69	0/5947	0.88	4/8067 (0.0%)
1	B	0.68	0/5846	0.91	7/7941 (0.1%)
All	All	0.68	0/11793	0.90	11/16008 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	B	666	PHE	CA-C-N	6.85	126.65	119.05
1	B	666	PHE	C-N-CA	6.85	126.65	119.05
1	B	340	LEU	N-CA-C	-6.41	105.28	113.23
1	A	99	TYR	N-CA-C	6.10	117.73	111.14
1	B	802	PRO	CA-C-N	-5.59	113.31	122.54
1	B	802	PRO	C-N-CA	-5.59	113.31	122.54
1	B	140	VAL	CB-CA-C	-5.34	104.44	111.70
1	A	802	PRO	CA-C-N	-5.25	113.90	122.26
1	A	802	PRO	C-N-CA	-5.25	113.90	122.26
1	A	373	GLN	N-CA-C	5.21	117.22	108.73
1	B	332	ILE	CB-CA-C	-5.07	108.88	113.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	95	CYS	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5800	0	5607	73	0
1	B	5698	0	5408	79	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
3	A	53	0	31	2	0
3	B	53	0	31	4	0
4	A	1	0	0	0	0
5	B	5	0	0	0	0
6	A	284	0	0	4	0
6	B	180	0	0	0	0
All	All	12080	0	11077	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:332:ILE:HD12	1:B:346:VAL:HG13	1.30	1.12
1:A:797:THR:CG2	1:A:814:ARG:HH22	1.80	0.95
1:B:797:THR:CG2	1:B:814:ARG:HH22	1.83	0.91
1:B:660:GLU:OE1	1:B:755:THR:HG22	1.72	0.89
1:B:266:ASN:HD22	1:B:268:TYR:H	1.19	0.86
1:A:502:THR:H	1:A:505:GLN:HE21	1.27	0.82
1:B:332:ILE:CD1	1:B:346:VAL:HG13	2.09	0.81
1:B:266:ASN:ND2	1:B:268:TYR:H	1.80	0.80
1:B:550:ASN:HD22	1:B:552:HIS:H	1.33	0.76
1:B:666:PHE:HZ	1:B:734:MET:HE1	1.52	0.74
1:A:104:LYS:O	1:A:106:GLY:N	2.19	0.74
1:A:797:THR:HG23	1:A:814:ARG:HH22	1.53	0.74
1:B:666:PHE:CZ	1:B:734:MET:HE1	2.22	0.73

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:220:LEU:HD13	1:B:228:VAL:HG11	1.72	0.72
1:B:795:GLU:HG2	1:B:802:PRO:O	1.90	0.70
1:B:797:THR:HG23	1:B:814:ARG:HH22	1.56	0.69
1:A:793:ALA:HA	1:A:797:THR:HG21	1.74	0.69
1:B:502:THR:H	1:B:505:GLN:HE21	1.39	0.69
1:B:266:ASN:HD22	1:B:266:ASN:C	2.00	0.68
1:B:190:ASP:OD1	1:B:192:ARG:HD3	1.92	0.68
1:B:755:THR:HG23	1:B:757:TRP:CD1	2.28	0.68
1:A:265:MET:HE2	1:A:319:TYR:HB3	1.76	0.67
1:B:755:THR:CG2	1:B:757:TRP:CD1	2.78	0.67
1:A:808:ALA:HB2	3:A:904:FAD:H5'2	1.78	0.66
1:A:698:TYR:HB3	1:A:700:MET:CE	2.26	0.66
1:A:172:LYS:CB	1:A:173:PRO:CD	2.73	0.66
1:B:550:ASN:ND2	1:B:552:HIS:H	1.94	0.64
1:A:274:GLN:O	1:A:277:GLU:HB2	1.99	0.62
1:A:306:MET:HE1	1:A:344:ARG:HB3	1.81	0.62
1:A:440:ASN:CB	6:A:1263:HOH:O	2.48	0.61
1:B:332:ILE:HD12	1:B:346:VAL:CG1	2.20	0.61
1:B:228:VAL:CG1	1:B:228:VAL:O	2.49	0.60
1:A:794:GLY:O	1:A:797:THR:HB	2.02	0.60
1:A:482:ARG:HG3	1:A:483:MET:HE2	1.84	0.60
1:A:229:GLY:HA3	1:A:309:ALA:HB2	1.84	0.59
1:B:228:VAL:O	1:B:228:VAL:HG12	2.01	0.59
1:B:794:GLY:O	1:B:797:THR:HB	2.02	0.59
1:A:612:THR:HG22	1:A:616:THR:H	1.67	0.59
1:B:787:GLN:O	1:B:789:THR:HG22	2.02	0.59
1:B:162:GLN:O	1:B:166:THR:HB	2.02	0.58
1:A:603:TYR:CZ	1:A:641:PRO:HD2	2.39	0.58
1:A:734:MET:HE3	1:A:749:PRO:HG3	1.84	0.58
1:A:541:SER:HB3	1:A:691:ARG:HG2	1.85	0.57
1:B:380:TYR:HD1	1:B:820:ALA:O	1.87	0.57
1:B:383:LYS:HA	1:B:621:GLN:NE2	2.20	0.57
1:A:388:ILE:CD1	1:A:601:ILE:HD11	2.34	0.56
1:A:584:GLU:HG2	6:A:1196:HOH:O	2.05	0.56
1:A:795:GLU:HG2	1:A:802:PRO:O	2.05	0.56
1:B:328:PRO:O	1:B:332:ILE:HG12	2.06	0.56
1:B:669:ARG:NH2	1:B:704:LYS:HG3	2.21	0.56
1:A:454:LEU:HD21	1:A:585:LYS:HG2	1.88	0.55
1:A:139:TRP:CE2	1:A:340:LEU:HD13	2.42	0.55
1:B:383:LYS:HA	1:B:621:GLN:HE22	1.71	0.55
1:A:265:MET:HE2	1:A:319:TYR:CB	2.37	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:698:TYR:HB3	1:A:700:MET:HE3	1.90	0.54
1:B:420:ARG:HB2	3:B:904:FAD:H4'	1.89	0.54
1:B:793:ALA:HA	1:B:797:THR:HG21	1.88	0.54
1:B:660:GLU:OE1	1:B:755:THR:CG2	2.50	0.54
1:A:459:HIS:HE1	1:A:679:ASP:OD1	1.91	0.53
3:B:904:FAD:O1A	3:B:904:FAD:H5'2	2.08	0.53
1:B:688:ALA:O	1:B:691:ARG:HB2	2.08	0.53
1:B:375:LEU:HD12	1:B:403:ASN:HB3	1.90	0.53
1:B:755:THR:CG2	1:B:757:TRP:HD1	2.20	0.53
1:A:661:LYS:H	1:A:755:THR:CG2	2.21	0.53
1:B:667:PRO:HB2	1:B:668:TYR:CD2	2.44	0.53
1:B:755:THR:HG21	1:B:757:TRP:HD1	1.74	0.52
1:A:658:ILE:HG12	1:A:758:SER:HB3	1.90	0.52
1:A:698:TYR:CB	1:A:700:MET:HE3	2.38	0.52
1:B:217:ALA:HB3	1:B:218:PRO:HD3	1.92	0.52
1:A:501:LYS:O	1:A:557:ARG:NH1	2.43	0.52
1:A:300:TYR:OH	1:A:348:GLU:HG3	2.09	0.51
1:B:661:LYS:H	1:B:755:THR:HB	1.75	0.51
1:A:332:ILE:HG12	1:A:346:VAL:HG13	1.93	0.51
1:B:392:PRO:HG2	3:B:904:FAD:H5'1	1.92	0.51
1:B:755:THR:HG21	1:B:757:TRP:CD1	2.43	0.51
1:B:626:THR:HG22	1:B:793:ALA:HB3	1.92	0.51
1:A:626:THR:HG22	1:A:793:ALA:HB3	1.93	0.51
1:A:808:ALA:CB	3:A:904:FAD:H5'2	2.41	0.51
1:A:628:PRO:HG2	1:A:763:ILE:HA	1.93	0.50
1:B:470:GLU:OE1	1:B:683:HIS:HE1	1.95	0.50
1:A:190:ASP:OD1	1:A:192:ARG:HD3	2.11	0.50
1:A:285:ARG:O	1:A:311:ARG:NH2	2.43	0.49
1:A:603:TYR:CE1	1:A:641:PRO:HD2	2.47	0.49
1:B:83:TYR:HE2	1:B:93:ASN:HD22	1.61	0.49
1:A:821:ALA:O	1:A:822:PHE:CB	2.61	0.49
1:B:77:GLY:O	1:B:79:THR:N	2.46	0.49
1:A:797:THR:HG21	1:A:814:ARG:HH22	1.74	0.49
1:A:176:ALA:HB2	1:A:178:LYS:N	2.27	0.49
1:A:545:TYR:CD1	1:A:712:VAL:HG11	2.48	0.49
1:B:339:GLY:HA3	1:B:341:VAL:HG12	1.94	0.49
1:B:306:MET:HE1	1:B:348:GLU:HG3	1.94	0.48
1:B:454:LEU:HD21	1:B:585:LYS:HG2	1.96	0.48
1:A:228:VAL:HG13	1:A:228:VAL:O	2.13	0.48
1:B:266:ASN:ND2	1:B:266:ASN:C	2.68	0.47
1:B:797:THR:CG2	1:B:797:THR:O	2.63	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:66:PHE:HZ	1:A:131:MET:HB3	1.80	0.47
1:B:661:LYS:NZ	1:B:710[B]:MET:HE3	2.29	0.47
1:B:443:ILE:HG13	1:B:570:GLY:HA3	1.96	0.46
1:B:797:THR:HG21	1:B:814:ARG:HH22	1.76	0.46
1:A:356:MET:HE2	1:A:362:ILE:HD13	1.98	0.46
1:B:661:LYS:HE2	1:B:710[A]:MET:SD	2.56	0.46
1:A:228:VAL:O	1:A:228:VAL:CG1	2.64	0.46
1:B:667:PRO:HB2	1:B:668:TYR:HD2	1.79	0.46
1:A:787:GLN:O	1:A:789:THR:HG23	2.16	0.45
1:B:209:PRO:CG	1:B:306:MET:HG3	2.46	0.45
1:A:349:VAL:O	1:A:353:LEU:HB2	2.15	0.45
1:A:555:SER:O	1:A:559:TRP:HB3	2.15	0.45
1:B:555:SER:HB2	1:B:772:THR:HA	1.98	0.45
1:A:388:ILE:HD13	1:A:601:ILE:HD11	1.97	0.45
1:B:267:ARG:NH2	1:B:571:ASP:OD2	2.50	0.45
1:A:501:LYS:HA	1:A:505:GLN:NE2	2.32	0.45
1:B:628:PRO:HG2	1:B:763:ILE:HA	1.99	0.45
1:A:154:THR:HB	6:A:1029:HOH:O	2.18	0.44
1:A:640:ASN:HD22	1:A:641:PRO:HA	1.83	0.44
1:B:135:GLN:O	1:B:136:LEU:C	2.60	0.44
1:A:96:PHE:HB3	1:A:100:TYR:CE1	2.51	0.44
1:A:470:GLU:OE1	1:A:683:HIS:HE1	2.01	0.44
1:A:640:ASN:HA	1:A:641:PRO:C	2.43	0.44
1:B:297:PHE:HB3	1:B:300:TYR:HD2	1.83	0.43
1:A:285:ARG:HD3	6:A:1061:HOH:O	2.18	0.43
1:A:200:TRP:HD1	1:B:273:TYR:OH	2.02	0.43
1:A:200:TRP:CD1	1:B:273:TYR:HH	2.37	0.43
1:B:122:LYS:HD2	1:B:227:CYS:SG	2.59	0.43
1:B:380:TYR:CD1	1:B:820:ALA:O	2.70	0.42
1:A:196:VAL:HG22	1:A:201:TRP:CE2	2.54	0.42
1:B:66:PHE:HZ	1:B:131:MET:HB3	1.83	0.42
1:B:204:MET:HE2	1:B:204:MET:HA	2.01	0.42
1:B:66:PHE:C	1:B:66:PHE:CD2	2.97	0.42
1:A:353:LEU:HD12	1:A:353:LEU:HA	1.92	0.42
1:A:379:ASP:OD1	1:A:381:HIS:HD2	2.01	0.42
1:A:666:PHE:CZ	1:A:734:MET:HE1	2.54	0.42
1:B:262:VAL:HB	1:B:263:PRO:HD3	2.02	0.42
1:B:348:GLU:OE1	1:B:351:ARG:HD3	2.20	0.42
1:A:660:GLU:HB3	1:A:755:THR:HG22	2.01	0.42
1:A:661:LYS:H	1:A:755:THR:HG22	1.84	0.42
1:B:275:PRO:O	1:B:276:ASN:CB	2.68	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:545:TYR:C	1:B:545:TYR:CD1	2.98	0.41
1:A:104:LYS:C	1:A:106:GLY:N	2.78	0.41
1:A:127:PRO:O	1:A:131:MET:HG2	2.20	0.41
1:A:778:ALA:O	1:A:782:ILE:HG13	2.20	0.41
1:B:435:GLY:HA2	3:B:904:FAD:HM72	2.03	0.41
1:B:633:GLN:HG3	1:B:651:ILE:HG22	2.03	0.41
1:A:802:PRO:HB2	1:A:803:GLN:HG3	2.02	0.41
1:B:180:GLU:O	1:B:180:GLU:HG2	2.20	0.41
1:A:141:GLN:HE22	1:A:332:ILE:HG21	1.86	0.41
1:A:172:LYS:CB	1:A:173:PRO:HD3	2.51	0.41
1:B:68:SER:HA	1:B:73:CYS:SG	2.62	0.40
1:A:263:PRO:C	1:A:265:MET:H	2.30	0.40
1:B:228:VAL:HG13	1:B:312:ASN:HD22	1.86	0.40
1:B:379:ASP:C	1:B:381:HIS:H	2.29	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	745/796 (94%)	699 (94%)	40 (5%)	6 (1%)	16	44
1	B	736/796 (92%)	699 (95%)	35 (5%)	2 (0%)	36	65
All	All	1481/1592 (93%)	1398 (94%)	75 (5%)	8 (0%)	24	54

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	104	LYS
1	A	105	ASP
1	A	172	LYS
1	A	371	ALA

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	78	TYR
1	B	95	CYS
1	A	279	GLY
1	A	106	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	602/678 (89%)	547 (91%)	55 (9%)	9	28
1	B	589/678 (87%)	539 (92%)	50 (8%)	10	31
All	All	1191/1356 (88%)	1086 (91%)	105 (9%)	9	29

All (105) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	LYS
1	A	52	LYS
1	A	55	LYS
1	A	61	THR
1	A	94	GLU
1	A	97	ASP
1	A	101	ARG
1	A	140	VAL
1	A	149	LYS
1	A	154	THR
1	A	159	LEU
1	A	171	MET
1	A	186	SER
1	A	192	ARG
1	A	194	LEU
1	A	204	MET
1	A	205	LEU
1	A	228	VAL
1	A	285	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	329	GLN
1	A	330	LYS
1	A	338	ARG
1	A	340	LEU
1	A	344	ARG
1	A	353	LEU
1	A	361	LEU
1	A	362	ILE
1	A	369	VAL
1	A	373	GLN
1	A	379	ASP
1	A	408	VAL
1	A	503	GLN
1	A	507	VAL
1	A	536	LEU
1	A	540	LEU
1	A	543	LEU
1	A	575	LEU
1	A	576	THR
1	A	583	ILE
1	A	592	ILE
1	A	612	THR
1	A	613	THR
1	A	616	THR
1	A	631	LEU
1	A	664	LEU
1	A	680	PHE
1	A	683	HIS
1	A	693	LEU
1	A	710[A]	MET
1	A	710[B]	MET
1	A	723	THR
1	A	746	VAL
1	A	755	THR
1	A	789	THR
1	A	797	THR
1	B	59	THR
1	B	112	THR
1	B	134	GLN
1	B	140	VAL
1	B	146	GLU
1	B	159	LEU

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	166	THR
1	B	180	GLU
1	B	192	ARG
1	B	194	LEU
1	B	205	LEU
1	B	221	SER
1	B	228	VAL
1	B	234	CYS
1	B	235	THR
1	B	265	MET
1	B	266	ASN
1	B	320	THR
1	B	324	GLU
1	B	330	LYS
1	B	344	ARG
1	B	349	VAL
1	B	353	LEU
1	B	361	LEU
1	B	373	GLN
1	B	431	THR
1	B	432	VAL
1	B	494	VAL
1	B	507	VAL
1	B	536	LEU
1	B	540	LEU
1	B	543	LEU
1	B	596	SER
1	B	599	GLN
1	B	631	LEU
1	B	638	GLN
1	B	664	LEU
1	B	673	SER
1	B	680	PHE
1	B	716	GLU
1	B	720	SER
1	B	723	THR
1	B	726	ASP
1	B	727	LYS
1	B	746	VAL
1	B	755	THR
1	B	758	SER
1	B	772	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	789	THR
1	B	797	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	93	ASN
1	A	98	HIS
1	A	134	GLN
1	A	135	GLN
1	A	141	GLN
1	A	158	GLN
1	A	381	HIS
1	A	400	GLN
1	A	402	HIS
1	A	459	HIS
1	A	488	ASN
1	A	503	GLN
1	A	505	GLN
1	A	552	HIS
1	A	553	GLN
1	A	561	HIS
1	A	640	ASN
1	A	683	HIS
1	A	731	GLN
1	A	800	HIS
1	B	93	ASN
1	B	98	HIS
1	B	134	GLN
1	B	158	GLN
1	B	174	ASN
1	B	184	HIS
1	B	266	ASN
1	B	373	GLN
1	B	382	ASN
1	B	440	ASN
1	B	488	ASN
1	B	503	GLN
1	B	505	GLN
1	B	550	ASN
1	B	561	HIS
1	B	621	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	640	ASN
1	B	665	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 7 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	FAD	B	904	-	58,58,58	1.23	5 (8%)	85,89,89	1.93	22 (25%)
5	PO4	B	905	-	4,4,4	0.91	0	6,6,6	0.48	0
3	FAD	A	904	-	58,58,58	1.30	5 (8%)	85,89,89	1.65	16 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	B	904	-	-	15/34/50/50	0/6/6/6

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	904	-	-	9/34/50/50	0/6/6/6

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	904	FAD	C4X-N5	4.12	1.39	1.30
3	A	904	FAD	C4X-N5	4.07	1.39	1.30
3	A	904	FAD	C10-N1	3.68	1.40	1.33
3	A	904	FAD	P-O3P	3.47	1.63	1.59
3	B	904	FAD	C1'-C2'	3.22	1.57	1.52
3	A	904	FAD	C5A-N7A	-3.03	1.33	1.39
3	B	904	FAD	C10-N1	2.97	1.39	1.33
3	B	904	FAD	C5A-N7A	-2.80	1.34	1.39
3	B	904	FAD	C4A-N9A	-2.04	1.33	1.37
3	A	904	FAD	C4A-N9A	-2.01	1.33	1.37

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	904	FAD	C4'-C3'-C2'	-6.57	102.64	113.57
3	B	904	FAD	C1'-C2'-C3'	5.43	124.39	109.66
3	B	904	FAD	C5A-C4A-N3A	-5.29	119.43	126.72
3	A	904	FAD	C5A-C4A-N3A	-5.25	119.48	126.72
3	B	904	FAD	N3A-C2A-N1A	-4.71	121.46	128.58
3	A	904	FAD	N3A-C2A-N1A	-4.45	121.84	128.58
3	B	904	FAD	C5'-C4'-C3'	3.76	119.32	112.22
3	B	904	FAD	N3A-C4A-N9A	3.76	133.57	127.17
3	B	904	FAD	C2A-N3A-C4A	3.67	120.78	111.83
3	A	904	FAD	O4B-C1B-C2B	-3.67	98.77	106.62
3	A	904	FAD	N3A-C4A-N9A	3.55	133.21	127.17
3	A	904	FAD	C2A-N3A-C4A	3.52	120.42	111.83
3	A	904	FAD	C4-N3-C2	-3.26	119.86	125.64
3	A	904	FAD	C10-C4X-N5	-3.21	118.26	124.81
3	B	904	FAD	C2'-C1'-N10	3.20	125.33	110.20
3	B	904	FAD	C4-N3-C2	-3.12	120.10	125.64
3	B	904	FAD	N9A-C8A-N7A	-2.99	109.70	113.94
3	A	904	FAD	C4X-C10-N10	2.88	120.61	116.48
3	A	904	FAD	C9A-C5X-N5	-2.82	119.46	122.45
3	A	904	FAD	N9A-C8A-N7A	-2.82	109.94	113.94
3	A	904	FAD	C4-C4X-N5	2.81	122.09	118.21
3	A	904	FAD	C4B-O4B-C1B	-2.78	103.34	109.47
3	A	904	FAD	O5B-PA-O1A	2.75	119.84	108.94

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	904	FAD	C9A-C5X-N5	-2.72	119.57	122.45
3	B	904	FAD	C5A-N7A-C8A	2.66	107.64	103.45
3	A	904	FAD	C4X-C4-N3	2.64	119.97	113.25
3	B	904	FAD	C4A-C5A-N7A	-2.61	107.59	110.58
3	B	904	FAD	O2P-P-O3P	-2.57	100.33	107.27
3	A	904	FAD	C5A-N7A-C8A	2.57	107.49	103.45
3	A	904	FAD	C4A-C5A-N7A	-2.56	107.65	110.58
3	B	904	FAD	C4X-C4-N3	2.32	119.15	113.25
3	B	904	FAD	C5X-C9A-N10	2.25	120.00	117.97
3	B	904	FAD	C4A-N9A-C8A	2.22	108.07	105.74
3	B	904	FAD	C4X-C10-N10	2.16	119.58	116.48
3	B	904	FAD	C4-C4X-C10	2.16	120.63	116.93
3	B	904	FAD	O2A-PA-O3P	-2.11	101.57	107.27
3	B	904	FAD	O4B-C1B-C2B	-2.06	102.22	106.62
3	B	904	FAD	C10-C4X-N5	-2.02	120.69	124.81

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	904	FAD	C5B-O5B-PA-O1A
3	A	904	FAD	C5B-O5B-PA-O2A
3	A	904	FAD	C5B-O5B-PA-O3P
3	A	904	FAD	C3'-C4'-C5'-O5'
3	A	904	FAD	O4'-C4'-C5'-O5'
3	B	904	FAD	N10-C1'-C2'-O2'
3	B	904	FAD	N10-C1'-C2'-C3'
3	B	904	FAD	C1'-C2'-C3'-O3'
3	B	904	FAD	C1'-C2'-C3'-C4'
3	B	904	FAD	O3'-C3'-C4'-O4'
3	B	904	FAD	O3'-C3'-C4'-C5'
3	B	904	FAD	C3'-C4'-C5'-O5'
3	B	904	FAD	O4'-C4'-C5'-O5'
3	B	904	FAD	C2'-C3'-C4'-O4'
3	B	904	FAD	O2'-C2'-C3'-C4'
3	A	904	FAD	O4B-C4B-C5B-O5B
3	A	904	FAD	C3B-C4B-C5B-O5B
3	B	904	FAD	C2'-C3'-C4'-C5'
3	B	904	FAD	O2'-C2'-C3'-O3'
3	B	904	FAD	C3B-C4B-C5B-O5B
3	B	904	FAD	O4B-C4B-C5B-O5B
3	B	904	FAD	C5'-O5'-P-O1P

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
3	A	904	FAD	PA-O3P-P-O1P
3	A	904	FAD	PA-O3P-P-O5'


There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	904	FAD	4	0
3	A	904	FAD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	750/796 (94%)	-0.39	28 (3%)	45 37	17, 36, 77, 179	2 (0%)
1	B	742/796 (93%)	-0.05	49 (6%)	24 19	26, 46, 106, 269	3 (0%)
All	All	1492/1592 (93%)	-0.22	77 (5%)	33 26	17, 41, 99, 269	5 (0%)

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	263	PRO	6.9
1	B	264	GLY	6.7
1	B	265	MET	6.4
1	B	236	SER	5.9
1	B	96[A]	PHE	5.6
1	B	104	LYS	5.0
1	B	102	SER	4.9
1	A	264	GLY	4.8
1	B	234	CYS	4.8
1	B	237	THR	4.7
1	B	183	ASP	4.3
1	A	235	THR	4.3
1	B	156	GLU	4.3
1	A	175	THR	4.2
1	B	380	TYR	4.2
1	A	182	SER	4.1
1	A	181	THR	4.0
1	B	235	THR	3.9
1	A	173	PRO	3.9
1	A	234	CYS	3.8
1	B	262	VAL	3.8
1	B	79	THR	3.7
1	A	176	ALA	3.6
1	A	262	VAL	3.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	71	GLU	3.6
1	A	102	SER	3.5
1	B	78	TYR	3.4
1	B	101	ARG	3.4
1	A	237	THR	3.2
1	B	199	HIS	3.1
1	B	108	ASP	3.1
1	A	183	ASP	3.1
1	A	236	SER	3.1
1	A	100	TYR	3.1
1	A	178	LYS	3.0
1	A	372	ASP	3.0
1	B	822	PHE	3.0
1	A	174	ASN	2.9
1	A	371	ALA	2.9
1	A	48	LYS	2.8
1	B	181	THR	2.8
1	B	370	GLY	2.8
1	B	379	ASP	2.8
1	B	51	ARG	2.7
1	B	54	GLU	2.7
1	B	70	SER	2.7
1	A	263	PRO	2.6
1	A	96	PHE	2.6
1	B	372	ASP	2.6
1	A	105	ASP	2.6
1	B	67	ALA	2.5
1	B	171	MET	2.5
1	B	369	VAL	2.5
1	A	95	CYS	2.5
1	B	77	GLY	2.4
1	A	180	GLU	2.4
1	B	81	ARG	2.4
1	B	68	SER	2.3
1	A	822	PHE	2.2
1	B	371	ALA	2.2
1	A	104	LYS	2.2
1	A	278	CYS	2.2
1	B	95	CYS	2.2
1	B	382	ASN	2.2
1	B	173	PRO	2.2
1	B	75	LYS	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	106	GLY	2.2
1	B	180	GLU	2.2
1	A	49	LYS	2.1
1	B	383	LYS	2.1
1	B	59	THR	2.1
1	B	368	SER	2.1
1	B	98	HIS	2.1
1	B	802	PRO	2.1
1	B	182	SER	2.0
1	B	118	THR	2.0
1	B	100	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	K	A	905	1/1	0.96	0.11	57,57,57,57	0
3	FAD	B	904	53/53	0.97	0.07	27,31,34,36	0
2	ZN	B	903	1/1	0.97	0.05	102,102,102,102	0
2	ZN	B	902	1/1	0.98	0.05	88,88,88,88	0
3	FAD	A	904	53/53	0.98	0.06	20,22,25,26	0
5	PO4	B	905	5/5	0.98	0.06	42,45,48,48	0
2	ZN	A	902	1/1	0.99	0.02	52,52,52,52	0
2	ZN	A	903	1/1	0.99	0.04	62,62,62,62	0
2	ZN	A	901	1/1	1.00	0.02	59,59,59,59	0
2	ZN	B	901	1/1	1.00	0.01	51,51,51,51	0


The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around FAD B 904:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.