



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:54 AM UTC

PDB ID : 4FYE / pdb\_00004fye  
Title : Crystal structure of a Legionella phosphoinositide phosphatase, SidF  
Authors : Hsu, F.S.; Zhu, W.; Brennan, L.; Tao, L.; Luo, Z.Q.; Mao, Y.  
Deposited on : 2012-07-04  
Resolution : 2.41 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	6062 (2.44-2.40)
Clashscore	190562	6562 (2.44-2.40)
Ramachandran outliers	187476	6481 (2.44-2.40)
Sidechain outliers	187428	6482 (2.44-2.40)
RSRZ outliers	180081	6066 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	761	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5821 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SidF, inhibitor of growth family, member 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	725	5778	3598	1028	1134	18	0	1	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	expression tag	UNP Q5ZSD5
A	645	SER	CYS	engineered mutation	UNP Q5ZSD5

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
2	A	1	5	4	1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	38	Total 38	O 38	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: SidF, inhibitor of growth family, member 3



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	72.18Å 115.96Å 124.22Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	84.77 – 2.41 84.77 – 2.41	Depositor EDS
% Data completeness (in resolution range)	98.6 (84.77-2.41) 98.7 (84.77-2.41)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.10 (at 2.42Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.210 , 0.256 0.205 , 0.248	Depositor DCC
$R_{free}$ test set	2021 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	54.4	Xtriage
Anisotropy	0.590	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 50.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5821	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.77% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.19	7/5883 (0.1%)	1.33	41/7926 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	624	PHE	N-CA	9.05	1.56	1.46
1	A	353	VAL	N-CA	-7.31	1.37	1.46
1	A	307	ARG	CD-NE	-5.91	1.38	1.46
1	A	144	LEU	N-CA	-5.35	1.39	1.46
1	A	186	HIS	CG-ND1	-5.15	1.32	1.38
1	A	273	MET	CA-C	-5.07	1.46	1.52
1	A	413	MET	N-CA	-5.07	1.39	1.46

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	623	ASN	CA-C-N	-14.45	99.47	122.73
1	A	623	ASN	C-N-CA	-14.45	99.47	122.73
1	A	645	SER	N-CA-C	-10.12	95.08	108.34
1	A	623	ASN	O-C-N	-8.79	112.00	122.11
1	A	307	ARG	NE-CZ-NH2	-8.77	111.31	119.20
1	A	422	ARG	NE-CZ-NH2	-8.71	111.36	119.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	405	THR	CB-CA-C	-7.38	94.22	109.94
1	A	22	VAL	CA-C-N	7.36	127.29	119.85
1	A	22	VAL	C-N-CA	7.36	127.29	119.85
1	A	132	LYS	N-CA-C	-6.78	104.87	113.01
1	A	278	PHE	N-CA-C	6.60	118.47	111.28
1	A	422	ARG	CG-CD-NE	-6.50	97.71	112.00
1	A	424	VAL	N-CA-CB	-6.29	99.49	110.49
1	A	654	ARG	CB-CG-CD	6.20	125.57	111.30
1	A	360	VAL	CA-C-N	6.17	129.88	120.13
1	A	360	VAL	C-N-CA	6.17	129.88	120.13
1	A	270	GLY	N-CA-C	-6.17	100.80	112.27
1	A	379	VAL	N-CA-C	-6.14	104.87	110.82
1	A	418	VAL	N-CA-CB	-6.07	101.21	111.23
1	A	623	ASN	N-CA-C	6.07	121.38	111.37
1	A	64	VAL	N-CA-C	-6.05	107.36	113.47
1	A	644	GLY	N-CA-C	5.92	119.14	110.38
1	A	307	ARG	CG-CD-NE	-5.82	99.20	112.00
1	A	130	SER	N-CA-CB	-5.62	102.52	111.62
1	A	516	GLU	N-CA-C	-5.56	105.30	111.36
1	A	362	THR	CB-CA-C	5.55	120.84	111.41
1	A	740	LYS	N-CA-C	5.49	117.27	111.28
1	A	492	ASN	N-CA-C	5.49	117.26	111.28
1	A	272	ARG	N-CA-C	-5.48	106.56	113.20
1	A	713	VAL	N-CA-CB	-5.41	102.35	112.36
1	A	64	VAL	N-CA-CB	-5.36	105.95	112.33
1	A	310	ASP	CB-CA-C	-5.32	101.96	110.79
1	A	22	VAL	CB-CA-C	-5.30	104.98	110.13
1	A	178	SER	N-CA-C	5.27	117.10	111.36
1	A	644	GLY	CA-C-O	5.23	126.51	121.49
1	A	24	SER	N-CA-C	5.17	116.92	111.28
1	A	424	VAL	CG1-CB-CG2	5.08	121.97	110.80
1	A	104	ILE	N-CA-C	-5.06	105.91	110.82
1	A	731	LEU	N-CA-C	5.04	117.51	111.71
1	A	626	LEU	N-CA-C	-5.02	105.52	111.69
1	A	71	ILE	N-CA-C	5.00	115.61	110.36

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	715	GLY	Peptide



## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5778	0	5671	162	0
2	A	5	0	0	0	0
3	A	38	0	0	0	0
All	All	5821	0	5671	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:252:THR:HG23	1:A:262:HIS:NE2	1.58	1.16
1:A:380:ARG:HH11	1:A:380:ARG:HG3	1.14	1.09
1:A:381:GLN:HG2	1:A:382:MET:HE3	1.15	1.09
1:A:740:LYS:O	1:A:742:LYS:HD2	1.52	1.07
1:A:381:GLN:HG2	1:A:382:MET:CE	1.86	1.05
1:A:181:ARG:HH11	1:A:181:ARG:HG2	1.20	1.04
1:A:151:LEU:O	1:A:155:THR:HG23	1.62	0.99
1:A:195:GLU:H	1:A:195:GLU:CD	1.71	0.97
1:A:362:THR:HG21	1:A:419:ASN:HD21	1.35	0.91
1:A:444:VAL:O	1:A:448:THR:HG22	1.73	0.88
1:A:252:THR:CG2	1:A:262:HIS:NE2	2.36	0.88
1:A:656:ALA:O	1:A:660:VAL:HG23	1.75	0.87
1:A:380:ARG:HG3	1:A:380:ARG:NH1	1.79	0.87
1:A:559:TYR:O	1:A:563:HIS:HD2	1.58	0.86
1:A:380:ARG:HH11	1:A:380:ARG:CG	1.88	0.86
1:A:25:GLN:HE21	1:A:25:GLN:H	1.20	0.86
1:A:127:ASP:H	1:A:137:ASN:HD21	1.20	0.84
1:A:424:VAL:HG13	1:A:428:ASN:HB3	1.61	0.83
1:A:444:VAL:O	1:A:448:THR:CG2	2.25	0.83
1:A:419:ASN:HD22	1:A:419:ASN:C	1.86	0.79
1:A:362:THR:HG21	1:A:419:ASN:ND2	1.99	0.77
1:A:181:ARG:HH11	1:A:181:ARG:CG	1.96	0.77
1:A:740:LYS:O	1:A:742:LYS:CD	2.33	0.75
1:A:312:MET:HE1	1:A:345:TYR:CE2	2.22	0.74

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:428:ASN:HD22	1:A:430:LEU:H	1.33	0.74
1:A:382:MET:HA	1:A:382:MET:HE2	1.70	0.74
1:A:100:ARG:O	1:A:104:ILE:HG12	1.88	0.73
1:A:304:LEU:HD13	1:A:640:ALA:HB3	1.71	0.71
1:A:278:PHE:CZ	1:A:374:GLU:HG2	2.26	0.71
1:A:559:TYR:O	1:A:563:HIS:CD2	2.42	0.70
1:A:354:THR:HB	1:A:410:GLN:HB2	1.72	0.69
1:A:336:LYS:O	1:A:336:LYS:HD2	1.92	0.69
1:A:106:GLU:O	1:A:110:THR:HG23	1.92	0.69
1:A:275:TYR:O	1:A:278:PHE:HB2	1.93	0.68
1:A:74:ALA:O	1:A:78:ILE:HG12	1.94	0.68
1:A:443:PHE:CE2	1:A:630:MET:HE3	2.29	0.67
1:A:89:ILE:HD11	1:A:101:LYS:HG2	1.77	0.67
1:A:190:ALA:H	1:A:199:GLN:HE21	1.43	0.67
1:A:275:TYR:CB	1:A:646:LYS:HE2	2.25	0.66
1:A:372:GLN:NE2	1:A:651:ARG:HH12	1.94	0.66
1:A:654:ARG:HH21	1:A:657:GLN:HE22	1.43	0.65
1:A:195:GLU:CD	1:A:195:GLU:N	2.48	0.65
1:A:7:ASN:HD22	1:A:10:THR:H	1.44	0.65
1:A:419:ASN:C	1:A:419:ASN:ND2	2.53	0.65
1:A:490:LYS:HE3	1:A:544:ALA:HB3	1.80	0.64
1:A:6:GLU:HG2	1:A:44:MET:HE1	1.80	0.62
1:A:428:ASN:ND2	1:A:430:LEU:H	1.98	0.62
1:A:381:GLN:CG	1:A:382:MET:HE3	2.09	0.61
1:A:707:HIS:CD2	1:A:716:GLY:H	2.18	0.61
1:A:77:TYR:OH	1:A:155:THR:HG21	2.00	0.60
1:A:304:LEU:HD13	1:A:640:ALA:CB	2.30	0.60
1:A:275:TYR:CD2	1:A:646:LYS:HE2	2.37	0.60
1:A:378:TYR:O	1:A:382:MET:HG2	2.01	0.60
1:A:172:GLU:O	1:A:176:ILE:HG23	2.02	0.60
1:A:591:THR:O	1:A:595:LEU:HD13	2.01	0.59
1:A:591:THR:HA	1:A:594:ARG:HD2	1.85	0.59
1:A:444:VAL:O	1:A:448:THR:HG23	2.01	0.58
1:A:99:LEU:O	1:A:99:LEU:HD23	2.03	0.58
1:A:251:GLY:HA2	1:A:262:HIS:CD2	2.38	0.58
1:A:275:TYR:HD2	1:A:646:LYS:HE2	1.67	0.58
1:A:671:ASP:HB3	1:A:673:LEU:HG	1.86	0.58
1:A:419:ASN:ND2	1:A:421:PHE:H	2.03	0.57
1:A:519:TRP:HD1	1:A:519:TRP:O	1.87	0.57
1:A:579:SER:N	1:A:580:PRO:HD2	2.20	0.57
1:A:380:ARG:HB2	1:A:413:MET:SD	2.45	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:181:ARG:HG2	1:A:181:ARG:NH1	1.97	0.56
1:A:273:MET:CE	1:A:378:TYR:HB2	2.35	0.56
1:A:594:ARG:HH11	1:A:594:ARG:HG3	1.71	0.56
1:A:48:LYS:HD2	1:A:180:ASN:HD21	1.69	0.56
1:A:480:VAL:HG21	1:A:552:ILE:HG12	1.86	0.56
1:A:362:THR:CG2	1:A:419:ASN:ND2	2.69	0.55
1:A:248:MET:HE3	1:A:660:VAL:HG22	1.88	0.55
1:A:99:LEU:HD23	1:A:99:LEU:C	2.31	0.54
1:A:7:ASN:HB3	1:A:10:THR:HG23	1.89	0.54
1:A:480:VAL:CG2	1:A:552:ILE:HG12	2.37	0.54
1:A:302:GLN:HE21	1:A:394:THR:H	1.56	0.54
1:A:564:LYS:HG2	1:A:565:GLY:N	2.21	0.54
1:A:291:ALA:HB2	1:A:505:LEU:HD22	1.89	0.54
1:A:127:ASP:H	1:A:137:ASN:ND2	1.99	0.54
1:A:213:GLN:O	1:A:217:MET:HG3	2.08	0.54
1:A:48:LYS:CD	1:A:180:ASN:HD21	2.22	0.53
1:A:428:ASN:HD22	1:A:428:ASN:C	2.17	0.53
1:A:382:MET:HE2	1:A:382:MET:CA	2.37	0.52
1:A:698:GLU:O	1:A:701:THR:HG23	2.10	0.52
1:A:211:LYS:HD3	1:A:221:GLU:HB3	1.92	0.52
1:A:683:ARG:HD3	1:A:696:ASP:OD2	2.10	0.52
1:A:717:LYS:HE3	1:A:737:ASN:OD1	2.10	0.52
1:A:362:THR:H	1:A:372:GLN:NE2	2.09	0.51
1:A:25:GLN:HE21	1:A:25:GLN:N	1.99	0.51
1:A:722:ASP:C	1:A:722:ASP:OD1	2.54	0.51
1:A:275:TYR:CD1	1:A:275:TYR:N	2.80	0.50
1:A:371:ASN:O	1:A:375:GLN:HG3	2.12	0.50
1:A:294:LEU:HD13	1:A:506:PHE:CZ	2.47	0.50
1:A:372:GLN:HE22	1:A:651:ARG:HH12	1.59	0.50
1:A:154:PHE:O	1:A:158:VAL:HG23	2.12	0.49
1:A:392:LYS:O	1:A:393:ILE:HD12	2.13	0.49
1:A:278:PHE:HZ	1:A:374:GLU:HG2	1.73	0.49
1:A:519:TRP:O	1:A:519:TRP:CD1	2.66	0.49
1:A:275:TYR:HB3	1:A:646:LYS:HE2	1.94	0.49
1:A:574:LEU:HD22	1:A:578:ILE:HG12	1.94	0.49
1:A:88:LEU:HG	1:A:164:HIS:CD2	2.48	0.48
1:A:422:ARG:HH22	1:A:721:GLN:HE21	1.62	0.48
1:A:472:HIS:C	1:A:472:HIS:HD1	2.21	0.47
1:A:485:GLN:HE21	1:A:485:GLN:HA	1.80	0.47
1:A:266:PHE:CE2	1:A:304:LEU:HD22	2.49	0.47
1:A:625:LYS:O	1:A:629:LEU:HG	2.14	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:574:LEU:CD2	1:A:578:ILE:HG12	2.45	0.47
1:A:578:ILE:HD12	1:A:595:LEU:HD23	1.97	0.47
1:A:424:VAL:CG1	1:A:428:ASN:HB3	2.40	0.46
1:A:291:ALA:HB2	1:A:505:LEU:CD2	2.46	0.46
1:A:275:TYR:HB2	1:A:646:LYS:NZ	2.30	0.46
1:A:281:ALA:HB1	1:A:285:LYS:HG2	1.98	0.46
1:A:485:GLN:HA	1:A:485:GLN:NE2	2.30	0.46
1:A:494:LEU:HD13	1:A:498:LYS:HE3	1.98	0.46
1:A:289:ILE:O	1:A:293:THR:HG23	2.16	0.46
1:A:471:LEU:HD12	1:A:574:LEU:HD12	1.98	0.46
1:A:471:LEU:HD22	1:A:475:LEU:HG	1.98	0.45
1:A:560:TYR:OH	1:A:610:GLU:HB2	2.17	0.45
1:A:7:ASN:HD22	1:A:10:THR:HG23	1.81	0.45
1:A:118:THR:O	1:A:118:THR:HG22	2.15	0.45
1:A:599:TYR:CD1	1:A:599:TYR:C	2.95	0.45
1:A:193:SER:HB3	1:A:199:GLN:HE22	1.82	0.45
1:A:282:ASP:OD1	1:A:282:ASP:N	2.48	0.45
1:A:237:ASP:HB2	1:A:277:ASP:OD1	2.18	0.44
1:A:273:MET:HB3	1:A:293:THR:CG2	2.46	0.44
1:A:382:MET:HE1	1:A:501:TYR:HE2	1.81	0.44
1:A:742:LYS:HE2	1:A:742:LYS:HB3	1.31	0.44
1:A:606:THR:HA	1:A:609:GLN:HE21	1.83	0.44
1:A:8:ILE:HG13	1:A:247:ARG:NH2	2.33	0.44
1:A:571:LEU:HD22	1:A:599:TYR:CE2	2.53	0.44
1:A:571:LEU:CD2	1:A:599:TYR:CE2	3.01	0.44
1:A:100:ARG:O	1:A:104:ILE:CG1	2.64	0.43
1:A:279:LYS:O	1:A:279:LYS:HG3	2.18	0.43
1:A:590:GLU:HG3	1:A:594:ARG:HH12	1.83	0.43
1:A:328:ASP:OD1	1:A:328:ASP:N	2.51	0.43
1:A:275:TYR:HD2	1:A:646:LYS:CG	2.32	0.43
1:A:705:LEU:HD23	1:A:705:LEU:HA	1.76	0.43
1:A:181:ARG:CG	1:A:181:ARG:NH1	2.66	0.43
1:A:127:ASP:OD2	1:A:130:SER:HB2	2.19	0.42
1:A:318:TRP:CZ2	1:A:326:ARG:HD3	2.54	0.42
1:A:294:LEU:HD22	1:A:386:PHE:CE2	2.54	0.42
1:A:362:THR:HG23	1:A:365:GLN:HE21	1.84	0.42
1:A:291:ALA:CB	1:A:505:LEU:HD22	2.49	0.42
1:A:579:SER:N	1:A:580:PRO:CD	2.81	0.42
1:A:184:LEU:O	1:A:202:MET:HA	2.20	0.42
1:A:275:TYR:HB2	1:A:646:LYS:HE2	1.99	0.42
1:A:490:LYS:HD2	1:A:545:ILE:HG13	2.02	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:343:LYS:HG3	1:A:403:VAL:HG11	2.01	0.42
1:A:331:PRO:HA	1:A:332:PRO:HD3	1.93	0.41
1:A:197:GLU:HG2	1:A:254:HIS:HA	2.03	0.41
1:A:508:TYR:CD1	1:A:508:TYR:C	2.99	0.41
1:A:294:LEU:HD22	1:A:386:PHE:HE2	1.86	0.41
1:A:422:ARG:NH2	1:A:721:GLN:HG3	2.36	0.41
1:A:539:LYS:HA	1:A:539:LYS:HD3	1.89	0.41
1:A:629:LEU:HD23	1:A:629:LEU:HA	1.84	0.41
1:A:139:ASP:O	1:A:143:GLN:HG2	2.21	0.40
1:A:671:ASP:HB3	1:A:673:LEU:CG	2.51	0.40
1:A:383:MET:HE2	1:A:411:ALA:HB1	2.03	0.40
1:A:516:GLU:OE2	1:A:516:GLU:N	2.55	0.40
1:A:603:ALA:O	1:A:607:GLN:HG2	2.21	0.40
1:A:273:MET:HE1	1:A:378:TYR:HB2	2.03	0.40
1:A:287:LEU:HD11	1:A:531:VAL:HG11	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	722/761 (95%)	691 (96%)	31 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	623/654 (95%)	519 (83%)	104 (17%)	<b>2</b> <b>2</b>

All (104) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ILE
1	A	10	THR
1	A	18	ASP
1	A	24	SER
1	A	25	GLN
1	A	29	LEU
1	A	45	LEU
1	A	59	LYS
1	A	64	VAL
1	A	81	LEU
1	A	88	LEU
1	A	89	ILE
1	A	92	ASP
1	A	93	LYS
1	A	110	THR
1	A	113	LYS
1	A	116	SER
1	A	146	LYS
1	A	155	THR
1	A	166	LEU
1	A	167	LYS
1	A	171	LYS
1	A	176	ILE
1	A	180	ASN
1	A	181	ARG
1	A	195	GLU
1	A	214	GLN
1	A	239	VAL
1	A	252	THR
1	A	259	VAL
1	A	272	ARG
1	A	275	TYR
1	A	278	PHE
1	A	287	LEU
1	A	293	THR
1	A	294	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	304	LEU
1	A	320	LYS
1	A	324	GLU
1	A	328	ASP
1	A	329	GLU
1	A	341	LEU
1	A	351	LEU
1	A	353	VAL
1	A	354	THR
1	A	360	VAL
1	A	361	VAL
1	A	362	THR
1	A	373	LYS
1	A	380	ARG
1	A	382	MET
1	A	393	ILE
1	A	405	THR
1	A	418	VAL
1	A	419	ASN
1	A	424	VAL
1	A	428	ASN
1	A	437	LYS
1	A	448	THR
1	A	455	LEU
1	A	460	GLN
1	A	464	ASP
1	A	466	ASP
1	A	471	LEU
1	A	472	HIS
1	A	481	SER
1	A	488	THR
1	A	496	GLU
1	A	503	GLU
1	A	505	LEU
1	A	513	GLN
1	A	516	GLU
1	A	520	ASP
1	A	523	LYS
1	A	526	GLN
1	A	536	LYS
1	A	547	GLU
1	A	561	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	562	GLU
1	A	564	LYS
1	A	566	GLN
1	A	569	LYS
1	A	571	LEU
1	A	574	LEU
1	A	576	GLU
1	A	577	GLN
1	A	578	ILE
1	A	585	LYS
1	A	587	THR
1	A	590	GLU
1	A	605	LEU
1	A	611	LEU
1	A	623	ASN
1	A	633	LEU
1	A	658	LYS
1	A	670	GLU
1	A	683	ARG
1	A	692	VAL
1	A	695	LEU
1	A	700	THR
1	A	701	THR
1	A	713	VAL
1	A	717	LYS
1	A	742	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	ASN
1	A	25	GLN
1	A	26	ASN
1	A	28	HIS
1	A	137	ASN
1	A	164	HIS
1	A	175	ASN
1	A	180	ASN
1	A	199	GLN
1	A	214	GLN
1	A	242	ASN
1	A	302	GLN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	348	HIS
1	A	365	GLN
1	A	372	GLN
1	A	375	GLN
1	A	381	GLN
1	A	396	GLN
1	A	419	ASN
1	A	428	ASN
1	A	454	ASN
1	A	460	GLN
1	A	485	GLN
1	A	486	GLN
1	A	513	GLN
1	A	541	GLN
1	A	550	ASN
1	A	563	HIS
1	A	583	GLN
1	A	609	GLN
1	A	622	ASN
1	A	623	ASN
1	A	657	GLN
1	A	681	HIS
1	A	691	ASN
1	A	706	HIS
1	A	707	HIS
1	A	721	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	PO4	A	801	-	4,4,4	0.74	0	6,6,6	0.65	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	725/761 (95%)	0.05	18 (2%) 58 55	35, 62, 109, 167	1 (0%)

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	275	TYR	3.9
1	A	458	VAL	3.7
1	A	239	VAL	3.2
1	A	741	ILE	3.1
1	A	742	LYS	3.0
1	A	4	ILE	2.9
1	A	517	GLY	2.9
1	A	244	SER	2.6
1	A	644	GLY	2.4
1	A	292	VAL	2.3
1	A	236	SER	2.3
1	A	218	GLY	2.2
1	A	270	GLY	2.2
1	A	648	ASN	2.2
1	A	545	ILE	2.1
1	A	276	SER	2.1
1	A	243	SER	2.1
1	A	174[A]	HIS	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	PO4	A	801	5/5	0.95	0.15	58,62,78,83	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.