



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:08 PM UTC

PDB ID : 4G2D / pdb_00004g2d
Title : Crystal structure of the hyperthermophilic *Sulfolobus islandicus* PLL SisLac
Authors : Gotthard, G.; Hiblot, J.; Elias, M.; Chabriere, E.
Deposited on : 2012-07-11
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	315	<div> <div>22%</div> <div>40%</div> <div>55%</div> <div>.</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2517 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aryldialkylphosphatase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	314	Total	C	N	O	S	68	1	0
			2512	1610	423	469	10			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP C4KKZ9

- Molecule 2 is COBALT (II) ION (CCD ID: CO) (formula: Co).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Co	0	0
			1	1		

- Molecule 3 is FE (II) ION (CCD ID: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Fe	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	3	Total	O	0	0
			3	3		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Aryldialkylphosphatase



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	47.81Å 47.81Å 239.10Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	41.41 – 2.70 41.41 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.8 (41.41-2.70) 99.0 (41.41-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.36 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.265 , 0.292 0.287 , 0.326	Depositor DCC
R_{free} test set	461 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	55.3	Xtriage
Anisotropy	0.081	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 44.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.057 for -h,-k,l	Xtriage
Reported twinning fraction	0.507 for H, K, L 0.493 for -h,-k,l	Depositor
Outliers	0 of 9438 reflections	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	2517	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FE2, KCX, CO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.85	10/2551 (0.4%)	0.94	17/3445 (0.5%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	12	GLU	CA-CB	-19.73	1.20	1.53
1	A	84	LYS	CA-CB	12.81	1.74	1.53
1	A	100	VAL	CA-CB	10.46	1.68	1.54
1	A	101	ASP	CA-CB	9.94	1.71	1.54
1	A	84	LYS	CD-CE	-9.79	1.23	1.52
1	A	14	GLU	CA-CB	-9.34	1.37	1.53
1	A	15	ASP	CA-CB	-9.20	1.40	1.53
1	A	147	LYS	CB-CG	-7.72	1.29	1.52
1	A	159	THR	CA-CB	6.70	1.66	1.53
1	A	147	LYS	CA-CB	6.53	1.63	1.53

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	12	GLU	N-CA-CB	12.33	131.32	110.49
1	A	14	GLU	N-CA-CB	-12.06	90.75	110.40
1	A	101	ASP	N-CA-CB	-11.46	93.20	111.43
1	A	100	VAL	N-CA-CB	-9.85	94.97	111.23
1	A	147	LYS	CB-CA-C	9.72	126.38	110.92
1	A	267	ARG	CB-CA-C	8.82	123.92	109.46
1	A	15	ASP	N-CA-CB	8.30	124.03	110.91
1	A	15	ASP	CA-CB-CG	-8.04	104.56	112.60
1	A	147	LYS	CA-CB-CG	-7.81	98.49	114.10
1	A	12	GLU	CA-CB-CG	7.70	129.50	114.10
1	A	100	VAL	CB-CA-C	7.66	123.85	111.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	84	LYS	CA-CB-CG	7.13	128.35	114.10
1	A	147	LYS	N-CA-CB	5.80	118.64	109.82
1	A	14	GLU	CB-CA-C	5.74	121.98	109.99
1	A	3	ILE	N-CA-C	5.58	112.64	107.56
1	A	147	LYS	CG-CD-CE	5.27	123.43	111.30
1	A	14	GLU	CA-CB-CG	5.22	124.54	114.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2512	0	2532	206	0
2	A	1	0	0	0	0
3	A	1	0	0	0	0
4	A	3	0	0	0	0
All	All	2517	0	2532	206	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 42.

All (206) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:271:LYS:HB3	1:A:272:PRO:HD3	1.40	1.04
1:A:183:ARG:HA	1:A:186:MET:HE2	1.38	1.03
1:A:199:HIS:ND1	1:A:223:ARG:HD3	1.71	1.03
1:A:16:MET:HE1	1:A:309:PRO:C	1.84	1.03
1:A:16:MET:CE	1:A:309:PRO:HB2	1.89	1.02
1:A:15:ASP:O	1:A:62:LYS:NZ	1.94	1.01
1:A:7:GLY:O	1:A:8:LYS:HG3	1.61	0.99
1:A:28:PHE:HA	1:A:262:ASP:HB2	1.45	0.98
1:A:16:MET:HE3	1:A:309:PRO:HB2	1.44	0.98
1:A:175:ASN:O	1:A:176:ASN:HB2	1.65	0.96

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:257:TYR:HA	1:A:278:TRP:CZ2	2.00	0.96
1:A:182:GLN:O	1:A:186:MET:HG3	1.65	0.95
1:A:199:HIS:HD1	1:A:223:ARG:HD3	1.25	0.91
1:A:291:LEU:HB3	1:A:296:VAL:HG21	1.50	0.91
1:A:126:ILE:O	1:A:129:THR:HG22	1.70	0.90
1:A:26:ARG:NH1	1:A:28:PHE:HE2	1.72	0.87
1:A:299:GLU:O	1:A:303:ILE:HG12	1.75	0.86
1:A:177:THR:O	1:A:181:GLU:HG3	1.78	0.83
1:A:288:ILE:HB	1:A:289:PRO:HD3	1.59	0.83
1:A:199:HIS:ND1	1:A:223:ARG:CD	2.42	0.82
1:A:301:ILE:HD12	1:A:302:ASP:N	1.94	0.82
1:A:270:LEU:HB3	1:A:274:LEU:HD12	1.63	0.80
1:A:167:ILE:C	1:A:167:ILE:HD12	2.07	0.80
1:A:291:LEU:HB3	1:A:296:VAL:CG2	2.11	0.80
1:A:302:ASP:O	1:A:306:LYS:HB2	1.83	0.77
1:A:102:LEU:HD22	1:A:148:ASP:HB3	1.66	0.77
1:A:199:HIS:CE1	1:A:223:ARG:HD2	2.20	0.77
1:A:16:MET:HE1	1:A:309:PRO:HB2	1.66	0.77
1:A:4:PRO:C	1:A:5:LEU:HD12	2.10	0.76
1:A:223:ARG:NH1	1:A:229:PHE:CE2	2.55	0.75
1:A:272:PRO:O	1:A:273:LYS:HB3	1.86	0.75
1:A:224:TYR:HE2	1:A:236:ASN:ND2	1.86	0.74
1:A:190:VAL:CG1	1:A:195:ILE:HD11	2.18	0.74
1:A:26:ARG:NH1	1:A:28:PHE:CE2	2.57	0.73
1:A:46:LEU:O	1:A:50:VAL:HG23	1.89	0.72
1:A:223:ARG:HD2	1:A:256:ASP:OD2	1.90	0.71
1:A:185:LEU:O	1:A:190:VAL:HB	1.91	0.70
1:A:16:MET:O	1:A:62:LYS:HE2	1.90	0.70
1:A:271:LYS:HB3	1:A:272:PRO:CD	2.19	0.69
1:A:301:ILE:HD12	1:A:301:ILE:C	2.17	0.69
1:A:80:GLU:OE2	1:A:131:ASN:ND2	2.24	0.69
1:A:41:ASN:ND2	1:A:44:GLU:HG3	2.08	0.68
1:A:175:ASN:O	1:A:176:ASN:CB	2.41	0.68
1:A:199:HIS:CE1	1:A:223:ARG:CD	2.78	0.67
1:A:190:VAL:HG12	1:A:195:ILE:HD11	1.76	0.67
1:A:27:VAL:CG2	1:A:261:ILE:HG13	2.26	0.66
1:A:95:GLY:HA2	1:A:118:PHE:CE1	2.30	0.66
1:A:110:SER:N	1:A:113:GLU:OE1	2.27	0.66
1:A:223:ARG:HG3	1:A:256:ASP:CB	2.26	0.65
1:A:142:GLU:N	1:A:143:PRO:HD2	2.11	0.65
1:A:146:THR:OG1	1:A:149:VAL:HG23	1.96	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:223:ARG:HG3	1:A:256:ASP:HB2	1.78	0.65
1:A:28:PHE:HA	1:A:262:ASP:CB	2.23	0.64
1:A:16:MET:HE1	1:A:310:LYS:N	2.13	0.64
1:A:167:ILE:HD12	1:A:167:ILE:O	1.97	0.64
1:A:163:ALA:O	1:A:164:LYS:HB2	1.97	0.64
1:A:129:THR:O	1:A:130:SER:HB3	1.99	0.62
1:A:113:GLU:HA	1:A:116:ASP:OD2	1.99	0.62
1:A:16:MET:HE1	1:A:309:PRO:CB	2.29	0.62
1:A:301:ILE:CD1	1:A:302:ASP:OD1	2.48	0.61
1:A:221:LEU:HB2	1:A:253:ILE:HD13	1.81	0.61
1:A:4:PRO:O	1:A:5:LEU:HD12	2.00	0.61
1:A:138:ILE:HD12	1:A:153:ILE:HG12	1.83	0.61
1:A:146:THR:H	1:A:149:VAL:HB	1.65	0.61
1:A:301:ILE:O	1:A:305:PHE:HD2	1.84	0.61
1:A:223:ARG:HG2	1:A:226:LEU:HD12	1.82	0.60
1:A:301:ILE:HD11	1:A:302:ASP:OD1	2.01	0.60
1:A:118:PHE:O	1:A:122:ILE:HG13	2.01	0.60
1:A:140:ALA:O	1:A:171:SER:HA	2.01	0.59
1:A:182:GLN:HE21	1:A:217:SER:CB	2.15	0.59
1:A:70:MET:HE2	1:A:96:ILE:HG23	1.84	0.59
1:A:275:ALA:HB1	1:A:278:TRP:HB2	1.84	0.59
1:A:56:ALA:O	1:A:61:VAL:HB	2.03	0.58
1:A:136:VAL:CG1	1:A:167:ILE:HG22	2.33	0.58
1:A:26:ARG:HH11	1:A:28:PHE:HE2	1.52	0.58
1:A:218:PHE:HB3	1:A:252:MET:HE2	1.86	0.57
1:A:175:ASN:CG	1:A:177:THR:HG23	2.28	0.57
1:A:255:HIS:O	1:A:256:ASP:HB3	2.05	0.57
1:A:7:GLY:C	1:A:8:LYS:HG3	2.27	0.57
1:A:76:ILE:HG22	1:A:127:GLN:NE2	2.20	0.56
1:A:183:ARG:HA	1:A:186:MET:CE	2.23	0.56
1:A:313:PHE:O	1:A:314:SER:HB3	2.04	0.56
1:A:206:THR:O	1:A:210:LYS:HG3	2.06	0.56
1:A:29:SER:HB2	1:A:32:VAL:CG1	2.36	0.56
1:A:272:PRO:O	1:A:273:LYS:CB	2.54	0.56
1:A:190:VAL:HG11	1:A:195:ILE:HD11	1.86	0.55
1:A:192:PRO:C	1:A:194:LYS:H	2.13	0.55
1:A:198:GLY:HA2	1:A:220:GLY:HA3	1.88	0.55
1:A:16:MET:CE	1:A:309:PRO:CB	2.75	0.55
1:A:45:GLU:HG2	1:A:260:THR:HG21	1.89	0.55
1:A:307:GLU:O	1:A:311:LYS:HG3	2.07	0.55
1:A:122:ILE:O	1:A:132:LYS:HD3	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:32:VAL:HG23	1:A:36:TRP:HE3	1.71	0.55
1:A:25:LEU:O	1:A:259:CYS:HB2	2.07	0.55
1:A:280:MET:O	1:A:280:MET:HG3	2.07	0.55
1:A:102:LEU:CD2	1:A:148:ASP:HB3	2.38	0.54
1:A:221:LEU:HB2	1:A:253:ILE:CD1	2.38	0.54
1:A:129:THR:O	1:A:130:SER:CB	2.55	0.54
1:A:196:LEU:HD13	1:A:252:MET:CE	2.38	0.54
1:A:199:HIS:C	1:A:201:GLY:H	2.16	0.54
1:A:150:GLU:O	1:A:154:ARG:HG3	2.09	0.53
1:A:76:ILE:HG12	1:A:129:THR:HG21	1.90	0.53
1:A:17:GLY:HA3	1:A:62:LYS:HD3	1.89	0.53
1:A:204:ASP:O	1:A:205:ASN:C	2.51	0.53
1:A:120:HIS:O	1:A:124:GLU:HB2	2.09	0.52
1:A:288:ILE:HB	1:A:289:PRO:CD	2.35	0.52
1:A:23:GLU:O	1:A:67:PRO:HD2	2.10	0.52
1:A:98:ILE:C	1:A:99:TYR:HD1	2.18	0.52
1:A:238:THR:O	1:A:242:LEU:HD12	2.10	0.52
1:A:166:PRO:HB2	1:A:312:PHE:CE2	2.45	0.52
1:A:287:THR:O	1:A:290:PHE:HB3	2.10	0.52
1:A:121:ASP:HB3	1:A:126:ILE:HG12	1.92	0.52
1:A:183:ARG:CA	1:A:186:MET:HE2	2.26	0.51
1:A:208:TYR:O	1:A:212:ILE:HG13	2.10	0.51
1:A:190:VAL:O	1:A:192:PRO:HD3	2.11	0.51
1:A:238:THR:O	1:A:242:LEU:CD1	2.59	0.51
1:A:263:TRP:CD1	1:A:263:TRP:N	2.76	0.51
1:A:283:ILE:C	1:A:283:ILE:HD12	2.36	0.51
1:A:301:ILE:CD1	1:A:302:ASP:N	2.72	0.50
1:A:224:TYR:CE2	1:A:236:ASN:ND2	2.74	0.50
1:A:191:ASP:O	1:A:194:LYS:HB2	2.12	0.50
1:A:101:ASP:HA	1:A:148:ASP:OD2	2.12	0.50
1:A:8:LYS:NZ	1:A:89:ASN:OD1	2.36	0.49
1:A:36:TRP:HB3	1:A:38:HIS:CE1	2.47	0.49
1:A:75:ASP:OD1	1:A:75:ASP:C	2.55	0.49
1:A:263:TRP:CD1	1:A:263:TRP:H	2.30	0.49
1:A:101:ASP:HA	1:A:148:ASP:CB	2.42	0.49
1:A:200:LEU:HD12	1:A:200:LEU:C	2.37	0.49
1:A:142:GLU:C	1:A:144:GLY:H	2.22	0.48
1:A:167:ILE:HD11	1:A:195:ILE:HG23	1.95	0.48
1:A:308:ASN:HB2	1:A:309:PRO:HD3	1.94	0.48
1:A:58:GLN:C	1:A:60:GLY:H	2.22	0.48
1:A:175:ASN:OD1	1:A:177:THR:HG23	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:267:ARG:H	1:A:270:LEU:HD12	1.77	0.48
1:A:199:HIS:CE1	1:A:223:ARG:HH21	2.31	0.48
1:A:224:TYR:HE2	1:A:236:ASN:HD21	1.61	0.48
1:A:12:GLU:O	1:A:13:ALA:HB2	2.14	0.48
1:A:283:ILE:HD12	1:A:284:PHE:N	2.29	0.48
1:A:298:GLU:O	1:A:301:ILE:HG13	2.14	0.47
1:A:63:THR:HG23	1:A:89:ASN:O	2.13	0.47
1:A:271:LYS:CB	1:A:272:PRO:HD3	2.26	0.47
1:A:22:HIS:HD2	1:A:256:ASP:HA	1.79	0.47
1:A:119:ILE:HD13	1:A:162:GLU:HG2	1.97	0.47
1:A:163:ALA:O	1:A:164:LYS:CB	2.63	0.47
1:A:191:ASP:O	1:A:194:LYS:N	2.43	0.47
1:A:52:GLU:HG3	1:A:280:MET:CB	2.44	0.47
1:A:52:GLU:HG3	1:A:280:MET:HB3	1.96	0.47
1:A:185:LEU:C	1:A:190:VAL:HB	2.40	0.47
1:A:247:TYR:O	1:A:251:ILE:HG13	2.14	0.47
1:A:75:ASP:OD2	1:A:78:PHE:HB2	2.15	0.46
1:A:167:ILE:O	1:A:167:ILE:CD1	2.63	0.46
1:A:169:THR:OG1	1:A:197:ILE:HA	2.16	0.46
1:A:223:ARG:CG	1:A:256:ASP:CB	2.92	0.46
1:A:264:GLY:C	1:A:266:ALA:H	2.24	0.46
1:A:35:GLN:NE2	1:A:35:GLN:HA	2.31	0.46
1:A:282:LEU:C	1:A:282:LEU:HD13	2.41	0.46
1:A:94:THR:OG1	1:A:95:GLY:N	2.46	0.45
1:A:120:HIS:C	1:A:120:HIS:CD2	2.94	0.45
1:A:196:LEU:HD13	1:A:252:MET:HE3	1.98	0.45
1:A:182:GLN:NE2	1:A:217:SER:HB2	2.32	0.45
1:A:283:ILE:O	1:A:288:ILE:HG13	2.17	0.45
1:A:70:MET:CE	1:A:96:ILE:HG23	2.46	0.45
1:A:142:GLU:C	1:A:144:GLY:N	2.75	0.45
1:A:69:VAL:HG11	1:A:94:THR:C	2.42	0.45
1:A:96:ILE:HG22	1:A:98:ILE:HG23	1.98	0.45
1:A:223:ARG:NH1	1:A:229:PHE:CZ	2.85	0.45
1:A:110:SER:OG	1:A:113:GLU:HG2	2.18	0.44
1:A:228:LEU:HD23	1:A:229:PHE:N	2.32	0.44
1:A:255:HIS:O	1:A:256:ASP:CB	2.63	0.44
1:A:137:KCX:HE3	1:A:170:HIS:HB2	2.00	0.44
1:A:168:ILE:HG23	1:A:196:LEU:HD23	1.99	0.44
1:A:50:VAL:HG22	1:A:82:VAL:HG23	1.99	0.44
1:A:192:PRO:C	1:A:194:LYS:N	2.73	0.44
1:A:270:LEU:HB3	1:A:274:LEU:CD1	2.39	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:185:LEU:O	1:A:190:VAL:CB	2.64	0.44
1:A:223:ARG:CD	1:A:256:ASP:OD2	2.62	0.44
1:A:182:GLN:NE2	1:A:217:SER:CB	2.81	0.44
1:A:306:LYS:C	1:A:309:PRO:HD2	2.43	0.44
1:A:199:HIS:C	1:A:201:GLY:N	2.75	0.43
1:A:82:VAL:HA	1:A:85:THR:HG22	2.00	0.43
1:A:308:ASN:N	1:A:309:PRO:CD	2.81	0.43
1:A:255:HIS:NE2	1:A:283:ILE:HG13	2.33	0.43
1:A:19:THR:HA	1:A:63:THR:O	2.18	0.42
1:A:129:THR:HG23	1:A:131:ASN:H	1.84	0.42
1:A:291:LEU:C	1:A:296:VAL:HG22	2.45	0.42
1:A:24:HIS:CE1	1:A:67:PRO:HG2	2.54	0.42
1:A:191:ASP:HB3	1:A:194:LYS:HB2	2.01	0.42
1:A:223:ARG:HG2	1:A:226:LEU:CD1	2.49	0.42
1:A:211:LYS:O	1:A:215:LYS:HG2	2.20	0.42
1:A:105:TYR:CD1	1:A:105:TYR:C	2.98	0.42
1:A:142:GLU:N	1:A:143:PRO:CD	2.82	0.42
1:A:41:ASN:O	1:A:42:GLU:C	2.62	0.42
1:A:85:THR:HG23	1:A:86:THR:HG23	2.01	0.42
1:A:81:LYS:HE3	1:A:81:LYS:HB2	1.92	0.41
1:A:303:ILE:HD13	1:A:307:GLU:HG3	2.02	0.41
1:A:93:GLY:HA2	1:A:133:ALA:HB1	2.02	0.41
1:A:224:TYR:HE2	1:A:236:ASN:HD22	1.62	0.41
1:A:58:GLN:C	1:A:60:GLY:N	2.77	0.41
1:A:29:SER:HB2	1:A:32:VAL:HG12	2.01	0.41
1:A:218:PHE:CB	1:A:252:MET:HE2	2.50	0.41
1:A:47:ARG:O	1:A:48:ASN:C	2.63	0.40
1:A:101:ASP:HA	1:A:148:ASP:HB2	2.03	0.40
1:A:228:LEU:HD23	1:A:229:PHE:H	1.86	0.40
1:A:301:ILE:C	1:A:301:ILE:CD1	2.87	0.40
1:A:62:LYS:HE3	1:A:89:ASN:ND2	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	311/315 (99%)	271 (87%)	36 (12%)	4 (1%)	9	25

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	13	ALA
1	A	130	SER
1	A	273	LYS
1	A	205	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	272/272 (100%)	263 (97%)	9 (3%)	33	63

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ILE
1	A	15	ASP
1	A	32	VAL
1	A	84	LYS
1	A	90	LEU
1	A	136	VAL
1	A	147	LYS
1	A	167	ILE
1	A	296	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	38	HIS
1	A	120	HIS
1	A	127	GLN
1	A	182	GLN
1	A	236	ASN
1	A	294	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	KCX	A	137	2,3,1	10,11,12	0.55	0	6,12,14	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	A	137	2,3,1	-	4/9/10/12	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	137	KCX	N-CA-CB-CG
1	A	137	KCX	C-CA-CB-CG
1	A	137	KCX	CA-CB-CG-CD
1	A	137	KCX	CG-CD-CE-NZ

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	137	KCX	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	313/315 (99%)	1.39	70 (22%) 2 2	22, 54, 74, 88	15 (4%)

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	21	ILE	4.2
1	A	208	TYR	4.1
1	A	126	ILE	4.1
1	A	200	LEU	3.9
1	A	268	PRO	3.7
1	A	190	VAL	3.6
1	A	61	VAL	3.6
1	A	197	ILE	3.4
1	A	203	THR	3.4
1	A	159	THR	3.3
1	A	114	ILE	3.3
1	A	301	ILE	3.1
1	A	50	VAL	3.1
1	A	78	PHE	3.1
1	A	82	VAL	3.1
1	A	9	GLU	3.0
1	A	54[A]	LYS	3.0
1	A	218	PHE	3.0
1	A	219	ILE	3.0
1	A	191	ASP	2.9
1	A	184	ILE	2.8
1	A	13	ALA	2.8
1	A	313	PHE	2.8
1	A	185	LEU	2.7
1	A	45	GLU	2.7
1	A	53	VAL	2.7
1	A	251	ILE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	173	ALA	2.7
1	A	304	ILE	2.7
1	A	25	LEU	2.6
1	A	76	ILE	2.6
1	A	183	ARG	2.6
1	A	46	LEU	2.6
1	A	135	PHE	2.6
1	A	269	GLU	2.5
1	A	242	LEU	2.5
1	A	10	PRO	2.5
1	A	37	PRO	2.4
1	A	182	GLN	2.4
1	A	179	LEU	2.4
1	A	274	LEU	2.4
1	A	158	ILE	2.4
1	A	160	HIS	2.4
1	A	77	ARG	2.4
1	A	188	GLU	2.3
1	A	174	HIS	2.3
1	A	252	MET	2.3
1	A	80	GLU	2.3
1	A	143	PRO	2.3
1	A	248	SER	2.3
1	A	201	GLY	2.3
1	A	102	LEU	2.3
1	A	243	ILE	2.2
1	A	33	ARG	2.2
1	A	260	THR	2.2
1	A	149	VAL	2.2
1	A	290	PHE	2.1
1	A	51	ASN	2.1
1	A	106	PHE	2.1
1	A	154	ARG	2.1
1	A	38	HIS	2.1
1	A	167	ILE	2.1
1	A	265	THR	2.1
1	A	264	GLY	2.1
1	A	305	PHE	2.1
1	A	206	THR	2.0
1	A	176	ASN	2.0
1	A	155	ALA	2.0
1	A	276	PRO	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	196	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	KCX	A	137	12/13	0.93	0.11	38,41,48,51	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CO	A	401	1/1	0.96	0.10	61,61,61,61	0
3	FE2	A	402	1/1	0.98	0.06	49,49,49,49	0

6.5 Other polymers [i](#)

There are no such residues in this entry.