



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 03:44 PM UTC

PDB ID : 4HK0 / pdb\_00004hk0  
Title : UCA Fab (unbound) from CH65-CH67 Lineage  
Authors : Schmidt, A.G.; Harrison, S.C.  
Deposited on : 2012-10-14  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*





The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	237	
1	C	237	
2	B	214	
2	D	214	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6548 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UCA heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	215	Total	C	N	O	S	0	0	0
			1624	1029	273	313	9			
1	C	222	Total	C	N	O	S	0	0	0
			1684	1066	283	326	9			

- Molecule 2 is a protein called UCA light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	210	Total	C	N	O	S	0	0	0
			1567	976	267	320	4			
2	D	210	Total	C	N	O	S	0	0	0
			1567	976	267	320	4			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	10	Total	O	0	0
			10	10		
3	B	27	Total	O	0	0
			27	27		
3	C	39	Total	O	0	0
			39	39		
3	D	30	Total	O	0	0
			30	30		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: UCA heavy chain




#### • Molecule 1: UCA heavy chain




#### • Molecule 2: UCA light chain



#### • Molecule 2: UCA light chain





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 62	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	102.00Å 102.00Å 163.09Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	37.20 – 2.50 37.20 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.5 (37.20-2.50) 97.4 (37.20-2.50)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.12 (at 2.51Å)	Xtriage
Refinement program	PHENIX 1.7.3_928	Depositor
R, $R_{free}$	0.206 , 0.258 0.203 , 0.252	Depositor DCC
$R_{free}$ test set	1681 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.6	Xtriage
Anisotropy	0.494	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 40.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.053 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6548	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.19% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.66	0/1666	1.01	4/2269 (0.2%)
1	C	0.81	0/1729	1.05	3/2357 (0.1%)
2	B	0.79	0/1606	1.11	5/2197 (0.2%)
2	D	0.84	0/1606	1.15	5/2197 (0.2%)
All	All	0.78	0/6607	1.08	17/9020 (0.2%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	110	GLN	CA-C-N	-6.38	114.05	120.31
2	B	110	GLN	C-N-CA	-6.38	114.05	120.31
1	C	202	LEU	N-CA-C	-5.84	101.64	110.28
2	D	42	ALA	CA-C-N	5.77	125.72	119.78
2	D	42	ALA	C-N-CA	5.77	125.72	119.78
1	A	75	SER	N-CA-C	5.62	120.64	111.37
1	A	152	GLY	N-CA-C	5.48	121.14	110.73
2	D	7	PRO	CA-C-N	-5.41	114.10	119.56
2	D	7	PRO	C-N-CA	-5.41	114.10	119.56
2	B	32	VAL	N-CA-C	5.27	116.57	108.71
2	B	59	GLU	N-CA-C	5.24	119.30	113.01
2	D	129	ALA	N-CA-C	-5.24	106.75	112.72
2	B	174	TYR	N-CA-C	5.05	117.96	110.14
1	A	138	ALA	CA-C-N	5.03	125.47	120.14
1	A	138	ALA	C-N-CA	5.03	125.47	120.14
1	C	127	ALA	CA-C-N	-5.02	114.66	122.09
1	C	127	ALA	C-N-CA	-5.02	114.66	122.09

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1624	0	1577	21	1
1	C	1684	0	1633	22	0
2	B	1567	0	1511	23	0
2	D	1567	0	1511	23	0
3	A	10	0	0	0	0
3	B	27	0	0	0	0
3	C	39	0	0	2	0
3	D	30	0	0	0	1
All	All	6548	0	6232	86	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:169:GLN:HE21	2:D:175:ALA:HB2	1.34	0.93
1:A:35:HIS:HD2	1:A:47:TRP:HE1	1.26	0.82
1:C:153:CYS:SG	1:C:209:CYS:CB	2.68	0.80
2:B:121:PRO:HB3	2:B:208:VAL:HG11	1.64	0.79
2:D:121:PRO:HB3	2:D:208:VAL:HG11	1.65	0.78
1:C:184:GLN:NE2	3:C:319:HOH:O	2.17	0.77
1:C:223:ARG:NH1	1:C:225:GLU:OE2	2.20	0.75
1:C:176:VAL:HG22	1:C:195:VAL:HG12	1.67	0.74
1:C:201:SER:HG	1:C:207:TYR:HH	1.28	0.74
1:C:60:TYR:CE1	1:C:70:MET:HE2	2.26	0.71
1:A:60:TYR:CE1	1:A:70:MET:HE2	2.28	0.68
2:B:53:ARG:CZ	2:B:59:GLU:HG2	2.24	0.68
1:A:35:HIS:CD2	1:A:47:TRP:HE1	2.12	0.67
2:D:187:TRP:HH2	2:D:208:VAL:HG12	1.60	0.67
2:D:16:GLN:O	2:D:77:VAL:HG23	1.96	0.65
2:D:140:ASP:H	2:D:169:GLN:HE22	1.42	0.65
2:D:168:LYS:NZ	2:D:172:ASN:OD1	2.17	0.65
2:D:110:GLN:HB2	2:D:142:TYR:CE1	2.32	0.64
2:B:121:PRO:HB3	2:B:208:VAL:CG1	2.29	0.62

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:SER:HB3	1:A:21:SER:OG	2.00	0.61
1:C:153:CYS:CB	1:C:209:CYS:SG	2.82	0.61
1:A:35:HIS:HE1	1:A:99:GLY:O	1.86	0.59
2:B:182:LEU:HD13	2:B:187:TRP:HB2	1.85	0.58
2:D:132:ALA:HB3	2:D:182:LEU:O	2.03	0.58
2:D:121:PRO:HB3	2:D:208:VAL:CG1	2.34	0.56
1:A:11:VAL:HG11	1:A:160:PRO:HG3	1.88	0.55
1:A:136:PRO:HB3	1:A:224:VAL:HG22	1.90	0.54
2:D:26:ASN:H	2:D:68:ASN:ND2	2.06	0.54
2:D:110:GLN:HB2	2:D:142:TYR:CZ	2.42	0.54
2:B:123:SER:OG	2:B:126:GLU:HG3	2.06	0.54
1:C:156:LYS:NZ	3:C:319:HOH:O	2.40	0.54
1:C:47:TRP:CD1	2:D:97:VAL:HB	2.44	0.53
2:B:16:GLN:O	2:B:77:VAL:HG23	2.09	0.53
2:D:30:LYS:O	2:D:31:SER:HB3	2.09	0.53
1:A:212:ASN:HD21	1:A:214:LYS:HG3	1.74	0.53
2:B:53:ARG:NH2	2:B:59:GLU:HG2	2.24	0.52
1:C:176:VAL:HG22	1:C:195:VAL:CG1	2.39	0.52
2:D:140:ASP:H	2:D:169:GLN:NE2	2.06	0.52
1:A:167:TRP:CH2	1:A:209:CYS:HB3	2.47	0.50
1:A:40:ALA:HB3	1:A:43:GLN:HG3	1.92	0.50
2:B:182:LEU:CD1	2:B:187:TRP:HB2	2.42	0.50
1:C:37:VAL:O	1:C:37:VAL:HG23	2.11	0.49
2:D:14:PRO:HD3	2:D:108:LEU:O	2.13	0.49
2:B:38:LYS:HB3	2:B:39:PRO:HD2	1.95	0.49
2:D:34:TRP:CZ3	2:D:87:CYS:HB3	2.47	0.49
1:C:37:VAL:HG21	1:C:116:TRP:CZ3	2.48	0.48
1:A:151:LEU:C	1:A:151:LEU:HD12	2.39	0.48
2:D:38:LYS:HB3	2:D:39:PRO:HD2	1.95	0.47
2:B:207:THR:HG22	2:B:208:VAL:N	2.30	0.46
1:C:198:PRO:O	1:C:201:SER:HB3	2.16	0.46
1:A:175:GLY:O	1:A:195:VAL:HA	2.16	0.46
2:D:31:SER:HA	2:D:50:ASP:OD1	2.15	0.46
2:B:127:LEU:HD23	2:B:132:ALA:HB2	1.99	0.45
1:A:22:CYS:O	1:A:78:THR:HA	2.17	0.45
1:A:47:TRP:CG	2:B:97:VAL:HB	2.52	0.44
2:B:151:LYS:HB2	2:B:194:SER:HB2	1.99	0.44
2:D:126:GLU:HG2	2:D:131:LYS:HB2	1.99	0.44
1:C:11:VAL:CG2	1:C:215:PRO:HB3	2.46	0.44
2:B:38:LYS:O	2:B:41:GLN:HG2	2.18	0.43
2:B:142:TYR:CG	2:B:143:PRO:HA	2.54	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:LYS:NZ	1:A:126:SER:O	2.51	0.43
1:A:47:TRP:CD1	2:B:97:VAL:HB	2.53	0.43
1:C:197:VAL:HG11	1:C:207:TYR:CE1	2.54	0.43
1:C:199:SER:O	1:C:202:LEU:HG	2.19	0.43
2:D:82:GLU:CD	2:D:168:LYS:HZ3	2.26	0.43
1:C:213:HIS:HB3	1:C:218:THR:OG1	2.19	0.42
1:C:167:TRP:CH2	1:C:209:CYS:HB3	2.53	0.42
1:C:191:LEU:HD12	1:C:191:LEU:C	2.43	0.42
1:A:81:MET:HE2	1:A:81:MET:HB3	1.96	0.42
2:B:122:PRO:HB3	2:B:132:ALA:HA	2.02	0.42
1:A:151:LEU:HD21	1:A:207:TYR:CG	2.55	0.42
2:D:153:ASP:C	2:D:155:SER:H	2.28	0.41
2:D:28:GLY:HA2	2:D:65:ASN:OD1	2.20	0.41
2:D:36:GLN:HG3	2:D:85:TYR:CE2	2.54	0.41
2:B:60:ARG:HB3	2:B:75:SER:O	2.20	0.41
2:B:198:THR:HG22	2:B:203:THR:HG23	2.01	0.41
2:B:35:TYR:O	2:B:85:TYR:HA	2.19	0.41
1:A:7:SER:HB3	1:A:21:SER:HG	1.84	0.41
2:B:60:ARG:NH1	2:B:81:ASP:OD2	2.42	0.41
1:C:11:VAL:HG23	1:C:215:PRO:HB3	2.02	0.41
2:B:121:PRO:CB	2:B:208:VAL:HG11	2.42	0.41
1:A:212:ASN:HD21	1:A:214:LYS:CG	2.34	0.40
1:A:2:VAL:HG13	1:A:27:TYR:CD1	2.57	0.40
1:C:87:ARG:HH11	1:C:87:ARG:HD3	1.75	0.40
2:B:82:GLU:HG3	2:B:107:VAL:HG23	2.04	0.40
1:C:157:ASP:HB3	1:C:188:LEU:HD13	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:42:GLY:O	3:D:302:HOH:O[3_455]	2.13	0.07

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	209/237 (88%)	203 (97%)	6 (3%)	0	100	100
1	C	218/237 (92%)	211 (97%)	7 (3%)	0	100	100
2	B	208/214 (97%)	198 (95%)	8 (4%)	2 (1%)	12	24
2	D	208/214 (97%)	199 (96%)	7 (3%)	2 (1%)	12	24
All	All	843/902 (94%)	811 (96%)	28 (3%)	4 (0%)	24	43

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	132	ALA
2	D	31	SER
2	B	94	SER
2	D	94	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	178/200 (89%)	168 (94%)	10 (6%)	19	39
1	C	185/200 (92%)	179 (97%)	6 (3%)	34	62
2	B	177/181 (98%)	175 (99%)	2 (1%)	65	84
2	D	177/181 (98%)	176 (99%)	1 (1%)	78	91
All	All	717/762 (94%)	698 (97%)	19 (3%)	40	68

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	GLN
1	A	37	VAL
1	A	55	SER
1	A	72	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	98	ARG
1	A	151	LEU
1	A	153	CYS
1	A	191	LEU
1	A	202	LEU
1	A	217	ASN
2	B	182	LEU
2	B	198	THR
1	C	72	ARG
1	C	98	ARG
1	C	101	LEU
1	C	125	SER
1	C	153	CYS
1	C	191	LEU
2	D	12	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	HIS
1	A	177	HIS
1	A	205	GLN
1	A	212	ASN
2	B	169	GLN
1	C	205	GLN
2	D	68	ASN
2	D	169	GLN
2	D	196	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

There are no ligands in this entry.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	215/237 (90%)	0.49	19 (8%) 15 14	22, 52, 81, 123	0
1	C	222/237 (93%)	0.10	15 (6%) 23 20	16, 32, 64, 125	0
2	B	210/214 (98%)	0.13	10 (4%) 35 31	21, 40, 70, 134	0
2	D	210/214 (98%)	-0.11	2 (0%) 79 76	17, 32, 57, 91	0
All	All	857/902 (95%)	0.16	46 (5%) 31 27	16, 39, 73, 134	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	131	LYS	5.4
1	C	185	SER	5.0
1	A	76	ILE	4.1
2	B	41	GLN	3.9
1	C	187	GLY	3.6
1	C	227	LYS	3.6
1	A	56	GLY	3.5
1	C	202	LEU	3.5
1	C	108	TYR	3.4
2	B	59	GLU	3.3
1	A	73	ASP	3.3
1	C	183	LEU	3.2
1	A	227	LYS	3.2
1	C	99	GLY	3.0
1	C	146	GLY	3.0
1	C	65	GLN	2.9
1	C	153	CYS	2.8
2	B	90	TRP	2.7
1	A	62	GLN	2.7
2	B	92	SER	2.6
1	A	140	SER	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	151	LEU	2.5
1	C	140	SER	2.5
1	A	75	SER	2.5
1	A	24	ALA	2.4
2	B	172	ASN	2.4
1	A	1	GLN	2.4
2	B	170	SER	2.3
1	A	57	GLY	2.3
1	A	146	GLY	2.3
2	D	92	SER	2.3
1	C	199	SER	2.2
1	A	174	SER	2.2
1	A	74	THR	2.2
1	A	209	CYS	2.2
2	B	1	GLN	2.2
2	B	2	SER	2.2
1	C	203	GLY	2.1
1	A	54	ASN	2.1
1	A	77	SER	2.1
2	D	30	LYS	2.1
1	C	184	GLN	2.1
2	B	108	LEU	2.1
1	A	71	THR	2.1
1	A	3	GLN	2.1
1	A	5	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.