



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:04 PM UTC

PDB ID : 4NCR / pdb_00004ncr
Title : Crystal structure of M. tuberculosis DprE1 in complex with PBTZ169
Authors : Neres, J.; Pojer, F.; Cole, S.T.
Deposited on : 2013-10-25
Resolution : 1.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1220 (1.88-1.88)
Clashscore	190562	1234 (1.88-1.88)
Ramachandran outliers	187476	1222 (1.88-1.88)
Sidechain outliers	187428	1222 (1.88-1.88)
RSRZ outliers	180081	1220 (1.88-1.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	481	<div> <div>4%</div> <div>68%</div> <div>18%</div> <div>•</div> <div>11%</div> </div>
1	B	481	<div> <div>3%</div> <div>67%</div> <div>15%</div> <div>•</div> <div>14%</div> </div>

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6907 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called decaprenylphosphoryl-beta-D-ribose oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	428	Total	C	N	O	S	0	0	0
			3286	2085	581	610	10			
1	B	413	Total	C	N	O	S	0	0	0
			3173	2012	563	588	10			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP P72056
A	-18	GLY	-	expression tag	UNP P72056
A	-17	SER	-	expression tag	UNP P72056
A	-16	SER	-	expression tag	UNP P72056
A	-15	HIS	-	expression tag	UNP P72056
A	-14	HIS	-	expression tag	UNP P72056
A	-13	HIS	-	expression tag	UNP P72056
A	-12	HIS	-	expression tag	UNP P72056
A	-11	HIS	-	expression tag	UNP P72056
A	-10	HIS	-	expression tag	UNP P72056
A	-9	SER	-	expression tag	UNP P72056
A	-8	SER	-	expression tag	UNP P72056
A	-7	GLY	-	expression tag	UNP P72056
A	-6	LEU	-	expression tag	UNP P72056
A	-5	VAL	-	expression tag	UNP P72056
A	-4	PRO	-	expression tag	UNP P72056
A	-3	ARG	-	expression tag	UNP P72056
A	-2	GLY	-	expression tag	UNP P72056
A	-1	SER	-	expression tag	UNP P72056
A	0	HIS	-	expression tag	UNP P72056
B	-19	MET	-	expression tag	UNP P72056
B	-18	GLY	-	expression tag	UNP P72056
B	-17	SER	-	expression tag	UNP P72056
B	-16	SER	-	expression tag	UNP P72056
B	-15	HIS	-	expression tag	UNP P72056

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	expression tag	UNP P72056
B	-13	HIS	-	expression tag	UNP P72056
B	-12	HIS	-	expression tag	UNP P72056
B	-11	HIS	-	expression tag	UNP P72056
B	-10	HIS	-	expression tag	UNP P72056
B	-9	SER	-	expression tag	UNP P72056
B	-8	SER	-	expression tag	UNP P72056
B	-7	GLY	-	expression tag	UNP P72056
B	-6	LEU	-	expression tag	UNP P72056
B	-5	VAL	-	expression tag	UNP P72056
B	-4	PRO	-	expression tag	UNP P72056
B	-3	ARG	-	expression tag	UNP P72056
B	-2	GLY	-	expression tag	UNP P72056
B	-1	SER	-	expression tag	UNP P72056
B	0	HIS	-	expression tag	UNP P72056

- Molecule 2 is 2-(4-(cyclohexylmethyl)piperazin-1-yl)-8-nitro-6-(trifluoromethyl)-4H-benzo[e][1,3]thiazin-4-one, bound form (CCD ID: 26J) (formula: C₂₀H₂₅F₃N₄O₂S).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			30	20	3	4	2	1		
2	B	1	Total	C	F	N	O	S	0	0
			30	20	3	4	2	1		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
3	B	1	Total 53	C 27	N 9	O 15	P 2	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is IMIDAZOLE (CCD ID: IMD) (formula: $C_3H_5N_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	N	0	0
			5	3	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	150	Total	O	0	0
			150	150		
6	B	103	Total	O	0	0
			103	103		

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	73.05Å 85.00Å 81.37Å 90.00° 101.10° 90.00°	Depositor
Resolution (Å)	48.87 – 1.88 48.87 – 1.88	Depositor EDS
% Data completeness (in resolution range)	98.0 (48.87-1.88) 98.0 (48.87-1.88)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.27 (at 1.88Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.187 , 0.234 0.186 , 0.234	Depositor DCC
R_{free} test set	3919 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	30.7	Xtriage
Anisotropy	0.152	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 35.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6907	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, 26J, GOL, IMD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.57	30/3360 (0.9%)	1.38	16/4559 (0.4%)
1	B	1.42	12/3244 (0.4%)	1.31	12/4401 (0.3%)
All	All	1.50	42/6604 (0.6%)	1.35	28/8960 (0.3%)

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	381	ILE	CA-C	-10.63	1.43	1.52
1	B	297	TYR	CZ-OH	9.65	1.58	1.38
1	A	216	HIS	CE1-NE2	8.78	1.41	1.32
1	A	243	ALA	C-O	7.87	1.33	1.23
1	B	132	HIS	ND1-CE1	7.46	1.40	1.32
1	A	175	VAL	N-CA	7.35	1.54	1.46
1	A	435	ASP	N-CA	6.97	1.54	1.46
1	A	132	HIS	CG-CD2	6.88	1.43	1.35
1	A	128	ALA	N-CA	-6.69	1.38	1.46
1	A	143	GLY	N-CA	6.56	1.54	1.45
1	A	126	ALA	C-O	-6.29	1.16	1.24
1	A	190	GLU	CA-C	6.19	1.60	1.52
1	A	116	PRO	CA-C	6.12	1.61	1.52
1	B	108	PHE	N-CA	6.11	1.54	1.46
1	A	379	PHE	N-CA	-6.09	1.41	1.46
1	B	96	VAL	N-CA	6.08	1.53	1.46
1	A	145	HIS	ND1-CE1	6.07	1.38	1.32
1	A	90	VAL	CA-C	-5.98	1.45	1.52
1	A	368	LEU	C-O	5.93	1.31	1.24
1	A	439	SER	N-CA	5.91	1.53	1.46
1	B	136	HIS	CG-ND1	-5.84	1.31	1.38
1	A	408	LEU	N-CA	5.81	1.53	1.46
1	B	201	ALA	C-O	5.79	1.31	1.23
1	B	145	HIS	CG-ND1	-5.77	1.31	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	228	SER	N-CA	5.65	1.52	1.46
1	A	136	HIS	N-CA	5.61	1.53	1.46
1	B	137	HIS	CE1-NE2	5.55	1.38	1.32
1	A	20	ALA	N-CA	5.52	1.50	1.46
1	A	131	ILE	CA-CB	5.46	1.60	1.54
1	A	160	HIS	CG-CD2	5.45	1.41	1.35
1	B	237	PRO	CA-C	5.39	1.57	1.52
1	A	137	HIS	ND1-CE1	5.32	1.37	1.32
1	B	53	ALA	N-CA	5.25	1.52	1.46
1	B	134	LYS	C-O	-5.20	1.17	1.24
1	A	113	PRO	CA-CB	5.16	1.61	1.53
1	A	216	HIS	CG-ND1	5.13	1.43	1.38
1	A	116	PRO	CA-CB	-5.13	1.46	1.53
1	B	130	ASP	CA-C	5.08	1.60	1.53
1	A	145	HIS	CA-CB	5.07	1.61	1.53
1	A	407	VAL	CA-C	5.07	1.59	1.52
1	A	354	ILE	N-CA	-5.03	1.40	1.46
1	A	399	PHE	CA-C	5.02	1.59	1.52

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	166	GLU	N-CA-C	-9.00	98.55	110.24
1	B	171	PHE	N-CA-C	-7.80	102.38	111.03
1	A	174	THR	N-CA-C	-7.63	102.90	112.90
1	A	313	PHE	N-CA-C	7.33	119.34	111.36
1	A	261	ARG	N-CA-C	6.64	120.65	112.54
1	A	200	ILE	CB-CA-C	-6.53	101.10	110.83
1	A	223	ARG	N-CA-C	6.45	120.98	113.18
1	B	409	GLU	CB-CG-CD	-6.36	101.79	112.60
1	A	396	LEU	N-CA-C	-6.11	104.17	111.69
1	A	344	VAL	N-CA-C	6.11	116.27	110.53
1	A	285	ASN	N-CA-C	5.99	118.77	111.82
1	B	134	LYS	N-CA-C	-5.79	105.48	112.54
1	B	100	GLN	N-CA-C	-5.77	104.99	111.28
1	B	441	ARG	N-CA-C	5.63	117.49	111.36
1	A	312	GLN	CB-CA-C	-5.52	102.21	110.88
1	A	376	PRO	CB-CA-C	-5.49	103.55	112.62
1	B	354	ILE	CA-C-N	-5.42	112.07	120.31
1	B	354	ILE	C-N-CA	-5.42	112.07	120.31
1	A	128	ALA	N-CA-C	5.39	117.91	111.71
1	B	355	GLN	N-CA-CB	5.32	118.53	110.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	177	GLY	N-CA-C	5.32	120.52	114.67
1	B	380	PRO	N-CA-C	5.26	118.75	110.80
1	A	126	ALA	N-CA-C	-5.11	105.89	111.82
1	A	99	ASP	N-CA-C	-5.09	105.43	111.69
1	A	189	ILE	CB-CA-C	-5.08	103.08	110.81
1	A	193	PRO	CB-CA-C	-5.07	104.34	110.98
1	A	167	ASP	CB-CA-C	5.05	119.27	110.94
1	B	355	GLN	CA-CB-CG	5.05	124.19	114.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3286	0	3261	60	0
1	B	3173	0	3151	56	0
2	A	30	0	24	3	0
2	B	30	0	24	1	0
3	A	53	0	31	0	0
3	B	53	0	31	0	0
4	A	18	0	24	2	0
4	B	6	0	8	3	0
5	B	5	0	5	2	0
6	A	150	0	0	5	0
6	B	103	0	0	3	0
All	All	6907	0	6559	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:MET:HE1	1:A:119:ARG:CD	1.70	1.20

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:MET:HE1	1:A:119:ARG:HD3	1.30	1.14
1:A:119:ARG:HH11	1:A:119:ARG:HG3	1.10	1.09
1:B:119:ARG:HH11	1:B:119:ARG:HG3	1.16	1.09
1:A:448:ARG:CG	1:A:448:ARG:HH11	1.75	0.99
1:B:159:ARG:HG2	1:B:159:ARG:HH11	1.27	0.98
1:A:102:MET:CE	1:A:119:ARG:HD2	1.98	0.94
1:A:271:GLN:HG2	1:A:271:GLN:O	1.70	0.92
1:B:79:THR:HA	4:B:503:GOL:H32	1.50	0.90
1:A:102:MET:CE	1:A:119:ARG:CD	2.49	0.89
1:A:309:ASN:OD1	1:A:311:THR:HG23	1.72	0.88
1:A:102:MET:HE1	1:A:119:ARG:HD2	1.50	0.88
1:B:299:LYS:HG3	1:B:300:SER:N	1.89	0.87
1:B:102:MET:HE1	1:B:119:ARG:CD	2.05	0.86
1:B:102:MET:HE1	1:B:119:ARG:HD3	1.58	0.86
1:B:296:TRP:HE3	1:B:297:TYR:H	1.24	0.84
1:B:299:LYS:HG3	1:B:300:SER:H	1.50	0.76
1:A:448:ARG:HH11	1:A:448:ARG:HG2	1.49	0.76
1:A:448:ARG:HH11	1:A:448:ARG:HG3	1.51	0.75
1:B:119:ARG:HH11	1:B:119:ARG:CG	1.96	0.75
1:B:159:ARG:HH11	1:B:159:ARG:CG	2.00	0.74
2:A:501:26J:OAE	2:A:501:26J:SAV	2.47	0.72
1:A:448:ARG:CG	1:A:448:ARG:NH1	2.45	0.70
1:B:166:GLU:O	1:B:167:ASP:HB2	1.89	0.70
1:A:119:ARG:HG3	1:A:119:ARG:NH1	1.88	0.70
1:B:119:ARG:HG3	1:B:119:ARG:NH1	1.92	0.68
1:A:84:ASP:OD2	5:B:504:IMD:H2	1.94	0.68
1:A:102:MET:HG2	1:A:267:PHE:CZ	2.29	0.68
1:A:102:MET:HE3	1:A:119:ARG:HD2	1.76	0.66
1:A:268:ASP:O	1:A:311:THR:HG21	1.96	0.66
1:B:102:MET:HE1	1:B:119:ARG:HD2	1.77	0.66
1:A:448:ARG:HG2	1:A:448:ARG:NH1	2.08	0.64
1:A:270:PRO:HB3	1:A:271:GLN:HA	1.81	0.63
1:B:102:MET:CE	1:B:119:ARG:HD2	2.28	0.63
1:B:240:LEU:HD22	1:B:355:GLN:HG3	1.81	0.63
1:A:258:ALA:HA	1:A:261:ARG:HH21	1.62	0.63
1:B:259:LYS:H	1:B:259:LYS:CE	2.12	0.62
1:B:249:ARG:HD2	6:B:674:HOH:O	1.99	0.62
1:A:215:LEU:C	1:A:215:LEU:HD23	2.24	0.62
1:A:375:ALA:HB3	1:A:378:SER:HB2	1.80	0.62
1:B:159:ARG:HG2	1:B:159:ARG:NH1	2.05	0.61
1:A:455:ALA:HB1	1:A:461:LEU:HD13	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:MET:HG2	1:A:267:PHE:HZ	1.64	0.60
2:B:501:26J:OAE	2:B:501:26J:SAV	2.57	0.60
1:B:259:LYS:H	1:B:259:LYS:HE2	1.66	0.59
1:B:102:MET:CE	1:B:119:ARG:CD	2.79	0.59
1:B:80:ILE:H	4:B:503:GOL:C3	2.15	0.59
1:A:270:PRO:CB	1:A:271:GLN:HA	2.32	0.59
1:A:271:GLN:O	1:A:271:GLN:CG	2.49	0.58
1:A:249:ARG:NH2	6:A:702:HOH:O	2.35	0.58
1:B:31:ASP:HB3	1:B:34:MET:HG3	1.86	0.57
1:B:424:ALA:O	1:B:428:HIS:CD2	2.57	0.57
1:B:80:ILE:H	4:B:503:GOL:H32	1.69	0.57
1:A:200:ILE:HG22	1:A:305:GLY:HA2	1.87	0.56
1:A:333:LEU:HD23	1:A:421:ARG:CZ	2.35	0.56
1:B:102:MET:HG2	1:B:267:PHE:CZ	2.42	0.55
2:A:501:26J:H11	2:A:501:26J:H17	1.89	0.54
1:B:374:GLN:HG2	6:B:635:HOH:O	2.06	0.54
1:A:441:ARG:NH2	1:A:461:LEU:HD12	2.23	0.54
1:B:92:ILE:H	1:B:92:ILE:HD13	1.73	0.54
1:A:310:LEU:HD11	1:A:314:TYR:HE2	1.72	0.53
1:A:253:VAL:HG23	1:A:261:ARG:HG3	1.91	0.53
1:A:116:PRO:HG2	1:A:118:THR:O	2.09	0.53
1:A:102:MET:HG3	6:A:614:HOH:O	2.09	0.53
1:A:60:TYR:CE2	1:A:334:GLN:HG2	2.44	0.52
1:B:296:TRP:HE3	1:B:297:TYR:N	2.00	0.52
1:B:310:LEU:O	1:B:310:LEU:HG	2.04	0.52
1:B:102:MET:HG2	1:B:267:PHE:CE2	2.46	0.51
1:A:333:LEU:CD2	1:A:421:ARG:CZ	2.89	0.51
1:B:49:ARG:HG3	1:B:68:GLY:O	2.12	0.50
1:A:205:VAL:HG21	1:A:298:ARG:HA	1.94	0.50
1:A:206:THR:HB	1:A:211:GLU:HB3	1.94	0.50
1:B:256:LEU:O	1:B:261:ARG:HD2	2.11	0.50
1:B:116:PRO:HG2	1:B:118:THR:O	2.13	0.49
1:B:254:GLU:H	1:B:254:GLU:CD	2.20	0.48
1:A:46:GLY:HA2	1:A:47:GLY:HA2	1.58	0.48
1:B:182:GLY:HA2	1:B:450:PHE:CE2	2.49	0.48
1:A:441:ARG:HH21	1:A:461:LEU:HD12	1.77	0.47
1:B:84:ASP:OD2	5:B:504:IMD:H5	2.14	0.47
1:A:258:ALA:CA	1:A:261:ARG:HH21	2.25	0.47
1:A:89:LEU:HD12	4:A:504:GOL:H31	1.98	0.46
1:A:254:GLU:H	1:A:254:GLU:CD	2.23	0.46
1:B:172:TRP:CD2	1:B:374:GLN:HG3	2.49	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:393:LYS:O	1:B:396:LEU:HB2	2.16	0.46
1:A:83:ILE:HG23	1:A:90:VAL:HG12	1.98	0.46
1:B:260:LEU:HD12	1:B:260:LEU:HA	1.81	0.46
1:B:424:ALA:O	1:B:428:HIS:HD2	1.99	0.45
1:A:119:ARG:NH1	6:A:640:HOH:O	2.48	0.45
1:A:106:LEU:HD12	1:A:267:PHE:CE2	2.52	0.45
1:B:51:ALA:N	1:B:449:VAL:O	2.42	0.45
1:B:25:ASN:O	1:B:70:LEU:HD12	2.16	0.45
1:A:88:LYS:HE3	1:A:88:LYS:HB2	1.57	0.45
2:A:501:26J:H11	2:A:501:26J:C32	2.47	0.45
1:A:258:ALA:HA	1:A:261:ARG:HD3	1.99	0.44
1:B:218:ASP:OD1	1:B:218:ASP:C	2.60	0.44
1:B:119:ARG:NH1	6:B:637:HOH:O	2.50	0.44
1:B:165:GLY:C	1:B:166:GLU:O	2.57	0.44
1:B:441:ARG:NH2	1:B:461:LEU:HD12	2.33	0.44
1:A:297:TYR:OH	4:A:503:GOL:H12	2.17	0.44
1:A:92:ILE:HB	1:A:96:VAL:HG21	2.01	0.43
1:B:37:LYS:HA	1:B:37:LYS:HD2	1.72	0.43
1:A:443:LYS:HE2	6:A:742:HOH:O	2.19	0.43
1:B:172:TRP:CE2	1:B:374:GLN:HG3	2.53	0.43
1:B:259:LYS:HE2	1:B:259:LYS:HB2	1.46	0.43
1:A:102:MET:CG	1:A:267:PHE:HZ	2.30	0.42
1:B:92:ILE:HD13	1:B:92:ILE:N	2.35	0.42
1:B:455:ALA:HB1	1:B:461:LEU:HD13	2.02	0.42
1:A:313:PHE:CD1	1:A:313:PHE:N	2.88	0.42
1:A:403:LEU:HD23	1:A:403:LEU:HA	1.75	0.42
1:A:134:LYS:HD3	6:A:699:HOH:O	2.20	0.42
1:A:351:ILE:HD13	1:A:351:ILE:HA	1.93	0.41
1:A:263:GLU:HG2	1:A:266:LYS:HD3	2.01	0.41
1:A:239:LYS:O	1:A:240:LEU:C	2.63	0.41
1:B:364:ASN:HB3	1:B:386:ILE:HD11	2.03	0.41
1:B:421:ARG:HG2	1:B:422:THR:N	2.36	0.41
1:A:200:ILE:H	1:A:200:ILE:HD12	1.85	0.41
1:A:39:VAL:HG21	1:A:152:LEU:HD21	2.03	0.40
1:B:216:HIS:CE1	1:B:366:PHE:HE1	2.39	0.40
1:B:296:TRP:O	1:B:300:SER:HB3	2.21	0.40
1:B:259:LYS:HE2	1:B:259:LYS:N	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	422/481 (88%)	416 (99%)	5 (1%)	1 (0%)	43	34
1	B	407/481 (85%)	397 (98%)	10 (2%)	0	100	100
All	All	829/962 (86%)	813 (98%)	15 (2%)	1 (0%)	48	37

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	270	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	341/385 (89%)	318 (93%)	23 (7%)	15	3
1	B	330/385 (86%)	291 (88%)	39 (12%)	5	0
All	All	671/770 (87%)	609 (91%)	62 (9%)	8	1

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	LEU
1	A	34	MET
1	A	37	LYS
1	A	45	SER
1	A	88	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	92	ILE
1	A	101	LEU
1	A	119	ARG
1	A	167	ASP
1	A	183	ILE
1	A	200	ILE
1	A	253	VAL
1	A	259	LYS
1	A	260	LEU
1	A	261	ARG
1	A	271	GLN
1	A	294	GLU
1	A	310	LEU
1	A	311	THR
1	A	367	LYS
1	A	406	ARG
1	A	448	ARG
1	A	461	LEU
1	B	8	THR
1	B	12	ARG
1	B	34	MET
1	B	41	ARG
1	B	92	ILE
1	B	106	LEU
1	B	119	ARG
1	B	121	VAL
1	B	159	ARG
1	B	183	ILE
1	B	217	SER
1	B	256	LEU
1	B	259	LYS
1	B	260	LEU
1	B	261	ARG
1	B	263	GLU
1	B	296	TRP
1	B	299	LYS
1	B	308	GLN
1	B	310	LEU
1	B	349	LYS
1	B	355	GLN
1	B	367	LYS
1	B	372	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	374	GLN
1	B	386	ILE
1	B	392	ILE
1	B	394	ASP
1	B	396	LEU
1	B	400	VAL
1	B	409	GLU
1	B	422	THR
1	B	425	GLU
1	B	439	SER
1	B	443	LYS
1	B	444	VAL
1	B	447	LEU
1	B	448	ARG
1	B	461	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	308	GLN
1	A	336	GLN
1	A	385	ASN
1	B	312	GLN
1	B	428	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	26J	B	501	1	32,33,33	1.81	3 (9%)	41,48,48	2.76	16 (39%)
3	FAD	B	502	-	58,58,58	2.00	15 (25%)	85,89,89	1.76	21 (24%)
4	GOL	A	504	-	5,5,5	0.27	0	5,5,5	0.49	0
5	IMD	B	504	-	5,5,5	0.36	0	5,5,5	0.90	0
3	FAD	A	502	-	58,58,58	1.97	14 (24%)	85,89,89	2.07	28 (32%)
2	26J	A	501	1	32,33,33	2.16	6 (18%)	41,48,48	2.41	17 (41%)
4	GOL	B	503	-	5,5,5	0.29	0	5,5,5	1.03	1 (20%)
4	GOL	A	503	-	5,5,5	0.39	0	5,5,5	1.04	0
4	GOL	A	505	-	5,5,5	0.61	0	5,5,5	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	26J	B	501	1	-	1/15/34/34	0/4/4/4
3	FAD	B	502	-	-	0/34/50/50	0/6/6/6
4	GOL	A	504	-	-	1/4/4/4	-
5	IMD	B	504	-	-	-	0/1/1/1
3	FAD	A	502	-	-	4/34/50/50	0/6/6/6
2	26J	A	501	1	-	2/15/34/34	0/4/4/4
4	GOL	B	503	-	-	2/4/4/4	-
4	GOL	A	503	-	-	2/4/4/4	-
4	GOL	A	505	-	-	0/4/4/4	-

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	26J	OAD-CAZ	9.29	1.39	1.23
3	A	502	FAD	C9-C8	7.23	1.49	1.39
2	B	501	26J	OAD-CAZ	7.05	1.35	1.23
3	B	502	FAD	C5A-C4A	5.79	1.49	1.39
3	B	502	FAD	C9A-C5X	5.42	1.49	1.41
3	A	502	FAD	C9A-C5X	5.14	1.49	1.41
2	B	501	26J	CBA-CAZ	-4.67	1.40	1.48
3	A	502	FAD	O4'-C4'	4.27	1.52	1.43
3	B	502	FAD	C7M-C7	4.19	1.58	1.51
3	B	502	FAD	C4X-N5	3.95	1.39	1.30
3	A	502	FAD	C4X-N5	3.81	1.39	1.30
3	A	502	FAD	C10-N1	3.73	1.40	1.33
3	A	502	FAD	O2B-C2B	3.72	1.52	1.43
2	A	501	26J	CBA-CAZ	-3.63	1.42	1.48
2	B	501	26J	CAY-SAV	-3.55	1.68	1.76
3	B	502	FAD	C4A-N9A	-3.54	1.30	1.37
3	B	502	FAD	C5A-N7A	-3.28	1.33	1.39
3	A	502	FAD	C6-C7	3.18	1.44	1.39
3	B	502	FAD	C8-C7	3.18	1.48	1.40
3	B	502	FAD	PA-O3P	3.07	1.62	1.59
2	A	501	26J	CAY-SAV	-3.00	1.70	1.76
3	B	502	FAD	C6-C5X	2.95	1.44	1.40
3	B	502	FAD	C8A-N7A	2.87	1.37	1.31
2	A	501	26J	CAY-NBF	2.72	1.40	1.34
3	B	502	FAD	C5X-N5	-2.70	1.34	1.39
3	B	502	FAD	C2A-N1A	2.69	1.38	1.33
2	A	501	26J	CAJ-CAX	2.65	1.43	1.39
3	B	502	FAD	C5A-C6A	2.58	1.48	1.41
3	A	502	FAD	C1'-C2'	-2.57	1.49	1.52
3	A	502	FAD	C8-C7	2.56	1.47	1.40
3	B	502	FAD	P-O2P	-2.41	1.44	1.55
3	A	502	FAD	C5A-C6A	2.38	1.47	1.41
2	A	501	26J	CAL-NBF	2.35	1.51	1.47
3	B	502	FAD	C10-N1	2.28	1.37	1.33
3	A	502	FAD	C2A-N3A	2.19	1.37	1.33
3	A	502	FAD	C7M-C7	2.17	1.55	1.51
3	A	502	FAD	C10-N10	2.09	1.41	1.37
3	A	502	FAD	O3B-C3B	2.07	1.48	1.43

All (83) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	26J	SAV-CAY-NBF	8.17	118.85	113.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	26J	CAN-NBH-CAO	6.74	123.37	108.84
2	A	501	26J	SAV-CAY-NBF	6.30	117.66	113.67
3	A	502	FAD	C4-C4X-N5	5.67	126.05	118.21
2	B	501	26J	CAL-CAN-NBH	-5.31	99.94	110.65
2	B	501	26J	CAL-NBF-CAM	5.21	123.31	112.68
3	A	502	FAD	O4'-C4'-C5'	-4.86	99.28	109.99
2	B	501	26J	CAN-NBH-C30	4.82	124.70	111.35
2	B	501	26J	CBA-CAZ-NAR	4.74	127.12	118.33
3	B	502	FAD	O4-C4-C4X	-4.69	114.14	126.53
3	B	502	FAD	C5X-C9A-N10	4.61	122.14	117.97
3	A	502	FAD	C5X-C9A-N10	-4.57	113.84	117.97
2	B	501	26J	CAM-CAO-NBH	-4.48	101.62	110.65
3	A	502	FAD	C5A-C4A-N3A	-4.44	120.60	126.72
2	B	501	26J	CAO-CAM-NBF	-4.26	101.95	110.42
3	A	502	FAD	C5X-N5-C4X	4.11	124.74	118.09
3	B	502	FAD	C5A-C4A-N3A	-4.06	121.12	126.72
3	A	502	FAD	O2'-C2'-C3'	-3.96	99.99	109.25
2	B	501	26J	CAN-NBH-CAO	3.93	117.31	108.84
3	A	502	FAD	N3A-C2A-N1A	-3.88	122.70	128.58
3	B	502	FAD	O4'-C4'-C3'	3.85	118.26	109.25
3	A	502	FAD	O4-C4-C4X	-3.65	116.89	126.53
3	A	502	FAD	C5B-C4B-C3B	-3.63	102.14	115.21
3	B	502	FAD	N3A-C2A-N1A	-3.56	123.19	128.58
2	A	501	26J	CAO-CAM-NBF	-3.49	103.47	110.42
2	A	501	26J	FAG-CBG-CAW	-3.49	105.43	112.90
3	B	502	FAD	O2-C2-N1	-3.47	116.03	121.80
3	A	502	FAD	C10-C4X-N5	-3.46	117.73	124.81
2	A	501	26J	CBA-CAZ-NAR	3.44	124.71	118.33
2	B	501	26J	NBF-CAY-NAR	3.41	122.57	115.46
2	B	501	26J	CBA-CBB-SAV	-3.34	117.49	122.11
2	A	501	26J	CAN-CAL-NBF	-3.31	103.84	110.42
3	A	502	FAD	N3A-C4A-N9A	3.19	132.60	127.17
2	B	501	26J	OAD-CAZ-NAR	-3.19	115.38	120.23
2	A	501	26J	NBF-CAY-NAR	3.13	121.98	115.46
3	A	502	FAD	C2A-N3A-C4A	3.13	119.47	111.83
3	A	502	FAD	C1'-C2'-C3'	-3.04	101.43	109.66
3	B	502	FAD	O4-C4-N3	2.94	125.64	120.11
2	A	501	26J	C31-C30-NBH	-2.92	109.43	114.06
3	B	502	FAD	N3A-C4A-N9A	2.88	132.07	127.17
3	B	502	FAD	C4A-C5A-N7A	-2.86	107.32	110.58
3	B	502	FAD	O3'-C3'-C2'	-2.82	102.52	108.93
3	A	502	FAD	C4X-C4-N3	2.79	120.36	113.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	26J	CAN-CAL-NBF	-2.79	104.88	110.42
2	A	501	26J	CAN-NBH-C30	2.78	119.06	111.35
3	A	502	FAD	C4A-C5A-N7A	-2.78	107.40	110.58
3	A	502	FAD	C4-N3-C2	-2.77	120.72	125.64
2	A	501	26J	CAK-CAW-CBG	-2.76	115.91	119.57
3	A	502	FAD	O4B-C4B-C3B	2.74	110.58	105.15
3	B	502	FAD	C4X-C4-N3	2.73	120.21	113.25
3	B	502	FAD	C2A-N1A-C6A	2.72	123.19	118.73
3	B	502	FAD	C2A-N3A-C4A	2.69	118.41	111.83
3	A	502	FAD	C9A-N10-C10	2.68	124.84	120.75
2	A	501	26J	OAD-CAZ-CBA	-2.67	117.03	121.33
3	A	502	FAD	O4'-C4'-C3'	-2.62	103.11	109.25
2	A	501	26J	CBA-CBB-SAV	-2.57	118.56	122.11
3	A	502	FAD	C9-C9A-N10	2.57	125.31	121.85
3	B	502	FAD	C2B-C1B-N9A	-2.55	106.98	113.30
3	B	502	FAD	C9A-N10-C10	-2.53	116.89	120.75
3	B	502	FAD	C4-N3-C2	-2.53	121.14	125.64
3	A	502	FAD	C9A-C5X-N5	-2.53	119.77	122.45
3	A	502	FAD	N9A-C8A-N7A	-2.52	110.36	113.94
3	A	502	FAD	O3B-C3B-C4B	-2.52	103.85	111.08
3	A	502	FAD	C5A-N7A-C8A	2.49	107.37	103.45
2	A	501	26J	CAX-CAJ-CAW	-2.45	116.69	120.60
2	B	501	26J	OAD-CAZ-CBA	-2.39	117.48	121.33
3	B	502	FAD	C8M-C8-C9	-2.38	115.38	119.57
3	A	502	FAD	O3P-P-O1P	-2.35	103.62	110.70
2	A	501	26J	C34-C35-C36	2.34	116.22	111.42
3	A	502	FAD	N6A-C6A-N1A	2.30	123.50	118.38
2	A	501	26J	CAL-NBF-CAM	2.28	117.33	112.68
3	B	502	FAD	C4A-N9A-C8A	2.27	108.12	105.74
2	A	501	26J	CAO-NBH-C30	2.23	117.55	111.35
2	B	501	26J	CAO-NBH-C30	2.20	117.46	111.35
2	B	501	26J	CAK-CAW-CBG	2.16	122.43	119.57
3	B	502	FAD	C4A-N9A-C1B	-2.12	121.67	126.63
2	B	501	26J	FAG-CBG-CAW	-2.10	108.40	112.90
2	A	501	26J	CAL-CAN-NBH	2.03	114.74	110.65
3	B	502	FAD	C5A-N7A-C8A	2.02	106.63	103.45
4	B	503	GOL	C3-C2-C1	-2.02	104.38	111.80
3	A	502	FAD	O2-C2-N1	-2.02	118.45	121.80
3	A	502	FAD	C4A-N9A-C8A	2.02	107.86	105.74
3	B	502	FAD	N9A-C8A-N7A	-2.02	111.07	113.94

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	503	GOL	C1-C2-C3-O3
4	B	503	GOL	O1-C1-C2-O2
4	B	503	GOL	O1-C1-C2-C3
4	A	503	GOL	O2-C2-C3-O3
2	B	501	26J	C31-C30-NBH-CAO
2	A	501	26J	NBH-C30-C31-C36
3	A	502	FAD	PA-O3P-P-O1P
2	A	501	26J	C31-C30-NBH-CAO
3	A	502	FAD	PA-O3P-P-O2P
3	A	502	FAD	O4'-C4'-C5'-O5'
4	A	504	GOL	O1-C1-C2-O2
3	A	502	FAD	O3'-C3'-C4'-C5'


There are no ring outliers.

6 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	26J	1	0
4	A	504	GOL	1	0
5	B	504	IMD	2	0
2	A	501	26J	3	0
4	B	503	GOL	3	0
4	A	503	GOL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 26J B 501



Ligand FAD B 502





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	428/481 (88%)	0.05	17 (3%) 42 45	19, 31, 63, 108	0
1	B	413/481 (85%)	0.30	14 (3%) 48 53	21, 37, 69, 106	0
All	All	841/962 (87%)	0.17	31 (3%) 45 49	19, 33, 66, 108	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	297	TYR	6.8
1	B	296	TRP	4.9
1	A	314	TYR	4.4
1	A	7	THR	4.2
1	B	46	GLY	4.2
1	A	267	PHE	3.9
1	A	461	LEU	3.7
1	A	313	PHE	3.6
1	B	270	PRO	3.6
1	A	6	ALA	3.5
1	B	47	GLY	3.4
1	A	284	ALA	3.3
1	A	46	GLY	3.2
1	A	311	THR	3.1
1	B	461	LEU	3.0
1	A	362	PHE	2.9
1	B	362	PHE	2.9
1	A	297	TYR	2.6
1	B	269	ALA	2.5
1	B	48	GLY	2.4
1	A	48	GLY	2.4
1	A	289	PHE	2.3
1	B	331	GLY	2.3
1	B	447	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	20	ALA	2.2
1	A	310	LEU	2.2
1	B	16	TRP	2.2
1	A	47	GLY	2.2
1	A	270	PRO	2.2
1	B	363	LEU	2.1
1	B	37	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	A	503	6/6	0.81	0.17	61,63,66,81	0
4	GOL	B	503	6/6	0.83	0.12	40,44,60,61	0
4	GOL	A	504	6/6	0.85	0.17	54,75,77,90	0
4	GOL	A	505	6/6	0.86	0.13	54,66,70,76	0
2	26J	A	501	30/30	0.92	0.14	32,38,88,92	0
2	26J	B	501	30/30	0.93	0.13	33,43,87,88	0
5	IMD	B	504	5/5	0.93	0.11	44,45,46,53	0
3	FAD	B	502	53/53	0.98	0.05	21,28,32,33	0
3	FAD	A	502	53/53	0.98	0.04	17,23,25,27	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 26J A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 26J B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.