



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:41 PM UTC

PDB ID : 4WAS / pdb_00004was
Title : STRUCTURE OF THE ETR1P/NADP/CROTONYL-COA COMPLEX
Authors : Quade, N.; Voegeli, B.; Rosenthal, R.; Capitani, G.; Erb, T.J.
Deposited on : 2014-08-31
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	364	<div> <div>3%</div> <div>90%</div> <div>10%</div> </div>
1	B	364	<div> <div>16%</div> <div>87%</div> <div>13%</div> </div>
1	C	364	<div> <div>13%</div> <div>88%</div> <div>12%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	COO	A	402	X	-	-	-
3	COO	B	402[A]	X	-	-	-
3	COO	B	402[B]	X	-	-	-

2 Entry composition ⓘ


There are 4 unique types of molecules in this entry. The entry contains 10132 atoms, of which 1035 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enoyl-[acyl-carrier-protein] reductase [NADPH, B-specific] 1, mitochondrial.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	364	Total	C	H	N	O	S	0	0	0
			3133	1768	345	466	548	6			
1	B	364	Total	C	H	N	O	S	0	2	0
			3153	1779	345	471	552	6			
1	C	364	Total	C	H	N	O	S	0	0	0
			3133	1768	345	466	548	6			

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is CROTONYL COENZYME A (CCD ID: COO) (formula: $C_{25}H_{40}N_7O_{17}P_3S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	0	0
			31	15	2	11	2	1		
3	B	1	Total	C	N	O	P	S	0	1
			43	23	3	13	2	2		
3	C	1	Total	C	N	O	S		0	0
			12	8	1	2	1			


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	175	Total	O	0	0
			175	175		
4	B	147	Total	O	0	0
			147	147		
4	C	161	Total	O	0	0
			161	161		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADPH, B-specific] 1, mitochondrial




- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADPH, B-specific] 1, mitochondrial



- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADPH, B-specific] 1, mitochondrial





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	147.92Å 106.14Å 94.41Å 90.00° 98.41° 90.00°	Depositor
Resolution (Å)	37.81 – 1.70 37.81 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.0 (37.81-1.70) 99.0 (37.81-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.01 (at 1.70Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, R_{free}	0.188 , 0.224 (Not available) , 0.237	Depositor DCC
R_{free} test set	1097 reflections (0.70%)	wwPDB-VP
Wilson B-factor (Å ²)	36.1	Xtriage
Anisotropy	0.451	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 49.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10132	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, COO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/2847	0.77	1/3870 (0.0%)
1	B	0.48	0/2867	0.75	2/3896 (0.1%)
1	C	0.48	0/2847	0.74	0/3870
All	All	0.49	0/8561	0.75	3/11636 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	172	ASN	CA-C-N	-5.39	113.48	119.19
1	B	172	ASN	C-N-CA	-5.39	113.48	119.19
1	A	250	SER	N-CA-C	5.01	116.47	108.41

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2788	345	2767	23	0
1	B	2808	345	2784	28	0
1	C	2788	345	2767	33	0
2	A	48	0	25	2	0
2	B	48	0	25	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	48	0	25	1	0
3	A	31	0	25	0	0
3	B	43	0	28	1	0
3	C	12	0	10	1	0
4	A	175	0	0	4	0
4	B	147	0	0	4	0
4	C	161	0	0	3	0
All	All	9097	1035	8456	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:54:ALA:HB1	1:C:55:PRO:HD2	1.59	0.84
1:B:211:LYS:HE3	1:B:238:GLY:HA2	1.61	0.80
1:B:224:ARG:HD2	1:B:230:VAL:HG21	1.68	0.76
1:B:54:ALA:HB3	1:B:57:GLU:HG3	1.66	0.75
1:C:224:ARG:HD2	1:C:230:VAL:HG21	1.67	0.75
1:B:285[A]:ARG:NH2	4:B:641:HOH:O	2.19	0.74
1:A:296:TYR:O	2:A:401:NAP:H2N	1.93	0.68
1:C:364:LYS:HG3	1:C:369:LEU:HD11	1.80	0.63
1:B:211:LYS:HE3	1:B:238:GLY:CA	2.29	0.63
1:C:296:TYR:O	2:C:401:NAP:H2N	2.04	0.58
1:A:175:THR:HG22	1:A:179:MET:HE2	1.84	0.58
1:B:182:HIS:ND1	4:B:585:HOH:O	2.32	0.58
1:B:296:TYR:O	2:B:401:NAP:H2N	2.04	0.57
1:B:211:LYS:NZ	1:B:236:GLU:O	2.37	0.57
1:C:174:LEU:HD22	1:C:337:THR:HG22	1.87	0.57
1:C:54:ALA:HB3	1:C:57:GLU:HG3	1.89	0.55
1:A:257:ILE:HD12	1:A:286:LYS:HE3	1.88	0.55
3:B:402[B]:COO:H103	4:B:583:HOH:O	2.06	0.55
1:B:175:THR:HG22	1:B:179:MET:HE2	1.89	0.54
1:B:224:ARG:HB2	1:B:225:PRO:HD2	1.88	0.54
1:B:23:MET:HE2	1:B:47:GLU:HB3	1.90	0.53
1:C:50:ASP:HB2	1:C:108:LYS:HD2	1.91	0.53
1:C:165:GLN:HG2	1:C:352:ASP:HB3	1.91	0.52
1:C:364:LYS:HG3	1:C:369:LEU:CD1	2.39	0.51
1:A:257:ILE:CD1	1:A:286:LYS:HE3	2.41	0.50
1:C:133:ARG:HD2	1:C:135:HIS:O	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:364:LYS:HE3	1:B:368:GLU:HB3	1.93	0.50
1:C:54:ALA:HB3	1:C:57:GLU:CG	2.42	0.50
1:C:155:ASN:O	1:C:155:ASN:ND2	2.34	0.50
1:A:53:LEU:HD21	1:A:59:ILE:HG13	1.94	0.49
1:A:364:LYS:HE2	1:A:368:GLU:HB3	1.94	0.49
1:C:70:SER:HB3	3:C:402:COO:C9	2.43	0.48
1:B:357[A]:GLU:HA	1:B:383:LEU:O	2.14	0.48
1:C:157:LYS:HZ3	1:C:157:LYS:HA	1.79	0.48
1:A:229:GLU:HG3	4:A:649:HOH:O	2.14	0.48
1:B:54:ALA:HB3	1:B:57:GLU:CG	2.39	0.48
1:A:193:PHE:CE1	1:A:217:SER:HB3	2.49	0.47
1:C:274:CYS:HB3	1:C:296:TYR:CZ	2.50	0.46
1:B:330:ASN:OD1	1:B:332:GLU:HG2	2.15	0.46
1:A:281:THR:HG23	1:A:307:PRO:HD3	1.97	0.46
1:A:54:ALA:HB3	1:A:57:GLU:HG3	1.98	0.46
1:A:259:GLU:O	1:A:263:GLN:HG2	2.16	0.46
1:A:364:LYS:HE3	1:A:368:GLU:OE1	2.16	0.46
1:B:133:ARG:HD2	1:B:135:HIS:O	2.16	0.46
1:B:332:GLU:H	1:B:332:GLU:CD	2.24	0.46
1:A:274:CYS:HB3	1:A:296:TYR:CZ	2.50	0.46
1:C:61:LYS:HB3	1:C:61:LYS:HE3	1.76	0.45
1:C:63:LEU:HD11	1:C:105:GLU:HB2	1.99	0.45
1:B:252:GLU:OE1	4:B:600:HOH:O	2.21	0.45
1:C:61:LYS:HG2	4:C:660:HOH:O	2.15	0.45
1:B:60:VAL:HB	1:B:104:PHE:HB3	1.97	0.45
1:A:74:GLN:HA	1:A:79:TYR:HB3	1.99	0.44
1:C:175:THR:HG22	1:C:179:MET:HE2	1.99	0.44
1:C:148:ASN:HB2	1:C:149:PRO:CD	2.46	0.44
1:B:324:THR:O	1:B:328:LYS:HB2	2.18	0.44
1:C:139:ASN:O	1:C:142:ASP:HB2	2.17	0.44
1:B:274:CYS:HB3	1:B:296:TYR:CZ	2.53	0.43
1:C:54:ALA:HB1	1:C:55:PRO:CD	2.40	0.43
1:B:140:ASP:OD1	1:B:140:ASP:N	2.51	0.43
1:B:282:GLY:O	1:B:286:LYS:HG2	2.19	0.43
1:A:171:VAL:HG12	2:A:401:NAP:H5N	2.01	0.42
1:C:146:LEU:CD2	1:C:342:ILE:HD11	2.49	0.42
1:A:300:SER:O	1:A:301:PHE:HB2	2.19	0.42
1:C:157:LYS:HD3	1:C:346:GLU:OE1	2.20	0.42
1:A:60:VAL:HB	1:A:104:PHE:HB3	2.02	0.42
1:A:165:GLN:HG2	1:A:352:ASP:HB3	2.01	0.42
1:C:62:THR:O	1:C:386:TYR:HB2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:157:LYS:H	1:C:157:LYS:HG2	1.67	0.42
1:B:27:GLN:HG3	1:B:360:TYR:OH	2.20	0.41
1:C:148:ASN:OD1	1:C:151:GLN:HG3	2.20	0.41
1:A:121:TRP:CH2	1:A:163:ILE:HD13	2.55	0.41
1:B:53:LEU:HD21	1:B:59:ILE:HG13	2.03	0.41
1:A:252:GLU:HG2	4:A:566:HOH:O	2.21	0.41
1:A:293:MET:HG2	4:A:579:HOH:O	2.21	0.41
1:C:23:MET:HE3	1:C:47:GLU:HB3	2.01	0.41
1:C:262:LYS:HD3	4:C:587:HOH:O	2.21	0.41
1:C:281:THR:HG23	1:C:307:PRO:HD3	2.01	0.41
1:B:93:GLU:HG3	1:B:94:PRO:HD2	2.02	0.41
1:C:74:GLN:HA	1:C:79:TYR:HB3	2.01	0.41
4:A:523:HOH:O	1:C:235:LYS:HE3	2.21	0.40
1:C:285:ARG:NH1	4:C:503:HOH:O	2.54	0.40
1:A:149:PRO:HG3	1:A:161:LEU:O	2.22	0.40
1:A:211:LYS:HB2	1:A:238:GLY:HA3	2.02	0.40
1:B:186:LEU:HD12	1:B:215:PHE:CD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	362/364 (100%)	354 (98%)	8 (2%)	0	100	100
1	B	364/364 (100%)	353 (97%)	11 (3%)	0	100	100
1	C	362/364 (100%)	352 (97%)	10 (3%)	0	100	100
All	All	1088/1092 (100%)	1059 (97%)	29 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	307/307 (100%)	306 (100%)	1 (0%)	86	83
1	B	309/307 (101%)	305 (99%)	4 (1%)	61	48
1	C	307/307 (100%)	304 (99%)	3 (1%)	68	58
All	All	923/921 (100%)	915 (99%)	8 (1%)	70	62

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	224	ARG
1	B	33	GLN
1	B	153	LYS
1	B	251	ARG
1	B	359	LEU
1	C	53	LEU
1	C	155	ASN
1	C	157	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	139	ASN
1	B	329	ASN
1	C	27	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAP	C	401	-	50,52,52	2.17	14 (28%)	71,80,80	2.24	19 (26%)
3	COO	C	402	-	9,11,55	1.72	2 (22%)	9,12,81	3.27	3 (33%)
2	NAP	A	401	-	50,52,52	2.17	14 (28%)	71,80,80	2.32	19 (26%)
3	COO	A	402	-	25,30,55	1.70	4 (16%)	35,42,81	1.67	4 (11%)
2	NAP	B	401	-	50,52,52	2.19	16 (32%)	71,80,80	2.20	20 (28%)
3	COO	B	402[B]	-	25,30,55	1.69	4 (16%)	35,42,81	1.70	2 (5%)
3	COO	B	402[A]	-	25,30,55	1.69	4 (16%)	35,42,81	1.60	3 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	C	401	-	-	3/35/67/67	0/5/5/5
3	COO	C	402	-	-	4/10/10/70	-
2	NAP	A	401	-	-	2/35/67/67	0/5/5/5
3	COO	A	402	-	1/1/7/16	6/39/39/70	-
2	NAP	B	401	-	-	6/35/67/67	0/5/5/5
3	COO	B	402[B]	-	1/1/7/16	13/39/39/70	-
3	COO	B	402[A]	-	1/1/7/16	12/39/39/70	-

All (58) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	NAP	C2N-N1N	5.76	1.41	1.35
2	C	401	NAP	C7N-N7N	5.35	1.42	1.33
2	A	401	NAP	C7N-N7N	5.21	1.42	1.33
2	C	401	NAP	C2N-N1N	5.11	1.40	1.35
2	B	401	NAP	C7N-N7N	5.08	1.42	1.33
2	C	401	NAP	O4D-C1D	5.06	1.47	1.40
3	A	402	COO	C4-N2	5.03	1.45	1.33
2	B	401	NAP	O4D-C1D	4.97	1.47	1.40
3	B	402[A]	COO	C4-N2	4.95	1.45	1.33
3	B	402[B]	COO	C4-N2	4.94	1.45	1.33
2	B	401	NAP	C2N-N1N	4.91	1.40	1.35
2	A	401	NAP	C8A-N9A	-4.47	1.29	1.37
3	A	402	COO	C1-N1	4.43	1.44	1.33
3	B	402[A]	COO	C1-N1	4.37	1.43	1.33
3	B	402[B]	COO	C1-N1	4.37	1.43	1.33
2	A	401	NAP	O4D-C1D	4.29	1.46	1.40
2	B	401	NAP	C6N-N1N	4.18	1.44	1.35
2	C	401	NAP	C8A-N9A	-4.13	1.30	1.37
3	C	402	COO	C4-N2	4.12	1.45	1.34
2	A	401	NAP	C5A-N7A	4.07	1.46	1.39
2	B	401	NAP	C5A-N7A	4.07	1.46	1.39
2	B	401	NAP	C8A-N9A	-3.91	1.30	1.37
2	C	401	NAP	C6N-N1N	3.91	1.44	1.35
2	B	401	NAP	C8A-N7A	3.68	1.38	1.31
2	A	401	NAP	C6N-N1N	3.62	1.43	1.35
2	C	401	NAP	C8A-N7A	3.56	1.38	1.31
2	A	401	NAP	C8A-N7A	3.49	1.38	1.31
2	A	401	NAP	O4B-C1B	3.45	1.50	1.42
2	C	401	NAP	O4B-C1B	3.41	1.49	1.42
2	C	401	NAP	C5A-N7A	3.39	1.45	1.39
2	B	401	NAP	C2B-C1B	-3.37	1.44	1.53
2	C	401	NAP	C2B-C1B	-3.32	1.44	1.53
2	B	401	NAP	C5A-C4A	3.32	1.45	1.39
2	A	401	NAP	C2B-C1B	-3.32	1.45	1.53
2	B	401	NAP	C6A-N6A	3.25	1.42	1.34
2	C	401	NAP	C5A-C4A	3.21	1.44	1.39
2	C	401	NAP	C6A-N6A	3.19	1.42	1.34
2	B	401	NAP	O4B-C1B	3.01	1.49	1.42
2	C	401	NAP	C3B-C4B	-2.99	1.45	1.53
2	A	401	NAP	C3B-C4B	-2.87	1.45	1.53
2	B	401	NAP	C3B-C4B	-2.86	1.45	1.53
2	A	401	NAP	C5A-C4A	2.81	1.44	1.39
2	A	401	NAP	C6A-N6A	2.71	1.41	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	NAP	C2D-C3D	-2.43	1.46	1.53
2	A	401	NAP	C5N-C4N	2.38	1.43	1.38
2	B	401	NAP	C2D-C3D	-2.38	1.46	1.53
2	C	401	NAP	C2D-C3D	-2.37	1.46	1.53
3	B	402[A]	COO	P1A-O5X	2.29	1.63	1.54
3	B	402[B]	COO	P1A-O5X	2.29	1.63	1.54
3	A	402	COO	P1A-O5X	2.25	1.63	1.54
3	A	402	COO	C12-C11	2.22	1.56	1.52
3	B	402[A]	COO	P2A-O3A	2.14	1.61	1.59
3	B	402[B]	COO	P2A-O3A	2.14	1.61	1.59
2	C	401	NAP	C5N-C4N	2.12	1.42	1.38
2	B	401	NAP	C5N-C4N	2.10	1.42	1.38
2	B	401	NAP	C2N-C3N	2.09	1.42	1.39
3	C	402	COO	C3-C4	2.08	1.54	1.50
2	B	401	NAP	C4N-C3N	2.06	1.42	1.39

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	NAP	C4A-N9A-C8A	10.92	117.20	105.74
2	B	401	NAP	C4A-N9A-C8A	10.18	116.43	105.74
2	C	401	NAP	C4A-N9A-C8A	9.68	115.91	105.74
3	C	402	COO	C6-S1-C7	8.39	109.74	99.85
3	B	402[B]	COO	C6-S1-C7	7.82	109.07	99.85
3	A	402	COO	C6-S1-C7	7.14	108.26	99.85
3	B	402[A]	COO	C6-S1-C7	6.57	107.59	99.85
2	C	401	NAP	N3A-C4A-N9A	5.75	136.95	127.17
2	A	401	NAP	N3A-C4A-N9A	5.69	136.84	127.17
2	A	401	NAP	C4D-O4D-C1D	-5.23	105.14	109.92
2	C	401	NAP	C5A-C4A-N3A	-5.18	119.58	126.72
2	C	401	NAP	C4D-O4D-C1D	-4.97	105.37	109.92
2	B	401	NAP	N3A-C4A-N9A	4.79	135.31	127.17
2	B	401	NAP	N9A-C8A-N7A	-4.64	107.36	113.94
2	A	401	NAP	C5A-C4A-N3A	-4.59	120.40	126.72
2	A	401	NAP	N9A-C8A-N7A	-4.58	107.44	113.94
2	C	401	NAP	N9A-C8A-N7A	-4.21	107.96	113.94
2	A	401	NAP	N3A-C2A-N1A	-4.11	122.37	128.58
2	B	401	NAP	C5A-C4A-N3A	-4.06	121.13	126.72
2	B	401	NAP	C4A-C5A-N7A	-4.04	105.96	110.58
2	C	401	NAP	N3A-C2A-N1A	-4.00	122.52	128.58
2	B	401	NAP	N3A-C2A-N1A	-3.75	122.91	128.58
2	C	401	NAP	C4A-C5A-N7A	-3.59	106.48	110.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	NAP	C2A-N3A-C4A	3.56	120.54	111.83
2	A	401	NAP	C2A-N3A-C4A	3.35	120.02	111.83
2	B	401	NAP	C6N-N1N-C2N	-3.35	119.03	121.88
2	A	401	NAP	C4A-C5A-N7A	-3.33	106.77	110.58
2	B	401	NAP	C4D-O4D-C1D	-3.30	106.91	109.92
2	A	401	NAP	C6N-N1N-C2N	-3.29	119.08	121.88
2	B	401	NAP	O7N-C7N-N7N	-3.26	117.90	122.62
2	A	401	NAP	O2N-PN-O3	3.19	115.88	107.27
2	C	401	NAP	O2N-PN-O3	3.12	115.71	107.27
3	A	402	COO	C6-C5-N2	-3.09	105.96	112.41
2	B	401	NAP	C6A-C5A-N7A	3.07	138.01	132.09
2	B	401	NAP	C4A-N9A-C1B	-3.07	119.46	126.63
3	B	402[A]	COO	C10-C9-C8	-3.05	119.15	125.28
3	C	402	COO	C3-C4-N2	3.03	121.29	116.12
2	C	401	NAP	C6N-N1N-C2N	-3.00	119.32	121.88
3	A	402	COO	C10-C9-C8	-2.87	119.50	125.28
2	B	401	NAP	O7N-C7N-C3N	2.84	123.07	119.60
2	B	401	NAP	C2A-N3A-C4A	2.83	118.73	111.83
2	A	401	NAP	C5A-C4A-N9A	-2.80	102.76	105.81
2	C	401	NAP	O2X-P2B-O2B	2.71	116.40	105.85
2	B	401	NAP	C2A-N1A-C6A	2.69	123.16	118.73
2	A	401	NAP	C6A-C5A-N7A	2.64	137.19	132.09
2	C	401	NAP	C1B-N9A-C8A	-2.62	121.28	127.09
2	C	401	NAP	C2B-C3B-C4B	2.58	107.54	101.99
2	A	401	NAP	C1B-N9A-C8A	-2.47	121.62	127.09
3	B	402[B]	COO	C10-C9-C8	-2.44	120.36	125.28
2	A	401	NAP	C4A-N9A-C1B	-2.41	121.00	126.63
2	C	401	NAP	C6A-C5A-N7A	2.40	136.72	132.09
3	B	402[A]	COO	C3-C2-N1	-2.37	106.95	112.00
2	B	401	NAP	C2B-C1B-N9A	2.35	117.62	113.75
2	A	401	NAP	C2B-C1B-N9A	2.35	117.62	113.75
3	C	402	COO	C5-N2-C4	-2.32	119.14	122.56
2	C	401	NAP	O3X-P2B-O2B	2.29	114.78	105.85
2	A	401	NAP	C4B-O4B-C1B	-2.29	104.42	109.47
2	B	401	NAP	C6N-C5N-C4N	2.19	122.61	119.45
2	A	401	NAP	C2N-C3N-C4N	2.17	120.78	118.26
3	A	402	COO	O1A-P1A-O3A	2.16	111.88	104.64
2	C	401	NAP	C5A-C4A-N9A	-2.15	103.47	105.81
2	A	401	NAP	C2B-C3B-C4B	2.15	106.61	101.99
2	C	401	NAP	C5N-C4N-C3N	-2.15	118.25	120.36
2	B	401	NAP	C4B-O4B-C1B	-2.08	104.88	109.47
2	B	401	NAP	C5A-C4A-N9A	-2.06	103.56	105.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	NAP	C3B-C2B-C1B	2.06	106.75	102.81
2	B	401	NAP	C5A-N7A-C8A	2.05	106.67	103.45
2	B	401	NAP	O2N-PN-O3	2.03	112.75	107.27
2	C	401	NAP	C2A-N1A-C6A	2.01	122.03	118.73
2	A	401	NAP	O3X-P2B-O2B	2.01	113.68	105.85

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	402	COO	C13
3	B	402[A]	COO	C13
3	B	402[B]	COO	C13

All (46) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	401	NAP	O4D-C1D-N1N-C6N
3	A	402	COO	C5-C6-S1-C7
3	A	402	COO	O4-C7-S1-C6
3	A	402	COO	C8-C7-S1-C6
3	B	402[A]	COO	C14-C11-C13-O1
3	B	402[A]	COO	C12-C11-C13-O1
3	B	402[A]	COO	C15-C11-C13-O1
3	B	402[A]	COO	C14-C11-C13-C1
3	B	402[A]	COO	C12-C11-C13-C1
3	B	402[A]	COO	C15-C11-C13-C1
3	B	402[A]	COO	S1-C7-C8-C9
3	B	402[B]	COO	C14-C11-C13-O1
3	B	402[B]	COO	C12-C11-C13-O1
3	B	402[B]	COO	C15-C11-C13-O1
3	B	402[B]	COO	C14-C11-C13-C1
3	B	402[B]	COO	C12-C11-C13-C1
3	B	402[B]	COO	C15-C11-C13-C1
3	B	402[B]	COO	N2-C5-C6-S1
3	B	402[B]	COO	O4-C7-S1-C6
3	C	402	COO	N2-C5-C6-S1
3	C	402	COO	C5-C6-S1-C7
3	C	402	COO	O4-C7-S1-C6
3	C	402	COO	C8-C7-S1-C6
3	B	402[A]	COO	P1A-O3A-P2A-O4A
3	B	402[B]	COO	P1A-O3A-P2A-O4A
3	B	402[A]	COO	N2-C5-C6-S1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	402[B]	COO	C8-C7-S1-C6
3	B	402[A]	COO	P1A-O3A-P2A-O6A
3	B	402[B]	COO	P1A-O3A-P2A-O6A
3	A	402	COO	P1A-O3A-P2A-O4A
3	A	402	COO	N2-C5-C6-S1
3	B	402[A]	COO	O4-C7-C8-C9
3	B	402[B]	COO	C6-C5-N2-C4
2	A	401	NAP	O4D-C1D-N1N-C2N
2	B	401	NAP	O4D-C1D-N1N-C2N
2	C	401	NAP	O4D-C1D-N1N-C2N
2	A	401	NAP	C2B-O2B-P2B-O1X
2	B	401	NAP	C2B-O2B-P2B-O1X
3	B	402[B]	COO	C3-C2-N1-C1
2	C	401	NAP	O4B-C4B-C5B-O5B
2	B	401	NAP	PA-O3-PN-O1N
2	B	401	NAP	PA-O3-PN-O2N
2	C	401	NAP	PN-O3-PA-O2A
2	B	401	NAP	O4B-C4B-C5B-O5B
3	B	402[A]	COO	C5-C6-S1-C7
3	A	402	COO	N1-C1-C13-O1


There are no ring outliers.


5 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	401	NAP	1	0
3	C	402	COO	1	0
2	A	401	NAP	2	0
2	B	401	NAP	1	0
3	B	402[B]	COO	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	364/364 (100%)	0.47	12 (3%) 49 53	34, 44, 72, 101	0
1	B	364/364 (100%)	0.92	57 (15%) 5 4	22, 48, 91, 159	2 (0%)
1	C	364/364 (100%)	0.72	46 (12%) 8 7	30, 48, 97, 138	0
All	All	1092/1092 (100%)	0.71	115 (10%) 11 11	22, 46, 91, 159	2 (0%)

All (115) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	24	ILE	6.4
1	B	359	LEU	4.9
1	B	23	MET	4.9
1	B	53	LEU	4.5
1	B	113	VAL	4.5
1	C	53	LEU	4.5
1	B	109	VAL	4.2
1	A	107	ILE	4.1
1	C	314	LYS	3.9
1	C	113	VAL	3.9
1	C	109	VAL	3.8
1	C	154	ALA	3.8
1	C	107	ILE	3.7
1	B	211	LYS	3.6
1	B	78	VAL	3.6
1	B	378	LYS	3.5
1	B	58	VAL	3.4
1	C	92	THR	3.4
1	A	331	LYS	3.3
1	B	33	GLN	3.1
1	B	137	LEU	3.1
1	B	92	THR	3.1
1	C	122	VAL	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	137	LEU	3.1
1	B	52	ASN	3.0
1	B	51	ASP	3.0
1	B	129	PHE	3.0
1	C	54	ALA	3.0
1	A	85	LYS	3.0
1	A	328	LYS	2.9
1	C	331	LYS	2.9
1	B	87	THR	2.8
1	B	84	ALA	2.8
1	B	110	GLY	2.8
1	C	115	SER	2.8
1	B	45	SER	2.8
1	B	94	PRO	2.8
1	B	107	ILE	2.8
1	B	126	HIS	2.8
1	B	153	LYS	2.7
1	B	190	LYS	2.7
1	C	354	LYS	2.7
1	B	86	THR	2.7
1	B	96	ALA	2.7
1	B	48	ILE	2.7
1	A	61	LYS	2.7
1	B	95	ALA	2.7
1	C	116	LEU	2.7
1	A	314	LYS	2.7
1	C	55	PRO	2.6
1	A	378	LYS	2.6
1	C	146	LEU	2.6
1	B	28	ALA	2.6
1	B	116	LEU	2.6
1	B	61	LYS	2.6
1	B	331	LYS	2.6
1	B	363	THR	2.6
1	B	301	PHE	2.6
1	B	81	SER	2.6
1	B	328	LYS	2.6
1	C	111	SER	2.6
1	C	156	GLY	2.5
1	C	328	LYS	2.5
1	C	58	VAL	2.5
1	B	43	THR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	61	LYS	2.5
1	B	59	ILE	2.5
1	C	251	ARG	2.5
1	A	52	ASN	2.5
1	C	59	ILE	2.5
1	B	54	ALA	2.4
1	B	91	THR	2.4
1	C	50	ASP	2.4
1	C	108	LYS	2.4
1	A	23	MET	2.4
1	B	41	LEU	2.4
1	B	89	PHE	2.4
1	C	150	ALA	2.4
1	C	25	THR	2.4
1	A	347	GLU	2.3
1	C	126	HIS	2.3
1	B	75	ILE	2.3
1	C	52	ASN	2.3
1	A	301	PHE	2.3
1	B	93	GLU	2.3
1	C	378	LYS	2.3
1	B	122	VAL	2.3
1	C	114	SER	2.2
1	B	24	ILE	2.2
1	C	363	THR	2.2
1	B	30	LEU	2.2
1	C	163	ILE	2.2
1	B	46	PHE	2.2
1	C	360	TYR	2.2
1	B	252	GLU	2.1
1	C	112	ASN	2.1
1	C	23	MET	2.1
1	A	58	VAL	2.1
1	C	45	SER	2.1
1	C	49	ASP	2.1
1	B	25	THR	2.1
1	B	88	GLY	2.1
1	C	153	LYS	2.1
1	C	106	VAL	2.1
1	C	64	GLY	2.0
1	C	102	GLY	2.0
1	B	332	GLU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	80	PRO	2.0
1	B	56	ASN	2.0
1	C	121	TRP	2.0
1	B	31	TYR	2.0
1	C	48	ILE	2.0
1	B	111	SER	2.0
1	B	40	VAL	2.0
1	C	262	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	COO	B	402[A]	31/53	0.78	0.24	70,78,89,94	12
3	COO	B	402[B]	31/53	0.78	0.24	65,78,89,94	12
3	COO	C	402	12/53	0.84	0.23	71,73,78,88	0
3	COO	A	402	31/53	0.88	0.16	68,72,77,86	0
2	NAP	C	401	48/48	0.96	0.09	34,43,63,80	0
2	NAP	A	401	48/48	0.97	0.07	33,43,53,56	0
2	NAP	B	401	48/48	0.98	0.07	37,43,55,59	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around COO B 402 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around COO B 402 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around COO C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around COO A 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAP C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP A 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.