



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:47 PM UTC

PDB ID : 4YRY / pdb_00004yry
Title : Insights into flavin-based electron bifurcation via the NADH-dependent reduced ferredoxin-NADP oxidoreductase structure
Authors : Ermler, U.; Thauer, R.K.; Demmer, J.K.; Huang, H.; Wang, S.; Demmer, U.
Deposited on : 2015-03-16
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	<div> <div>62%</div> <div>33%</div> <div>• •</div> </div>
1	C	276	<div> <div>62%</div> <div>30%</div> <div>• •</div> </div>
2	B	468	<div> <div>70%</div> <div>28%</div> <div>•</div> </div>
2	D	468	<div> <div>77%</div> <div>22%</div> <div>•</div> </div>

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 11916 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Dihydroorotate dehydrogenase B (NAD(+)), electron transfer subunit homolog.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C	N	O	S	0	0	0
			2140	1369	359	398	14			
1	C	265	Total	C	N	O	S	0	0	0
			2049	1310	343	383	13			

- Molecule 2 is a protein called Dihydropyrimidine dehydrogenase subunit A.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	468	Total	C	N	O	S	0	0	0
			3625	2295	636	673	21			
2	D	468	Total	C	N	O	S	0	0	0
			3625	2295	636	673	21			

- Molecule 3 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe₂S₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Fe	S	0	0
			4	2	2		
3	C	1	Total	Fe	S	0	0
			4	2	2		

- Molecule 4 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
4	B	1	Total 53	C 27	N 9	O 15	P 2	0	0
4	C	1	Total 53	C 27	N 9	O 15	P 2	0	0
4	D	1	Total 53	C 27	N 9	O 15	P 2	0	0

- Molecule 5 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 44	C 21	N 7	O 14	P 2	0	0
5	D	1	Total 44	C 21	N 7	O 14	P 2	0	0

- Molecule 6 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	Fe	S	0	0
			8	4	4		
6	B	1	Total	Fe	S	0	0
			8	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	Fe	S	0	0
			8	4	4		
6	D	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 7 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	D	1	Total	O	P	0	0
			5	4	1		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	15	Total	O	0	0
			15	15		
8	B	56	Total	O	0	0
			56	56		
8	C	20	Total	O	0	0
			20	20		
8	D	41	Total	O	0	0
			41	41		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Dihydroorotate dehydrogenase B (NAD(+)), electron transfer subunit homolog




- Molecule 1: Dihydroorotate dehydrogenase B (NAD(+)), electron transfer subunit homolog





- Molecule 2: Dihydropyrimidine dehydrogenase subunit A





● Molecule 2: Dihydropyrimidine dehydrogenase subunit A



4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	81.40Å 81.40Å 307.43Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.96 – 2.40 19.96 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.1 (19.96-2.40) 99.1 (19.96-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.05 (at 2.39Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.200 , 0.249 0.201 , 0.249	Depositor DCC
R_{free} test set	3752 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	37.8	Xtriage
Anisotropy	0.517	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 27.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	0.457 for h,-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11916	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: FES, FAD, SF4, PO4, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.30	0/2178	0.86	6/2939 (0.2%)
1	C	0.31	0/2084	0.86	8/2812 (0.3%)
2	B	0.31	0/3697	0.85	9/4994 (0.2%)
2	D	0.31	0/3697	0.81	1/4994 (0.0%)
All	All	0.31	0/11656	0.84	24/15739 (0.2%)

There are no bond length outliers.

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	185	ASP	N-CA-C	9.23	123.85	112.58
2	B	371	ARG	CA-C-N	8.59	129.26	119.99
2	B	371	ARG	C-N-CA	8.59	129.26	119.99
1	C	185	ASP	N-CA-C	7.13	120.29	109.23
2	B	133	LYS	C-N-CD	-6.77	105.72	120.60
2	B	133	LYS	CA-C-N	6.76	143.23	127.00
2	B	133	LYS	C-N-CA	6.76	143.23	127.00
2	D	364	ALA	CB-CA-C	-6.15	109.50	116.63
1	C	264	ARG	N-CA-C	-6.11	105.47	113.17
2	B	464	ASN	CA-C-N	5.82	125.44	119.56
2	B	464	ASN	C-N-CA	5.82	125.44	119.56
1	C	58	LYS	CA-C-N	5.74	125.42	119.05
1	C	58	LYS	C-N-CA	5.74	125.42	119.05
1	C	26	SER	CA-C-N	5.70	125.16	119.24
1	C	26	SER	C-N-CA	5.70	125.16	119.24
2	B	412	GLY	N-CA-C	5.62	121.38	114.69
1	A	184	PHE	N-CA-C	5.54	118.05	107.75
1	C	208	VAL	N-CA-C	5.24	113.64	107.77
1	A	206	PHE	N-CA-C	-5.18	105.31	113.02
1	A	186	ILE	N-CA-C	5.15	115.14	108.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	58	LYS	CA-C-N	5.13	124.74	119.05
1	A	58	LYS	C-N-CA	5.13	124.74	119.05
2	B	378	SER	N-CA-C	-5.09	106.85	113.16
1	C	198	PHE	N-CA-C	5.01	116.55	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2140	0	2188	75	0
1	C	2049	0	2087	57	0
2	B	3625	0	3646	93	1
2	D	3625	0	3646	62	1
3	A	4	0	0	1	0
3	C	4	0	0	1	0
4	A	53	0	31	3	0
4	B	53	0	30	5	0
4	C	53	0	31	0	0
4	D	53	0	31	2	0
5	A	44	0	23	5	0
5	D	44	0	24	3	0
6	B	16	0	0	0	0
6	D	16	0	0	0	0
7	D	5	0	0	0	0
8	A	15	0	0	0	0
8	B	56	0	0	1	0
8	C	20	0	0	0	0
8	D	41	0	0	0	0
All	All	11916	0	11737	273	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (273) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:341:ILE:HD11	2:B:357:VAL:HG13	1.59	0.82
1:A:178:LEU:HB3	1:A:182:ARG:HG2	1.63	0.79
2:B:19:ASN:O	2:B:300:ARG:NH1	2.17	0.77
1:A:171:VAL:HG22	5:A:503:NAD:H8A	1.66	0.76
1:C:180:ARG:HG2	1:C:181:GLU:H	1.51	0.76
1:C:53:THR:HG21	1:C:117:THR:HG23	1.68	0.75
1:A:16:ALA:HB3	1:A:19:VAL:HB	1.71	0.73
1:A:14:LYS:NZ	1:A:17:GLU:O	2.22	0.73
1:C:229:ARG:HH22	2:D:252:TYR:HA	1.55	0.72
2:B:281:LYS:HG2	2:B:305:LYS:HB2	1.72	0.72
2:B:423:THR:HG23	2:B:425:VAL:H	1.57	0.70
1:C:10:VAL:HG12	1:C:11:LYS:HG3	1.73	0.70
1:A:175:MET:HE1	1:A:199:CYS:HA	1.76	0.68
1:C:77:GLU:HG3	1:C:273:ARG:HD2	1.76	0.68
2:D:313:THR:OG1	2:D:314:GLU:N	2.27	0.67
2:D:300:ARG:NH2	2:D:330:GLU:OE2	2.28	0.67
1:A:53:THR:HG21	1:A:117:THR:HG23	1.77	0.67
1:C:192:PRO:HG2	1:C:195:MET:HG2	1.77	0.66
1:C:161:ASP:OD1	1:C:162:ASP:N	2.29	0.66
1:A:18:ASP:OD1	1:A:18:ASP:N	2.29	0.66
1:A:172:THR:HA	1:A:175:MET:HE2	1.78	0.66
2:B:142:LYS:HA	2:B:165:HIS:HB2	1.77	0.66
2:D:35:GLU:HB3	2:D:116:LEU:HD21	1.77	0.65
2:D:290:THR:H	5:D:504:NAD:H4N	1.61	0.65
2:B:300:ARG:NH2	2:B:330:GLU:OE2	2.29	0.65
1:A:229:ARG:NH1	2:B:246:THR:O	2.30	0.65
2:D:183:ILE:O	2:D:190:LYS:NZ	2.29	0.65
1:A:266:GLN:HB2	4:A:502:FAD:H3B	1.80	0.64
1:A:22:PHE:HB2	1:A:66:MET:HG3	1.79	0.64
1:A:212:VAL:HG11	1:A:253:TRP:HH2	1.63	0.63
2:D:294:ALA:HB1	2:D:388:ILE:HD12	1.80	0.63
2:D:311:ARG:HG3	2:D:312:ARG:HG2	1.80	0.62
1:A:13:VAL:HG13	1:A:21:ASP:HB3	1.82	0.62
2:B:236:GLY:HA2	2:B:393:GLN:HB3	1.81	0.61
1:A:31:LYS:HG2	1:A:59:PRO:HB3	1.81	0.61
2:B:3:ASN:OD1	2:B:38:ARG:NH2	2.34	0.61
2:B:35:GLU:OE1	2:B:38:ARG:NH1	2.33	0.61
2:D:426:LYS:H	2:D:426:LYS:HD2	1.65	0.61
1:A:100:ILE:HD13	1:A:124:ALA:HB1	1.83	0.60
1:C:113:VAL:HG13	1:C:192:PRO:HG3	1.83	0.60
1:C:212:VAL:HG11	1:C:253:TRP:HH2	1.65	0.59
2:B:183:ILE:O	2:B:190:LYS:NZ	2.27	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:69:LYS:HB2	1:C:115:ILE:HD11	1.85	0.59
2:D:287:ALA:HB1	2:D:317:MET:HG3	1.85	0.59
2:D:144:ALA:HB3	2:D:229:VAL:HG12	1.85	0.58
2:B:14:GLU:O	2:B:18:ARG:NH1	2.36	0.58
1:C:216:PRO:HG2	1:C:228:CYS:HB2	1.86	0.58
1:A:212:VAL:HG11	1:A:253:TRP:CH2	2.38	0.58
1:A:140:THR:HG22	1:A:141:LYS:H	1.67	0.57
2:B:24:ALA:O	2:B:118:ARG:NH2	2.37	0.57
1:C:18:ASP:OD1	1:C:18:ASP:N	2.35	0.57
1:C:200:THR:HG23	1:C:207:GLY:H	1.70	0.57
2:D:409:ASN:HD21	2:D:413:TYR:HB2	1.68	0.57
1:A:161:ASP:OD1	1:A:162:ASP:N	2.37	0.57
1:C:112:GLY:HA2	1:C:138:ALA:HA	1.86	0.57
1:C:143:TYR:HD1	1:C:144:LEU:HD12	1.70	0.57
2:B:358:ARG:HG2	2:B:378:SER:HB3	1.87	0.56
1:C:161:ASP:HB2	1:C:165:ALA:HB3	1.87	0.56
2:D:400:LEU:HD21	2:D:434:ILE:HD11	1.87	0.56
1:A:117:THR:HB	1:A:190:VAL:HG11	1.87	0.56
1:A:139:ARG:NE	5:A:503:NAD:O1N	2.37	0.56
2:D:178:VAL:HG13	2:D:182:GLY:HA3	1.88	0.56
1:A:262:GLN:HG2	2:B:277:ARG:HD2	1.86	0.56
2:D:93:GLU:HG2	2:D:94:VAL:HG13	1.87	0.56
1:A:107:LEU:HB2	1:A:183:LYS:HD2	1.89	0.55
2:B:16:ARG:HD2	2:B:23:VAL:HG22	1.88	0.55
2:B:143:VAL:HG12	2:B:228:ALA:HB3	1.88	0.55
2:B:22:GLU:HA	2:B:186:PHE:HA	1.88	0.55
2:B:360:GLU:HB3	2:B:375:ILE:HD11	1.89	0.55
2:D:313:THR:HG23	2:D:316:GLU:HG3	1.87	0.55
2:D:348:ASN:O	2:D:350:ASN:N	2.38	0.55
1:C:11:LYS:HB2	1:C:23:TRP:HB2	1.90	0.54
1:C:65:ARG:HH22	1:C:147:VAL:HG21	1.73	0.54
2:B:409:ASN:OD1	2:B:413:TYR:N	2.41	0.53
1:C:180:ARG:HG2	1:C:181:GLU:N	2.20	0.53
2:D:283:ALA:HB2	2:D:384:VAL:HG11	1.89	0.53
1:A:115:ILE:HD13	1:A:136:LEU:HG	1.91	0.53
1:A:151:LYS:O	1:A:155:ASP:N	2.38	0.53
1:C:102:ASN:OD1	1:C:102:ASN:N	2.41	0.53
2:B:16:ARG:O	2:B:300:ARG:NH1	2.42	0.53
2:D:282:VAL:HG22	2:D:386:MET:HB3	1.90	0.53
1:A:205:GLU:HG2	1:A:208:VAL:HG13	1.90	0.52
1:C:16:ALA:HB3	1:C:19:VAL:HB	1.90	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:310:TYR:CE2	2:D:312:ARG:HB2	2.44	0.52
2:D:281:LYS:NZ	2:D:383:GLU:OE1	2.40	0.52
2:B:369:ARG:HB3	2:B:370:PRO:HD3	1.91	0.52
2:B:423:THR:OG1	2:B:424:SER:N	2.42	0.52
2:B:57:ILE:HG21	2:B:113:ILE:HD13	1.91	0.51
2:D:241:MET:SD	2:D:340:PRO:HG2	2.50	0.51
2:D:135:LEU:O	2:D:163:GLY:HA2	2.09	0.51
2:B:409:ASN:N	2:B:413:TYR:O	2.43	0.51
1:A:42:ARG:NE	1:A:89:ASP:OD2	2.31	0.51
1:A:46:LYS:HG2	1:C:103:TYR:HB2	1.93	0.51
1:A:109:VAL:HG21	1:A:175:MET:SD	2.50	0.51
1:C:73:LYS:HB2	1:C:270:SER:HA	1.93	0.51
2:B:260:ARG:NH1	2:B:275:PRO:O	2.44	0.51
1:C:114:GLY:H	1:C:192:PRO:HD3	1.75	0.51
2:D:284:VAL:HB	2:D:308:ILE:HD13	1.92	0.51
2:B:351:VAL:O	2:B:385:ASP:HA	2.11	0.51
2:D:135:LEU:HD12	2:D:161:LYS:HA	1.93	0.51
2:B:423:THR:O	2:B:466:TRP:NE1	2.42	0.50
2:B:4:ARG:HD3	2:B:109:GLU:HG3	1.93	0.50
1:A:46:LYS:NZ	2:B:271:GLU:OE1	2.35	0.50
1:A:226:GLY:N	3:A:501:FES:S2	2.82	0.50
2:D:316:GLU:OE1	2:D:370:PRO:HG2	2.10	0.50
1:A:218:MET:HG2	1:A:228:CYS:HB3	1.93	0.50
2:B:14:GLU:HA	2:B:17:ARG:HD2	1.93	0.50
2:B:339:LEU:HD12	2:B:340:PRO:HD2	1.94	0.50
2:B:181:TYR:OH	4:B:503:FAD:H3B	2.12	0.50
2:D:234:GLY:HA2	2:D:433:ASP:HB2	1.93	0.50
2:B:308:ILE:HB	2:B:334:PHE:HA	1.94	0.49
1:A:202:LYS:O	1:A:204:ARG:N	2.45	0.49
2:B:89:VAL:O	4:B:503:FAD:N3	2.39	0.49
1:A:34:ARG:HB3	1:A:97:PRO:HB3	1.94	0.49
2:D:45:HIS:O	2:D:45:HIS:ND1	2.44	0.49
2:D:187:ARG:NE	2:D:293:ASP:OD1	2.45	0.49
1:A:48:GLU:OE2	1:A:74:THR:OG1	2.31	0.49
1:A:105:ASN:HB2	1:A:183:LYS:HB2	1.94	0.49
1:C:91:VAL:HG12	2:D:210:ASN:HB3	1.94	0.49
1:C:183:LYS:HG2	1:C:184:PHE:H	1.78	0.49
1:C:167:MET:HG3	1:C:168:LYS:H	1.77	0.49
1:A:43:LEU:HD21	1:A:78:LEU:HD13	1.95	0.49
1:A:189:ALA:HB3	1:A:212:VAL:HG22	1.95	0.49
2:D:57:ILE:HD13	2:D:113:ILE:HD13	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:409:ASN:ND2	2:D:413:TYR:O	2.46	0.49
1:A:159:VAL:O	1:A:166:GLY:HA3	2.13	0.48
2:B:134:PRO:HB3	2:B:204:GLY:HA3	1.95	0.48
2:D:241:MET:HG3	2:D:391:ILE:HD13	1.94	0.48
2:B:133:LYS:HB3	2:B:134:PRO:HA	1.94	0.48
2:D:243:ILE:HD11	2:D:343:TYR:CZ	2.48	0.48
1:A:204:ARG:HG3	1:A:205:GLU:H	1.78	0.48
2:B:143:VAL:HG21	2:B:159:LEU:HD13	1.94	0.48
2:D:249:ASN:O	2:D:351:VAL:HG22	2.14	0.48
2:D:311:ARG:HH21	5:D:504:NAD:PN	2.36	0.48
2:B:62:ARG:O	2:B:65:ARG:HG2	2.14	0.47
1:C:238:PHE:HE2	2:D:238:PRO:HD2	1.79	0.47
2:B:10:GLU:HG2	2:B:24:ALA:HA	1.95	0.47
1:A:211:TRP:CE2	1:A:247:ARG:HD3	2.49	0.47
2:B:41:GLN:HE22	2:B:62:ARG:HH11	1.63	0.47
2:D:168:ILE:HG23	2:D:207:PHE:HA	1.97	0.47
1:C:136:LEU:HD21	1:C:151:LYS:NZ	2.29	0.47
2:D:22:GLU:HA	2:D:186:PHE:HA	1.95	0.47
2:D:142:LYS:HG2	2:D:165:HIS:HB2	1.97	0.47
2:B:398:VAL:O	2:B:401:SER:OG	2.31	0.47
1:C:136:LEU:HD13	1:C:146:MET:HB2	1.97	0.47
1:A:170:VAL:HG13	5:A:503:NAD:C8A	2.45	0.47
1:A:172:THR:HG21	1:A:198:PHE:HB3	1.97	0.47
1:C:119:TYR:CE1	1:C:150:PHE:HB3	2.50	0.46
1:C:136:LEU:HG	1:C:157:LEU:HD11	1.97	0.46
1:C:152:GLU:HG3	1:C:157:LEU:HD23	1.98	0.46
1:C:225:CYS:SG	1:C:226:GLY:N	2.89	0.46
1:A:167:MET:HA	1:A:167:MET:HE3	1.97	0.46
2:B:86:CYS:O	2:B:90:CYS:HB2	2.16	0.46
2:B:124:ALA:HB1	2:B:128:LEU:HD22	1.97	0.46
2:D:92:GLN:HB3	2:D:97:GLU:HG3	1.98	0.46
2:B:311:ARG:HG2	2:B:339:LEU:HD13	1.98	0.46
2:B:288:GLY:HA2	2:B:318:PRO:HG2	1.97	0.46
2:D:1:MET:HA	2:D:4:ARG:HE	1.80	0.46
2:D:398:VAL:O	2:D:402:GLU:HG3	2.16	0.46
1:A:202:LYS:O	1:A:205:GLU:N	2.49	0.46
1:A:170:VAL:HG12	1:A:172:THR:H	1.81	0.46
2:D:137:GLY:HA2	2:D:165:HIS:CE1	2.51	0.46
1:C:43:LEU:HD23	1:C:87:ILE:HG23	1.98	0.45
2:D:411:ARG:HG2	2:D:413:TYR:HE2	1.81	0.45
2:D:149:GLY:HA2	2:D:177:GLY:HA3	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:426:LYS:HA	2:B:466:TRP:CD2	2.51	0.45
1:A:266:GLN:HE21	2:B:275:PRO:HG3	1.82	0.45
2:B:34:GLU:O	2:B:37:GLN:HG2	2.16	0.45
2:B:177:GLY:HA2	4:B:503:FAD:H3B	1.99	0.45
2:B:423:THR:HG22	2:B:428:VAL:O	2.16	0.45
2:B:283:ALA:HB2	2:B:384:VAL:HG11	1.99	0.45
1:C:269:ILE:HG23	1:C:272:GLU:HG2	1.98	0.45
2:D:64:LEU:HD13	2:D:120:VAL:HG22	1.99	0.45
1:A:195:MET:HG3	5:A:503:NAD:C8A	2.47	0.44
1:A:178:LEU:HD23	1:A:178:LEU:HA	1.84	0.44
1:A:212:VAL:O	1:A:245:GLU:HA	2.17	0.44
1:A:258:LYS:HD2	2:B:349:GLY:HA3	1.99	0.44
2:D:360:GLU:O	2:D:372:PRO:HA	2.17	0.44
1:A:75:THR:HG23	4:A:502:FAD:O1P	2.17	0.44
2:B:451:ALA:O	2:B:455:ILE:HG13	2.16	0.44
1:A:229:ARG:HH11	2:B:246:THR:HG22	1.82	0.44
1:C:125:LEU:O	1:C:130:ASN:ND2	2.29	0.44
2:B:249:ASN:O	2:B:351:VAL:HG23	2.18	0.44
1:C:68:VAL:HG11	1:C:78:LEU:HD23	2.00	0.44
1:A:205:GLU:HB3	1:A:206:PHE:H	1.49	0.44
2:B:396:ASN:ND2	8:B:613:HOH:O	2.51	0.44
1:C:262:GLN:HG3	1:C:263:TYR:CD1	2.53	0.44
2:B:241:MET:HE3	2:B:391:ILE:HG21	2.00	0.44
2:B:245:GLY:HA3	2:B:343:TYR:HB2	1.99	0.44
2:D:16:ARG:O	2:D:300:ARG:NH1	2.51	0.44
1:C:218:MET:HG2	1:C:228:CYS:HB3	2.00	0.43
1:A:43:LEU:HD23	1:A:87:ILE:HG23	2.00	0.43
1:A:76:HIS:O	1:A:79:SER:OG	2.27	0.43
2:B:45:HIS:O	2:B:45:HIS:ND1	2.51	0.43
2:B:175:PRO:HA	2:B:176:GLY:HA2	1.80	0.43
2:B:408:LEU:HD12	2:B:409:ASN:O	2.18	0.43
2:B:1:MET:N	2:B:4:ARG:HH21	2.15	0.43
1:C:46:LYS:HA	2:D:272:TYR:CD2	2.53	0.43
1:C:136:LEU:HD21	1:C:151:LYS:HZ3	1.83	0.43
2:D:341:ILE:HD11	2:D:357:VAL:HG22	2.01	0.43
1:A:265:GLU:HB3	1:A:268:LYS:HE3	2.01	0.43
1:A:272:GLU:O	1:A:276:LYS:NZ	2.47	0.43
2:B:38:ARG:NH1	2:B:111:VAL:HA	2.34	0.43
2:B:146:VAL:HG13	2:B:213:VAL:HG21	2.01	0.43
1:C:114:GLY:N	1:C:192:PRO:HD3	2.33	0.43
2:B:63:LYS:HA	2:B:63:LYS:HD3	1.68	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:9:LYS:HB3	2:B:25:LEU:HD12	2.01	0.42
2:B:74:ARG:HD3	2:B:74:ARG:HA	1.77	0.42
2:B:290:THR:HA	4:B:503:FAD:HM73	2.01	0.42
2:B:316:GLU:OE2	2:B:370:PRO:HG2	2.19	0.42
1:A:182:ARG:NH1	1:A:205:GLU:O	2.53	0.42
2:B:131:ASP:OD2	2:B:133:LYS:HG2	2.19	0.42
2:B:310:TYR:OH	2:B:312:ARG:HD2	2.19	0.42
2:D:139:LYS:HD2	2:D:139:LYS:HA	1.85	0.42
2:D:243:ILE:O	2:D:246:THR:OG1	2.29	0.42
2:B:41:GLN:NE2	2:B:62:ARG:HD3	2.34	0.42
2:D:174:LYS:HA	2:D:175:PRO:HD3	1.78	0.42
2:B:100:CYS:SG	2:B:102:VAL:HG22	2.59	0.42
1:C:13:VAL:O	1:C:21:ASP:HB3	2.19	0.42
1:A:123:LYS:O	1:A:127:GLU:N	2.52	0.42
2:B:136:ALA:HA	2:B:163:GLY:HA2	2.00	0.42
2:B:399:LEU:HD22	4:B:503:FAD:H61A	1.83	0.42
1:A:147:VAL:HG12	1:A:149:GLU:HG3	2.02	0.42
2:B:367:SER:N	2:B:371:ARG:HD2	2.34	0.42
1:C:96:ASN:ND2	1:C:241:VAL:O	2.53	0.42
1:C:102:ASN:HD22	1:C:186:ILE:HG12	1.84	0.42
1:C:106:VAL:HG21	1:C:125:LEU:HD13	2.01	0.42
1:C:217:ILE:HG13	1:C:262:GLN:HE21	1.84	0.42
2:D:290:THR:H	5:D:504:NAD:C4N	2.32	0.42
2:D:317:MET:HE3	2:D:321:ARG:NH1	2.34	0.42
2:B:9:LYS:HE3	2:B:9:LYS:HB2	1.84	0.42
2:B:464:ASN:HA	2:B:465:PRO:HD2	1.93	0.42
1:C:100:ILE:HG21	1:C:124:ALA:HB1	2.01	0.42
2:D:19:ASN:O	2:D:300:ARG:NH1	2.42	0.42
2:B:148:SER:O	2:B:176:GLY:HA3	2.20	0.42
1:A:266:GLN:CD	4:A:502:FAD:H52A	2.45	0.42
1:C:72:GLY:O	1:C:76:HIS:N	2.46	0.42
1:A:160:THR:HG21	1:A:171:VAL:HA	2.02	0.41
2:B:299:LEU:HA	2:B:303:ALA:HB3	2.02	0.41
1:A:171:VAL:HG13	5:A:503:NAD:O2B	2.20	0.41
2:B:241:MET:HG3	2:B:391:ILE:HD13	2.01	0.41
1:C:226:GLY:N	3:C:501:FES:S2	2.86	0.41
1:C:267:GLU:N	1:C:267:GLU:OE1	2.52	0.41
2:B:339:LEU:HA	2:B:340:PRO:HD2	1.81	0.41
1:A:22:PHE:CZ	1:A:78:LEU:HG	2.56	0.41
1:A:266:GLN:O	1:A:269:ILE:HG12	2.20	0.41
2:B:251:VAL:HG23	2:B:351:VAL:HG21	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:503:FAD:H9	4:D:503:FAD:H1'1	1.87	0.41
1:A:103:TYR:CB	1:A:186:ILE:HD11	2.51	0.41
2:B:133:LYS:HA	2:B:133:LYS:HD3	1.81	0.41
1:C:105:ASN:HB2	1:C:184:PHE:O	2.20	0.41
1:C:265:GLU:O	1:C:269:ILE:HG12	2.20	0.41
1:A:18:ASP:OD1	1:A:144:LEU:HD21	2.20	0.41
1:A:201:LEU:C	1:A:203:ALA:H	2.28	0.41
2:B:16:ARG:HA	2:B:19:ASN:OD1	2.20	0.41
1:A:46:LYS:CG	1:C:103:TYR:HB2	2.51	0.41
2:B:145:VAL:HB	2:B:168:ILE:HG12	2.03	0.41
2:D:124:ALA:O	2:D:128:LEU:HB3	2.21	0.41
2:D:311:ARG:HH22	2:D:312:ARG:HH21	1.69	0.41
1:A:225:CYS:HB2	2:B:256:GLU:HB2	2.03	0.41
2:B:124:ALA:HA	2:B:128:LEU:HB3	2.03	0.41
1:C:161:ASP:OD2	1:C:164:SER:HB2	2.21	0.41
1:A:202:LYS:HG2	1:A:205:GLU:HG3	2.03	0.40
1:C:269:ILE:HG13	2:D:269:PHE:CZ	2.56	0.40
1:A:58:LYS:O	1:A:62:GLY:N	2.54	0.40
2:D:411:ARG:HB3	2:D:413:TYR:CD2	2.57	0.40
1:A:77:GLU:HB2	1:A:273:ARG:HH12	1.87	0.40
2:B:1:MET:HG3	2:B:106:LYS:HE3	2.02	0.40
2:D:290:THR:HA	4:D:503:FAD:HM73	2.02	0.40
2:B:324:TYR:CZ	2:B:328:LEU:HD11	2.56	0.40
1:A:134:THR:O	1:A:157:LEU:HD12	2.21	0.40
1:A:263:TYR:CE2	2:B:277:ARG:HG3	2.55	0.40
2:B:169:PHE:HA	2:B:208:HIS:HB2	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:365:ASP:OD2	2:D:367:SER:OG[3_554]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/276 (99%)	251 (92%)	20 (7%)	3 (1%)	11	18
1	C	259/276 (94%)	239 (92%)	18 (7%)	2 (1%)	16	25
2	B	466/468 (100%)	435 (93%)	28 (6%)	3 (1%)	21	32
2	D	466/468 (100%)	441 (95%)	22 (5%)	3 (1%)	21	32
All	All	1465/1488 (98%)	1366 (93%)	88 (6%)	11 (1%)	16	25

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	112	GLY
1	A	203	ALA
2	B	364	ALA
1	A	179	PHE
1	C	184	PHE
2	D	349	GLY
2	B	133	LYS
2	D	279	GLY
2	D	461	GLY
2	B	350	ASN
1	C	167	MET

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/233 (100%)	214 (92%)	19 (8%)	10	18
1	C	224/233 (96%)	209 (93%)	15 (7%)	15	26
2	B	381/381 (100%)	365 (96%)	16 (4%)	26	45
2	D	381/381 (100%)	366 (96%)	15 (4%)	28	48
All	All	1219/1228 (99%)	1154 (95%)	65 (5%)	20	36

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	VAL
1	A	18	ASP
1	A	34	ARG
1	A	113	VAL
1	A	140	THR
1	A	141	LYS
1	A	145	ILE
1	A	149	GLU
1	A	177	LYS
1	A	183	LYS
1	A	186	ILE
1	A	206	PHE
1	A	208	VAL
1	A	210	ILE
1	A	212	VAL
1	A	231	THR
1	A	247	ARG
1	A	257	LEU
1	A	264	ARG
2	B	8	MET
2	B	81	ASN
2	B	102	VAL
2	B	168	ILE
2	B	179	LEU
2	B	217	VAL
2	B	222	LEU
2	B	237	THR
2	B	282	VAL
2	B	301	LEU
2	B	321	ARG
2	B	361	LEU
2	B	369	ARG
2	B	398	VAL
2	B	408	LEU
2	B	410	GLU
1	C	13	VAL
1	C	18	ASP
1	C	60	GLU
1	C	102	ASN
1	C	106	VAL
1	C	113	VAL
1	C	156	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	210	ILE
1	C	212	VAL
1	C	224	MET
1	C	241	VAL
1	C	255	GLU
1	C	257	LEU
1	C	266	GLN
1	C	272	GLU
2	D	188	LEU
2	D	220	LYS
2	D	222	LEU
2	D	237	THR
2	D	313	THR
2	D	321	ARG
2	D	351	VAL
2	D	361	LEU
2	D	373	VAL
2	D	379	ASN
2	D	388	ILE
2	D	397	ARG
2	D	410	GLU
2	D	411	ARG
2	D	423	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	131	ASN
2	B	41	GLN
2	B	81	ASN
2	B	95	GLN
2	B	127	ASN
2	D	173	HIS
2	D	208	HIS
2	D	247	ASN
2	D	456	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	FAD	D	503	-	58,58,58	2.62	19 (32%)	85,89,89	2.05	21 (24%)
5	NAD	D	504	-	46,48,48	3.39	15 (32%)	64,73,73	2.48	20 (31%)
4	FAD	C	502	-	58,58,58	2.62	18 (31%)	85,89,89	2.04	24 (28%)
3	FES	C	501	1	0,4,4	-	-	-	-	-
6	SF4	D	502	2	0,12,12	-	-	-	-	-
7	PO4	D	505	-	4,4,4	0.95	0	6,6,6	0.48	0
4	FAD	B	503	-	58,58,58	2.65	19 (32%)	85,89,89	1.98	21 (24%)
3	FES	A	501	1	0,4,4	-	-	-	-	-
6	SF4	D	501	2	0,12,12	-	-	-	-	-
6	SF4	B	502	2	0,12,12	-	-	-	-	-
5	NAD	A	503	-	46,48,48	3.31	16 (34%)	64,73,73	2.51	22 (34%)
6	SF4	B	501	2	0,12,12	-	-	-	-	-
4	FAD	A	502	-	58,58,58	2.64	18 (31%)	85,89,89	2.04	21 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FAD	D	503	-	-	8/34/50/50	0/6/6/6
5	NAD	D	504	-	-	8/30/62/62	0/5/5/5
4	FAD	C	502	-	-	7/34/50/50	0/6/6/6
3	FES	C	501	1	-	-	0/1/1/1
6	SF4	D	502	2	-	-	0/6/5/5
4	FAD	B	503	-	-	5/34/50/50	0/6/6/6
3	FES	A	501	1	-	-	0/1/1/1
6	SF4	D	501	2	-	-	0/6/5/5
6	SF4	B	502	2	-	-	0/6/5/5
5	NAD	A	503	-	-	7/30/62/62	0/5/5/5
6	SF4	B	501	2	-	-	0/6/5/5
4	FAD	A	502	-	-	14/34/50/50	0/6/6/6

All (105) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	503	NAD	C3B-C4B	-9.90	1.27	1.53
5	D	504	NAD	C3B-C4B	-9.85	1.28	1.53
5	A	503	NAD	C2B-C1B	-8.96	1.25	1.53
5	D	504	NAD	C2B-C1B	-8.95	1.25	1.53
4	C	502	FAD	O4B-C1B	8.72	1.62	1.42
4	B	503	FAD	O4B-C1B	8.69	1.62	1.42
4	A	502	FAD	O4B-C1B	8.64	1.62	1.42
4	D	503	FAD	O4B-C1B	8.63	1.61	1.42
5	D	504	NAD	O4B-C1B	8.33	1.61	1.42
5	A	503	NAD	O4B-C1B	8.10	1.60	1.42
5	A	503	NAD	O3B-C3B	-7.74	1.23	1.43
5	D	504	NAD	O3B-C3B	-7.69	1.23	1.43
4	B	503	FAD	C2B-C1B	-7.27	1.30	1.53
4	D	503	FAD	C2B-C1B	-7.25	1.30	1.53
4	A	502	FAD	C2B-C1B	-7.20	1.30	1.53
4	C	502	FAD	C2B-C1B	-6.98	1.31	1.53
4	C	502	FAD	O4B-C4B	-6.63	1.30	1.45
4	A	502	FAD	O4B-C4B	-6.59	1.30	1.45
4	B	503	FAD	O4B-C4B	-6.57	1.30	1.45
4	D	503	FAD	O4B-C4B	-6.55	1.30	1.45
4	A	502	FAD	C4X-N5	6.32	1.44	1.30
4	D	503	FAD	C4X-N5	6.23	1.44	1.30
4	C	502	FAD	C4X-N5	6.14	1.44	1.30
4	B	503	FAD	C4X-N5	6.14	1.44	1.30
5	A	503	NAD	C7N-N7N	5.88	1.43	1.33
5	D	504	NAD	C7N-N7N	5.82	1.43	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	504	NAD	C3D-C4D	-5.26	1.39	1.53
5	D	504	NAD	C2B-C3B	5.20	1.67	1.53
5	D	504	NAD	O4D-C1D	5.04	1.47	1.40
5	A	503	NAD	C2B-C3B	4.96	1.66	1.53
4	A	502	FAD	C6A-N6A	4.89	1.46	1.34
4	D	503	FAD	C6A-N6A	4.83	1.46	1.34
4	B	503	FAD	C6A-N6A	4.82	1.46	1.34
4	C	502	FAD	C6A-N6A	4.82	1.46	1.34
4	B	503	FAD	C10-N1	4.81	1.43	1.33
4	A	502	FAD	C10-N1	4.78	1.42	1.33
4	D	503	FAD	C10-N1	4.73	1.42	1.33
4	C	502	FAD	C10-N1	4.72	1.42	1.33
5	A	503	NAD	C3D-C4D	-4.63	1.41	1.53
4	C	502	FAD	C2-N1	4.46	1.46	1.36
4	B	503	FAD	C2-N1	4.46	1.46	1.36
4	A	502	FAD	C9A-N10	4.44	1.48	1.41
4	C	502	FAD	C9A-N10	4.43	1.48	1.41
4	B	503	FAD	C9A-N10	4.40	1.48	1.41
5	A	503	NAD	O4D-C1D	4.38	1.46	1.40
5	D	504	NAD	C6A-N6A	4.32	1.45	1.34
4	D	503	FAD	C2-N1	4.30	1.46	1.36
4	A	502	FAD	C2-N1	4.29	1.46	1.36
4	D	503	FAD	C9A-N10	4.21	1.48	1.41
5	A	503	NAD	C6A-N6A	4.18	1.44	1.34
5	D	504	NAD	C2N-N1N	-3.74	1.30	1.35
4	B	503	FAD	C5X-N5	3.71	1.46	1.39
4	A	502	FAD	C5X-N5	3.71	1.46	1.39
4	D	503	FAD	C5X-N5	3.71	1.46	1.39
5	A	503	NAD	C8A-N9A	-3.64	1.31	1.37
5	A	503	NAD	C2N-N1N	-3.59	1.31	1.35
5	D	504	NAD	C8A-N9A	-3.59	1.31	1.37
4	C	502	FAD	C5X-N5	3.52	1.45	1.39
4	A	502	FAD	C2-N3	3.50	1.46	1.39
4	C	502	FAD	C2-N3	3.47	1.46	1.39
4	D	503	FAD	C2-N3	3.47	1.46	1.39
4	B	503	FAD	C2-N3	3.45	1.46	1.39
4	D	503	FAD	O2B-C2B	3.28	1.51	1.43
4	C	502	FAD	O2B-C2B	3.26	1.51	1.43
4	A	502	FAD	O2B-C2B	3.24	1.51	1.43
4	B	503	FAD	O2B-C2B	3.23	1.50	1.43
5	D	504	NAD	O4B-C4B	3.19	1.52	1.45
5	A	503	NAD	O4B-C4B	3.09	1.51	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	503	FAD	O4-C4	-2.98	1.17	1.23
4	C	502	FAD	O4-C4	-2.98	1.17	1.23
5	A	503	NAD	C3N-C7N	2.95	1.55	1.50
4	D	503	FAD	O4-C4	-2.88	1.18	1.23
4	A	502	FAD	O4-C4	-2.87	1.18	1.23
5	D	504	NAD	C3N-C7N	2.79	1.54	1.50
4	B	503	FAD	C2A-N1A	2.63	1.38	1.33
4	C	502	FAD	C2A-N1A	2.61	1.38	1.33
4	D	503	FAD	C8A-N7A	2.58	1.36	1.31
4	A	502	FAD	C2A-N1A	2.58	1.38	1.33
4	D	503	FAD	C2A-N1A	2.57	1.38	1.33
4	B	503	FAD	O3B-C3B	-2.53	1.36	1.43
4	C	502	FAD	C8A-N7A	2.51	1.36	1.31
4	D	503	FAD	O3B-C3B	-2.46	1.36	1.43
4	C	502	FAD	O3B-C3B	-2.44	1.36	1.43
4	B	503	FAD	C8A-N7A	2.43	1.36	1.31
4	A	502	FAD	C8A-N7A	2.43	1.36	1.31
4	C	502	FAD	C10-N10	2.43	1.42	1.37
4	A	502	FAD	O3B-C3B	-2.42	1.37	1.43
4	A	502	FAD	C10-N10	2.42	1.42	1.37
4	D	503	FAD	C10-N10	2.40	1.42	1.37
5	D	504	NAD	C5B-C4B	2.33	1.58	1.51
4	B	503	FAD	C10-N10	2.32	1.42	1.37
4	B	503	FAD	C4'-C3'	-2.31	1.49	1.53
5	D	504	NAD	O2D-C2D	-2.31	1.37	1.43
5	A	503	NAD	C5B-C4B	2.19	1.58	1.51
5	A	503	NAD	O2D-C2D	-2.15	1.37	1.43
4	B	503	FAD	C2A-N3A	2.11	1.37	1.33
4	D	503	FAD	C4-N3	2.09	1.42	1.38
4	A	502	FAD	C2A-N3A	2.09	1.37	1.33
5	A	503	NAD	C5A-N7A	-2.07	1.35	1.39
4	A	502	FAD	C4-N3	2.06	1.42	1.38
4	C	502	FAD	C4-N3	2.05	1.42	1.38
4	C	502	FAD	C2A-N3A	2.05	1.37	1.33
4	D	503	FAD	C4'-C3'	-2.05	1.49	1.53
4	D	503	FAD	C2A-N3A	2.04	1.37	1.33
4	B	503	FAD	C4-N3	2.01	1.42	1.38

All (129) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	503	FAD	C7M-C7-C6	-8.20	105.12	119.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	502	FAD	C7M-C7-C6	-7.99	105.50	119.57
4	C	502	FAD	C7M-C7-C6	-7.87	105.71	119.57
4	B	503	FAD	C7M-C7-C6	-7.70	106.00	119.57
5	A	503	NAD	O3B-C3B-C4B	-6.85	91.41	111.08
5	D	504	NAD	C6N-N1N-C1D	-6.81	106.36	119.73
4	C	502	FAD	C7M-C7-C8	6.71	134.45	120.76
5	D	504	NAD	O3B-C3B-C4B	-6.70	91.84	111.08
4	A	502	FAD	C7M-C7-C8	6.67	134.38	120.76
4	D	503	FAD	C7M-C7-C8	6.64	134.33	120.76
4	B	503	FAD	C7M-C7-C8	6.36	133.74	120.76
5	A	503	NAD	C6N-N1N-C1D	-6.27	107.41	119.73
5	D	504	NAD	C5A-C4A-N3A	-6.12	118.29	126.72
5	A	503	NAD	C5A-C4A-N3A	-6.03	118.42	126.72
5	A	503	NAD	N3A-C4A-N9A	5.95	137.29	127.17
5	D	504	NAD	N3A-C4A-N9A	5.85	137.11	127.17
4	D	503	FAD	N3A-C2A-N1A	-5.67	120.00	128.58
4	B	503	FAD	N3A-C2A-N1A	-5.63	120.07	128.58
4	C	502	FAD	N3A-C2A-N1A	-5.62	120.08	128.58
4	A	502	FAD	N3A-C2A-N1A	-5.60	120.10	128.58
5	D	504	NAD	C2N-N1N-C1D	5.36	130.97	119.13
5	A	503	NAD	C2D-C3D-C4D	5.34	112.94	102.61
4	A	502	FAD	C5A-C4A-N3A	-5.09	119.71	126.72
4	C	502	FAD	C5A-C4A-N3A	-5.08	119.72	126.72
5	A	503	NAD	C2N-N1N-C1D	5.08	130.35	119.13
4	D	503	FAD	C5A-C4A-N3A	-4.92	119.94	126.72
4	B	503	FAD	C5A-C4A-N3A	-4.89	119.98	126.72
5	A	503	NAD	N3A-C2A-N1A	-4.73	121.43	128.58
5	D	504	NAD	N3A-C2A-N1A	-4.70	121.47	128.58
4	D	503	FAD	N6A-C6A-N1A	-4.31	108.78	118.38
4	A	502	FAD	N6A-C6A-N1A	-4.17	109.08	118.38
4	B	503	FAD	N9A-C8A-N7A	-4.17	108.02	113.94
4	D	503	FAD	N9A-C8A-N7A	-4.16	108.03	113.94
4	A	502	FAD	N9A-C8A-N7A	-4.15	108.06	113.94
4	C	502	FAD	N6A-C6A-N1A	-4.14	109.17	118.38
4	B	503	FAD	N6A-C6A-N1A	-4.12	109.20	118.38
5	D	504	NAD	C2D-C3D-C4D	4.08	110.50	102.61
4	C	502	FAD	N9A-C8A-N7A	-4.01	108.24	113.94
5	D	504	NAD	C2A-N3A-C4A	3.97	121.53	111.83
4	A	502	FAD	C4'-C3'-C2'	-3.89	107.10	113.57
5	A	503	NAD	C2A-N3A-C4A	3.88	121.32	111.83
5	A	503	NAD	C4B-O4B-C1B	-3.67	101.37	109.47
5	D	504	NAD	C4D-O4D-C1D	3.55	113.18	109.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	503	NAD	C5N-C4N-C3N	-3.55	116.88	120.36
4	C	502	FAD	C4-N3-C2	-3.50	119.42	125.64
5	D	504	NAD	C5N-C4N-C3N	-3.44	116.98	120.36
4	D	503	FAD	C4'-C3'-C2'	-3.44	107.85	113.57
4	D	503	FAD	C2A-N3A-C4A	3.41	120.16	111.83
4	A	502	FAD	C2A-N3A-C4A	3.41	120.16	111.83
4	C	502	FAD	C2A-N3A-C4A	3.40	120.14	111.83
5	A	503	NAD	C4A-N9A-C8A	3.35	109.26	105.74
4	B	503	FAD	C2A-N3A-C4A	3.31	119.91	111.83
5	D	504	NAD	C4A-N9A-C8A	3.29	109.20	105.74
4	A	502	FAD	C4-N3-C2	-3.28	119.82	125.64
4	D	503	FAD	C4-N3-C2	-3.25	119.87	125.64
4	B	503	FAD	C4-N3-C2	-3.24	119.89	125.64
5	D	504	NAD	C4B-O4B-C1B	-3.22	102.35	109.47
5	A	503	NAD	O2A-PA-O3	3.20	115.91	107.27
4	D	503	FAD	C5A-C6A-N6A	3.17	131.14	123.29
5	A	503	NAD	O4D-C4D-C3D	-3.11	98.98	105.15
4	A	502	FAD	C5A-C6A-N6A	3.07	130.89	123.29
4	A	502	FAD	N3A-C4A-N9A	3.07	132.38	127.17
4	B	503	FAD	C5A-C6A-N6A	3.03	130.78	123.29
4	C	502	FAD	C5A-C6A-N6A	3.01	130.74	123.29
5	D	504	NAD	O2D-C2D-C3D	-3.01	102.18	111.82
5	A	503	NAD	C3B-C2B-C1B	3.01	107.15	101.46
4	C	502	FAD	N3A-C4A-N9A	2.98	132.23	127.17
5	D	504	NAD	O4D-C4D-C3D	-2.97	99.26	105.15
4	A	502	FAD	C5A-N7A-C8A	2.97	108.11	103.45
4	B	503	FAD	N3A-C4A-N9A	2.92	132.14	127.17
4	B	503	FAD	C5A-N7A-C8A	2.92	108.04	103.45
4	D	503	FAD	C5A-N7A-C8A	2.91	108.03	103.45
4	C	502	FAD	C5A-N7A-C8A	2.89	107.99	103.45
5	D	504	NAD	O2A-PA-O3	2.86	115.01	107.27
4	D	503	FAD	N3A-C4A-N9A	2.85	132.01	127.17
4	C	502	FAD	C4'-C3'-C2'	-2.78	108.94	113.57
5	A	503	NAD	C2B-C1B-N9A	-2.72	106.55	113.30
5	D	504	NAD	N9A-C8A-N7A	-2.70	110.10	113.94
5	A	503	NAD	O4D-C4D-C5D	2.67	117.89	109.33
4	C	502	FAD	O4-C4-C4X	-2.67	119.49	126.53
5	D	504	NAD	O4D-C4D-C5D	2.66	117.86	109.33
4	B	503	FAD	C9A-C5X-N5	-2.66	119.63	122.45
5	A	503	NAD	C5A-C6A-N6A	-2.65	116.73	123.29
5	A	503	NAD	N9A-C8A-N7A	-2.61	110.23	113.94
4	C	502	FAD	C4X-C4-N3	2.61	119.90	113.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	503	FAD	C4X-C4-N3	2.60	119.88	113.25
4	C	502	FAD	C3B-C2B-C1B	2.56	106.31	101.46
5	D	504	NAD	C3B-C2B-C1B	2.56	106.31	101.46
5	D	504	NAD	C5A-N7A-C8A	2.53	107.42	103.45
4	B	503	FAD	C5X-C9A-N10	2.53	120.25	117.97
4	A	502	FAD	C4X-C4-N3	2.52	119.67	113.25
4	A	502	FAD	C4X-C10-N10	2.52	120.08	116.48
4	D	503	FAD	C4X-C4-N3	2.49	119.60	113.25
5	A	503	NAD	C4D-O4D-C1D	-2.49	107.64	109.92
4	C	502	FAD	C5X-C9A-N10	2.48	120.21	117.97
4	D	503	FAD	O4-C4-C4X	-2.46	120.03	126.53
4	D	503	FAD	C5X-C9A-N10	2.43	120.16	117.97
4	B	503	FAD	O4-C4-C4X	-2.43	120.13	126.53
4	A	502	FAD	C10-C4X-N5	-2.43	119.86	124.81
4	D	503	FAD	C9A-C5X-N5	-2.42	119.89	122.45
4	D	503	FAD	C4X-C10-N10	2.40	119.92	116.48
5	A	503	NAD	O2D-C2D-C3D	-2.37	104.22	111.82
4	D	503	FAD	C10-C4X-N5	-2.36	119.98	124.81
5	A	503	NAD	N6A-C6A-N1A	2.35	123.62	118.38
4	A	502	FAD	O4-C4-C4X	-2.33	120.39	126.53
4	C	502	FAD	C4X-C10-N10	2.32	119.80	116.48
4	A	502	FAD	C9A-C5X-N5	-2.31	120.01	122.45
4	C	502	FAD	C9A-C5X-N5	-2.30	120.01	122.45
4	D	503	FAD	C4A-C5A-N7A	-2.30	107.95	110.58
5	A	503	NAD	C5A-N7A-C8A	2.27	107.02	103.45
4	B	503	FAD	C10-C4X-N5	-2.26	120.19	124.81
4	A	502	FAD	C5X-C9A-N10	2.26	120.01	117.97
4	A	502	FAD	C6A-C5A-C4A	2.21	120.19	117.18
4	A	502	FAD	C4A-C5A-N7A	-2.21	108.06	110.58
5	D	504	NAD	C5A-C6A-N6A	-2.20	117.83	123.29
4	C	502	FAD	C4A-C5A-N7A	-2.20	108.06	110.58
4	B	503	FAD	C4X-C10-N10	2.17	119.59	116.48
4	C	502	FAD	C10-C4X-N5	-2.17	120.37	124.81
4	B	503	FAD	C4A-C5A-N7A	-2.17	108.10	110.58
4	C	502	FAD	C4B-O4B-C1B	-2.15	104.71	109.47
4	C	502	FAD	C6A-C5A-C4A	2.14	120.10	117.18
4	B	503	FAD	C4'-C3'-C2'	-2.12	110.05	113.57
4	B	503	FAD	C4A-N9A-C8A	2.12	107.96	105.74
4	B	503	FAD	C6A-C5A-C4A	2.11	120.05	117.18
4	D	503	FAD	C4A-N9A-C8A	2.10	107.94	105.74
4	C	502	FAD	C5A-C4A-N9A	2.06	108.05	105.81
4	C	502	FAD	C4-C4X-C10	2.06	120.46	116.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	503	FAD	C5A-C4A-N9A	2.05	108.05	105.81
4	A	502	FAD	C4A-N9A-C8A	2.02	107.86	105.74

There are no chirality outliers.

All (49) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	502	FAD	C5B-O5B-PA-O1A
4	A	502	FAD	C5B-O5B-PA-O2A
4	A	502	FAD	C5B-O5B-PA-O3P
4	A	502	FAD	O4B-C4B-C5B-O5B
4	A	502	FAD	C2'-C3'-C4'-O4'
4	A	502	FAD	C2'-C3'-C4'-C5'
4	A	502	FAD	O3'-C3'-C4'-O4'
4	A	502	FAD	O3'-C3'-C4'-C5'
4	A	502	FAD	O4'-C4'-C5'-O5'
4	A	502	FAD	PA-O3P-P-O5'
4	B	503	FAD	C5B-O5B-PA-O1A
4	B	503	FAD	C5B-O5B-PA-O2A
4	B	503	FAD	C5B-O5B-PA-O3P
4	B	503	FAD	O4B-C4B-C5B-O5B
4	C	502	FAD	C5B-O5B-PA-O1A
4	C	502	FAD	C5B-O5B-PA-O2A
4	C	502	FAD	C5B-O5B-PA-O3P
4	C	502	FAD	O4B-C4B-C5B-O5B
4	C	502	FAD	O4'-C4'-C5'-O5'
4	D	503	FAD	C5B-O5B-PA-O2A
4	D	503	FAD	C5B-O5B-PA-O3P
4	D	503	FAD	N10-C1'-C2'-O2'
5	A	503	NAD	C5B-O5B-PA-O1A
5	A	503	NAD	C5D-O5D-PN-O3
5	A	503	NAD	C5D-O5D-PN-O2N
5	D	504	NAD	C5B-O5B-PA-O1A
5	D	504	NAD	C5B-O5B-PA-O2A
5	D	504	NAD	C5B-O5B-PA-O3
5	D	504	NAD	C2D-C1D-N1N-C2N
5	D	504	NAD	C2D-C1D-N1N-C6N
4	A	502	FAD	C3B-C4B-C5B-O5B
4	B	503	FAD	C3B-C4B-C5B-O5B
5	D	504	NAD	O4D-C4D-C5D-O5D
4	C	502	FAD	C3B-C4B-C5B-O5B
4	C	502	FAD	C3'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	A	503	NAD	O4B-C1B-N9A-C4A
5	D	504	NAD	C4B-C5B-O5B-PA
4	A	502	FAD	P-O3P-PA-O5B
4	D	503	FAD	PA-O3P-P-O5'
5	A	503	NAD	PA-O3-PN-O5D
5	D	504	NAD	PA-O3-PN-O5D
5	A	503	NAD	O4B-C1B-N9A-C8A
4	D	503	FAD	P-O3P-PA-O1A
4	D	503	FAD	N10-C1'-C2'-C3'
4	D	503	FAD	O4B-C4B-C5B-O5B
4	A	502	FAD	P-O3P-PA-O2A
4	A	502	FAD	P-O3P-PA-O1A
4	D	503	FAD	P-O3P-PA-O2A
5	A	503	NAD	PA-O3-PN-O2N


There are no ring outliers.


7 monomers are involved in 20 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	503	FAD	2	0
5	D	504	NAD	3	0
3	C	501	FES	1	0
4	B	503	FAD	5	0
3	A	501	FES	1	0
5	A	503	NAD	5	0
4	A	502	FAD	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/276 (100%)	-1.19	0 100 100	35, 52, 89, 118	0
1	C	265/276 (96%)	-0.84	1 (0%) 88 86	45, 66, 127, 201	0
2	B	468/468 (100%)	-1.22	0 100 100	26, 43, 92, 181	0
2	D	468/468 (100%)	-1.24	0 100 100	28, 43, 81, 165	0
All	All	1477/1488 (99%)	-1.15	1 (0%) 92 90	26, 49, 99, 201	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	15	ILE	2.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	FAD	A	502	53/53	0.99	0.04	23,48,69,79	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	FAD	B	503	53/53	0.99	0.03	11,28,39,115	0
4	FAD	C	502	53/53	0.99	0.03	19,39,54,59	0
4	FAD	D	503	53/53	0.99	0.03	13,36,45,47	0
5	NAD	A	503	44/44	0.99	0.03	20,48,61,91	0
5	NAD	D	504	44/44	0.99	0.05	14,73,110,114	0
7	PO4	D	505	5/5	0.99	0.04	48,49,55,57	0
3	FES	C	501	4/4	1.00	0.02	35,36,39,40	0
6	SF4	B	501	8/8	1.00	0.01	27,43,49,50	0
6	SF4	B	502	8/8	1.00	0.02	33,37,57,81	0
6	SF4	D	501	8/8	1.00	0.02	29,36,53,59	0
6	SF4	D	502	8/8	1.00	0.02	35,43,62,122	0
3	FES	A	501	4/4	1.00	0.02	30,45,62,69	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FAD A 502:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD C 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD D 503:


$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAD A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.