



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 03:17 AM UTC

PDB ID : 5M7E / pdb\_00005m7e  
Title : Tubulin-BKM120 complex  
Authors : Bohnacker, T.; Protá, A.E.; Steinmetz, M.O.; Wymann, M.P.  
Deposited on : 2016-10-27  
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	<div> <div>0%</div> <div>89%</div> <div>8%</div> <div>.</div> </div>
1	C	451	<div> <div>2%</div> <div>90%</div> <div>8%</div> <div>.</div> </div>
2	B	445	<div> <div>4%</div> <div>88%</div> <div>7%</div> <div>5%</div> </div>
2	D	445	<div> <div>4%</div> <div>87%</div> <div>9%</div> <div>.</div> </div>
3	E	143	<div> <div>4%</div> <div>78%</div> <div>8%</div> <div>14%</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	384	<div><div></div><div>5%</div><div>76%</div><div>7%</div><div>•</div><div>16%</div></div>

## 2 Entry composition

There are 13 unique types of molecules in this entry. The entry contains 18092 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	436	Total	C	N	O	S	0	1	0
			3412	2160	580	649	23			
1	C	440	Total	C	N	O	S	0	4	0
			3449	2183	584	657	25			

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	423	Total	C	N	O	S	0	1	0
			3339	2099	571	643	26			
2	D	427	Total	C	N	O	S	0	0	0
			3349	2101	572	650	26			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	123	Total	C	N	O	S	0	1	0
			1021	630	185	201	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	ILE	cloning artifact	UNP P63043
E	4	ALA	SER	cloning artifact	UNP P63043


- Molecule 4 is a protein called Tubulin-Tyrosine Ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	322	Total	C	N	O	S	0	0	0
			2623	1693	440	476	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP E1BQ43
F	380	HIS	-	expression tag	UNP E1BQ43
F	381	HIS	-	expression tag	UNP E1BQ43
F	382	HIS	-	expression tag	UNP E1BQ43
F	383	HIS	-	expression tag	UNP E1BQ43
F	384	HIS	-	expression tag	UNP E1BQ43

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
5	C	1	Total	C	N	O	P	0	0
			32	10	5	14	3		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		
6	C	1	Total	Mg	0	0
			1	1		
6	D	1	Total	Mg	0	0
			1	1		

*Continued on next page...*


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	F	1	Total	Mg	0	0
			1	1		

- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Ca	0	0
			1	1		
7	B	1	Total	Ca	0	0
			1	1		
7	C	1	Total	Ca	0	0
			1	1		

- Molecule 8 is GLYCEROL (CCD ID: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		
8	F	1	Total	C	O	0	0
			6	3	3		
8	F	1	Total	C	O	0	0
			6	3	3		

- Molecule 9 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>11</sub>P<sub>2</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	B	1	Total 28	C 10	N 5	O 11	P 2	0	0
9	D	1	Total 28	C 10	N 5	O 11	P 2	0	0

- Molecule 10 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula:  $\text{C}_6\text{H}_{13}\text{NO}_4\text{S}$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 11 is 5-[2,6-di(morpholin-4-yl)pyrimidin-4-yl]-4-(trifluoromethyl)pyridin-2-amine (CCD ID: SD5) (formula:  $C_{18}H_{21}F_3N_6O_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	B	1	Total	C	F	N	O	0	0
			29	18	3	6	2		

- Molecule 12 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (CCD ID: ACP) (formula:  $C_{11}H_{18}N_5O_{12}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
12	F	1	Total	C	N	O	P	0	0
			31	11	5	12	3		




- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	137	Total 137	O 137	0	0
13	B	130	Total 130	O 130	0	0
13	C	232	Total 232	O 232	0	0
13	D	100	Total 100	O 100	0	0
13	E	25	Total 25	O 25	0	0
13	F	57	Total 57	O 57	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha-1B chain




- Molecule 1: Tubulin alpha-1B chain




- Molecule 2: Tubulin beta-2B chain





- Molecule 2: Tubulin beta-2B chain








● Molecule 3: Stathmin-4



● Molecule 4: Tubulin-Tyrosine Ligase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	104.59Å 157.99Å 179.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.93 – 2.05 44.93 – 2.05	Depositor EDS
% Data completeness (in resolution range)	99.8 (44.93-2.05) 99.8 (44.93-2.05)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.24 (at 2.05Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, $R_{free}$	0.173 , 0.203 0.175 , 0.205	Depositor DCC
$R_{free}$ test set	9356 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	41.3	Xtriage
Anisotropy	0.121	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 53.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	18092	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.36% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MES, MG, ACP, GTP, SD5, GDP, GOL, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.32	0/3493	0.50	0/4741
1	C	0.40	0/3539	0.55	0/4805
2	B	0.34	0/3416	0.50	0/4626
2	D	0.28	0/3422	0.49	0/4635
3	E	0.32	0/1033	0.42	0/1371
4	F	0.25	0/2680	0.43	0/3619
All	All	0.32	0/17583	0.49	0/23797

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	D	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	D	178	SER	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3412	0	3327	22	0
1	C	3449	0	3368	23	0
2	B	3339	0	3221	23	0
2	D	3349	0	3223	24	0
3	E	1021	0	1036	8	0
4	F	2623	0	2605	17	0
5	A	32	0	12	0	0
5	C	32	0	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	F	1	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
8	A	6	0	8	0	0
8	F	12	0	16	0	0
9	B	28	0	12	0	0
9	D	28	0	12	1	0
10	B	12	0	12	2	0
11	B	29	0	21	1	0
12	F	31	0	14	5	0
13	A	137	0	0	0	0
13	B	130	0	0	1	1
13	C	232	0	0	4	1
13	D	100	0	0	2	0
13	E	25	0	0	0	0
13	F	57	0	0	1	0
All	All	18092	0	16899	108	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:146:VAL:O	4:F:184:LYS:NZ	2.15	0.80
1:A:221:ARG:HD3	2:B:325:MET:HG3	1.66	0.76
1:C:279:GLU:O	13:C:601:HOH:O	2.09	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:4[B]:CYS:SG	1:C:136:LEU:HG	2.38	0.64
2:D:269:MET:HG3	2:D:303:ALA:HB3	1.79	0.63
12:F:402:ACP:O2G	12:F:402:ACP:O2B	2.17	0.62
2:B:253[A]:ARG:NH1	10:B:504:MES:O1S	2.31	0.62
1:A:210:TYR:CE2	1:A:214:ARG:HD2	2.35	0.60
12:F:402:ACP:O2B	12:F:402:ACP:O1A	2.19	0.60
2:D:248:LEU:HD21	2:D:352:LYS:HB3	1.84	0.59
4:F:237:THR:O	4:F:246:GLN:NE2	2.33	0.59
2:D:432:TYR:OH	13:D:601:HOH:O	2.16	0.58
2:B:2:ARG:HD2	2:B:133:GLN:HG2	1.86	0.57
2:D:12:CYS:HB2	9:D:501:GDP:C8	2.39	0.57
4:F:243:HIS:HE1	4:F:247:LYS:HD2	1.70	0.55
3:E:139:LEU:O	3:E:142:GLU:HG2	2.06	0.55
2:B:244:PHE:O	2:B:246:GLY:N	2.39	0.55
1:C:172:TYR:CE2	1:C:391:LEU:HD22	2.42	0.54
2:B:325:MET:SD	2:B:355:VAL:HG21	2.48	0.54
1:A:335:ILE:HG23	1:A:339:ARG:HG3	1.90	0.53
2:D:6:HIS:CD2	2:D:21:TRP:HE1	2.27	0.53
1:A:100:ALA:HA	2:B:254:LYS:HG3	1.90	0.52
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.27	0.52
4:F:200:ASP:OD2	4:F:241:THR:OG1	2.21	0.52
2:D:106:GLY:O	2:D:111:GLY:HA3	2.10	0.52
1:A:36:MET:HB3	1:A:61:HIS:CE1	2.45	0.52
1:C:133:GLN:NE2	13:C:606:HOH:O	2.41	0.52
4:F:331:GLU:OE2	12:F:402:ACP:O1G	2.29	0.51
1:A:18:ASN:HD21	1:A:78:VAL:HG22	1.75	0.51
1:A:275:VAL:HG13	1:A:368:LEU:HD21	1.91	0.51
4:F:241:THR:OG1	12:F:402:ACP:O3'	2.27	0.51
2:D:295:MET:HE2	2:D:377:PHE:HB2	1.91	0.51
2:D:178:SER:OG	2:D:179:ASP:O	2.29	0.50
1:A:336:LYS:HG2	3:E:24:LEU:HD23	1.94	0.50
2:B:282:GLN:N	13:B:608:HOH:O	2.44	0.49
2:B:69:ASP:O	2:B:94:PHE:HA	2.12	0.49
4:F:70:LYS:NZ	13:F:501:HOH:O	2.38	0.49
2:B:333:LEU:HD21	4:F:57:GLY:HA3	1.95	0.48
2:D:35:SER:OG	2:D:60:LYS:HE2	2.14	0.48
2:B:106:GLY:O	2:B:111:GLY:HA3	2.13	0.48
2:B:274:PRO:HB3	2:B:286:LEU:HD22	1.95	0.48
2:B:141:LEU:HD12	2:B:172:MET:SD	2.54	0.47
2:B:253[A]:ARG:NH2	10:B:504:MES:O1S	2.46	0.47
1:A:97:GLU:HA	2:B:2:ARG:NH2	2.29	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:93:ILE:HD11	1:C:121:ARG:HG3	1.97	0.47
4:F:243:HIS:CE1	4:F:247:LYS:HD2	2.48	0.47
1:A:357:TYR:OH	3:E:18:GLN:NE2	2.47	0.47
2:D:334:ASN:OD1	2:D:338:LYS:HE3	2.14	0.47
1:A:71:GLU:HG2	1:A:98:ASP:HB3	1.96	0.46
1:A:329:ASN:OD1	3:E:22:VAL:HG21	2.15	0.46
1:C:101:ASN:ND2	1:C:180:ALA:HB2	2.31	0.46
4:F:37:PHE:CZ	4:F:40:MET:HE3	2.50	0.46
1:A:217:LEU:HD21	1:A:368:LEU:HD23	1.98	0.46
2:B:251:ASP:O	2:B:255:LEU:HG	2.15	0.46
1:C:275:VAL:HG13	1:C:368:LEU:HD21	1.98	0.46
2:D:136:GLN:HA	2:D:167:ASN:O	2.15	0.46
1:C:188:ILE:HG13	1:C:425:MET:HG3	1.97	0.46
1:C:221:ARG:HG3	2:D:325:MET:HB3	1.98	0.46
2:B:352:LYS:HD3	11:B:505:SD5:H25	1.99	0.45
1:A:88:HIS:N	1:A:91:GLN:OE1	2.35	0.45
2:D:281:GLN:NE2	13:D:602:HOH:O	2.29	0.45
4:F:13:VAL:O	4:F:17:VAL:HG23	2.16	0.45
2:D:141:LEU:HD12	2:D:172:MET:SD	2.56	0.45
2:D:69:ASP:O	2:D:94:PHE:HA	2.17	0.45
4:F:255:ARG:HG2	4:F:256:TYR:CE2	2.52	0.45
2:D:163:ASP:O	2:D:253:ARG:NH2	2.48	0.45
2:B:152:LEU:HD11	2:B:156:LYS:HZ3	1.82	0.44
4:F:331:GLU:OE2	12:F:402:ACP:O2B	2.36	0.44
1:A:265:ILE:HG23	1:A:432:TYR:CE1	2.53	0.44
1:A:221:ARG:CD	2:B:325:MET:HG3	2.42	0.44
1:A:359:PRO:HB2	1:A:370:LYS:HE2	1.99	0.44
2:D:179:ASP:HB3	2:D:180:THR:HA	2.00	0.43
3:E:24:LEU:O	3:E:25:LYS:HG3	2.18	0.43
1:C:209:ILE:HG23	1:C:230:LEU:HD23	2.00	0.43
4:F:236:LYS:HB3	4:F:240:LEU:HD12	2.00	0.43
1:A:177:VAL:O	1:A:177:VAL:HG23	2.19	0.43
2:B:172:MET:HG3	2:B:387:LEU:HD11	2.01	0.43
2:D:217:LEU:HA	2:D:277:SER:HB3	2.00	0.43
1:C:117:LEU:HD11	1:C:121:ARG:NH2	2.33	0.43
3:E:6:MET:HE3	3:E:6:MET:HB2	1.74	0.42
1:A:209:ILE:HG23	1:A:230:LEU:HD23	2.01	0.42
1:A:234:ILE:HD13	1:A:302:MET:SD	2.59	0.42
2:D:171:VAL:HA	2:D:204:ILE:O	2.20	0.42
1:A:274:PRO:HB3	1:A:286:LEU:HD12	2.01	0.42
1:C:7:ILE:HG21	1:C:153:LEU:HD21	2.01	0.42

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:320:ARG:HA	1:C:356:ASN:O	2.20	0.42
2:D:334:ASN:HD21	2:D:338:LYS:NZ	2.18	0.42
1:A:401:LYS:HG3	2:B:346:TRP:CE3	2.54	0.42
1:C:104:ALA:HB2	1:C:413:MET:SD	2.60	0.42
1:C:292:THR:HG22	1:C:335:ILE:HD12	2.02	0.42
1:C:292:THR:HG22	1:C:335:ILE:CD1	2.50	0.42
3:E:100:LYS:HB3	3:E:100:LYS:HE2	1.84	0.41
1:C:165:SER:HA	1:C:199:ASP:OD2	2.20	0.41
2:D:21:TRP:CZ3	2:D:63:PRO:HB3	2.55	0.41
1:C:320:ARG:HG3	1:C:360:PRO:HG3	2.02	0.41
3:E:72:LEU:O	3:E:76:ARG:HG2	2.20	0.41
4:F:220:VAL:HG12	4:F:263:PHE:CE1	2.55	0.41
2:D:109:THR:OG1	2:D:110:GLU:N	2.52	0.41
1:C:234:ILE:HD13	1:C:302:MET:SD	2.61	0.41
1:C:160:ASP:OD2	13:C:602:HOH:O	2.21	0.41
2:B:174:SER:CB	2:B:207:GLU:HB2	2.51	0.41
1:C:282:TYR:HB3	13:C:601:HOH:O	2.21	0.41
2:D:244:PHE:CE1	2:D:358:ILE:HD12	2.56	0.41
1:C:401:LYS:HG3	2:D:346:TRP:CE3	2.56	0.41
4:F:217:ARG:HG3	4:F:218:GLU:HG2	2.03	0.41
4:F:244:CYS:SG	4:F:245:ILE:N	2.94	0.40
2:B:325:MET:HB3	2:B:325:MET:HE3	1.87	0.40
1:C:326:LYS:HB3	1:C:326:LYS:HE3	1.88	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:B:642:HOH:O	13:C:601:HOH:O[4_555]	1.97	0.23

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	435/451 (96%)	429 (99%)	5 (1%)	1 (0%)	43	37
1	C	442/451 (98%)	433 (98%)	9 (2%)	0	100	100
2	B	420/445 (94%)	415 (99%)	5 (1%)	0	100	100
2	D	423/445 (95%)	418 (99%)	5 (1%)	0	100	100
3	E	120/143 (84%)	120 (100%)	0	0	100	100
4	F	306/384 (80%)	302 (99%)	4 (1%)	0	100	100
All	All	2146/2319 (92%)	2117 (99%)	28 (1%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	178	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	368/379 (97%)	366 (100%)	2 (0%)	81	85
1	C	375/379 (99%)	374 (100%)	1 (0%)	86	90
2	B	367/383 (96%)	363 (99%)	4 (1%)	65	68
2	D	368/383 (96%)	365 (99%)	3 (1%)	73	77
3	E	111/127 (87%)	110 (99%)	1 (1%)	70	75
4	F	289/342 (84%)	282 (98%)	7 (2%)	43	40
All	All	1878/1993 (94%)	1860 (99%)	18 (1%)	68	72

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	178	SER
1	A	326	LYS
2	B	2	ARG
2	B	85	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	220	THR
2	B	248	LEU
1	C	381	THR
2	D	2	ARG
2	D	124	LYS
2	D	384	ILE
3	E	51	GLN
4	F	12	SER
4	F	86	GLU
4	F	225	SER
4	F	255	ARG
4	F	305	LYS
4	F	320	MET
4	F	331	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	285	GLN
1	A	393	HIS
2	B	8	GLN
2	B	14	ASN
2	B	101	ASN
2	B	136	GLN
1	C	15	GLN
1	C	393	HIS
2	D	37	HIS
2	D	96	GLN
2	D	334	ASN
3	E	18	GLN
3	E	92	ASN
4	F	243	HIS
4	F	269	GLN
4	F	348	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 8 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	GTP	A	501	6	33,34,34	0.95	1 (3%)	50,54,54	1.36	6 (12%)
5	GTP	C	501	6	33,34,34	0.99	1 (3%)	50,54,54	1.49	8 (16%)
11	SD5	B	505	-	32,32,32	1.40	4 (12%)	43,46,46	1.98	10 (23%)
8	GOL	F	403	-	5,5,5	0.36	0	5,5,5	0.36	0
9	GDP	B	501	6	29,30,30	1.14	3 (10%)	45,47,47	1.71	8 (17%)
8	GOL	A	504	-	5,5,5	0.32	0	5,5,5	0.49	0
8	GOL	F	404	-	5,5,5	0.37	0	5,5,5	0.21	0
10	MES	B	504	-	12,12,12	2.10	1 (8%)	15,16,16	1.93	3 (20%)
9	GDP	D	501	6	29,30,30	1.18	3 (10%)	45,47,47	1.76	8 (17%)
12	ACP	F	402	6	31,33,33	1.99	9 (29%)	47,52,52	1.86	12 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GTP	A	501	6	-	8/22/38/38	0/3/3/3
5	GTP	C	501	6	-	8/22/38/38	0/3/3/3
11	SD5	B	505	-	-	0/18/34/34	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	F	403	-	-	2/4/4/4	-
9	GDP	B	501	6	-	5/16/32/32	0/3/3/3
8	GOL	A	504	-	-	4/4/4/4	-
8	GOL	F	404	-	-	2/4/4/4	-
10	MES	B	504	-	-	1/6/14/14	0/1/1/1
9	GDP	D	501	6	-	4/16/32/32	0/3/3/3
12	ACP	F	402	6	-	7/19/38/38	0/3/3/3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B	504	MES	C8-S	-6.95	1.67	1.77
12	F	402	ACP	PG-O1G	5.77	1.61	1.50
12	F	402	ACP	C5-C4	4.71	1.47	1.39
11	B	505	SD5	C26-C04	-4.13	1.41	1.50
11	B	505	SD5	F29-C26	-3.59	1.20	1.33
11	B	505	SD5	C05-C08	-3.53	1.39	1.48
12	F	402	ACP	PA-O3A	3.33	1.63	1.59
12	F	402	ACP	PG-O2G	-2.97	1.48	1.55
9	D	501	GDP	PA-O3A	2.92	1.62	1.59
12	F	402	ACP	PG-O3G	2.92	1.61	1.55
9	D	501	GDP	C5-C4	2.90	1.46	1.38
9	B	501	GDP	C5-C4	2.62	1.45	1.38
12	F	402	ACP	C5-C6	2.59	1.48	1.41
5	C	501	GTP	PA-O3A	2.52	1.62	1.59
5	A	501	GTP	PA-O3A	2.49	1.62	1.59
9	B	501	GDP	C6-N1	-2.47	1.34	1.38
12	F	402	ACP	C8-N7	2.41	1.36	1.31
9	D	501	GDP	C6-N1	-2.31	1.34	1.38
12	F	402	ACP	PB-O3A	2.24	1.60	1.58
12	F	402	ACP	C5-N7	-2.16	1.35	1.39
11	B	505	SD5	C06-N07	2.15	1.38	1.34
9	B	501	GDP	C4-N9	-2.04	1.32	1.38

All (55) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B	505	SD5	C08-N13-C12	8.24	122.05	115.88
10	B	504	MES	C5-N4-C3	5.63	120.98	108.84
12	F	402	ACP	C5-C4-N3	-5.47	119.19	126.72
9	D	501	GDP	C5-C4-N3	-5.37	119.84	128.39

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	501	GDP	C5-C4-N3	-5.02	120.40	128.39
12	F	402	ACP	PB-O3A-PA	-4.77	116.80	132.37
12	F	402	ACP	N3-C4-N9	4.51	134.84	127.17
9	D	501	GDP	C2-N3-C4	4.47	120.01	112.30
9	B	501	GDP	C2-N3-C4	4.38	119.85	112.30
9	B	501	GDP	N9-C4-N3	4.35	134.65	125.95
9	D	501	GDP	N9-C4-N3	4.20	134.34	125.95
5	C	501	GTP	C5-C4-N3	-4.07	121.91	128.39
5	C	501	GTP	C2-N3-C4	3.92	119.06	112.30
5	A	501	GTP	C5-C4-N3	-3.72	122.47	128.39
5	A	501	GTP	C2-N3-C4	3.50	118.32	112.30
12	F	402	ACP	C2-N3-C4	3.49	120.35	111.83
11	B	505	SD5	N13-C12-N11	-3.49	120.07	126.27
10	B	504	MES	O2S-S-C8	3.46	111.95	106.73
11	B	505	SD5	C19-N14-C15	3.46	119.34	111.57
9	D	501	GDP	C6-C5-N7	3.37	136.42	130.29
12	F	402	ACP	C4-C5-N7	-3.34	106.76	110.58
5	C	501	GTP	N9-C8-N7	-3.29	107.30	113.40
11	B	505	SD5	C12-N11-C10	3.22	121.36	115.02
9	B	501	GDP	C6-C5-N7	3.13	135.98	130.29
11	B	505	SD5	C06-C05-C08	-3.13	116.43	121.24
12	F	402	ACP	C4-N9-C8	3.10	108.99	105.74
12	F	402	ACP	N3-C2-N1	-3.09	123.91	128.58
9	B	501	GDP	O6-C6-C5	-3.06	118.46	126.53
5	A	501	GTP	N9-C8-N7	-2.90	108.03	113.40
11	B	505	SD5	F29-C26-C04	-2.81	107.67	112.65
11	B	505	SD5	C09-C08-N13	-2.79	119.10	122.34
10	B	504	MES	C7-N4-C3	2.69	118.41	111.24
5	C	501	GTP	C8-N7-C5	2.63	108.95	104.26
5	C	501	GTP	N9-C4-N3	2.53	131.00	125.95
12	F	402	ACP	C5-N7-C8	2.50	107.38	103.45
12	F	402	ACP	O3G-PG-C3B	2.50	112.45	106.40
11	B	505	SD5	C25-N20-C21	2.38	116.91	111.57
9	D	501	GDP	O6-C6-C5	-2.36	120.30	126.53
5	A	501	GTP	N9-C4-N3	2.36	130.67	125.95
9	B	501	GDP	C5-C6-N1	2.34	119.22	113.25
9	D	501	GDP	O2A-PA-O3A	2.31	113.53	107.27
9	D	501	GDP	C4-C5-N7	-2.28	107.05	110.67
5	A	501	GTP	C8-N7-C5	2.22	108.22	104.26
9	B	501	GDP	C8-N9-C4	2.17	110.10	106.03
11	B	505	SD5	N13-C12-N14	2.16	120.19	117.12
12	F	402	ACP	N9-C8-N7	-2.15	110.89	113.94

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B	505	SD5	C09-C10-N11	-2.11	119.27	123.34
5	C	501	GTP	N1-C2-N3	-2.10	119.48	123.32
5	A	501	GTP	C5-C6-N1	2.09	118.58	113.25
9	B	501	GDP	O4'-C1'-N9	-2.09	103.62	108.36
5	C	501	GTP	O6-C6-C5	-2.07	121.06	126.53
12	F	402	ACP	C6-C5-N7	2.06	136.06	132.09
12	F	402	ACP	C3'-C2'-C1'	2.04	105.32	101.46
5	C	501	GTP	C5-C6-N1	2.03	118.42	113.25
9	D	501	GDP	C5-C6-N1	2.00	118.35	113.25

There are no chirality outliers.

All (41) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	C5'-O5'-PA-O3A
5	A	501	GTP	C5'-O5'-PA-O1A
5	A	501	GTP	C5'-O5'-PA-O2A
5	C	501	GTP	PB-O3B-PG-O3G
5	C	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O2A
8	A	504	GOL	O1-C1-C2-C3
9	B	501	GDP	C5'-O5'-PA-O3A
9	B	501	GDP	C5'-O5'-PA-O1A
9	D	501	GDP	C5'-O5'-PA-O3A
9	D	501	GDP	C5'-O5'-PA-O1A
12	F	402	ACP	PG-C3B-PB-O1B
12	F	402	ACP	PG-C3B-PB-O3A
12	F	402	ACP	C5'-O5'-PA-O1A
12	F	402	ACP	C5'-O5'-PA-O3A
12	F	402	ACP	O4'-C4'-C5'-O5'
8	F	404	GOL	O1-C1-C2-C3
8	A	504	GOL	O1-C1-C2-O2
8	F	404	GOL	O1-C1-C2-O2
8	F	403	GOL	O1-C1-C2-O2
5	A	501	GTP	PB-O3B-PG-O1G
8	A	504	GOL	C1-C2-C3-O3
9	B	501	GDP	C5'-O5'-PA-O2A
9	D	501	GDP	C5'-O5'-PA-O2A
12	F	402	ACP	PG-C3B-PB-O2B
5	A	501	GTP	C4'-C5'-O5'-PA
8	F	403	GOL	O1-C1-C2-C3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	C	501	GTP	PB-O3A-PA-O2A
8	A	504	GOL	O2-C2-C3-O3
5	C	501	GTP	C4'-C5'-O5'-PA
5	C	501	GTP	PB-O3B-PG-O1G
10	B	504	MES	C8-C7-N4-C3
5	A	501	GTP	PB-O3B-PG-O2G
5	A	501	GTP	PB-O3B-PG-O3G
12	F	402	ACP	C3'-C4'-C5'-O5'
5	A	501	GTP	PB-O3A-PA-O2A
5	C	501	GTP	PB-O3A-PA-O1A
9	B	501	GDP	PB-O3A-PA-O2A
9	B	501	GDP	PB-O3A-PA-O1A
9	D	501	GDP	PB-O3A-PA-O2A

There are no ring outliers.


4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	B	505	SD5	1	0
10	B	504	MES	2	0
9	D	501	GDP	1	0
12	F	402	ACP	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




## Ligand GTP A 501




## Ligand GTP C 501




## Ligand SD5 B 505




Bond lengths





Bond angles




Torsions



Rings





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å²)	Q<0.9
1	A	436/451 (96%)	-0.01	6 (1%)	73	75	31, 53, 85, 96	1 (0%)
1	C	440/451 (97%)	-0.21	8 (1%)	67	69	23, 41, 67, 90	4 (0%)
2	B	423/445 (95%)	0.11	16 (3%)	44	44	22, 50, 85, 115	3 (0%)
2	D	427/445 (95%)	0.21	16 (3%)	45	45	33, 58, 89, 110	3 (0%)
3	E	123/143 (86%)	0.45	6 (4%)	35	35	28, 63, 103, 116	1 (0%)
4	F	322/384 (83%)	0.45	20 (6%)	26	26	39, 72, 115, 138	0
All	All	2171/2319 (93%)	0.11	72 (3%)	49	49	22, 54, 93, 138	12 (0%)

All (72) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	180	THR	4.8
4	F	179	VAL	4.2
2	B	245	PRO	4.2
2	D	276	THR	4.2
4	F	159	GLY	4.0
2	B	2	ARG	3.7
4	F	153	ALA	3.6
2	D	285	ALA	3.5
3	E	143	ALA	3.4
2	B	246	GLY	3.4
4	F	231	ALA	3.3
2	D	325	MET	3.3
2	B	276	THR	3.2
4	F	102	PRO	3.2
1	C	340	SER	3.1
2	B	438	ALA	3.1
1	A	362	VAL	3.1
1	A	262	TYR	3.0
4	F	161	LEU	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
4	F	372	THR	2.9
2	B	325	MET	2.9
4	F	235	ASP	2.8
2	D	248	LEU	2.8
2	B	248	LEU	2.8
1	A	282	TYR	2.7
4	F	132	LEU	2.7
4	F	125	THR	2.7
1	C	357	TYR	2.6
2	D	277	SER	2.6
3	E	23	ILE	2.6
4	F	152	SER	2.6
1	C	440	VAL	2.6
3	E	15	THR	2.5
3	E	6	MET	2.5
2	B	333	LEU	2.5
2	D	179	ASP	2.5
2	D	82	PRO	2.5
4	F	144	GLY	2.5
2	B	275	LEU	2.4
2	D	286	LEU	2.4
4	F	240	LEU	2.4
2	D	2	ARG	2.4
2	B	128	SER	2.4
1	C	285	GLN	2.3
4	F	172	PHE	2.3
4	F	186	LEU	2.3
1	A	46	ASP	2.3
1	C	179	THR	2.3
1	A	88	HIS	2.3
2	D	83	PHE	2.3
2	D	404	PHE	2.3
2	B	304	ALA	2.3
3	E	26	PRO	2.2
2	B	337	ASN	2.2
2	B	285	ALA	2.2
4	F	253	TYR	2.2
2	B	339	ASN	2.2
4	F	136	ASN	2.2
2	B	57	THR	2.2
3	E	44	ASP	2.2
1	C	1	MET	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	435	TYR	2.1
2	D	281	GLN	2.1
2	D	279	GLY	2.1
1	A	436	GLY	2.1
2	D	317	ALA	2.1
1	C	248	LEU	2.0
4	F	247	LYS	2.0
4	F	182	ILE	2.0
4	F	134	ALA	2.0
2	D	275	LEU	2.0
1	C	364	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	MG	F	401	1/1	0.68	0.24	118,118,118,118	0
7	CA	B	503	1/1	0.75	0.12	114,114,114,114	0
8	GOL	F	403	6/6	0.87	0.26	105,109,111,113	0
8	GOL	A	504	6/6	0.88	0.14	68,78,84,87	0
8	GOL	F	404	6/6	0.89	0.22	110,116,117,118	0
12	ACP	F	402	31/31	0.89	0.21	121,133,175,180	0
10	MES	B	504	12/12	0.91	0.13	50,58,77,82	0
11	SD5	B	505	29/29	0.92	0.11	39,54,72,77	0
6	MG	D	502	1/1	0.95	0.06	50,50,50,50	0
9	GDP	D	501	28/28	0.96	0.08	40,52,59,61	0
7	CA	A	503	1/1	0.97	0.05	73,73,73,73	0
5	GTP	A	501	32/32	0.99	0.04	30,34,38,41	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	GTP	C	501	32/32	0.99	0.04	24,30,34,35	0
9	GDP	B	501	28/28	0.99	0.05	27,34,37,41	0
6	MG	A	502	1/1	0.99	0.03	36,36,36,36	0
6	MG	B	502	1/1	0.99	0.07	31,31,31,31	0
7	CA	C	503	1/1	0.99	0.05	53,53,53,53	0
6	MG	C	502	1/1	0.99	0.07	36,36,36,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around ACP F 402:**




2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around SD5 B 505:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GDP D 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around GTP A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GTP C 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around GDP B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.