



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 06:19 AM UTC

PDB ID : 5SBE / pdb_00005sbe
Title : Tubulin-maytansinoid-5c-complex
Authors : Marzullo, P.; Boiarska, Z.; Perez-Pena, H.; Abel, A.-C.; Alvarez-Bernad, B.;
Lucena-Agell, D.; Vasile, F.; Sironi, M.; Steinmetz, M.O.; Prota, A.E.; Diaz,
J.F.; Pieraccini, S.; Passarella, D.
Deposited on : 2021-07-20
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	1009 (2.76-2.76)
Clashscore	190562	1044 (2.76-2.76)
Ramachandran outliers	187476	1024 (2.76-2.76)
Sidechain outliers	187428	1024 (2.76-2.76)
RSRZ outliers	180081	1009 (2.76-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	<div><div></div><div>88%9%</div></div>
1	C	451	<div><div>%</div><div>88%10%</div></div>
2	B	445	<div><div></div><div>84%11%5%</div></div>
2	D	445	<div><div>%</div><div>88%8%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	E	143	<div><div><div>%</div><div><div></div><div>83%</div><div></div></div><div><div></div><div></div><div>14%</div></div></div></div>
4	F	384	<div><div><div>2%</div><div><div></div><div>83%</div><div></div></div><div><div></div><div></div><div>6%</div><div>11%</div></div></div></div>

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 17938 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	438	Total	C	N	O	S	0	0	0
			3424	2167	582	653	22			
1	C	440	Total	C	N	O	S	0	2	0
			3451	2183	586	658	24			

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	422	Total	C	N	O	S	0	1	0
			3337	2097	571	643	26			
2	D	427	Total	C	N	O	S	0	0	0
			3348	2101	571	649	27			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	123	Total	C	N	O	S	0	1	0
			1024	631	186	202	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	-	initiating methionine	UNP P63043
E	4	ALA	-	expression tag	UNP P63043


- Molecule 4 is a protein called Tubulin-Tyrosine Ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	343	Total	C	N	O	S	0	0	0
			2813	1804	483	512	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP E1BQ43
F	380	HIS	-	expression tag	UNP E1BQ43
F	381	HIS	-	expression tag	UNP E1BQ43
F	382	HIS	-	expression tag	UNP E1BQ43
F	383	HIS	-	expression tag	UNP E1BQ43
F	384	HIS	-	expression tag	UNP E1BQ43

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
5	C	1	Total	C	N	O	P	0	0
			32	10	5	14	3		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		
6	C	1	Total	Mg	0	0
			1	1		
6	D	1	Total	Mg	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	F	1	Total	Mg	0	0
			1	1		

- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Ca	0	0
			1	1		
7	B	1	Total	Ca	0	0
			1	1		
7	C	1	Total	Ca	0	0
			1	1		


- Molecule 8 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).






Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 10 is (1S,2R,3S,5S,6S,16E,18E,20R)-11-chloro-12,20-dimethoxy-2,5,9,16-tetramethyl-8,23-dioxo-4,24-dioxo-9,22-diazatetracyclo[19.3.1.1 10,14 .0 3,5]hexacosa-10(26),11,13,16,18,21-hexaen-6-yl hept-6-ynoate (CCD ID: 5L5) (formula: C₃₅H₄₃ClN₂O₈) (labeled as "Ligand of Interest" by depositor).



- Molecule 11 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (CCD ID: ACP) (formula: C₁₁H₁₈N₅O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	F	1	Total	C	N	O	P	0	0
			31	11	5	12	3		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	48	Total	O	0	0
			48	48		
12	B	76	Total	O	0	0
			76	76		
12	C	153	Total	O	0	0
			153	153		
12	D	30	Total	O	0	0
			30	30		
12	E	13	Total	O	0	0
			13	13		
12	F	4	Total	O	0	0
			4	4		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha-1B chain




- Molecule 1: Tubulin alpha-1B chain




- Molecule 2: Tubulin beta-2B chain





- Molecule 2: Tubulin beta-2B chain







• Molecule 3: Stathmin-4



• Molecule 4: Tubulin-Tyrosine Ligase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	105.12Å 158.40Å 181.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.06 – 2.75 48.06 – 2.75	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.06-2.75) 100.0 (48.06-2.75)	Depositor EDS
R_{merge}	0.35	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.56 (at 2.77Å)	Xtriage
Refinement program	PHENIX 1.19.1_4122	Depositor
R, R_{free}	0.192 , 0.230 0.190 , 0.225	Depositor DCC
R_{free} test set	3966 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	62.9	Xtriage
Anisotropy	0.112	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 49.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	17938	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 5L5, GTP, ACP, MES, GDP, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.08	0/3502	0.24	0/4754
1	C	0.09	0/3529	0.25	0/4790
2	B	0.08	0/3411	0.23	0/4619
2	D	0.08	0/3421	0.22	0/4633
3	E	0.06	0/1033	0.16	0/1371
4	F	0.07	0/2876	0.22	0/3883
All	All	0.08	0/17772	0.23	0/24050

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3424	0	3334	22	0
1	C	3451	0	3360	24	0
2	B	3337	0	3215	30	0
2	D	3348	0	3227	19	0
3	E	1024	0	1035	2	0
4	F	2813	0	2780	12	0
5	A	32	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	32	0	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	F	1	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
8	B	28	0	12	2	0
8	D	28	0	12	2	0
9	B	12	0	12	1	0
10	D	46	0	0	0	0
11	F	31	0	14	0	0
12	A	48	0	0	0	0
12	B	76	0	0	2	0
12	C	153	0	0	0	0
12	D	30	0	0	0	0
12	E	13	0	0	0	0
12	F	4	0	0	0	0
All	All	17938	0	17025	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2:ARG:HB2	1:A:133:GLN:HE21	1.58	0.68
1:A:172:TYR:HB3	1:A:205:ASP:HA	1.75	0.68
2:B:298:SER:HA	2:B:301:MET:HE2	1.78	0.64
4:F:16:GLU:OE2	4:F:19:ARG:NH2	2.31	0.64
2:D:385:GLN:HB2	2:D:429:VAL:HG13	1.80	0.64
1:C:172:TYR:HB3	1:C:205:ASP:HA	1.80	0.62
2:B:172:MET:HG3	2:B:387:LEU:HD11	1.82	0.61
1:A:335:ILE:HG23	1:A:339:ARG:HG3	1.84	0.60
2:D:172:MET:HG3	2:D:387:LEU:HD11	1.84	0.60
1:C:217:LEU:HD21	1:C:368:LEU:HD23	1.83	0.60
2:B:253[A]:ARG:NH1	9:B:504:MES:O3S	2.35	0.60
1:A:226:ASN:ND2	1:A:367:ASP:OD2	2.37	0.57
4:F:102:PRO:HG2	4:F:105:LEU:HD13	1.84	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:23:VAL:HG21	2:B:232:SER:HB3	1.86	0.57
1:A:34:GLY:HA3	1:A:60:LYS:HG3	1.87	0.56
2:B:70:LEU:HD12	2:B:99:ALA:HB2	1.88	0.56
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.23	0.55
2:B:176:LYS:HD2	2:B:207:GLU:HG3	1.88	0.55
1:C:209:ILE:HG23	1:C:230:LEU:HD23	1.90	0.54
1:A:71:GLU:OE2	1:A:73:THR:OG1	2.26	0.54
2:B:301:MET:HE1	2:B:307:PRO:HG3	1.90	0.53
1:C:234:ILE:HG21	1:C:302[B]:MET:SD	2.48	0.53
2:D:70:LEU:HD12	2:D:99:ALA:HB2	1.89	0.53
4:F:217:ARG:HG3	4:F:218:GLU:HG2	1.91	0.52
2:D:248:LEU:HD23	2:D:354:ALA:HB2	1.91	0.52
2:D:10:GLY:O	2:D:14:ASN:ND2	2.34	0.52
2:B:31:ASP:OD1	2:B:35:SER:N	2.43	0.52
1:C:93:ILE:HG22	1:C:114:ILE:HD11	1.93	0.51
1:C:159:VAL:HA	3:E:94:ILE:HG23	1.92	0.51
1:A:161:TYR:HB3	1:A:164:LYS:HD3	1.93	0.51
1:A:399:TYR:O	1:A:402:ARG:NH1	2.41	0.50
4:F:14:TYR:HB3	4:F:41:LEU:HD13	1.92	0.50
1:A:209:ILE:HG23	1:A:230:LEU:HD23	1.94	0.50
2:B:325:MET:HG3	2:B:355:VAL:HG21	1.93	0.50
3:E:58:GLU:HG2	3:E:62:LYS:HE3	1.95	0.49
1:A:274:PRO:HB3	1:A:286:LEU:HD12	1.95	0.49
4:F:189:PRO:HG2	4:F:191:LEU:HD21	1.94	0.49
1:A:97:GLU:OE2	1:A:105:ARG:NH2	2.45	0.48
2:D:46:LEU:HA	2:D:49:ILE:HB	1.94	0.48
2:D:298:SER:HB3	2:D:307:PRO:HD2	1.95	0.48
1:A:178:SER:OG	2:B:352:LYS:NZ	2.47	0.48
2:B:203:CYS:SG	2:B:267:PHE:HB3	2.54	0.48
1:C:187:SER:HB3	1:C:391:LEU:HD21	1.95	0.48
1:C:275:VAL:HG13	1:C:368:LEU:HD21	1.95	0.48
2:D:165:ILE:HG21	2:D:252:LEU:HB3	1.96	0.48
1:A:12:ALA:HB3	1:A:140:SER:HB3	1.96	0.47
1:C:167:LEU:HG	1:C:200:CYS:HB3	1.96	0.47
1:C:172:TYR:CE1	1:C:391:LEU:HD22	2.49	0.47
2:D:174:SER:OG	2:D:207:GLU:OE1	2.31	0.47
4:F:195:GLY:HA3	4:F:197:ARG:HD3	1.97	0.47
1:A:209:ILE:HG22	1:A:227:LEU:HD22	1.97	0.47
1:C:136:LEU:HD23	1:C:167:LEU:HB2	1.97	0.47
2:B:16:ILE:HD13	2:B:231:VAL:HG11	1.97	0.46
1:C:48:SER:OG	1:C:245:ASP:HB2	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:213:CYS:HA	2:D:217:LEU:HB2	1.98	0.46
2:B:12:CYS:HB2	8:B:501:GDP:C8	2.51	0.46
2:B:270:PRO:HG2	2:B:302:MET:HB2	1.97	0.46
2:B:274:PRO:HB3	2:B:286:LEU:HD22	1.97	0.46
2:D:269:MET:HG3	2:D:303:ALA:HB3	1.97	0.45
2:D:303:ALA:O	2:D:305:CYS:N	2.49	0.45
2:B:136:GLN:HA	2:B:167:ASN:O	2.16	0.45
1:A:147:SER:HB2	1:A:190:THR:HB	1.98	0.44
4:F:225:SER:OG	4:F:250:SER:OG	2.34	0.44
1:C:71:GLU:HG2	1:C:98:ASP:HB3	2.00	0.44
1:A:210:TYR:CZ	1:A:222:PRO:HD2	2.52	0.44
2:B:269:MET:HG2	2:B:384:ILE:HD13	1.99	0.44
1:C:21:TRP:CZ3	1:C:63:PRO:HB3	2.52	0.44
2:B:96:GLN:HB3	1:C:1:MET:HE2	1.98	0.43
2:D:143:GLY:HA3	8:D:501:GDP:O3A	2.18	0.43
4:F:223:THR:OG1	4:F:257:GLU:OE2	2.26	0.43
2:B:54:ASN:OD1	2:B:64:ARG:NH2	2.47	0.43
2:B:165:ILE:HG21	2:B:252:LEU:HB3	1.99	0.43
1:A:217:LEU:HD21	1:A:368:LEU:HD23	2.00	0.43
2:B:21:TRP:CZ3	2:B:63:PRO:HB3	2.52	0.43
2:D:11:GLN:HA	2:D:74:THR:HG21	2.01	0.43
1:A:36:MET:HB3	1:A:61:HIS:CE1	2.54	0.43
1:C:210:TYR:CZ	1:C:222:PRO:HD2	2.54	0.42
2:D:12:CYS:HB2	8:D:501:GDP:C8	2.54	0.42
1:C:34:GLY:HA3	1:C:60:LYS:HG3	2.01	0.42
1:A:166:LYS:HE2	1:A:197:HIS:O	2.19	0.42
1:C:320:ARG:HA	1:C:356:ASN:O	2.20	0.42
1:C:188:ILE:HG13	1:C:425:MET:HG3	2.02	0.42
1:A:409:VAL:HA	1:A:413:MET:O	2.20	0.42
2:B:164:ARG:NH1	12:B:606:HOH:O	2.52	0.42
2:D:6:HIS:CD2	2:D:21:TRP:HE1	2.38	0.42
2:B:46:LEU:HA	2:B:49:ILE:HB	2.00	0.42
1:A:3:GLU:HG2	1:A:64:ARG:CZ	2.50	0.41
1:A:265:ILE:HG21	1:A:313:MET:HE1	2.02	0.41
4:F:2:TYR:CE1	4:F:359:PHE:HB3	2.55	0.41
2:B:248:LEU:HD21	2:B:352:LYS:HB3	2.02	0.41
1:C:68:VAL:HG11	1:C:149:PHE:CE2	2.55	0.41
2:B:143:GLY:HA3	8:B:501:GDP:O3A	2.20	0.41
2:B:161:TYR:HB3	2:B:164:ARG:HG3	2.02	0.41
4:F:2:TYR:CZ	4:F:359:PHE:HB3	2.56	0.41
4:F:338:CYS:SG	4:F:339:ALA:N	2.93	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:254:LYS:NZ	12:B:607:HOH:O	2.54	0.41
1:C:39:ASP:OD2	1:C:61:HIS:NE2	2.53	0.41
1:C:406:HIS:CG	2:D:263:PRO:HD3	2.56	0.41
2:D:392:SER:HB2	2:D:425:MET:HE3	2.03	0.40
2:B:67:LEU:HD22	2:B:92:PHE:CE2	2.56	0.40
2:B:103:TRP:CE3	2:B:189:LEU:HD13	2.56	0.40
1:C:191:THR:O	1:C:195:LEU:HB2	2.22	0.40
1:C:139:HIS:CD2	1:C:150:THR:HG21	2.56	0.40
2:D:136:GLN:HA	2:D:167:ASN:O	2.21	0.40
4:F:282:SER:HB2	4:F:325:LEU:HD13	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	436/451 (97%)	423 (97%)	13 (3%)	0	100	100
1	C	440/451 (98%)	429 (98%)	10 (2%)	1 (0%)	43	64
2	B	419/445 (94%)	411 (98%)	8 (2%)	0	100	100
2	D	423/445 (95%)	411 (97%)	11 (3%)	1 (0%)	43	64
3	E	120/143 (84%)	120 (100%)	0	0	100	100
4	F	331/384 (86%)	318 (96%)	12 (4%)	1 (0%)	36	56
All	All	2169/2319 (94%)	2112 (97%)	54 (2%)	3 (0%)	48	71

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	304	ALA
4	F	142	ARG
1	C	341	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	369/379 (97%)	367 (100%)	2 (0%)	81	89
1	C	373/379 (98%)	371 (100%)	2 (0%)	81	89
2	B	367/383 (96%)	367 (100%)	0	100	100
2	D	368/383 (96%)	368 (100%)	0	100	100
3	E	111/127 (87%)	110 (99%)	1 (1%)	70	82
4	F	309/342 (90%)	309 (100%)	0	100	100
All	All	1897/1993 (95%)	1892 (100%)	5 (0%)	86	93

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	GLU
1	A	282	TYR
1	C	80	THR
1	C	284	GLU
3	E	22	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	GLN
1	A	15	GLN
2	B	293	GLN
2	B	300	ASN
2	B	331	GLN
2	B	349	ASN
2	B	385	GLN
2	B	424	ASN
1	C	11	GLN
1	C	15	GLN
1	C	85	GLN
1	C	285	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	293	ASN
1	C	356	ASN
2	D	50	ASN
2	D	101	ASN
2	D	247	GLN
3	E	18	GLN
3	E	71	HIS
3	E	90	ASN
4	F	26	GLN
4	F	180	HIS
4	F	183	GLN
4	F	269	GLN
4	F	333	ASN
4	F	348	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 8 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	5L5	D	503	-	48,49,49	3.25	12 (25%)	50,70,70	2.69	22 (44%)
5	GTP	A	501	6	33,34,34	1.04	4 (12%)	50,54,54	1.52	8 (16%)
9	MES	B	504	-	12,12,12	2.29	1 (8%)	15,16,16	1.89	4 (26%)
8	GDP	B	501	6	29,30,30	1.17	3 (10%)	45,47,47	1.74	6 (13%)
5	GTP	C	501	6	33,34,34	1.05	4 (12%)	50,54,54	1.53	8 (16%)
8	GDP	D	501	6	29,30,30	1.17	3 (10%)	45,47,47	1.74	6 (13%)
11	ACP	F	401	6	31,33,33	2.16	11 (35%)	47,52,52	1.81	10 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	5L5	D	503	-	-	8/49/74/74	0/2/4/4
5	GTP	A	501	6	-	8/22/38/38	0/3/3/3
9	MES	B	504	-	-	4/6/14/14	0/1/1/1
8	GDP	B	501	6	-	3/16/32/32	0/3/3/3
5	GTP	C	501	6	-	9/22/38/38	0/3/3/3
8	GDP	D	501	6	-	2/16/32/32	0/3/3/3
11	ACP	F	401	6	-	8/19/38/38	0/3/3/3

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	D	503	5L5	C20-C14	-13.21	1.34	1.50
10	D	503	5L5	C14-N16	9.62	1.44	1.28
9	B	504	MES	C8-S	-7.68	1.66	1.77
10	D	503	5L5	C6-CL33	7.23	1.88	1.72
10	D	503	5L5	O34-C1	7.18	1.48	1.37
11	F	401	ACP	PG-O1G	5.67	1.61	1.50
10	D	503	5L5	C35-N31	5.52	1.55	1.46
10	D	503	5L5	C38-C25	4.91	1.63	1.52
11	F	401	ACP	C5-C4	4.72	1.47	1.39
11	F	401	ACP	PB-O1B	4.20	1.61	1.51
10	D	503	5L5	C17-N16	3.86	1.41	1.33
10	D	503	5L5	O29-C23	-3.76	1.40	1.45
10	D	503	5L5	C25-C23	3.67	1.52	1.47
11	F	401	ACP	PB-O3A	3.35	1.62	1.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	F	401	ACP	PB-O2B	-3.30	1.48	1.56
8	D	501	GDP	C5-C4	3.12	1.47	1.38
8	B	501	GDP	C5-C4	3.09	1.47	1.38
11	F	401	ACP	PG-O2G	-2.89	1.48	1.55
11	F	401	ACP	PG-O3G	2.68	1.61	1.55
11	F	401	ACP	C5-C6	2.65	1.48	1.41
11	F	401	ACP	PA-O3A	2.64	1.62	1.59
5	A	501	GTP	PA-O3A	2.53	1.62	1.59
5	C	501	GTP	PA-O3A	2.49	1.62	1.59
8	D	501	GDP	C6-N1	-2.45	1.34	1.38
8	B	501	GDP	C6-N1	-2.45	1.34	1.38
11	F	401	ACP	C5-N7	-2.36	1.34	1.39
5	C	501	GTP	PB-O3A	2.24	1.61	1.59
5	A	501	GTP	PB-O3A	2.23	1.61	1.59
10	D	503	5L5	C5-N31	-2.20	1.41	1.44
10	D	503	5L5	O15-C37	2.19	1.49	1.42
5	A	501	GTP	PB-O3B	2.19	1.61	1.59
5	C	501	GTP	C2-N3	2.19	1.38	1.33
10	D	503	5L5	O34-C36	2.17	1.48	1.42
5	C	501	GTP	PB-O3B	2.10	1.61	1.59
8	D	501	GDP	C5-N7	-2.10	1.34	1.39
11	F	401	ACP	C8-N7	2.09	1.35	1.31
5	A	501	GTP	C2-N3	2.05	1.38	1.33
8	B	501	GDP	C5-N7	-2.05	1.35	1.39

All (64) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	D	503	5L5	C35-N31-C28	8.60	132.96	119.14
10	D	503	5L5	C25-O29-C23	6.65	64.58	60.81
8	B	501	GDP	C5-C4-N3	-6.08	118.72	128.39
8	D	501	GDP	C5-C4-N3	-6.01	118.82	128.39
10	D	503	5L5	C5-N31-C28	-5.97	109.68	123.72
11	F	401	ACP	C5-C4-N3	-5.86	118.65	126.72
10	D	503	5L5	C38-C25-C23	-5.27	109.64	121.17
8	B	501	GDP	C2-N3-C4	5.05	121.00	112.30
8	D	501	GDP	C2-N3-C4	5.00	120.92	112.30
5	C	501	GTP	C5-C4-N3	-4.85	120.67	128.39
11	F	401	ACP	N3-C4-N9	4.82	135.37	127.17
10	D	503	5L5	O29-C25-C23	-4.78	56.35	59.38
5	A	501	GTP	C5-C4-N3	-4.67	120.95	128.39
8	D	501	GDP	N9-C4-N3	4.54	135.04	125.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	501	GTP	C2-N3-C4	4.49	120.04	112.30
8	B	501	GDP	N9-C4-N3	4.48	134.92	125.95
5	C	501	GTP	C2-N3-C4	4.41	119.89	112.30
10	D	503	5L5	C38-C25-C26	4.13	125.46	114.62
10	D	503	5L5	C20-C14-C13	4.12	127.51	116.56
10	D	503	5L5	O30-C26-C27	3.88	112.59	105.09
9	B	504	MES	C5-N4-C3	3.86	117.15	108.84
10	D	503	5L5	C19-C20-C14	3.73	122.35	111.97
11	F	401	ACP	C2-N3-C4	3.64	120.73	111.83
8	B	501	GDP	C6-C5-N7	3.26	136.23	130.29
9	B	504	MES	C6-C5-N4	-3.26	105.17	110.12
8	D	501	GDP	C6-C5-N7	3.23	136.17	130.29
11	F	401	ACP	C4-C5-N7	-3.22	106.90	110.58
11	F	401	ACP	N3-C2-N1	-3.15	123.81	128.58
5	C	501	GTP	N9-C4-N3	3.09	132.14	125.95
5	A	501	GTP	N9-C4-N3	2.97	131.90	125.95
5	C	501	GTP	C2-N1-C6	-2.79	120.06	125.11
5	A	501	GTP	C2-N1-C6	-2.76	120.11	125.11
5	C	501	GTP	N9-C8-N7	-2.69	108.42	113.40
10	D	503	5L5	O34-C1-C6	2.66	118.36	115.44
5	A	501	GTP	N9-C8-N7	-2.63	108.52	113.40
11	F	401	ACP	C4-N9-C8	2.61	108.48	105.74
11	F	401	ACP	C3'-C2'-C1'	2.59	106.36	101.46
8	B	501	GDP	C4-C5-N7	-2.57	106.59	110.67
5	C	501	GTP	C8-N7-C5	2.55	108.79	104.26
10	D	503	5L5	C5-C6-CL33	2.52	122.44	120.07
11	F	401	ACP	PB-O3A-PA	-2.51	124.18	132.37
10	D	503	5L5	C36-O34-C1	-2.51	113.84	117.51
8	D	501	GDP	C4-C5-N7	-2.50	106.71	110.67
10	D	503	5L5	C11-C10-C8	-2.49	124.19	127.69
10	D	503	5L5	O18-C19-C22	2.45	110.38	105.68
10	D	503	5L5	O34-C1-C2	-2.44	119.88	124.08
9	B	504	MES	C7-N4-C5	2.43	117.73	111.24
5	A	501	GTP	C5-C6-N1	2.43	119.45	113.25
10	D	503	5L5	O30-C26-C25	2.43	110.97	105.48
9	B	504	MES	O1S-S-C8	2.43	110.40	106.73
11	F	401	ACP	C5-N7-C8	2.43	107.26	103.45
5	C	501	GTP	C5-C6-N1	2.39	119.35	113.25
5	A	501	GTP	C8-N7-C5	2.38	108.50	104.26
5	A	501	GTP	O6-C6-C5	-2.36	120.29	126.53
10	D	503	5L5	O32-C28-N31	-2.35	117.97	121.94
10	D	503	5L5	C4-C5-C6	-2.34	119.70	122.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	D	503	5L5	O32-C28-C27	-2.32	117.73	122.07
5	C	501	GTP	O6-C6-C5	-2.30	120.47	126.53
11	F	401	ACP	C2'-C1'-N9	-2.18	107.88	113.30
10	D	503	5L5	O18-C19-C20	2.17	113.53	109.63
10	D	503	5L5	O30-C39-C40	2.16	116.15	111.48
8	D	501	GDP	O6-C6-C5	-2.14	120.89	126.53
8	B	501	GDP	O6-C6-C5	-2.12	120.94	126.53
10	D	503	5L5	C24-C22-C23	-2.03	107.96	112.42

There are no chirality outliers.

All (42) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	C5'-O5'-PA-O1A
8	B	501	GDP	C5'-O5'-PA-O3A
8	B	501	GDP	C5'-O5'-PA-O2A
8	D	501	GDP	C5'-O5'-PA-O3A
8	D	501	GDP	C5'-O5'-PA-O2A
9	B	504	MES	C8-C7-N4-C5
9	B	504	MES	C7-C8-S-O1S
9	B	504	MES	C7-C8-S-O2S
9	B	504	MES	C7-C8-S-O3S
10	D	503	5L5	C6-C1-O34-C36
10	D	503	5L5	O18-C19-C22-C24
11	F	401	ACP	PG-C3B-PB-O1B
11	F	401	ACP	PG-C3B-PB-O2B
11	F	401	ACP	PG-C3B-PB-O3A
11	F	401	ACP	C5'-O5'-PA-O2A
10	D	503	5L5	C2-C1-O34-C36
11	F	401	ACP	O4'-C4'-C5'-O5'
5	A	501	GTP	C3'-C4'-C5'-O5'
10	D	503	5L5	C39-C40-C42-C43
11	F	401	ACP	C3'-C4'-C5'-O5'
5	A	501	GTP	O4'-C4'-C5'-O5'
5	A	501	GTP	PB-O3B-PG-O2G
5	C	501	GTP	PB-O3A-PA-O2A
5	C	501	GTP	C3'-C4'-C5'-O5'
10	D	503	5L5	C20-C19-C22-C24
5	A	501	GTP	C5'-O5'-PA-O3A
5	A	501	GTP	C5'-O5'-PA-O2A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	C	501	GTP	C5'-O5'-PA-O2A
10	D	503	5L5	C11-C12-C13-C14
11	F	401	ACP	C5'-O5'-PA-O1A
11	F	401	ACP	C5'-O5'-PA-O3A
5	A	501	GTP	PB-O3A-PA-O2A
5	C	501	GTP	O4'-C4'-C5'-O5'
5	C	501	GTP	PB-O3B-PG-O2G
8	B	501	GDP	PA-O3A-PB-O2B
5	C	501	GTP	PB-O3A-PA-O1A
10	D	503	5L5	O30-C39-C40-C42
5	C	501	GTP	PB-O3B-PG-O1G
10	D	503	5L5	O41-C39-C40-C42
5	A	501	GTP	PB-O3A-PA-O1A


There are no ring outliers.


3 monomers are involved in 5 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	B	504	MES	1	0
8	B	501	GDP	2	0
8	D	501	GDP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 5L5 D 503









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	438/451 (97%)	-0.12	0 100 100	44, 64, 99, 155	0
1	C	440/451 (97%)	-0.32	3 (0%) 84 84	22, 51, 84, 121	2 (0%)
2	B	422/445 (94%)	-0.13	2 (0%) 87 87	28, 61, 98, 160	1 (0%)
2	D	427/445 (95%)	0.12	6 (1%) 73 73	50, 78, 115, 154	0
3	E	123/143 (86%)	0.20	2 (1%) 70 69	33, 82, 124, 159	1 (0%)
4	F	343/384 (89%)	0.26	8 (2%) 61 59	59, 91, 150, 179	0
All	All	2193/2319 (94%)	-0.04	21 (0%) 79 79	22, 68, 123, 179	4 (0%)

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	163	LYS	4.1
4	F	153	ALA	3.3
2	B	276	THR	3.1
2	D	276	THR	2.8
1	C	357	TYR	2.7
2	D	285	ALA	2.6
4	F	159	GLY	2.6
2	D	279	GLY	2.5
3	E	115[A]	HIS	2.5
3	E	143	ALA	2.5
2	D	277	SER	2.4
2	B	284	ARG	2.3
1	C	440	VAL	2.3
4	F	161	LEU	2.3
2	D	128	SER	2.2
4	F	231	ALA	2.2
4	F	243	HIS	2.2
4	F	382	HIS	2.2
2	D	280	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	240	LEU	2.1
4	F	125	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
10	5L5	D	503	46/46	0.85	0.21	75,92,101,106	46
6	MG	F	402	1/1	0.89	0.14	78,78,78,78	0
11	ACP	F	401	31/31	0.91	0.09	83,103,112,117	0
7	CA	B	503	1/1	0.92	0.16	91,91,91,91	0
9	MES	B	504	12/12	0.92	0.10	49,62,71,81	0
8	GDP	D	501	28/28	0.94	0.09	64,74,87,97	0
5	GTP	A	501	32/32	0.97	0.06	42,50,56,60	0
8	GDP	B	501	28/28	0.97	0.07	34,44,51,56	0
5	GTP	C	501	32/32	0.98	0.06	33,41,48,51	0
6	MG	D	502	1/1	0.99	0.04	77,77,77,77	0
6	MG	B	502	1/1	0.99	0.06	49,49,49,49	0
7	CA	A	503	1/1	0.99	0.03	81,81,81,81	0
7	CA	C	503	1/1	1.00	0.02	69,69,69,69	0
6	MG	A	502	1/1	1.00	0.05	52,52,52,52	0
6	MG	C	502	1/1	1.00	0.04	39,39,39,39	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 5L5 D 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ACP F 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GDP D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GTP A 501:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GDP B 501:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.