



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 06:01 PM UTC

PDB ID : 6H1S / pdb_00006h1s
Title : Structure of the BM3 heme domain in complex with fluconazole
Authors : Jeffreys, L.N.; Munro, A.W.M.; Leys, D.
Deposited on : 2018-07-12
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	457	<div> <div>4%</div> <div> <div></div> <div>89%</div> <div>8%</div> <div>..</div> </div> </div>
1	B	457	<div> <div>4%</div> <div> <div></div> <div>89%</div> <div>7%</div> <div>.</div> </div> </div>

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 8025 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bifunctional cytochrome P450/NADPH-P450 reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	453	Total	C	N	O	S	0	2	0
			3659	2337	621	683	18			
1	B	443	Total	C	N	O	S	0	4	0
			3592	2302	608	665	17			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	82	PHE	ALA	engineered mutation	UNP P14779
A	87	VAL	PHE	engineered mutation	UNP P14779
B	82	PHE	ALA	engineered mutation	UNP P14779
B	87	VAL	PHE	engineered mutation	UNP P14779

- Molecule 2 is 2-(2,4-DIFLUOROPHENYL)-1,3-DI(1H-1,2,4-TRIAZOL-1-YL)PROPAN-2-OL (CCD ID: TPF) (formula: C₁₃H₁₂F₂N₆O) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			22	13	2	6	1		
2	B	1	Total	C	F	N	O	0	1
			44	26	4	12	2		

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	284	Total O 284 284	0	0
6	B	277	Total O 277 277	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional cytochrome P450/NADPH-P450 reductase



- Molecule 1: Bifunctional cytochrome P450/NADPH-P450 reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	60.94Å 119.29Å 146.49Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	73.35 – 1.95 73.35 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.9 (73.35-1.95) 99.9 (73.35-1.95)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.22 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.175 , 0.214 0.184 , 0.223	Depositor DCC
R_{free} test set	3825 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	31.7	Xtriage
Anisotropy	0.062	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 42.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8025	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, TPF, EDO, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.21	3/3747 (0.1%)	1.08	3/5064 (0.1%)
1	B	1.28	3/3677 (0.1%)	1.11	3/4967 (0.1%)
All	All	1.25	6/7424 (0.1%)	1.09	6/10031 (0.1%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	68	ASP	CG-OD1	8.20	1.41	1.25
1	A	96	TRP	N-CA	6.62	1.54	1.46
1	B	267	GLU	N-CA	5.64	1.53	1.46
1	A	169	GLN	N-CA	-5.50	1.42	1.46
1	A	110	GLN	N-CA	-5.40	1.39	1.46
1	B	92	HIS	N-CA	5.10	1.52	1.46

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	381	ASN	CA-C-N	6.55	128.03	119.84
1	A	381	ASN	C-N-CA	6.55	128.03	119.84
1	B	87	VAL	N-CA-C	6.36	117.14	110.72
1	A	378	ARG	CB-CA-C	-5.72	99.36	110.46
1	B	7	GLN	CA-C-N	-5.12	115.50	120.98
1	B	7	GLN	C-N-CA	-5.12	115.50	120.98

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3659	0	3628	28	0
1	B	3592	0	3570	34	0
2	A	22	0	12	0	0
2	B	44	0	24	8	0
3	A	43	0	30	1	0
3	B	43	0	30	0	0
4	A	20	0	0	0	0
4	B	5	0	0	0	0
5	A	16	0	24	3	0
5	B	20	0	30	0	0
6	A	284	0	0	8	3
6	B	277	0	0	8	3
All	All	8025	0	7348	69	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:118[B]:MET:HE1	6:A:816:HOH:O	1.30	1.24
1:B:118:MET:HE1	6:B:717:HOH:O	1.60	1.00
1:B:177:MET:SD	1:B:212:MET:HE1	2.01	0.99
1:B:47:ARG:NH1	6:B:601:HOH:O	2.12	0.76
1:B:177:MET:HG2	1:B:212:MET:HE1	1.70	0.74
1:B:177:MET:CG	1:B:212:MET:HE1	2.17	0.74
1:B:78:VAL:CG1	1:B:82:PHE:CD2	2.71	0.73
1:A:118[B]:MET:HE2	6:A:649:HOH:O	1.91	0.70
1:B:47:ARG:NH2	6:B:601:HOH:O	2.18	0.69
1:B:87:VAL:HG11	2:B:501[B]:TPF:HC9	1.77	0.67
1:B:221:ALA:HA	1:B:224:LYS:CE	2.24	0.66
1:B:87:VAL:HG11	2:B:501[A]:TPF:HC9	1.79	0.63
1:B:221:ALA:HA	1:B:224:LYS:HE3	1.83	0.61
2:B:501[A]:TPF:F2	2:B:501[A]:TPF:HC52	1.90	0.60
1:B:78:VAL:HG13	1:B:82:PHE:CD2	2.37	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:GLN:NE2	6:A:606:HOH:O	2.39	0.56
1:B:221:ALA:HA	1:B:224:LYS:HE2	1.88	0.55
1:B:170:PRO:HB2	1:B:175:THR:HG23	1.88	0.55
2:B:501[B]:TPF:F2	2:B:501[B]:TPF:HC52	1.97	0.54
1:B:78:VAL:HG13	1:B:82:PHE:CE2	2.43	0.53
1:B:177:MET:SD	1:B:212:MET:CE	2.87	0.53
1:A:195:ASP:HB3	1:A:196:PRO:HD2	1.91	0.53
5:A:507:EDO:C2	6:A:833:HOH:O	2.56	0.52
1:A:195:ASP:HB2	1:A:198:TYR:CE2	2.44	0.52
5:A:507:EDO:H21	6:A:833:HOH:O	2.08	0.52
1:B:82:PHE:CE1	1:B:259:ILE:HG22	2.45	0.51
1:A:200:GLU:OE2	1:A:200:GLU:HA	2.10	0.51
1:A:233:LEU:HG	1:A:237:MET:HE3	1.93	0.51
1:A:367:TRP:HB2	1:A:371:VAL:HG12	1.93	0.51
1:A:179:ARG:HE	1:A:204:GLN:HE21	1.57	0.50
1:B:41:LYS:NZ	6:B:602:HOH:O	2.37	0.50
1:A:190:ARG:C	1:A:192:ASN:N	2.69	0.49
1:B:173:PHE:CD1	1:B:215:LEU:HD23	2.46	0.49
1:B:77[A]:PHE:HZ	1:B:184:ALA:C	2.20	0.49
1:B:78:VAL:CG1	1:B:82:PHE:CE2	2.96	0.49
1:A:271:GLY:HA2	1:A:440:LYS:HG3	1.95	0.49
1:B:47:ARG:NH1	6:B:611:HOH:O	2.45	0.48
1:A:98:LYS:HE3	1:A:247:GLU:HB2	1.96	0.47
1:A:79:ARG:HG3	1:A:83:GLY:O	2.14	0.47
1:A:186:ASN:O	1:A:189:GLN:HG3	2.15	0.47
1:A:77:PHE:HE2	1:A:187:LYS:HB2	1.81	0.46
1:B:82:PHE:HE1	1:B:259:ILE:HG22	1.80	0.46
1:B:9:LYS:HD3	6:B:819:HOH:O	2.16	0.45
1:A:195:ASP:HB2	1:A:198:TYR:CD2	2.50	0.45
1:B:177:MET:HG2	1:B:212:MET:CE	2.44	0.45
1:A:187:LYS:NZ	1:A:188:LEU:HD23	2.32	0.45
1:B:447:LYS:NZ	6:B:614:HOH:O	2.47	0.45
1:A:148:LEU:HD21	1:A:413:VAL:HG21	1.98	0.45
1:B:82:PHE:CE2	2:B:501[B]:TPF:F1	2.60	0.44
1:B:233:LEU:HG	1:B:237:MET:HE3	2.00	0.44
1:B:82:PHE:CE2	2:B:501[A]:TPF:F1	2.61	0.44
1:A:47:ARG:CZ	1:A:73:GLN:HG3	2.47	0.44
2:B:501[A]:TPF:HC4	6:B:775:HOH:O	2.18	0.43
1:A:9:LYS:HD3	6:A:871:HOH:O	2.19	0.43
5:A:507:EDO:H22	6:A:833:HOH:O	2.18	0.43
3:A:502:HEM:HBC2	3:A:502:HEM:HMC2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:104:LEU:N	1:A:105:PRO:CD	2.82	0.42
1:A:9:LYS:HE2	1:A:9:LYS:HB2	1.90	0.42
1:B:9:LYS:HB2	1:B:9:LYS:HE2	1.83	0.42
1:B:148:LEU:HD21	1:B:413:VAL:HG21	2.02	0.42
1:A:17:LEU:HD11	1:A:187:LYS:HE2	2.02	0.42
1:B:330:ALA:O	2:B:501[A]:TPF:N2	2.53	0.41
1:B:98:LYS:HE3	1:B:247:GLU:HB2	2.02	0.41
1:A:77:PHE:CE2	1:A:187:LYS:HB2	2.56	0.41
1:A:195:ASP:CB	1:A:196:PRO:CD	2.99	0.41
1:A:306:LYS:HE2	6:A:635:HOH:O	2.20	0.41
1:A:17:LEU:N	1:A:18:PRO:CD	2.84	0.40
1:A:195:ASP:HB3	1:A:196:PRO:CD	2.51	0.40
1:B:173:PHE:CD1	1:B:215:LEU:CD2	3.05	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:844:HOH:O	6:B:714:HOH:O[2_655]	1.69	0.51
6:A:606:HOH:O	6:B:832:HOH:O[2_655]	1.81	0.39
6:A:712:HOH:O	6:B:714:HOH:O[2_655]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	453/457 (99%)	435 (96%)	13 (3%)	5 (1%)	11	4
1	B	443/457 (97%)	435 (98%)	8 (2%)	0	100	100
All	All	896/914 (98%)	870 (97%)	21 (2%)	5 (1%)	21	12

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	191	ALA
1	A	190	ARG
1	A	186	ASN
1	A	196	PRO
1	A	195	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	398/400 (100%)	390 (98%)	8 (2%)	48	43
1	B	390/400 (98%)	384 (98%)	6 (2%)	57	54
All	All	788/800 (98%)	774 (98%)	14 (2%)	51	47

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	148	LEU
1	A	187	LYS
1	A	195	ASP
1	A	201	ASN
1	A	202	LYS
1	A	203	ARG
1	A	267	GLU
1	A	371	VAL
1	B	73	GLN
1	B	148	LEU
1	B	179	ARG
1	B	183	GLU
1	B	185	MET
1	B	209	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	70	ASN
1	A	73	GLN
1	A	192	ASN
1	A	204	GLN
1	A	239	ASN
1	A	310	GLN
1	A	359	GLN
1	A	381	ASN
1	B	70	ASN
1	B	206	GLN
1	B	310	GLN
1	B	319	ASN
1	B	359	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

19 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	TPF	B	501[A]	3	24,24,24	1.99	5 (20%)	34,34,34	2.01	13 (38%)
5	EDO	B	506	-	3,3,3	0.44	0	2,2,2	0.27	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	EDO	A	510	-	3,3,3	0.60	0	2,2,2	0.56	0
5	EDO	B	508	-	3,3,3	0.23	0	2,2,2	0.72	0
5	EDO	B	507	-	3,3,3	1.28	0	2,2,2	1.01	0
3	HEM	B	502	2,1	50,50,50	1.92	12 (24%)	67,82,82	2.08	14 (20%)
4	PO4	B	503	-	4,4,4	1.18	0	6,6,6	0.74	0
5	EDO	B	505	-	3,3,3	0.28	0	2,2,2	0.74	0
3	HEM	A	502	2,1	50,50,50	1.58	9 (18%)	67,82,82	1.55	9 (13%)
4	PO4	A	504	-	4,4,4	0.99	0	6,6,6	0.79	0
5	EDO	A	507	-	3,3,3	0.58	0	2,2,2	0.29	0
4	PO4	A	506	-	4,4,4	1.07	0	6,6,6	0.72	0
5	EDO	A	508	-	3,3,3	0.41	0	2,2,2	0.37	0
4	PO4	A	503	-	4,4,4	1.13	0	6,6,6	0.80	0
5	EDO	A	509	-	3,3,3	0.20	0	2,2,2	1.41	0
2	TPF	B	501[B]	3	24,24,24	1.99	4 (16%)	34,34,34	2.53	15 (44%)
2	TPF	A	501	3	24,24,24	2.19	11 (45%)	34,34,34	2.22	11 (32%)
4	PO4	A	505	-	4,4,4	1.00	0	6,6,6	1.51	1 (16%)
5	EDO	B	504	-	3,3,3	0.55	0	2,2,2	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	508	-	-	0/1/1/1	-
5	EDO	B	507	-	-	1/1/1/1	-
2	TPF	B	501[A]	3	-	2/16/16/16	0/3/3/3
5	EDO	B	506	-	-	1/1/1/1	-
3	HEM	A	502	2,1	-	2/14/54/54	-
5	EDO	A	510	-	-	1/1/1/1	-
5	EDO	B	508	-	-	1/1/1/1	-
5	EDO	A	507	-	-	1/1/1/1	-
3	HEM	B	502	2,1	-	2/14/54/54	-
2	TPF	B	501[B]	3	-	0/16/16/16	0/3/3/3
5	EDO	A	509	-	-	0/1/1/1	-
2	TPF	A	501	3	-	7/16/16/16	0/3/3/3
5	EDO	B	505	-	-	0/1/1/1	-
5	EDO	B	504	-	-	1/1/1/1	-

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501[B]	TPF	C8-C13	6.52	1.47	1.39
2	B	501[A]	TPF	C8-C13	6.29	1.47	1.39
2	A	501	TPF	C8-C13	6.16	1.47	1.39
3	B	502	HEM	C1B-NB	-5.30	1.31	1.40
3	B	502	HEM	FE-NB	4.66	2.09	1.94
3	A	502	HEM	FE-NB	4.41	2.08	1.94
2	B	501[B]	TPF	C1-C8	-4.39	1.48	1.53
3	B	502	HEM	C4D-C3D	4.14	1.52	1.45
3	B	502	HEM	C1D-C2D	4.13	1.52	1.44
2	A	501	TPF	C4-N3	4.12	1.39	1.32
3	B	502	HEM	C4B-NB	-3.97	1.31	1.38
3	B	502	HEM	C4D-ND	-3.93	1.33	1.40
3	A	502	HEM	C1C-C2C	-3.76	1.37	1.45
2	B	501[A]	TPF	C1-C8	-3.67	1.49	1.53
3	A	502	HEM	C4D-ND	-3.51	1.34	1.40
2	B	501[A]	TPF	C4-N3	3.24	1.37	1.32
3	A	502	HEM	C1B-NB	-3.13	1.34	1.40
3	B	502	HEM	C3B-C4B	3.12	1.51	1.44
3	A	502	HEM	FE-NC	2.98	2.05	1.95
3	B	502	HEM	C1C-C2C	-2.98	1.39	1.45
3	A	502	HEM	C4B-NB	-2.90	1.33	1.38
3	A	502	HEM	C3B-C4B	2.85	1.50	1.44
2	A	501	TPF	C2-C1	-2.80	1.50	1.54
3	A	502	HEM	C3C-C4C	-2.80	1.41	1.46
3	B	502	HEM	FE-ND	2.58	2.02	1.94
3	B	502	HEM	C3C-C4C	-2.57	1.41	1.46
2	A	501	TPF	C3-N1	2.55	1.38	1.33
2	B	501[B]	TPF	C5-N4	2.55	1.50	1.46
2	B	501[B]	TPF	N1-N3	2.50	1.40	1.36
2	A	501	TPF	C5-N4	2.44	1.50	1.46
3	A	502	HEM	CHB-C1B	2.43	1.43	1.38
2	B	501[A]	TPF	N1-N3	2.43	1.40	1.36
2	A	501	TPF	N1-N3	2.35	1.40	1.36
2	A	501	TPF	C9-C8	2.27	1.42	1.39
3	B	502	HEM	C1D-ND	-2.26	1.34	1.38
2	A	501	TPF	C4-N2	2.14	1.40	1.35
2	A	501	TPF	C2-N1	2.11	1.49	1.46
2	B	501[A]	TPF	C5-N4	2.10	1.49	1.46
3	B	502	HEM	CBA-CGA	2.04	1.55	1.50
2	A	501	TPF	C1-C8	-2.03	1.50	1.53
2	A	501	TPF	C3-N2	2.01	1.37	1.32

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	HEM	CHC-C4B-NB	6.91	131.86	124.42
3	B	502	HEM	C1B-NB-C4B	6.82	113.28	105.21
2	B	501[B]	TPF	C1-C5-N4	6.50	121.12	112.34
3	B	502	HEM	CHD-C1D-ND	5.83	130.70	124.42
2	A	501	TPF	F2-C13-C8	5.27	124.81	119.01
2	B	501[B]	TPF	C1-C2-N1	4.85	118.89	112.34
3	A	502	HEM	CHD-C1D-ND	4.82	129.61	124.42
2	B	501[B]	TPF	C12-C13-C8	-4.82	118.64	123.88
2	A	501	TPF	C5-N4-N6	-4.79	114.28	121.25
2	B	501[A]	TPF	C1-C5-N4	4.53	118.46	112.34
3	B	502	HEM	C3B-C4B-NB	-4.44	106.28	109.47
2	B	501[B]	TPF	C5-N4-N6	-4.23	115.10	121.25
3	A	502	HEM	CHD-C1D-C2D	-4.20	118.40	125.03
3	B	502	HEM	CHD-C1D-C2D	-4.18	118.42	125.03
3	A	502	HEM	C1B-NB-C4B	3.99	109.93	105.21
2	A	501	TPF	C12-C13-C8	-3.98	119.55	123.88
2	A	501	TPF	C13-C12-C11	3.97	120.90	116.67
2	B	501[B]	TPF	C5-N4-C6	3.94	136.53	128.82
2	A	501	TPF	F1-C11-C10	3.89	124.77	118.55
2	B	501[A]	TPF	C12-C13-C8	-3.74	119.82	123.88
3	A	502	HEM	CHC-C4B-NB	3.58	128.28	124.42
2	A	501	TPF	C1-C8-C13	-3.52	119.71	122.83
2	B	501[B]	TPF	C13-C12-C11	3.32	120.20	116.67
2	B	501[A]	TPF	C5-N4-N6	-3.25	116.53	121.25
3	B	502	HEM	CMA-C3A-C4A	3.21	130.31	125.42
2	B	501[A]	TPF	C2-N1-N3	-3.13	116.70	121.25
2	B	501[A]	TPF	C5-N4-C6	3.11	134.91	128.82
4	A	505	PO4	O4-P-O2	3.06	117.45	107.91
3	B	502	HEM	CBD-CAD-C3D	-3.01	104.20	112.53
2	A	501	TPF	F1-C11-C12	-3.01	114.00	118.28
3	A	502	HEM	C1A-CHA-C4D	-2.97	119.27	126.25
2	B	501[A]	TPF	C3-N2-C4	2.94	110.81	102.85
3	A	502	HEM	CHA-C4D-ND	2.92	127.98	124.37
3	B	502	HEM	CHA-C4D-ND	2.91	127.97	124.37
2	B	501[B]	TPF	C3-N2-C4	2.78	110.38	102.85
3	B	502	HEM	C1D-C2D-C3D	-2.74	104.09	106.98
2	B	501[A]	TPF	C13-C12-C11	2.74	119.59	116.67
2	B	501[B]	TPF	C5-C1-C8	-2.71	103.98	110.83
2	B	501[A]	TPF	C9-C10-C11	2.68	121.13	118.38
3	B	502	HEM	C4D-ND-C1D	2.67	108.37	105.21
2	B	501[B]	TPF	F1-C11-C12	2.65	122.05	118.28
2	B	501[B]	TPF	O-C1-C2	2.64	114.32	108.18
3	A	502	HEM	C3B-C4B-NB	-2.64	107.57	109.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501[B]	TPF	C2-N1-N3	-2.63	117.43	121.25
3	A	502	HEM	CHB-C1B-NB	2.63	127.61	124.37
3	B	502	HEM	O2D-CGD-CBD	2.61	122.23	114.00
2	B	501[B]	TPF	N3-C4-N2	-2.42	107.99	114.90
2	B	501[A]	TPF	N3-C4-N2	-2.41	108.03	114.90
3	B	502	HEM	CHB-C1B-NB	2.41	127.34	124.37
2	B	501[A]	TPF	C5-C1-C8	-2.40	104.76	110.83
3	A	502	HEM	CHA-C4D-C3D	-2.37	120.86	125.23
2	B	501[B]	TPF	C9-C10-C11	2.36	120.80	118.38
2	B	501[A]	TPF	N1-C3-N2	-2.32	105.63	110.42
2	A	501	TPF	N3-C4-N2	-2.31	108.32	114.90
2	A	501	TPF	C5-N4-C6	2.27	133.26	128.82
2	B	501[B]	TPF	N1-C3-N2	-2.22	105.82	110.42
3	B	502	HEM	C1A-CHA-C4D	-2.21	121.06	126.25
2	B	501[A]	TPF	C2-N1-C3	2.20	133.14	128.82
2	A	501	TPF	C6-N4-N6	2.19	112.41	109.39
2	B	501[A]	TPF	C10-C11-C12	-2.10	120.46	123.23
3	B	502	HEM	C4C-CHD-C1D	-2.09	121.58	126.02
2	B	501[B]	TPF	C10-C11-C12	-2.07	120.50	123.23
2	A	501	TPF	C5-C1-C8	2.03	115.95	110.83

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	TPF	O-C1-C8-C9
2	A	501	TPF	O-C1-C8-C13
2	A	501	TPF	C2-C1-C8-C13
2	A	501	TPF	C5-C1-C8-C9
2	A	501	TPF	C5-C1-C8-C13
2	A	501	TPF	C2-C1-C8-C9
2	A	501	TPF	O-C1-C2-N1
2	B	501[A]	TPF	C1-C2-N1-C3
2	B	501[A]	TPF	C1-C2-N1-N3
5	A	507	EDO	O1-C1-C2-O2
5	A	510	EDO	O1-C1-C2-O2
5	B	506	EDO	O1-C1-C2-O2
5	B	507	EDO	O1-C1-C2-O2
5	B	508	EDO	O1-C1-C2-O2
3	A	502	HEM	CAD-CBD-CGD-O1D
5	B	504	EDO	O1-C1-C2-O2
3	A	502	HEM	CAD-CBD-CGD-O2D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	502	HEM	CAD-CBD-CGD-O2D
3	B	502	HEM	CAD-CBD-CGD-O1D


There are no ring outliers.


4 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501[A]	TPF	5	0
3	A	502	HEM	1	0
5	A	507	EDO	3	0
2	B	501[B]	TPF	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand TPF B 501 (A)








Ligand TPF B 501 (B)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	453/457 (99%)	0.18	17 (3%)	44 50	14, 32, 67, 116	2 (0%)
1	B	443/457 (96%)	0.13	19 (4%)	40 46	14, 31, 65, 100	4 (0%)
All	All	896/914 (98%)	0.16	36 (4%)	42 49	14, 32, 66, 116	6 (0%)

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	197	ALA	6.1
1	A	191	ALA	4.4
1	A	196	PRO	4.4
1	A	188	LEU	4.3
1	B	188	LEU	4.2
1	A	187	LYS	4.1
1	B	437	LEU	3.8
1	A	77	PHE	3.6
1	B	174	ILE	3.5
1	B	77[A]	PHE	3.5
1	B	225	ALA	3.3
1	B	2	ILE	3.1
1	A	243	PRO	3.1
1	B	186	ASN	3.0
1	B	456	GLY	3.0
1	A	11	PHE	2.8
1	B	227	GLY	2.8
1	B	47	ARG	2.5
1	A	245	THR	2.5
1	A	189	GLN	2.5
1	A	228	GLU	2.5
1	B	224	LYS	2.5
1	B	178	VAL	2.5
1	B	205	PHE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	193	PRO	2.4
1	A	182	ASP	2.3
1	B	185	MET	2.3
1	A	185	MET	2.3
1	B	172	PRO	2.2
1	A	285	HIS	2.1
1	B	75	LEU	2.1
1	B	177	MET	2.1
1	B	175	THR	2.1
1	A	202	LYS	2.0
1	B	181	LEU	2.0
1	A	457	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EDO	B	507	4/4	0.78	0.28	38,44,49,52	0
5	EDO	A	510	4/4	0.80	0.21	46,52,54,58	0
5	EDO	A	507	4/4	0.81	0.20	59,62,65,70	0
4	PO4	A	505	5/5	0.84	0.10	62,65,68,73	0
2	TPF	B	501[A]	22/22	0.85	0.15	24,45,56,63	22
2	TPF	B	501[B]	22/22	0.85	0.15	23,40,54,56	22
5	EDO	B	505	4/4	0.86	0.17	59,61,63,72	0
5	EDO	A	509	4/4	0.87	0.15	43,44,45,57	0
5	EDO	B	504	4/4	0.87	0.14	31,40,46,48	0
5	EDO	B	506	4/4	0.89	0.12	45,53,54,54	0
4	PO4	A	506	5/5	0.89	0.09	48,62,64,77	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	PO4	A	504	5/5	0.90	0.09	44,60,62,70	0
4	PO4	A	503	5/5	0.90	0.10	35,53,61,66	0
5	EDO	A	508	4/4	0.90	0.15	50,55,60,68	0
5	EDO	B	508	4/4	0.93	0.13	41,49,57,67	0
4	PO4	B	503	5/5	0.96	0.08	30,49,59,65	0
2	TPF	A	501	22/22	0.96	0.07	24,31,38,45	0
3	HEM	A	502	43/43	0.99	0.04	16,21,24,25	0
3	HEM	B	502	43/43	0.99	0.04	17,20,23,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around TPF B 501 (A):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around TPF B 501 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TPF A 501:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.