



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 02:59 PM EDT

PDB ID : 6NKI / pdb\_00006nki  
Title : Structure of PhqB Reductase Domain from *Penicillium fellutanum*  
Authors : Dan, Q.; Newmister, S.A.; Smith, J.L.; Sherman, D.H.  
Deposited on : 2019-01-07  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	434	

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 2781 atoms, of which 26 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NRPS.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	356	Total	C	N	O	S	0	0	0
			2707	1724	476	495	12			

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula:  $C_{21}H_{30}N_7O_{17}P_3$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	0	0
			74	21	26	7	17		

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: NRPS



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	81.64Å 91.64Å 124.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.82 – 2.60 45.82 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.8 (45.82-2.60) 99.8 (45.82-2.60)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.55 (at 2.61Å)	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
R, $R_{free}$	0.265 , 0.325 0.276 , 0.314	Depositor DCC
$R_{free}$ test set	1476 reflections (9.99%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	79.1	Xtriage
Anisotropy	0.487	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 91.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	2781	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	128.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.76% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.49	0/2767	0.80	2/3777 (0.1%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2022	PRO	N-CA-CB	7.95	111.60	103.25
1	A	2009	PRO	N-CA-CB	6.22	110.10	103.39

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2707	0	2633	124	1
2	A	48	26	26	4	0
All	All	2755	26	2659	124	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2365:VAL:HG11	1:A:2378:MET:HE3	1.07	1.07
1:A:2246:PRO:HB2	1:A:2249:MET:HE2	1.41	1.02
1:A:2141:CYS:HA	1:A:2181:ILE:HD12	1.42	1.00
1:A:2365:VAL:HG11	1:A:2378:MET:CE	1.99	0.91
1:A:2182:SER:O	1:A:2245:ARG:HA	1.70	0.91
1:A:2263:LEU:HD13	1:A:2377:LEU:HD13	1.53	0.89
1:A:2246:PRO:HB2	1:A:2249:MET:CE	2.02	0.89
1:A:2263:LEU:CD1	1:A:2377:LEU:HD13	2.05	0.86
1:A:2141:CYS:CA	1:A:2181:ILE:HD12	2.08	0.84
1:A:2365:VAL:CG1	1:A:2378:MET:HE3	2.00	0.83
1:A:2047:PHE:CE2	1:A:2291:VAL:HG11	2.14	0.82
1:A:2246:PRO:CB	1:A:2249:MET:HE2	2.10	0.81
1:A:2358:MET:O	1:A:2361:VAL:HG12	1.83	0.77
1:A:2358:MET:HA	1:A:2361:VAL:HG12	1.67	0.77
1:A:2040:PHE:HB3	1:A:2138:ILE:HG22	1.67	0.76
1:A:2039:LEU:HD11	1:A:2056:LEU:HD13	1.65	0.76
1:A:2262:ASP:OD1	2:A:2501:NDP:C7N	2.34	0.76
1:A:2374:LEU:O	1:A:2378:MET:HG2	1.86	0.75
1:A:2282:SER:HB3	1:A:2335:SER:HB3	1.67	0.75
1:A:2042:THR:HG23	1:A:2142:GLY:H	1.51	0.75
1:A:2037:LYS:HB2	1:A:2062:VAL:HA	1.69	0.74
1:A:2246:PRO:CB	1:A:2249:MET:CE	2.68	0.69
1:A:2262:ASP:OD1	2:A:2501:NDP:N7N	2.27	0.67
1:A:2358:MET:HA	1:A:2361:VAL:CG1	2.23	0.66
1:A:2037:LYS:O	1:A:2063:SER:N	2.15	0.66
1:A:2358:MET:C	1:A:2361:VAL:HG12	2.22	0.64
1:A:2141:CYS:CB	1:A:2181:ILE:HD12	2.26	0.64
1:A:2358:MET:CA	1:A:2361:VAL:HG12	2.27	0.64
1:A:2226:GLU:HG3	1:A:2243:ILE:HD13	1.80	0.63
1:A:2038:ARG:HG2	1:A:2064:ILE:HG22	1.81	0.62
1:A:2138:ILE:HD11	1:A:2165:ILE:HG23	1.82	0.62
1:A:2078:LEU:O	1:A:2082:ILE:HG12	2.01	0.61
1:A:2301:GLU:HA	1:A:2301:GLU:OE1	1.98	0.61
1:A:2106:LEU:HB3	1:A:2157:ALA:O	2.01	0.60
1:A:2412:GLN:O	1:A:2416:ARG:HG2	2.02	0.59
1:A:2250:ILE:HG23	1:A:2288:VAL:CG2	2.33	0.59
1:A:2274:THR:OG1	1:A:2364:GLN:OE1	2.20	0.59
1:A:2110:HIS:HA	1:A:2118:TRP:HZ2	1.67	0.59
1:A:2141:CYS:CB	1:A:2181:ILE:CD1	2.80	0.59
1:A:2281:GLU:OE1	1:A:2387:CYS:HB2	2.02	0.59
1:A:2244:VAL:HG21	1:A:2298:ILE:HG12	1.86	0.58
1:A:2144:VAL:HG21	1:A:2154:LEU:HD22	1.86	0.58

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2276:SER:HB2	1:A:2352:SER:OG	2.04	0.58
1:A:2246:PRO:CG	1:A:2249:MET:HE1	2.34	0.57
1:A:2039:LEU:HB2	1:A:2137:ALA:O	2.05	0.57
1:A:2358:MET:O	1:A:2361:VAL:CG1	2.53	0.56
1:A:2109:PRO:O	1:A:2110:HIS:HB2	2.07	0.55
1:A:2293:TRP:HZ3	1:A:2410:ILE:HG22	1.72	0.55
1:A:2263:LEU:HD12	1:A:2377:LEU:HD13	1.86	0.55
1:A:2286:LEU:HB2	1:A:2334:MET:SD	2.47	0.55
1:A:2057:LEU:HD23	1:A:2095:TYR:CD1	2.42	0.55
1:A:2253:VAL:HG21	1:A:2409:MET:HE3	1.88	0.55
1:A:2045:THR:OG1	2:A:2501:NDP:O3B	2.22	0.54
1:A:2258:ALA:HB1	1:A:2265:TRP:CD1	2.43	0.54
1:A:2078:LEU:HD11	1:A:2082:ILE:HD11	1.89	0.54
1:A:2096:ARG:O	1:A:2099:ILE:HG22	2.08	0.54
1:A:2356:ARG:O	1:A:2360:THR:OG1	2.24	0.53
1:A:2141:CYS:SG	1:A:2181:ILE:CD1	2.96	0.53
1:A:2272:MET:O	1:A:2347:ARG:NH2	2.41	0.53
1:A:2217:GLY:O	1:A:2221:THR:N	2.41	0.52
1:A:2281:GLU:CD	1:A:2387:CYS:HB2	2.35	0.52
1:A:2041:LEU:O	1:A:2067:VAL:HA	2.10	0.52
1:A:2039:LEU:HD21	1:A:2056:LEU:HD22	1.90	0.52
1:A:2082:ILE:HD12	1:A:2091:TRP:CZ2	2.45	0.52
1:A:2047:PHE:CE2	1:A:2291:VAL:CG1	2.89	0.52
1:A:2056:LEU:O	1:A:2062:VAL:HG11	2.10	0.51
1:A:2182:SER:HA	1:A:2222:LYS:HE3	1.92	0.51
1:A:2233:SER:HB2	1:A:2241:LEU:HD11	1.93	0.51
1:A:2246:PRO:CG	1:A:2249:MET:CE	2.89	0.51
1:A:2141:CYS:HB2	1:A:2181:ILE:CD1	2.41	0.51
1:A:2154:LEU:HB2	1:A:2221:THR:HG21	1.93	0.50
1:A:2217:GLY:O	1:A:2221:THR:HG23	2.10	0.50
1:A:2217:GLY:HA2	1:A:2220:GLN:HB3	1.93	0.50
1:A:2185:ILE:HG23	1:A:2214:LEU:HD21	1.95	0.49
1:A:2166:LEU:HD13	1:A:2232:PHE:HB2	1.95	0.49
1:A:2262:ASP:OD2	1:A:2264:LEU:HB3	2.13	0.48
1:A:2156:ALA:O	1:A:2160:ARG:HB3	2.13	0.48
1:A:2120:THR:HG21	1:A:2168:CYS:SG	2.53	0.48
1:A:2179:THR:OG1	1:A:2302:THR:HB	2.14	0.48
1:A:2256:ALA:HB1	1:A:2417:ASN:OD1	2.13	0.47
1:A:2244:VAL:HG12	1:A:2326:VAL:CG2	2.44	0.47
1:A:2259:ASN:OD1	1:A:2262:ASP:HB2	2.14	0.47
1:A:2262:ASP:O	1:A:2263:LEU:C	2.56	0.47

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2266:ARG:O	1:A:2269:THR:HG22	2.15	0.47
1:A:2140:HIS:HD1	1:A:2180:TYR:HE1	1.61	0.47
1:A:2370:THR:OG1	1:A:2371:SER:N	2.48	0.47
1:A:2089:ARG:HB2	1:A:2255:ASN:ND2	2.30	0.46
1:A:2285:TRP:O	1:A:2390:VAL:N	2.49	0.45
1:A:2250:ILE:HG23	1:A:2288:VAL:HG23	1.97	0.45
1:A:2258:ALA:HB1	1:A:2265:TRP:CG	2.52	0.45
1:A:2281:GLU:HB2	1:A:2284:ASN:ND2	2.32	0.44
1:A:2273:THR:OG1	1:A:2364:GLN:NE2	2.50	0.44
1:A:2105:ASP:O	1:A:2111:LEU:C	2.61	0.44
1:A:2057:LEU:HD23	1:A:2095:TYR:HB3	1.99	0.44
1:A:2141:CYS:HB2	1:A:2181:ILE:HD11	1.99	0.44
1:A:2169:LEU:HG	1:A:2176:ILE:HB	2.00	0.44
1:A:2264:LEU:HD12	1:A:2388:LEU:HD13	1.99	0.43
1:A:2229:ILE:HG13	1:A:2243:ILE:HD11	2.00	0.43
1:A:2248:PHE:O	1:A:2288:VAL:HA	2.17	0.43
1:A:2110:HIS:HB3	1:A:2118:TRP:HE1	1.84	0.43
1:A:2169:LEU:HD23	1:A:2239:HIS:CG	2.53	0.43
1:A:2266:ARG:HA	1:A:2269:THR:HG22	2.01	0.43
1:A:2081:ILE:HD12	1:A:2099:ILE:HD11	2.01	0.42
1:A:2282:SER:CB	1:A:2335:SER:HB3	2.44	0.42
1:A:2365:VAL:HG23	1:A:2372:HIS:CG	2.54	0.42
1:A:2375:TRP:N	1:A:2376:PRO:CD	2.83	0.42
1:A:2158:ASN:O	1:A:2161:SER:OG	2.37	0.42
1:A:2141:CYS:SG	1:A:2181:ILE:HD13	2.60	0.42
1:A:2089:ARG:HB2	1:A:2255:ASN:HD22	1.83	0.42
1:A:2093:ASN:HB2	1:A:2096:ARG:NH1	2.34	0.42
1:A:2102:TRP:HB3	1:A:2113:LEU:CD2	2.50	0.42
1:A:2111:LEU:CD2	1:A:2161:SER:CB	2.98	0.42
1:A:2420:TYR:O	1:A:2423:SER:HB2	2.20	0.42
1:A:2266:ARG:O	1:A:2270:THR:HG23	2.19	0.41
1:A:2111:LEU:CD2	1:A:2161:SER:HB2	2.50	0.41
1:A:2145:ILE:HA	2:A:2501:NDP:O1A	2.21	0.41
1:A:2105:ASP:N	1:A:2111:LEU:O	2.28	0.41
1:A:2182:SER:O	1:A:2246:PRO:HD2	2.21	0.41
1:A:2243:ILE:N	1:A:2324:LYS:O	2.26	0.40
1:A:2358:MET:SD	1:A:2361:VAL:HG11	2.61	0.40
1:A:2039:LEU:HD12	1:A:2039:LEU:C	2.46	0.40
1:A:2261:ASP:HA	1:A:2266:ARG:HE	1.87	0.40
1:A:2249:MET:HB3	1:A:2291:VAL:HG12	2.03	0.40
1:A:2216:ASP:OD1	1:A:2217:GLY:N	2.54	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2059:ASP:O	1:A:2097:ARG:NH2[2_565]	2.14	0.06

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	344/434 (79%)	328 (95%)	15 (4%)	1 (0%)	36 58

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2022	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	280/362 (77%)	280 (100%)	0	100 100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2117	HIS
1	A	2304	HIS
1	A	2412	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	NDP	A	2501	-	51,52,52	3.15	17 (33%)	71,80,80	1.52	16 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	A	2501	-	-	8/34/77/77	0/5/5/5

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2501	NDP	P2B-O2B	16.16	1.87	1.59
2	A	2501	NDP	PA-O3	8.40	1.68	1.59
2	A	2501	NDP	PN-O5D	6.66	1.85	1.59
2	A	2501	NDP	C6N-N1N	3.76	1.46	1.37
2	A	2501	NDP	C2B-C1B	3.20	1.61	1.53
2	A	2501	NDP	C5D-C4D	3.17	1.61	1.51
2	A	2501	NDP	C1D-N1N	2.95	1.54	1.46
2	A	2501	NDP	C5A-C4A	2.64	1.43	1.39
2	A	2501	NDP	C8A-N9A	2.54	1.41	1.37
2	A	2501	NDP	PA-O5B	2.45	1.69	1.59
2	A	2501	NDP	PN-O3	2.43	1.62	1.59
2	A	2501	NDP	C8A-N7A	2.38	1.36	1.31
2	A	2501	NDP	O2B-C2B	-2.22	1.36	1.44
2	A	2501	NDP	C4N-C3N	2.16	1.54	1.50
2	A	2501	NDP	C3B-C2B	2.10	1.57	1.53
2	A	2501	NDP	C4A-N3A	2.09	1.38	1.34
2	A	2501	NDP	O4D-C1D	2.05	1.46	1.42

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2501	NDP	C1D-N1N-C2N	-4.21	114.21	121.14
2	A	2501	NDP	P2B-O2B-C2B	-3.42	114.29	123.43
2	A	2501	NDP	C1D-N1N-C6N	2.96	127.02	120.77
2	A	2501	NDP	O2B-P2B-O1X	-2.85	99.18	109.33
2	A	2501	NDP	O7N-C7N-C3N	2.80	126.16	120.90
2	A	2501	NDP	O4B-C4B-C3B	2.47	110.05	105.15
2	A	2501	NDP	O3X-P2B-O2X	2.46	117.02	107.80
2	A	2501	NDP	C5A-C4A-N3A	-2.32	123.53	126.72
2	A	2501	NDP	C2D-C3D-C4D	2.31	107.07	102.61
2	A	2501	NDP	O4D-C1D-N1N	-2.31	103.69	108.08
2	A	2501	NDP	O3X-P2B-O2B	-2.28	96.96	105.85
2	A	2501	NDP	PA-O5B-C5B	-2.26	108.43	121.35
2	A	2501	NDP	C2A-N1A-C6A	-2.23	115.06	118.73
2	A	2501	NDP	N3A-C4A-N9A	2.15	130.83	127.17
2	A	2501	NDP	C3N-C7N-N7N	-2.13	113.88	117.67
2	A	2501	NDP	C3B-C2B-C1B	-2.09	98.81	102.81

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	2501	NDP	C5B-O5B-PA-O2A

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	A	2501	NDP	C5B-O5B-PA-O3
2	A	2501	NDP	O4D-C1D-N1N-C6N
2	A	2501	NDP	C2N-C3N-C7N-O7N
2	A	2501	NDP	C2N-C3N-C7N-N7N
2	A	2501	NDP	C2D-C1D-N1N-C2N
2	A	2501	NDP	C2D-C1D-N1N-C6N
2	A	2501	NDP	PA-O3-PN-O5D

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2501	NDP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	2023:SER	C	2036:GLY	N	20.11

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	356/434 (82%)	0.93	35 (9%) 13 10	65, 124, 186, 246	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2121	LEU	4.5
1	A	2145	ILE	4.3
1	A	2165	ILE	3.8
1	A	2293	TRP	3.6
1	A	2087	LEU	3.3
1	A	2007	ASP	3.3
1	A	2302	THR	3.3
1	A	2427	LEU	3.2
1	A	2144	VAL	3.1
1	A	2036	GLY	3.1
1	A	2175	PRO	3.0
1	A	2187	GLY	3.0
1	A	2168	CYS	2.9
1	A	2211	PRO	2.9
1	A	2134	ALA	2.9
1	A	2214	LEU	2.9
1	A	2364	GLN	2.8
1	A	2238	ALA	2.8
1	A	2006	ASN	2.7
1	A	2008	LEU	2.5
1	A	2023	SER	2.5
1	A	2182	SER	2.5
1	A	2377	LEU	2.4
1	A	2094	ASP	2.4
1	A	2174	THR	2.3
1	A	2116	GLU	2.3
1	A	2244	VAL	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	2375	TRP	2.3
1	A	2135	VAL	2.3
1	A	2259	ASN	2.2
1	A	2258	ALA	2.2
1	A	2169	LEU	2.2
1	A	2118	TRP	2.1
1	A	2153	THR	2.1
1	A	2020	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NDP	A	2501	48/48	0.66	0.15	137,172,208,218	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



**Electron density around NDP A 2501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.