



## Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 03:43 AM UTC

PDB ID : 6ROJ / pdb\_00006roj  
EMDB ID : EMD-4974  
Title : Cryo-EM structure of the activated Drs2p-Cdc50p  
Authors : Timcenko, M.; Lyons, J.A.; Janulienė, D.; Ulstrup, J.J.; Dieudonne, T.; Montigny, C.; Ash, M.R.; Karlsen, J.L.; Boesen, T.; Kuhlbrandt, W.; Lenoir, G.; Moeller, A.; Nissen, P.  
Deposited on : 2019-05-13  
Resolution : 2.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49



# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*





The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13054 ( 2.40 - 3.40 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1465	
2	C	413	
3	B	4	
3	E	4	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	2	<div><div></div><div>50%</div><div></div><div></div><div>100%</div></div>

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 11465 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable phospholipid-transporting ATPase DRS2, Oxaloacetate decarboxylase alpha chain.

Mol	Chain	Residues	Atoms							AltConf	Trace
			Total	Be	C	F	N	O	S		
1	A	1064	8508	1	5499	3	1381	1588	36	0	0

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1247	SER	-	insertion	UNP P39524
A	1248	LEU	-	insertion	UNP P39524
A	1249	VAL	-	insertion	UNP P39524
A	1250	PRO	-	insertion	UNP P39524
A	1251	ARG	-	insertion	UNP P39524
A	1252	GLY	-	insertion	UNP P39524
A	1362	GLY	-	linker	UNP P39524
A	1363	GLY	-	linker	UNP P39524
A	1364	GLY	-	linker	UNP P39524
A	1365	GLY	-	linker	UNP P39524
A	1366	LEU	-	linker	UNP P39524
A	1367	VAL	-	linker	UNP P39524
A	1368	PRO	-	linker	UNP P39524
A	1369	ARG	-	linker	UNP P39524
A	1370	GLY	-	linker	UNP P39524
A	1371	SER	-	linker	UNP P39524
A	1372	GLY	-	linker	UNP P39524
A	1373	GLY	-	linker	UNP P39524
A	1374	THR	-	linker	UNP P39524
A	1375	ALA	-	linker	UNP P39524
A	1376	ALA	-	linker	UNP P39524
A	1377	ALA	-	linker	UNP P39524
A	1378	PRO	-	linker	UNP P39524
A	1379	GLY	-	linker	UNP P39524

- Molecule 2 is a protein called Cell division control protein 50.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	340	Total	C	N	O	S	0	0
			2761	1789	455	506	11		

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	392	GLY	-	expression tag	UNP P25656
C	393	GLY	-	expression tag	UNP P25656
C	394	GLY	-	expression tag	UNP P25656
C	395	GLY	-	expression tag	UNP P25656
C	396	LEU	-	expression tag	UNP P25656
C	397	VAL	-	expression tag	UNP P25656
C	398	PRO	-	expression tag	UNP P25656
C	399	ARG	-	expression tag	UNP P25656
C	400	GLY	-	expression tag	UNP P25656
C	401	SER	-	expression tag	UNP P25656
C	402	GLY	-	expression tag	UNP P25656
C	403	GLY	-	expression tag	UNP P25656
C	404	HIS	-	expression tag	UNP P25656
C	405	HIS	-	expression tag	UNP P25656
C	406	HIS	-	expression tag	UNP P25656
C	407	HIS	-	expression tag	UNP P25656
C	408	HIS	-	expression tag	UNP P25656
C	409	HIS	-	expression tag	UNP P25656
C	410	HIS	-	expression tag	UNP P25656
C	411	HIS	-	expression tag	UNP P25656
C	412	HIS	-	expression tag	UNP P25656
C	413	HIS	-	expression tag	UNP P25656

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
3	B	4	Total	C	N	O	0	0
			50	28	2	20		
3	E	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
4	D	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
5	A	1	Total	Mg	0
			1	1	

- Molecule 6 is (2R)-1-[[[(R)-hydroxy{[(1R,2R,3R,4R,5S,6R)-2,3,5,6-tetrahydroxy-4-(phosphonoxy)cyclohexyl]oxy}phosphoryl]oxy}-3-(octadecanoyloxy)propan-2-yl (5Z,8Z,11Z,14Z)-icosa-5,8,11,14-tetraenoate (CCD ID: 2Y5) (formula: C<sub>47</sub>H<sub>84</sub>O<sub>16</sub>P<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
6	A	1	Total	C	O	P	0
			65	47	16	2	

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		AltConf
7	A	2	Total	O	0
			2	2	







## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	418512	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	56	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.117	Depositor
Minimum map value	-0.059	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.013	Depositor
Map size (Å)	275.712, 275.712, 275.712	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.077, 1.077, 1.077	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, MG, BFD, 2Y5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.25	0/8683	0.53	0/11776
2	C	0.27	0/2835	0.56	0/3845
All	All	0.25	0/11518	0.54	0/15621

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8508	0	8515	71	0
2	C	2761	0	2756	14	0
3	B	50	0	43	0	0
3	E	50	0	43	0	0
4	D	28	0	25	0	0
5	A	1	0	0	0	0
6	A	65	0	81	1	0
7	A	2	0	0	0	0
All	All	11465	0	11463	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:529:LEU:H	2:C:30:GLN:HE22	1.40	0.67
2:C:116:ASN:HB2	2:C:120:GLU:HG3	1.80	0.62
1:A:561:LYS:NZ	1:A:837:ASP:OD2	2.34	0.60
1:A:387:THR:HA	1:A:392:GLN:HA	1.83	0.59
2:C:149:ASN:ND2	2:C:277:ALA:O	2.36	0.58
1:A:1041:MET:HE2	1:A:1046:MET:HE3	1.86	0.58
1:A:731:LEU:HD21	1:A:803:LEU:HB2	1.86	0.57
1:A:285:GLU:HG2	1:A:294:PHE:HB3	1.86	0.57
1:A:331:LEU:HA	1:A:349:GLN:HA	1.86	0.56
1:A:526:GLY:HA2	1:A:540:THR:HG23	1.87	0.56
1:A:193:ASN:ND2	1:A:304:VAL:O	2.38	0.56
1:A:466:ASN:ND2	1:A:494:ASP:OD2	2.39	0.56
2:C:148:GLN:HG2	2:C:276:ALA:H	1.73	0.54
1:A:691:GLN:HB3	1:A:710:ARG:HB3	1.89	0.54
1:A:1110:ILE:HD11	6:A:1502:2Y5:H89	1.90	0.54
1:A:1049:TYR:O	1:A:1054:THR:OG1	2.26	0.53
1:A:736:ASN:HD22	1:A:803:LEU:H	1.54	0.53
1:A:1124:MET:HE1	1:A:1198:HIS:HA	1.89	0.53
2:C:124:GLU:HB3	2:C:299:GLN:HE21	1.73	0.53
1:A:678:THR:HG22	1:A:689:GLU:HG3	1.89	0.53
1:A:717:LYS:NZ	1:A:763:ASP:OD1	2.42	0.53
1:A:200:ASP:OD1	1:A:200:ASP:N	2.38	0.51
1:A:351:ARG:HB2	1:A:354:THR:HG22	1.93	0.51
1:A:521:GLN:NE2	1:A:1062:GLY:O	2.43	0.51
1:A:1141:THR:HG21	1:A:1212:LEU:HD23	1.93	0.51
1:A:348:LYS:NZ	1:A:397:PRO:O	2.39	0.50
1:A:333:TYR:HB3	1:A:345:LEU:HD23	1.93	0.50
1:A:504:ASN:O	1:A:1019:ASN:ND2	2.45	0.50
1:A:505:LEU:HD21	1:A:1024:MET:HE3	1.93	0.49
1:A:584:ASP:OD2	1:A:584:ASP:N	2.41	0.49
1:A:1187:ASN:HD22	1:A:1190:ARG:HH11	1.60	0.49
1:A:1187:ASN:HD22	1:A:1190:ARG:HD3	1.78	0.49
2:C:142:LYS:HD3	2:C:282:TYR:HE1	1.78	0.49
1:A:360:VAL:HG23	1:A:361:LYS:HD3	1.93	0.49
1:A:962:ILE:HG23	1:A:968:GLY:HA3	1.95	0.48
1:A:761:MET:HB3	1:A:804:ILE:HD11	1.94	0.48
1:A:444:ILE:HD11	1:A:1012:ILE:HD13	1.96	0.48
2:C:124:GLU:OE1	2:C:299:GLN:NE2	2.46	0.48
1:A:563:GLY:O	1:A:814:GLN:NE2	2.47	0.47
1:A:782:THR:O	1:A:782:THR:OG1	2.33	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:203:ILE:H	1:A:280:ASN:HD21	1.63	0.47
1:A:321:ILE:HD13	1:A:395:LEU:HD22	1.96	0.47
1:A:574:SER:HB3	1:A:808:ALA:HB3	1.96	0.47
1:A:1227:LYS:NZ	1:A:1231:GLU:O	2.46	0.47
1:A:1237:VAL:HG12	1:A:1241:MET:HE3	1.96	0.46
1:A:774:SER:O	1:A:778:GLU:N	2.49	0.46
1:A:863:GLU:OE2	1:A:872:ASN:ND2	2.43	0.45
2:C:118:ASN:N	2:C:118:ASN:OD1	2.49	0.45
1:A:458:LEU:HD13	1:A:1024:MET:HE1	1.99	0.45
2:C:260:LEU:HD12	2:C:260:LEU:HA	1.86	0.44
1:A:638:PRO:HB2	1:A:646:ILE:HD11	1.99	0.44
1:A:772:TRP:HZ2	1:A:794:ALA:HA	1.81	0.44
1:A:522:ALA:HB1	1:A:542:VAL:HB	2.00	0.43
1:A:742:THR:HA	1:A:745:HIS:HB2	1.98	0.43
2:C:306:TYR:O	2:C:315:LYS:NZ	2.39	0.43
1:A:743:MET:HA	1:A:746:LEU:HD12	2.01	0.43
1:A:886:SER:HB2	1:A:889:ASP:HB2	2.01	0.43
1:A:1090:SER:OG	1:A:1091:VAL:N	2.50	0.43
1:A:1090:SER:HB3	1:A:1093:ILE:HD12	2.01	0.43
1:A:517:ILE:HD13	1:A:1062:GLY:HA3	2.01	0.43
1:A:668:LYS:HE2	1:A:668:LYS:HB3	1.87	0.43
1:A:823:THR:HG21	1:A:994:LYS:HE2	2.01	0.43
1:A:308:ILE:HD11	1:A:320:THR:HG21	2.00	0.42
2:C:237:ASN:OD1	2:C:237:ASN:N	2.46	0.42
1:A:1014:TYR:OH	1:A:1146:VAL:O	2.32	0.42
1:A:676:SER:HA	1:A:692:LEU:H	1.83	0.42
1:A:257:VAL:HG11	1:A:508:ILE:HG12	2.01	0.42
1:A:1033:ASN:HD22	1:A:1038:GLN:HB3	1.85	0.42
1:A:1120:PHE:HE2	2:C:320:THR:HG21	1.84	0.42
1:A:705:MET:N	1:A:721:LYS:O	2.51	0.42
1:A:718:LEU:HD23	1:A:801:LEU:HD11	2.03	0.41
2:C:202:PHE:HE2	2:C:317:PHE:HD1	1.69	0.41
1:A:511:PHE:HA	1:A:514:VAL:HG12	2.03	0.41
1:A:554:ILE:HD13	1:A:554:ILE:HA	1.98	0.41
1:A:856:MET:HG2	1:A:892:THR:HA	2.02	0.41
1:A:864:GLU:HG2	1:A:865:THR:HG23	2.03	0.41
1:A:627:LEU:HD12	1:A:627:LEU:HA	1.90	0.40
1:A:1229:MET:HE3	1:A:1229:MET:HB3	2.00	0.40
1:A:586:ILE:HD12	1:A:591:THR:HG23	2.04	0.40
1:A:736:ASN:HB3	1:A:802:ILE:HG23	2.04	0.40
2:C:67:ALA:HB2	2:C:325:ILE:HD11	2.03	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:187:ILE:HG23	1:A:188:ASN:HB2	2.03	0.40
1:A:259:ILE:HD13	1:A:259:ILE:HA	1.93	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1061/1465 (72%)	1026 (97%)	35 (3%)	0	100	100
2	C	338/413 (82%)	325 (96%)	13 (4%)	0	100	100
All	All	1399/1878 (74%)	1351 (97%)	48 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	934/1256 (74%)	933 (100%)	1 (0%)	88	97
2	C	310/370 (84%)	309 (100%)	1 (0%)	86	96
All	All	1244/1626 (76%)	1242 (100%)	2 (0%)	85	96

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	189	ASP
2	C	320	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	227	ASN
1	A	280	ASN
1	A	374	GLN
1	A	376	ASN
1	A	399	GLN
1	A	649	GLN
1	A	777	ASN
1	A	795	ASN
1	A	884	GLN
1	A	891	ASN
1	A	1019	ASN
1	A	1050	ASN
1	A	1187	ASN
2	C	30	GLN
2	C	100	HIS
2	C	116	ASN
2	C	299	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	BFD	A	560	5,1	8,11,12	0.96	0	2,15,17	3.16	2 (100%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	BFD	A	560	5,1	-	1/5/11/13	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	560	BFD	OD2-CG-CB	-3.81	115.79	124.65
1	A	560	BFD	CA-CB-CG	2.33	117.78	112.78

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	560	BFD	C-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

10 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	B	1	2,3	14,14,15	1.29	1 (7%)	17,19,21	1.70	1 (5%)
3	NAG	B	2	3	14,14,15	1.39	1 (7%)	17,19,21	1.66	1 (5%)
3	BMA	B	3	3	11,11,12	0.92	0	15,15,17	0.81	0
3	BMA	B	4	3	11,11,12	1.03	1 (9%)	15,15,17	0.80	0
4	NAG	D	1	2,4	14,14,15	0.38	0	17,19,21	0.56	0
4	NAG	D	2	4	14,14,15	0.34	0	17,19,21	0.55	0
3	NAG	E	1	2,3	14,14,15	0.37	0	17,19,21	0.55	0
3	NAG	E	2	3	14,14,15	0.30	0	17,19,21	1.17	3 (17%)
3	BMA	E	3	3	11,11,12	1.19	2 (18%)	15,15,17	1.59	3 (20%)
3	BMA	E	4	3	11,11,12	1.36	2 (18%)	15,15,17	1.57	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	1	2,3	-	4/6/23/26	0/1/1/1
3	NAG	B	2	3	-	2/6/23/26	0/1/1/1
3	BMA	B	3	3	-	2/2/19/22	0/1/1/1
3	BMA	B	4	3	-	0/2/19/22	0/1/1/1
4	NAG	D	1	2,4	-	2/6/23/26	0/1/1/1
4	NAG	D	2	4	-	2/6/23/26	0/1/1/1
3	NAG	E	1	2,3	-	2/6/23/26	0/1/1/1
3	NAG	E	2	3	-	4/6/23/26	0/1/1/1
3	BMA	E	3	3	-	2/2/19/22	0/1/1/1
3	BMA	E	4	3	-	0/2/19/22	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	2	NAG	O5-C1	4.98	1.52	1.43
3	B	1	NAG	O5-C1	4.68	1.51	1.43
3	E	4	BMA	C2-C3	2.63	1.56	1.52
3	E	3	BMA	C2-C3	2.43	1.56	1.52
3	B	4	BMA	C1-C2	2.30	1.57	1.52
3	E	4	BMA	C4-C3	2.22	1.58	1.52
3	E	3	BMA	C4-C3	2.03	1.57	1.52

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1	NAG	C1-O5-C5	6.63	121.07	112.19
3	B	2	NAG	C1-O5-C5	6.60	121.03	112.19
3	E	4	BMA	C2-C3-C4	4.06	118.00	110.86
3	E	3	BMA	C2-C3-C4	3.88	117.68	110.86
3	E	2	NAG	C2-N2-C7	3.31	127.33	122.90
3	E	3	BMA	C1-C2-C3	3.00	114.01	109.64
3	E	3	BMA	O2-C2-C3	-2.61	104.75	110.15
3	E	4	BMA	C3-C4-C5	2.48	114.74	110.23
3	E	4	BMA	C1-C2-C3	2.42	113.16	109.64
3	E	4	BMA	O2-C2-C3	-2.27	105.44	110.15
3	E	2	NAG	C1-C2-N2	2.09	113.73	110.43
3	E	2	NAG	C1-O5-C5	2.06	114.95	112.19

There are no chirality outliers.


All (20) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	D	2	NAG	C4-C5-C6-O6
3	B	2	NAG	C4-C5-C6-O6
3	B	2	NAG	O5-C5-C6-O6
4	D	2	NAG	O5-C5-C6-O6
3	B	3	BMA	O5-C5-C6-O6
3	B	1	NAG	O5-C5-C6-O6
3	B	1	NAG	C8-C7-N2-C2
3	B	1	NAG	O7-C7-N2-C2
3	E	1	NAG	O5-C5-C6-O6
3	B	1	NAG	C4-C5-C6-O6
3	E	1	NAG	C4-C5-C6-O6
3	B	3	BMA	C4-C5-C6-O6
3	E	3	BMA	C4-C5-C6-O6
3	E	3	BMA	O5-C5-C6-O6
3	E	2	NAG	C4-C5-C6-O6
4	D	1	NAG	C4-C5-C6-O6
3	E	2	NAG	O5-C5-C6-O6
4	D	1	NAG	O5-C5-C6-O6
3	E	2	NAG	C1-C2-N2-C7
3	E	2	NAG	C3-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	2Y5	A	1502	-	65,65,65	0.97	5 (7%)	77,80,80	1.19	6 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	2Y5	A	1502	-	-	24/61/85/85	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1502	2Y5	P4-O4	3.47	1.65	1.59
6	A	1502	2Y5	O16-C8	-2.83	1.39	1.46
6	A	1502	2Y5	O18-C11	2.44	1.40	1.33
6	A	1502	2Y5	O18-C9	-2.23	1.40	1.45
6	A	1502	2Y5	O16-C10	2.01	1.40	1.34

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1502	2Y5	C5-C4-C3	3.55	115.79	110.86
6	A	1502	2Y5	O16-C10-C12	3.51	119.08	111.48
6	A	1502	2Y5	C2-C3-C4	3.34	117.27	109.68
6	A	1502	2Y5	C3-C2-C1	3.11	116.73	109.68
6	A	1502	2Y5	O18-C11-C31	3.02	121.05	111.83
6	A	1502	2Y5	C6-C1-C2	2.79	114.73	110.86

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	1502	2Y5	C3-C4-O4-P4
6	A	1502	2Y5	C5-C4-O4-P4
6	A	1502	2Y5	C12-C10-O16-C8
6	A	1502	2Y5	O19-C11-O18-C9
6	A	1502	2Y5	C31-C11-O18-C9
6	A	1502	2Y5	O17-C10-O16-C8
6	A	1502	2Y5	C41-C42-C43-C44
6	A	1502	2Y5	C10-C12-C13-C14
6	A	1502	2Y5	C31-C32-C33-C34
6	A	1502	2Y5	C38-C39-C40-C41
6	A	1502	2Y5	C34-C35-C36-C37
6	A	1502	2Y5	C27-C28-C29-C30
6	A	1502	2Y5	O16-C8-C9-O18

*Continued on next page...*

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	A	1502	2Y5	C16-C17-C18-C19
6	A	1502	2Y5	C18-C19-C20-C21
6	A	1502	2Y5	C19-C20-C21-C22
6	A	1502	2Y5	C37-C38-C39-C40
6	A	1502	2Y5	C7-C8-C9-O18
6	A	1502	2Y5	C1-O1-P1-O11
6	A	1502	2Y5	C32-C33-C34-C35
6	A	1502	2Y5	C8-C7-O13-P1
6	A	1502	2Y5	C4-O4-P4-O43
6	A	1502	2Y5	C4-O4-P4-O42
6	A	1502	2Y5	O16-C10-C12-C13

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1502	2Y5	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4974. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


### 6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 127




Y Index: 130




Z Index: 107


### 6.3.2 Raw map



X Index: 127



Y Index: 131




Z Index: 107


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y



Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)


### 6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.013. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


### 6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_4974\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 94  $\text{nm}^3$ ; this corresponds to an approximate mass of 85 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.345 Å<sup>-1</sup>



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.345  $\text{\AA}^{-1}$

## 8.2 Resolution estimates


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.90	-	-
Author-provided FSC curve	2.91	3.24	2.94
Unmasked-calculated*	3.42	3.98	3.49

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.42 differs from the reported value 2.9 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-4974 and PDB model 6ROJ. Per-residue inclusion information can be found in section [3](#) on page [8](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.013 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.013) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.8920	<div></div> 0.5270
A	<div></div> 0.8860	<div></div> 0.5190
B	<div></div> 0.4400	<div></div> 0.3970
C	<div></div> 0.9260	<div></div> 0.5560
D	<div></div> 0.3930	<div></div> 0.4440
E	<div></div> 0.9000	<div></div> 0.5270

