



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:20 PM UTC

PDB ID : 6XOH / pdb\_00006xoh  
Title : Structure of SUMO1-ML00789344 adduct bound to SAE  
Authors : Sintchak, M.; Lane, W.; Bump, N.  
Deposited on : 2020-07-07  
Resolution : 2.23 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.23 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	7682 (2.24-2.20)
Clashscore	190562	8402 (2.24-2.20)
Ramachandran outliers	187476	8303 (2.24-2.20)
Sidechain outliers	187428	8304 (2.24-2.20)
RSRZ outliers	180081	7683 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	346	<div> <div> <div>0%</div> <div>74%</div> <div>14%</div> <div>10%</div> </div> </div>
2	B	640	<div> <div>5%</div> <div>63%</div> <div>12%</div> <div>23%</div> </div>
3	C	101	<div> <div>15%</div> <div>37%</div> <div>13%</div> <div>49%</div> </div>

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 6714 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SUMO-activating enzyme subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	311	Total	C	N	O	S	0	0	0
			2395	1521	408	454	12			


- Molecule 2 is a protein called SUMO-activating enzyme subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	490	Total	C	N	O	S	0	0	0
			3681	2355	624	683	19			

- Molecule 3 is a protein called Small ubiquitin-related modifier 1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	52	Total	C	N	O	0	1	0
			408	263	69	76			

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Zn	0	0
			1	1		

- Molecule 6 is {(1R,2S,4R)-4-[(5-{4-[(1R)-3,4-dihydro-1H-2-benzopyran-1-yl]thiophene-2-carbonyl}pyrimidin-4-yl)amino]-2-hydroxycyclopentyl}methyl sulfamate (CCD ID: VB7) (formula: C<sub>24</sub>H<sub>26</sub>N<sub>4</sub>O<sub>6</sub>S<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	C	1	Total	C	N	O	S	0	0
			36	24	4	6	2		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	127	Total	O	0	0
			127	127		
7	B	56	Total	O	0	0
			56	56		
7	C	5	Total	O	0	0
			5	5		





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	58.13Å 72.95Å 126.59Å 90.00° 92.93° 90.00°	Depositor
Resolution (Å)	43.31 – 2.23 43.31 – 2.23	Depositor EDS
% Data completeness (in resolution range)	96.6 (43.31-2.23) 96.6 (43.31-2.23)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.67 (at 2.22Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, $R_{free}$	0.194 , 0.244 0.194 , 0.245	Depositor DCC
$R_{free}$ test set	2554 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	48.4	Xtriage
Anisotropy	0.051	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 45.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.025 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	6714	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.37% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, SO4, VB7

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.59	0/2438	1.15	8/3296 (0.2%)
2	B	0.54	0/3745	1.11	7/5094 (0.1%)
3	C	0.53	0/409	0.97	0/542
All	All	0.56	0/6592	1.11	15/8932 (0.2%)

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	390	THR	CA-CB-OG1	-7.47	98.40	109.60
1	A	35	ARG	CB-CG-CD	-6.51	96.33	111.30
1	A	316	LYS	CB-CA-C	-6.27	101.03	110.88
1	A	177	GLU	CB-CG-CD	5.38	121.75	112.60
2	B	475	MET	CA-C-N	-5.33	117.51	123.16
2	B	475	MET	C-N-CA	-5.33	117.51	123.16
1	A	337	ASN	CB-CA-C	-5.32	100.54	109.48
1	A	42	VAL	CA-CB-CG2	5.32	119.44	110.40
1	A	93	GLU	CB-CG-CD	5.25	121.53	112.60
1	A	25	LEU	CA-C-N	-5.25	114.35	122.49
1	A	25	LEU	C-N-CA	-5.25	114.35	122.49
2	B	442	TYR	CA-C-N	-5.05	117.98	123.08
2	B	442	TYR	C-N-CA	-5.05	117.98	123.08
2	B	48	ASP	CA-C-N	-5.02	113.57	122.26
2	B	48	ASP	C-N-CA	-5.02	113.57	122.26

There are no chirality outliers.

There are no planarity outliers.



## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2395	0	2356	31	0
2	B	3681	0	3603	55	0
3	C	408	0	391	10	0
4	A	5	0	0	0	0
5	B	1	0	0	0	0
6	C	36	0	0	1	0
7	A	127	0	0	5	0
7	B	56	0	0	2	0
7	C	5	0	0	0	0
All	All	6714	0	6350	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:LYS:HE2	7:A:531:HOH:O	1.73	0.88
2:B:482:ILE:HG12	2:B:511:ILE:HD11	1.60	0.84
2:B:456:VAL:HG13	2:B:511:ILE:HG22	1.58	0.83
1:A:105:MET:HE3	1:A:105:MET:HA	1.65	0.77
2:B:462:LEU:HD13	2:B:502:ASN:ND2	2.04	0.72
2:B:513:ASN:C	2:B:513:ASN:HD22	1.97	0.72
2:B:456:VAL:CG1	2:B:511:ILE:HG22	2.22	0.69
1:A:173:GLU:OE1	1:A:208:LYS:HE2	1.94	0.68
2:B:465:GLN:HG3	2:B:491:ILE:HG21	1.76	0.68
2:B:114:ASN:ND2	2:B:138:GLU:OE1	2.27	0.67
2:B:492:SER:HB3	2:B:498:THR:HG22	1.75	0.66
2:B:245:LYS:HA	2:B:249:TYR:CE1	2.37	0.59
3:C:62:LEU:HD22	3:C:90:VAL:CG1	2.34	0.58
2:B:476:VAL:C	2:B:478:PRO:HD3	2.30	0.56
2:B:462:LEU:HD13	2:B:502:ASN:HD22	1.69	0.56
2:B:456:VAL:HG11	2:B:511:ILE:O	2.05	0.56
2:B:451:THR:HG22	2:B:547:VAL:HG21	1.88	0.55
2:B:455:ASN:HD21	2:B:458:LYS:HE3	1.71	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:GLY:HA3	1:A:32:LYS:HE2	1.89	0.55
2:B:521:ASP:OD1	2:B:523:LEU:HB3	2.07	0.53
2:B:476:VAL:O	2:B:478:PRO:HD3	2.08	0.53
2:B:178:THR:HG22	2:B:178:THR:O	2.09	0.53
3:C:62:LEU:HD22	3:C:90:VAL:HG12	1.91	0.52
2:B:170:PHE:HB2	2:B:175:ILE:HD11	1.90	0.52
1:A:334:MET:HA	1:A:334:MET:HE2	1.92	0.52
2:B:516:ARG:NH2	7:B:803:HOH:O	2.43	0.51
3:C:36:PHE:HZ	3:C:50:SER:HB3	1.76	0.51
2:B:263:ILE:HG12	2:B:365:ILE:HG21	1.92	0.51
3:C:26:VAL:HG13	3:C:90:VAL:HG23	1.93	0.51
1:A:42:VAL:HG13	1:A:131:LEU:HD12	1.94	0.50
2:B:263:ILE:HG22	2:B:281:PRO:HG3	1.92	0.50
2:B:462:LEU:HB2	2:B:502:ASN:HB3	1.94	0.49
2:B:403:LEU:O	2:B:407:SER:HB3	2.12	0.49
2:B:456:VAL:HG23	2:B:534:HIS:ND1	2.27	0.49
1:A:325:HIS:HE1	7:A:616:HOH:O	1.95	0.49
2:B:257:LYS:HA	2:B:261:ASP:HB2	1.95	0.49
2:B:478:PRO:HA	2:B:520:ASP:O	2.12	0.49
2:B:456:VAL:HG12	2:B:507:SER:CA	2.43	0.48
1:A:164:TYR:HA	1:A:329:PHE:O	2.12	0.48
2:B:141:THR:HG22	2:B:394:ILE:HG12	1.96	0.48
2:B:284:TRP:O	2:B:288:GLN:HG2	2.12	0.48
2:B:333:LEU:O	2:B:333:LEU:HG	2.14	0.48
1:A:175:VAL:CG2	1:A:206:MET:CB	2.92	0.48
1:A:277:LEU:HD12	1:A:284:PRO:HA	1.96	0.47
2:B:468:ILE:HG12	2:B:544:PHE:CE2	2.50	0.47
1:A:159:PHE:CG	1:A:246:LEU:HD13	2.51	0.46
2:B:455:ASN:ND2	2:B:536:GLU:HG2	2.31	0.46
6:C:201:VB7:O10	6:C:201:VB7:N2	2.45	0.46
1:A:296:PHE:O	1:A:297:SER:HB2	2.15	0.46
2:B:123:ASN:ND2	2:B:160:GLU:HG2	2.31	0.46
2:B:432:CYS:SG	3:C:65:LEU:HD21	2.56	0.46
2:B:513:ASN:C	2:B:513:ASN:ND2	2.68	0.46
3:C:30:ASP:O	3:C:31:SER:HB2	2.15	0.45
2:B:98:ASN:OD1	2:B:98:ASN:C	2.59	0.45
1:A:10:GLY:CA	1:A:32:LYS:HE2	2.46	0.45
2:B:198:GLY:HA2	2:B:342:LEU:O	2.17	0.45
1:A:92:ALA:HB1	1:A:110:VAL:HG22	1.99	0.45
2:B:138:GLU:OE2	7:B:801:HOH:O	2.21	0.45
2:B:456:VAL:HG12	2:B:507:SER:HA	1.98	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:256:ASP:HB3	1:A:257:PRO:HD2	1.99	0.44
2:B:44:ILE:O	2:B:89:ILE:HA	2.17	0.44
2:B:457:HIS:CD2	2:B:507:SER:CB	3.01	0.44
1:A:18:GLN:NE2	7:A:508:HOH:O	2.50	0.44
2:B:49:LEU:HD13	2:B:50:ASP:OD1	2.17	0.44
1:A:282:ILE:HG21	1:A:286:LEU:HD22	2.00	0.44
2:B:513:ASN:HB2	2:B:534:HIS:HB3	2.00	0.43
2:B:425:ARG:O	2:B:426:LYS:HB2	2.19	0.43
2:B:34:LYS:O	2:B:38:LEU:HG	2.19	0.43
3:C:67:GLU:HG3	3:C:67:GLU:O	2.19	0.43
1:A:175:VAL:HG23	1:A:206:MET:CB	2.49	0.42
3:C:36:PHE:CZ	3:C:50:SER:HB3	2.54	0.42
3:C:46:LYS:HG2	3:C:47:LEU:N	2.34	0.42
1:A:12:SER:OG	1:A:15:GLU:HG3	2.19	0.42
1:A:159:PHE:HD2	7:A:619:HOH:O	2.03	0.42
1:A:177:GLU:OE1	1:A:177:GLU:N	2.53	0.41
2:B:457:HIS:CD2	2:B:507:SER:HB2	2.55	0.41
1:A:299:MET:HB3	1:A:299:MET:HE2	1.83	0.41
2:B:475:MET:HG2	2:B:521:ASP:HB2	2.02	0.41
1:A:147:HIS:HB2	7:A:566:HOH:O	2.20	0.41
1:A:53:LYS:HB3	1:A:53:LYS:HE3	1.65	0.41
2:B:282:LEU:HD23	2:B:282:LEU:HA	1.95	0.41
1:A:66:LEU:HD23	1:A:66:LEU:C	2.46	0.41
1:A:146:CYS:HB3	1:A:151:ILE:O	2.20	0.41
2:B:516:ARG:HG2	2:B:531:ASN:OD1	2.21	0.41
2:B:65:LYS:O	2:B:68:VAL:HG23	2.20	0.41
1:A:225:SER:O	1:A:226:SER:C	2.64	0.41
2:B:23:VAL:HG12	2:B:116:LEU:HD21	2.03	0.41
2:B:160:GLU:CD	2:B:443:VAL:HG21	2.46	0.41
1:A:161:TYR:CE2	1:A:334:MET:HE3	2.56	0.40
1:A:22:GLN:HB3	2:B:387:ILE:HG22	2.02	0.40
1:A:131:LEU:HG	1:A:134:CYS:SG	2.61	0.40
1:A:323:PRO:HG2	2:B:421:GLN:NE2	2.36	0.40
2:B:157:GLU:HG3	2:B:435:ASP:HB2	2.03	0.40
3:C:64:PHE:CE1	3:C:90:VAL:HG22	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	307/346 (89%)	298 (97%)	8 (3%)	1 (0%)	36	41
2	B	472/640 (74%)	437 (93%)	34 (7%)	1 (0%)	43	50
3	C	44/101 (44%)	39 (89%)	5 (11%)	0	100	100
All	All	823/1087 (76%)	774 (94%)	47 (6%)	2 (0%)	43	50

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	226	SER
2	B	513	ASN

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	256/296 (86%)	239 (93%)	17 (7%)	15	17
2	B	387/552 (70%)	364 (94%)	23 (6%)	18	20
3	C	41/91 (45%)	36 (88%)	5 (12%)	5	4
All	All	684/939 (73%)	639 (93%)	45 (7%)	15	17

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	42	VAL
1	A	53	LYS
1	A	84	THR
1	A	89	ARG
1	A	105	MET
1	A	110	VAL
1	A	113	GLU
1	A	120	GLU
1	A	131	LEU
1	A	159	PHE
1	A	175	VAL
1	A	177	GLU
1	A	205	THR
1	A	228	LYS
1	A	280	LEU
1	A	310	LEU
2	B	15	VAL
2	B	49	LEU
2	B	97	MET
2	B	98	ASN
2	B	119	ARG
2	B	138	GLU
2	B	160	GLU
2	B	162	HIS
2	B	186	ILE
2	B	206	VAL
2	B	263	ILE
2	B	277	LYS
2	B	333	LEU
2	B	394	ILE
2	B	459	VAL
2	B	475	MET
2	B	476	VAL
2	B	497	GLU
2	B	513	ASN
2	B	515	SER
2	B	517	LEU
2	B	538	LEU
2	B	546	VAL
3	C	22	ILE
3	C	25	LYS
3	C	46	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	C	47	LEU
3	C	61	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	GLN
1	A	149	ASN
1	A	162	HIS
1	A	325	HIS
1	A	337	ASN
2	B	43	HIS
2	B	108	GLN
2	B	123	ASN
2	B	162	HIS
2	B	194	ASN
2	B	204	GLN
2	B	311	GLN
2	B	421	GLN
2	B	457	HIS
2	B	481	GLN
2	B	513	ASN
3	C	94	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	VB7	C	201	3	40,40,40	2.45	11 (27%)	46,58,58	3.04	21 (45%)
4	SO4	A	401	-	4,4,4	0.39	0	6,6,6	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	VB7	C	201	3	-	0/22/44/44	0/5/5/5

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	201	VB7	O35-S33	6.47	1.49	1.42
6	C	201	VB7	C16-C13	5.90	1.56	1.50
6	C	201	VB7	O36-S33	5.89	1.48	1.42
6	C	201	VB7	O31-S33	-5.43	1.50	1.57
6	C	201	VB7	S33-N34	4.49	1.63	1.58
6	C	201	VB7	C11-C9	4.13	1.56	1.47
6	C	201	VB7	C12-C13	-3.12	1.36	1.43
6	C	201	VB7	C29-C1	3.11	1.59	1.53
6	C	201	VB7	C19-C18	2.76	1.55	1.51
6	C	201	VB7	O21-C20	2.75	1.50	1.44
6	C	201	VB7	O32-C28	2.08	1.47	1.43

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	201	VB7	O36-S33-O35	-8.23	111.56	119.94
6	C	201	VB7	C7-C8-C3	7.08	121.78	114.67
6	C	201	VB7	C13-C14-S15	-6.94	107.81	112.89
6	C	201	VB7	O36-S33-N34	5.78	117.48	109.13
6	C	201	VB7	C30-O31-S33	4.95	123.61	117.29

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	201	VB7	C8-C3-N4	-4.53	116.17	121.88
6	C	201	VB7	N2-C3-N4	4.35	124.18	118.00
6	C	201	VB7	C7-N6-C5	3.74	120.22	115.80
6	C	201	VB7	C12-C13-C14	3.45	114.39	111.53
6	C	201	VB7	C14-S15-C11	3.43	94.66	91.65
6	C	201	VB7	O35-S33-N34	-3.40	104.22	109.13
6	C	201	VB7	C16-C13-C14	-3.40	120.83	126.52
6	C	201	VB7	C8-C7-N6	-3.21	117.78	123.95
6	C	201	VB7	C12-C11-S15	-3.11	108.13	111.02
6	C	201	VB7	N6-C5-N4	-2.96	122.29	127.33
6	C	201	VB7	O32-C28-C27	-2.85	103.46	111.76
6	C	201	VB7	C17-C16-C13	-2.81	108.47	113.65
6	C	201	VB7	C19-C18-C17	2.53	124.87	121.11
6	C	201	VB7	C3-C8-C9	-2.07	117.99	124.14
6	C	201	VB7	C22-C17-C16	-2.03	118.42	122.36
6	C	201	VB7	C3-N2-C1	2.02	127.59	124.18

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	C	201	VB7	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	311/346 (89%)	-0.27	2 (0%) 85 84	29, 47, 77, 108	0
2	B	490/640 (76%)	0.44	33 (6%) 24 21	29, 69, 124, 158	0
3	C	52/101 (51%)	1.50	15 (28%) 1 1	39, 102, 136, 149	1 (1%)
All	All	853/1087 (78%)	0.25	50 (5%) 28 25	29, 59, 123, 158	1 (0%)

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	44	LEU	5.3
3	C	52	CYS	4.9
3	C	38	VAL	4.4
3	C	54[A]	ARG	4.4
2	B	503	HIS	4.3
2	B	305	LEU	3.9
2	B	522	PHE	3.8
2	B	6	GLY	3.7
2	B	452	VAL	3.6
2	B	240	THR	3.5
2	B	506	LEU	3.4
3	C	22	ILE	3.3
3	C	51	TYR	3.0
3	C	47	LEU	3.0
2	B	249	TYR	3.0
3	C	61	SER	3.0
3	C	32	SER	2.9
2	B	206	VAL	2.8
2	B	164	LYS	2.8
3	C	71	ILE	2.8
2	B	242	GLU	2.8
1	A	205	THR	2.7
2	B	453	ARG	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	509	PHE	2.6
2	B	290	GLN	2.5
2	B	464	LEU	2.5
2	B	366	PHE	2.4
2	B	243	TRP	2.4
2	B	488	THR	2.4
3	C	27	ILE	2.4
3	C	34	ILE	2.4
2	B	168	ARG	2.4
2	B	482	ILE	2.4
2	B	424	PRO	2.3
2	B	342	LEU	2.3
2	B	341	GLU	2.3
3	C	68	GLY	2.2
2	B	544	PHE	2.2
1	A	9	GLY	2.2
2	B	454	LEU	2.2
2	B	517	LEU	2.2
3	C	24	LEU	2.2
2	B	476	VAL	2.2
2	B	479	ASP	2.1
2	B	494	GLU	2.1
2	B	358	ALA	2.1
2	B	459	VAL	2.1
2	B	500	ALA	2.1
3	C	33	GLU	2.0
2	B	533	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	SO4	A	401	5/5	0.96	0.07	59,59,70,78	0
6	VB7	C	201	36/36	0.97	0.07	36,46,74,76	0
5	ZN	B	700	1/1	0.99	0.02	61,61,61,61	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers ⓘ

There are no such residues in this entry.