



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:37 AM UTC

PDB ID : 7ADY / pdb_00007ady
Title : CO-removed state of the active site of vanadium nitrogenase VFe protein
Authors : Rohde, M.; Grunau, K.; Einsle, O.
Deposited on : 2020-09-16
Resolution : 1.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1182 (1.08-1.04)
Clashscore	190562	1204 (1.08-1.04)
Ramachandran outliers	187476	1175 (1.08-1.04)
Sidechain outliers	187428	1176 (1.08-1.04)
RSRZ outliers	180081	1181 (1.08-1.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	474	 91% 7% .
1	D	474	 89% 10% .
2	B	475	 90% 7% ..
2	E	475	 88% 9% ..
3	C	113	 88% 9% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	113	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	EDO	E	505	-	X	-	-

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 20082 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitrogenase vanadium-iron protein alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	473	Total	C	N	O	S	0	10	0
			3865	2463	662	711	29			
1	D	473	Total	C	N	O	S	0	13	0
			3879	2473	661	716	29			


- Molecule 2 is a protein called Nitrogenase vanadium-iron protein beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	465	Total	C	N	O	S	0	12	0
			3725	2370	637	694	24			
2	E	466	Total	C	N	O	S	0	23	0
			3824	2431	657	711	25			

- Molecule 3 is a protein called Nitrogenase vanadium-iron protein delta chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	113	Total	C	N	O	S	0	2	0
			964	604	175	182	3			
3	F	111	Total	C	N	O	S	0	4	0
			969	606	180	181	2			

- Molecule 4 is FeV (CCD ID: D6N) (formula: CFe₇NS₇V) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Fe	S	V	0	0
			16	1	7	7	1		
4	D	1	Total	C	Fe	S	V	0	0
			16	1	7	7	1		

- Molecule 5 is 3-HYDROXY-3-CARBOXY-ADIPIC ACID (CCD ID: HCA) (formula: C₇H₁₀O₇).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			14	7	7		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	D	1	Total	C	O	0	0
			14	7	7		

- Molecule 6 is BICARBONATE ION (CCD ID: BCT) (formula: CHO_3).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	1	3		
6	D	1	Total	C	O	0	0
			4	1	3		

- Molecule 7 is HYDROSULFURIC ACID (CCD ID: H2S) (formula: H_2S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	S		0	0
			1	1			
7	D	1	Total	S		0	0
			1	1			

- Molecule 8 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: C₄H₁₂NO₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			8	4	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			8	4	1	3		
8	D	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 9 is FE(8)-S(7) CLUSTER (CCD ID: CLF) (formula: Fe_8S_7).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	Fe	S	0	1
			16	9	7		
9	E	1	Total	Fe	S	0	1
			16	9	7		

- Molecule 10 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	B	2	Total	Mg	0	0
			2	2		
10	C	1	Total	Mg	0	0
			1	1		
10	F	1	Total	Mg	0	0
			1	1		

- Molecule 11 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $\text{C}_2\text{H}_6\text{O}_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	B	1	Total	C	O	0	1
			8	4	4		
11	B	1	Total	C	O	0	0
			4	2	2		
11	B	1	Total	C	O	0	1
			8	4	4		
11	C	1	Total	C	O	0	0
			4	2	2		
11	E	1	Total	C	O	0	0
			4	2	2		
11	E	1	Total	C	O	0	1
			8	4	4		
11	E	1	Total	C	O	0	0
			4	2	2		
11	E	1	Total	C	O	0	0
			4	2	2		
11	F	1	Total	C	O	0	0
			4	2	2		

- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	546	Total	O	0	22
			569	569		
12	B	543	Total	O	0	25
			569	569		
12	C	170	Total	O	0	4
			173	173		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	D	565	Total 592	O 592	0	26
12	E	593	Total 631	O 631	0	34
12	F	140	Total 144	O 144	0	4


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nitrogenase vanadium-iron protein alpha chain




- Molecule 1: Nitrogenase vanadium-iron protein alpha chain




- Molecule 2: Nitrogenase vanadium-iron protein beta chain




- Molecule 2: Nitrogenase vanadium-iron protein beta chain






● Molecule 3: Nitrogenase vanadium-iron protein delta chain



● Molecule 3: Nitrogenase vanadium-iron protein delta chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	75.58Å 80.03Å 107.20Å 83.99° 72.48° 75.03°	Depositor
Resolution (Å)	46.66 – 1.05 46.66 – 1.05	Depositor EDS
% Data completeness (in resolution range)	94.1 (46.66-1.05) 94.1 (46.66-1.05)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.46 (at 1.05Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.121 , 0.141 0.121 , 0.141	Depositor DCC
R_{free} test set	5040 reflections (0.47%)	wwPDB-VP
Wilson B-factor (Å ²)	10.8	Xtriage
Anisotropy	0.405	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 40.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	20082	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, HCA, BCT, D6N, H2S, TRS, EDO, CLF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.06	7/3966 (0.2%)	1.13	8/5357 (0.1%)
1	D	1.04	4/3986 (0.1%)	1.11	11/5384 (0.2%)
2	B	1.06	5/3811 (0.1%)	1.12	14/5156 (0.3%)
2	E	0.99	5/3919 (0.1%)	1.07	12/5299 (0.2%)
3	C	1.22	6/984 (0.6%)	1.25	6/1329 (0.5%)
3	F	1.24	6/989 (0.6%)	1.31	3/1335 (0.2%)
All	All	1.06	33/17655 (0.2%)	1.13	54/23860 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	D	0	1
2	B	0	1
2	E	0	2
3	F	0	1
All	All	0	6

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	128	ASP	CG-OD1	10.43	1.45	1.25
2	E	396	ARG	NE-CZ	-9.51	1.22	1.33
2	B	396	ARG	NE-CZ	-9.20	1.23	1.33
1	A	441	ARG	CD-NE	-8.96	1.33	1.46
3	C	1	MET	N-CA	8.69	1.62	1.46
3	C	2	SER	CA-CB	7.91	1.65	1.53
1	D	441	ARG	NE-CZ	-7.55	1.24	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	172	SER	CB-OG	-7.51	1.27	1.42
1	A	441	ARG	NE-CZ	-7.46	1.24	1.33
3	C	2	SER	CB-OG	6.68	1.55	1.42
3	F	50[A]	ARG	C-O	6.68	1.33	1.24
3	F	50[B]	ARG	C-O	6.68	1.33	1.24
3	C	2	SER	C-O	-6.39	1.16	1.24
1	D	441	ARG	CD-NE	-6.33	1.37	1.46
2	E	17	SER	CA-CB	-6.32	1.44	1.54
3	F	75	TRP	C-O	-6.14	1.16	1.24
2	B	383	GLU	CD-OE1	6.07	1.36	1.25
3	F	50[A]	ARG	CA-C	5.91	1.60	1.53
3	F	50[B]	ARG	CA-C	5.91	1.60	1.53
2	B	80	HIS	CE1-NE2	5.80	1.38	1.32
2	B	343	GLN	CD-OE1	5.78	1.34	1.23
1	D	248	HIS	CE1-NE2	5.69	1.38	1.32
3	C	51	GLY	C-O	5.57	1.31	1.23
2	B	234	HIS	CE1-NE2	5.50	1.38	1.32
1	A	463	SER	N-CA	5.48	1.53	1.46
1	A	462	LYS	C-O	-5.32	1.17	1.24
2	E	373	GLU	CD-OE1	-5.19	1.15	1.25
3	F	79	VAL	C-O	5.16	1.29	1.24
3	C	3	GLN	N-CA	5.13	1.52	1.46
1	A	248	HIS	CE1-NE2	5.11	1.37	1.32
2	E	236	ARG	CG-CD	5.08	1.67	1.52
1	A	472	GLY	C-O	5.01	1.28	1.23
2	E	343	GLN	CD-OE1	5.01	1.33	1.23

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	2	SER	N-CA-C	-10.35	100.00	111.28
1	A	462	LYS	CA-C-O	10.12	131.28	120.55
2	B	449	GLU	CB-CG-CD	8.79	127.54	112.60
3	F	83	GLU	N-CA-C	-7.91	102.74	111.36
3	C	2	SER	N-CA-CB	7.76	121.52	110.12
2	B	12	ALA	CA-C-O	-7.75	112.51	120.88
2	E	373	GLU	CB-CG-CD	7.51	125.37	112.60
2	B	396	ARG	NE-CZ-NH1	-7.45	114.05	121.50
1	A	184	ASN	CA-CB-CG	7.30	119.90	112.60
2	E	20	ASP	CA-CB-CG	7.01	119.61	112.60
3	C	82	GLU	CB-CG-CD	6.87	124.28	112.60
1	A	14	GLU	CB-CG-CD	6.74	124.05	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	396	ARG	NE-CZ-NH2	6.58	125.13	119.20
1	D	120	HIS	CB-CG-CD2	-6.55	122.69	131.20
2	E	256	ARG	NE-CZ-NH1	-6.31	115.19	121.50
3	C	2	SER	CA-C-O	-6.28	113.89	120.55
1	A	172	SER	CB-CA-C	6.20	120.95	109.54
2	E	439[A]	LYS	CB-CA-C	6.16	118.26	109.08
2	E	439[B]	LYS	CB-CA-C	6.16	118.26	109.08
1	D	184	ASN	CA-CB-CG	6.15	118.75	112.60
2	E	334	HIS	CG-CD2-NE2	6.13	113.33	107.20
3	F	79	VAL	O-C-N	6.08	129.42	123.03
1	A	216	ASP	CA-CB-CG	6.01	118.61	112.60
2	B	371[A]	ILE	CB-CA-C	5.94	120.42	112.22
2	B	371[B]	ILE	CB-CA-C	5.94	120.42	112.22
3	F	78	GLN	CB-CG-CD	5.91	122.64	112.60
2	B	373	GLU	CB-CG-CD	5.88	122.59	112.60
1	D	366[A]	GLU	N-CA-CB	5.82	119.19	110.22
1	D	366[B]	GLU	N-CA-CB	5.82	119.19	110.22
2	B	80	HIS	CA-CB-CG	5.73	119.53	113.80
1	D	168[A]	CYS	CA-C-N	5.71	126.03	119.92
1	D	168[A]	CYS	C-N-CA	5.71	126.03	119.92
1	D	168[C]	CYS	CA-C-N	5.71	126.03	119.92
1	D	168[C]	CYS	C-N-CA	5.71	126.03	119.92
1	D	168[B]	CYS	CA-C-N	5.71	126.03	119.92
1	D	168[B]	CYS	C-N-CA	5.71	126.03	119.92
1	D	120	HIS	CB-CG-ND1	5.68	131.23	122.70
3	C	94	ARG	CB-CG-CD	5.63	124.24	111.30
2	E	158	HIS	CA-CB-CG	5.59	119.39	113.80
1	A	391	PHE	CA-CB-CG	5.53	119.33	113.80
2	B	377	THR	CA-CB-OG1	5.38	117.67	109.60
2	B	321	HIS	CA-CB-CG	5.27	119.07	113.80
2	E	287	ASP	CA-CB-CG	5.19	117.79	112.60
1	A	211	PHE	CA-CB-CG	-5.19	108.61	113.80
2	E	371[A]	ILE	CB-CA-C	5.12	119.29	112.22
2	E	371[B]	ILE	CB-CA-C	5.12	119.29	112.22
2	B	20	ASP	CA-CB-CG	5.12	117.72	112.60
2	B	287	ASP	CA-CB-CG	5.10	117.70	112.60
3	C	2	SER	CA-CB-OG	5.10	121.29	111.10
1	A	383	ASP	CA-CB-CG	-5.09	107.51	112.60
2	B	473	ASN	CA-CB-CG	5.06	117.66	112.60
2	B	272	VAL	O-C-N	-5.03	117.98	121.55
2	E	466	ARG	NE-CZ-NH2	-5.03	114.68	119.20
2	E	122	ASP	CA-CB-CG	5.01	117.61	112.60

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	441	ARG	Sidechain
2	B	445	GLN	Sidechain
1	D	441	ARG	Sidechain
2	E	234[B]	HIS	Peptide
2	E	445	GLN	Sidechain
3	F	50[A]	ARG	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3865	0	3778	40	0
1	D	3879	0	3800	58	0
2	B	3725	0	3710	35	0
2	E	3824	0	3814	66	0
3	C	964	0	928	15	2
3	F	969	0	933	23	0
4	A	16	0	0	0	0
4	D	16	0	0	0	0
5	A	14	0	6	1	0
5	D	14	0	6	1	0
6	A	4	0	0	0	0
6	D	4	0	0	0	0
7	A	1	0	0	0	0
7	D	1	0	0	0	0
8	A	16	0	24	1	0
8	D	8	0	12	2	0
9	B	16	0	0	0	0
9	E	16	0	0	0	0
10	B	2	0	0	0	0
10	C	1	0	0	0	0
10	F	1	0	0	0	0
11	B	20	0	29	0	0
11	C	4	0	6	0	0
11	E	20	0	28	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	F	4	0	6	0	0
12	A	569	0	0	12	0
12	B	569	0	0	22	1
12	C	173	0	0	11	0
12	D	592	0	0	31	3
12	E	631	0	0	29	0
12	F	144	0	0	4	0
All	All	20082	0	17080	234	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (234) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:D:668:HOH:O	2:E:418[A]:GLU:HG3	1.23	1.36
2:E:392[B]:GLU:OE2	2:E:396:ARG:NH1	1.61	1.31
1:A:172:SER:CB	12:A:601:HOH:O	1.65	1.27
3:C:38[A]:GLN:NE2	12:C:301:HOH:O	1.71	1.21
1:A:172:SER:HB2	12:A:601:HOH:O	1.22	1.18
2:E:392[B]:GLU:CD	2:E:396:ARG:HH12	1.49	1.18
2:E:234[B]:HIS:CE1	12:E:602:HOH:O	1.94	1.17
2:B:296:VAL:HB	12:B:1037:HOH:O	1.02	1.17
2:E:383:GLU:OE1	12:E:601:HOH:O	1.59	1.16
1:D:190:GLU:HG2	12:D:880:HOH:O	1.44	1.16
2:B:392[B]:GLU:OE2	2:B:396:ARG:NH1	1.77	1.15
1:D:178:LYS:HE2	12:D:794:HOH:O	1.52	1.09
1:A:73:LEU:HD11	12:B:717:HOH:O	1.52	1.08
1:A:128:ASP:HB3	12:A:1019:HOH:O	1.51	1.07
1:A:462:LYS:O	1:A:463:SER:N	1.88	1.06
2:E:392[B]:GLU:HG3	2:E:396:ARG:NH1	1.72	1.04
1:D:178:LYS:CE	12:D:794:HOH:O	2.02	1.04
1:A:73:LEU:CD1	12:B:717:HOH:O	2.05	1.03
1:D:461:ASP:HB3	12:D:647[B]:HOH:O	1.58	1.02
2:E:234[B]:HIS:ND1	12:E:602:HOH:O	1.84	1.02
2:E:392[B]:GLU:CG	2:E:396:ARG:NH1	2.23	1.01
1:D:17[A]:LYS:HG3	12:D:958:HOH:O	1.61	1.00
2:B:392[B]:GLU:CD	2:B:396:ARG:HH12	1.72	0.97
1:D:461:ASP:HB3	12:D:647[A]:HOH:O	1.64	0.96
2:B:383:GLU:HG3	12:B:634:HOH:O	1.63	0.96
2:B:392[B]:GLU:HG3	2:B:396:ARG:NH1	1.83	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:462:LYS:C	1:A:463:SER:N	2.27	0.93
2:B:392[B]:GLU:CG	2:B:396:ARG:NH1	2.33	0.92
1:D:167:GLU:CD	12:D:605:HOH:O	2.10	0.91
3:C:107:GLU:CD	12:C:302:HOH:O	2.14	0.91
2:E:392[B]:GLU:CG	2:E:396:ARG:HH12	1.82	0.91
2:B:296:VAL:CG1	12:B:1037:HOH:O	2.05	0.89
3:F:81:LYS:HZ2	3:F:82:GLU:HA	1.35	0.89
2:E:439[B]:LYS:HZ3	2:E:453[B]:MET:CE	1.86	0.88
3:F:81:LYS:O	3:F:81:LYS:NZ	2.07	0.87
1:D:168[B]:CYS:CA	1:D:169:PRO:N	2.36	0.86
1:D:190:GLU:OE2	12:D:662[B]:HOH:O	1.93	0.86
2:B:392[B]:GLU:CG	2:B:396:ARG:HH12	1.86	0.85
2:E:439[B]:LYS:NZ	2:E:453[B]:MET:CE	2.39	0.85
1:A:120:HIS:HD2	1:A:158:ARG:HH11	1.24	0.85
2:E:392[B]:GLU:CD	2:E:396:ARG:NH1	2.19	0.83
2:E:296:VAL:HB	12:E:1039:HOH:O	1.78	0.82
2:E:177[A]:HIS:HE1	12:E:1035[A]:HOH:O	1.62	0.82
1:A:168[B]:CYS:CA	1:A:169:PRO:N	2.43	0.81
1:D:152[B]:LYS:HG3	12:D:989:HOH:O	1.82	0.80
1:A:167:GLU:C	1:A:168[B]:CYS:CA	2.55	0.79
2:B:392[B]:GLU:CD	2:B:396:ARG:NH1	2.36	0.79
2:E:392[B]:GLU:HG3	2:E:396:ARG:HH11	1.45	0.79
3:F:81:LYS:NZ	3:F:82:GLU:HA	1.97	0.78
3:F:78:GLN:HG2	12:F:362:HOH:O	1.84	0.77
1:A:50:ALA:HB1	1:A:168[C]:CYS:SG	2.25	0.77
2:E:439[A]:LYS:HG3	2:E:449[A]:GLU:OE2	1.85	0.76
2:E:439[B]:LYS:HZ3	2:E:453[B]:MET:HE1	1.49	0.76
2:B:12:ALA:HA	12:B:1022:HOH:O	1.86	0.76
3:C:70:ARG:NE	12:C:303:HOH:O	2.18	0.75
2:E:346[A]:MET:HE1	2:E:374:LEU:HD23	1.69	0.75
1:D:461:ASP:CB	12:D:647[B]:HOH:O	2.24	0.74
1:D:461:ASP:CG	12:D:647[B]:HOH:O	2.31	0.74
2:B:392[B]:GLU:HG3	2:B:396:ARG:HH11	1.53	0.73
1:D:452:ARG:HD2	12:D:736:HOH:O	1.88	0.73
2:E:396:ARG:NE	12:E:601:HOH:O	1.57	0.73
1:D:120:HIS:HD2	1:D:158:ARG:HH11	1.35	0.73
2:B:12:ALA:CA	12:B:1022:HOH:O	2.37	0.73
3:F:80:ASN:HB3	12:F:304:HOH:O	1.88	0.72
2:E:307[B]:ARG:HG2	12:E:607:HOH:O	1.90	0.72
2:E:232:GLU:OE2	12:E:604:HOH:O	2.08	0.72
2:E:281:TYR:CZ	2:E:337[B]:LEU:HD23	2.25	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:80:ASN:C	3:C:80:ASN:HD22	1.98	0.71
2:E:307[B]:ARG:HD3	12:E:1079:HOH:O	1.90	0.70
3:F:81:LYS:NZ	3:F:81:LYS:C	2.50	0.70
2:E:396:ARG:NH2	12:E:601:HOH:O	2.21	0.70
3:F:81:LYS:HZ2	3:F:82:GLU:CA	2.05	0.70
3:C:70:ARG:HB2	12:C:303:HOH:O	1.91	0.69
3:F:94[A]:ARG:CG	3:F:94[A]:ARG:HH21	2.05	0.69
3:F:94[A]:ARG:HH21	3:F:94[A]:ARG:HG3	1.57	0.69
1:D:167:GLU:O	1:D:168[C]:CYS:HB2	1.91	0.69
2:E:418[A]:GLU:OE2	12:E:605:HOH:O	2.10	0.69
2:E:296:VAL:CG2	12:E:1039:HOH:O	2.41	0.68
1:D:117:LYS:NZ	12:D:602:HOH:O	2.13	0.68
2:E:372:GLU:HG2	12:E:649:HOH:O	1.92	0.68
12:D:690:HOH:O	2:E:155:LYS:HE3	1.92	0.68
1:D:448:HIS:HE1	12:D:888:HOH:O	1.76	0.67
1:D:395[A]:ASP:OD2	12:D:601:HOH:O	2.13	0.67
2:B:346[B]:MET:HE1	2:B:374:LEU:HD23	1.77	0.67
2:E:439[B]:LYS:HZ1	2:E:453[B]:MET:HE2	1.59	0.67
2:E:208[B]:MET:HG2	2:E:302:PRO:HD3	1.77	0.66
2:E:44[B]:LYS:HZ2	2:E:234[B]:HIS:CE1	2.13	0.66
1:D:178:LYS:HE3	12:D:794:HOH:O	1.81	0.66
2:B:296:VAL:CB	12:B:1037:HOH:O	1.75	0.65
1:D:447[A]:VAL:HG23	1:D:448:HIS:CD2	2.30	0.65
2:E:307[B]:ARG:NH2	12:E:607:HOH:O	2.12	0.65
2:E:346[A]:MET:CE	2:E:374:LEU:CD2	2.75	0.65
1:D:128[B]:ASP:OD2	8:D:505:TRS:O2	2.15	0.65
1:D:167:GLU:C	1:D:168[B]:CYS:CA	2.69	0.65
1:D:202:GLU:HG3	12:D:1040:HOH:O	1.97	0.65
1:D:120:HIS:HE1	12:D:701:HOH:O	1.80	0.64
1:A:117:LYS:NZ	12:A:602:HOH:O	2.12	0.64
2:E:346[A]:MET:CE	2:E:374:LEU:HD23	2.28	0.64
1:D:120:HIS:CD2	1:D:158:ARG:HH11	2.16	0.63
1:A:307:LEU:C	1:A:307:LEU:HD23	2.25	0.61
2:E:346[A]:MET:HE1	2:E:374:LEU:CD2	2.30	0.61
2:E:208[B]:MET:HG2	2:E:302:PRO:CD	2.31	0.61
3:F:80:ASN:C	12:F:302:HOH:O	2.44	0.61
2:B:372:GLU:HB2	12:B:640[A]:HOH:O	2.01	0.61
1:A:120:HIS:HE1	12:A:682:HOH:O	1.84	0.61
2:E:449[A]:GLU:OE1	12:E:608[A]:HOH:O	2.16	0.60
1:D:302:GLU:HG3	12:D:929:HOH:O	2.03	0.59
2:E:152:PRO:HD2	11:E:505:EDO:H11	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:73:LEU:C	1:A:73:LEU:HD22	2.28	0.58
1:D:148:LYS:HG2	1:D:152[B]:LYS:HE3	1.84	0.58
3:C:107:GLU:OE1	12:C:302:HOH:O	2.15	0.58
1:D:458:ASP:H	1:D:464:GLN:HE22	1.52	0.58
1:A:14:GLU:OE2	12:A:604:HOH:O	2.17	0.58
1:A:128:ASP:OD2	8:A:506:TRS:O1	2.22	0.57
2:E:220:ASP:CG	2:E:236:ARG:HE	2.13	0.57
2:B:12:ALA:CB	12:B:1022:HOH:O	2.52	0.57
1:D:73:LEU:HD22	1:D:73:LEU:C	2.29	0.57
2:E:439[B]:LYS:NZ	2:E:453[B]:MET:SD	2.78	0.56
2:B:383:GLU:HG3	12:B:615:HOH:O	2.04	0.56
1:D:307:LEU:C	1:D:307:LEU:HD23	2.31	0.56
3:C:70:ARG:CG	12:C:303:HOH:O	2.52	0.56
2:E:392[B]:GLU:OE2	2:E:396:ARG:CZ	2.49	0.56
2:B:220:ASP:CG	2:B:236:ARG:HE	2.14	0.55
1:D:190:GLU:CG	12:D:880:HOH:O	2.24	0.55
3:C:80:ASN:ND2	3:C:83:GLU:H	2.04	0.55
3:F:94[A]:ARG:CG	3:F:94[A]:ARG:NH2	2.69	0.54
12:B:747:HOH:O	1:D:464:GLN:HB2	2.06	0.54
1:D:376[A]:LYS:HE2	12:D:1047:HOH:O	2.08	0.54
3:C:94:ARG:HD3	12:C:411:HOH:O	2.07	0.54
3:F:81:LYS:NZ	3:F:82:GLU:CA	2.66	0.54
2:E:296:VAL:HG23	12:E:1039:HOH:O	2.06	0.53
1:D:327[B]:GLN:NE2	12:D:609:HOH:O	2.41	0.53
2:E:234[B]:HIS:HB2	12:E:985:HOH:O	2.09	0.53
2:E:164:GLU:HG2	11:E:505:EDO:H22	1.90	0.53
1:D:167:GLU:HG3	12:D:605:HOH:O	2.09	0.53
1:D:128[B]:ASP:OD1	8:D:505:TRS:O3	2.23	0.52
1:D:190:GLU:CD	12:D:662[B]:HOH:O	2.46	0.52
2:B:12:ALA:HB1	12:B:1022:HOH:O	2.08	0.52
2:E:439[B]:LYS:NZ	2:E:453[B]:MET:HE2	2.14	0.52
1:A:120:HIS:CD2	1:A:158:ARG:HH11	2.15	0.51
2:B:383:GLU:CG	12:B:634:HOH:O	2.39	0.51
1:A:17[A]:LYS:HD2	12:A:1095:HOH:O	2.10	0.51
3:F:10:PHE:CD1	3:F:94[A]:ARG:HG2	2.46	0.51
2:B:383:GLU:OE1	2:B:396:ARG:NE	2.44	0.51
1:A:452:ARG:HD3	12:A:639:HOH:O	2.10	0.51
1:D:167:GLU:CG	12:D:605:HOH:O	2.49	0.51
2:E:44[B]:LYS:HZ2	2:E:234[B]:HIS:CG	2.28	0.50
2:B:14:VAL:HB	2:B:375:LYS:HG2	1.93	0.50
3:C:106[B]:ARG:NH1	12:C:306:HOH:O	2.44	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:81:LYS:O	3:F:81:LYS:CE	2.58	0.50
3:C:70:ARG:CB	12:C:303:HOH:O	2.54	0.49
1:D:277:LEU:HD13	3:F:57:LEU:HD11	1.94	0.49
1:A:462:LYS:CA	1:A:463:SER:N	2.75	0.49
1:A:464:GLN:HB2	12:E:832:HOH:O	2.11	0.49
1:D:443:MET:O	1:D:447[A]:VAL:HG22	2.12	0.49
2:E:264:GLU:HG2	12:E:1005:HOH:O	2.11	0.49
1:A:452:ARG:HD2	12:A:754:HOH:O	2.12	0.49
2:E:32:GLN:HE22	11:E:505:EDO:C1	2.25	0.49
3:C:49:LEU:HD23	12:C:406:HOH:O	2.13	0.49
2:E:364:LYS:HE2	12:E:636:HOH:O	2.13	0.48
1:A:458:ASP:H	1:A:464:GLN:HE22	1.61	0.48
2:B:15:LYS:HE2	12:B:634:HOH:O	2.14	0.48
1:D:50:ALA:HB1	1:D:168[C]:CYS:SG	2.53	0.48
1:A:73:LEU:HD12	12:B:717:HOH:O	1.94	0.48
2:B:327:LYS:NZ	12:B:601:HOH:O	1.80	0.48
1:D:441:ARG:HD3	12:D:977[B]:HOH:O	2.14	0.47
2:E:44[B]:LYS:NZ	2:E:234[B]:HIS:CG	2.82	0.47
2:B:346[B]:MET:HE1	2:B:374:LEU:CD2	2.44	0.47
1:A:423:HIS:HB3	5:A:502:HCA:O5	2.15	0.47
2:B:364:LYS:NZ	12:B:611:HOH:O	2.46	0.47
3:F:50[A]:ARG:O	3:F:56[A]:ARG:HD3	2.15	0.47
2:B:171:LYS:NZ	12:B:610:HOH:O	2.45	0.47
2:E:234[B]:HIS:CB	12:E:985:HOH:O	2.63	0.46
2:E:383:GLU:CD	12:E:601:HOH:O	2.30	0.46
1:A:462:LYS:N	1:A:463:SER:N	2.63	0.46
2:B:439[B]:LYS:NZ	2:B:449:GLU:OE1	2.31	0.46
2:E:356[B]:LEU:HD11	2:E:393:LEU:HB2	1.98	0.46
1:A:195[A]:MET:HE2	1:A:195[A]:MET:HB2	1.79	0.46
3:F:81:LYS:HG3	3:F:82:GLU:N	2.31	0.46
1:D:212:ASN:HD21	1:D:218:GLN:NE2	2.14	0.45
1:D:423:HIS:HB3	5:D:502:HCA:O6	2.17	0.45
1:A:178:LYS:HG2	12:A:601:HOH:O	2.16	0.45
2:B:115:CYS:HB3	2:B:153:SER:OG	2.17	0.45
2:B:453[B]:MET:HB2	2:B:453[B]:MET:HE2	1.60	0.45
1:D:461:ASP:CB	12:D:647[A]:HOH:O	2.41	0.45
2:B:439[B]:LYS:HE3	12:B:648:HOH:O	2.17	0.45
1:A:167:GLU:CD	12:A:698:HOH:O	2.59	0.44
1:D:170:GLY:O	12:D:603:HOH:O	2.21	0.44
3:C:107:GLU:OE2	12:C:304:HOH:O	2.21	0.44
2:B:264[B]:GLU:OE1	12:B:602:HOH:O	2.21	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:314:LYS:HE2	1:A:314:LYS:HB2	1.82	0.44
1:A:212:ASN:HD21	1:A:218:GLN:NE2	2.15	0.44
3:C:80:ASN:C	3:C:80:ASN:ND2	2.72	0.44
2:E:396:ARG:CZ	12:E:601:HOH:O	2.14	0.44
3:F:81:LYS:HZ2	3:F:82:GLU:N	2.16	0.44
2:E:307[B]:ARG:CG	12:E:607:HOH:O	2.57	0.43
3:F:10:PHE:CE1	3:F:94[A]:ARG:HG2	2.53	0.43
1:A:277:LEU:HD13	3:C:57:LEU:HD11	2.00	0.43
3:F:80:ASN:ND2	12:F:304:HOH:O	2.46	0.43
2:E:115:CYS:HB3	2:E:153:SER:OG	2.18	0.43
1:D:193:GLU:HA	1:D:248:HIS:CE1	2.53	0.43
2:B:418:GLU:HG3	12:B:976:HOH:O	2.18	0.43
1:D:450:PRO:HD3	1:D:471:ARG:HD2	2.01	0.43
1:A:17[A]:LYS:HA	1:A:17[A]:LYS:HD3	1.74	0.43
1:D:137:THR:O	1:D:138:CYS:C	2.61	0.43
1:D:167:GLU:O	1:D:168[C]:CYS:CB	2.49	0.43
1:A:120:HIS:CD2	1:A:158:ARG:HD2	2.53	0.43
1:D:282:TRP:CG	1:D:343:TRP:HE1	2.37	0.43
1:A:219:LEU:C	1:A:219:LEU:HD23	2.43	0.43
1:D:327[B]:GLN:CD	12:D:932:HOH:O	2.61	0.43
1:D:219:LEU:C	1:D:219:LEU:HD23	2.44	0.43
1:D:368:PHE:HA	1:D:371:VAL:HG12	2.01	0.43
2:E:250:ALA:HB3	12:E:1039:HOH:O	2.17	0.42
3:F:52:THR:O	3:F:56[A]:ARG:HG3	2.19	0.42
1:D:458:ASP:H	1:D:464:GLN:NE2	2.15	0.42
1:D:168[C]:CYS:HA	1:D:169:PRO:HD2	1.81	0.42
3:F:3:GLN:NE2	3:F:8:ASP:OD1	2.46	0.42
1:D:61:VAL:HG22	1:D:85:TYR:CE2	2.56	0.41
2:E:418[A]:GLU:HG2	12:E:1003[A]:HOH:O	2.20	0.41
2:E:307[B]:ARG:HD2	12:E:607:HOH:O	2.20	0.41
1:A:310:GLU:HG3	12:A:908:HOH:O	2.19	0.41
1:A:443:MET:O	1:A:447[A]:VAL:HG22	2.21	0.41
2:B:232:GLU:OE1	2:E:307[B]:ARG:NH2	2.47	0.41
1:A:282:TRP:CG	1:A:343:TRP:HE1	2.39	0.41
2:B:215:TYR:HA	2:B:216:MET:HA	1.91	0.41
2:E:346[A]:MET:HE2	2:E:374:LEU:CD2	2.49	0.41
2:E:307[B]:ARG:CD	12:E:607:HOH:O	2.68	0.41
1:A:137:THR:O	1:A:138:CYS:C	2.63	0.41
2:E:445:GLN:O	2:E:449[B]:GLU:HG2	2.21	0.41
2:E:439[A]:LYS:NZ	2:E:449[A]:GLU:OE1	2.54	0.41
3:F:81:LYS:HZ2	3:F:81:LYS:C	2.25	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:215:TYR:HA	2:E:216:MET:HA	1.89	0.40
2:E:296:VAL:CB	12:E:1039:HOH:O	2.46	0.40
1:D:212:ASN:HD21	1:D:218:GLN:HE21	1.69	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:82:GLU:OE1	12:D:1156:HOH:O[1_644]	1.26	0.94
3:C:82:GLU:CD	12:D:1156:HOH:O[1_644]	1.47	0.73
12:B:993:HOH:O	12:D:1097:HOH:O[1_554]	2.06	0.14

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	480/474 (101%)	465 (97%)	15 (3%)	0	100	100
1	D	485/474 (102%)	471 (97%)	14 (3%)	0	100	100
2	B	474/475 (100%)	465 (98%)	9 (2%)	0	100	100
2	E	487/475 (102%)	479 (98%)	8 (2%)	0	100	100
3	C	113/113 (100%)	108 (96%)	5 (4%)	0	100	100
3	F	113/113 (100%)	111 (98%)	2 (2%)	0	100	100
All	All	2152/2124 (101%)	2099 (98%)	53 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	414/404 (102%)	409 (99%)	5 (1%)	63	26
1	D	417/404 (103%)	412 (99%)	5 (1%)	63	26
2	B	400/398 (100%)	400 (100%)	0	100	100
2	E	412/398 (104%)	412 (100%)	0	100	100
3	C	104/102 (102%)	102 (98%)	2 (2%)	50	12
3	F	104/102 (102%)	100 (96%)	4 (4%)	29	2
All	All	1851/1808 (102%)	1835 (99%)	16 (1%)	73	39

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	73	LEU
1	A	85	TYR
1	A	195[A]	MET
1	A	195[B]	MET
1	A	307	LEU
3	C	1	MET
3	C	80	ASN
1	D	10	LYS
1	D	73	LEU
1	D	85	TYR
1	D	156	LYS
1	D	469	ILE
3	F	71	GLU
3	F	81	LYS
3	F	94[A]	ARG
3	F	94[B]	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	120	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	218	GLN
1	A	464	GLN
2	B	363	ASN
3	C	3	GLN
3	C	54	GLN
3	C	80	ASN
3	C	110	HIS
3	C	111	HIS
1	D	25	ASN
1	D	120	HIS
1	D	218	GLN
1	D	448	HIS
1	D	464	GLN
3	F	46	GLN
3	F	54	GLN
3	F	111	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 31 ligands modelled in this entry, 2 are modelled with single atom and 4 are monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	EDO	F	202	-	3,3,3	0.72	0	2,2,2	0.37	0
11	EDO	E	503[B]	-	3,3,3	0.26	0	2,2,2	0.45	0
5	HCA	D	502	4	13,13,13	1.06	1 (7%)	15,18,18	1.33	1 (6%)
8	TRS	D	505	-	7,7,7	0.44	0	9,9,9	0.65	0
11	EDO	B	506[A]	-	3,3,3	0.43	0	2,2,2	0.56	0
9	CLF	B	501[B]	2	0,24,24	-	-	-	-	-
11	EDO	E	505	-	3,3,3	1.82	1 (33%)	2,2,2	1.72	1 (50%)
9	CLF	E	501[B]	2	0,24,24	-	-	-	-	-
6	BCT	A	503	4	3,3,3	0.37	0	2,3,3	0.94	0
11	EDO	B	504[A]	-	3,3,3	0.20	0	2,2,2	0.50	0
11	EDO	E	502	-	3,3,3	0.81	0	2,2,2	0.23	0
11	EDO	E	503[A]	-	3,3,3	0.32	0	2,2,2	0.34	0
11	EDO	B	505	-	3,3,3	0.85	0	2,2,2	0.26	0
11	EDO	C	202	-	3,3,3	1.46	1 (33%)	2,2,2	0.05	0
6	BCT	D	503	4	3,3,3	0.98	0	2,3,3	1.12	0
4	D6N	A	501	6,12,1,5	4,26,28	0.63	0	-	-	-
8	TRS	A	505	-	7,7,7	0.32	0	9,9,9	0.33	0
11	EDO	B	506[B]	-	3,3,3	0.26	0	2,2,2	0.34	0
4	D6N	D	501	6,12,1,5	4,26,28	0.95	0	-	-	-
8	TRS	A	506	-	7,7,7	0.41	0	9,9,9	0.65	0
5	HCA	A	502	4	13,13,13	1.33	3 (23%)	15,18,18	1.44	3 (20%)
9	CLF	B	501[A]	2	0,24,24	-	-	-	-	-
11	EDO	E	504	-	3,3,3	0.60	0	2,2,2	0.18	0
11	EDO	B	504[B]	-	3,3,3	0.36	0	2,2,2	0.36	0
9	CLF	E	501[A]	2	0,24,24	-	-	-	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	EDO	F	202	-	-	0/1/1/1	-
11	EDO	E	503[B]	-	-	1/1/1/1	-
5	HCA	D	502	4	-	2/17/17/17	-
8	TRS	D	505	-	-	4/9/9/9	-
11	EDO	B	506[A]	-	-	0/1/1/1	-
9	CLF	B	501[B]	2	-	-	0/12/10/10
11	EDO	E	505	-	-	1/1/1/1	-
9	CLF	E	501[B]	2	-	-	0/12/10/10
11	EDO	B	504[A]	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	EDO	E	502	-	-	0/1/1/1	-
11	EDO	E	503[A]	-	-	0/1/1/1	-
11	EDO	B	505	-	-	0/1/1/1	-
11	EDO	C	202	-	-	0/1/1/1	-
8	TRS	A	505	-	-	0/9/9/9	-
11	EDO	B	506[B]	-	-	0/1/1/1	-
8	TRS	A	506	-	-	2/9/9/9	-
5	HCA	A	502	4	-	2/17/17/17	-
9	CLF	B	501[A]	2	-	-	0/12/10/10
11	EDO	E	504	-	-	0/1/1/1	-
11	EDO	B	504[B]	-	-	1/1/1/1	-
9	CLF	E	501[A]	2	-	-	0/12/10/10

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	502	HCA	O4-C6	-2.81	1.21	1.30
5	A	502	HCA	O2-C1	-2.30	1.23	1.30
5	A	502	HCA	O4-C6	-2.25	1.23	1.30
5	A	502	HCA	O1-C1	2.23	1.29	1.22
11	C	202	EDO	O2-C2	2.23	1.53	1.42
11	E	505	EDO	O2-C2	2.11	1.52	1.42

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	502	HCA	O6-C7-C3	2.97	118.84	113.14
5	A	502	HCA	O1-C1-C2	-2.64	115.47	122.95
5	A	502	HCA	O6-C7-C3	2.29	117.53	113.14
11	E	505	EDO	O1-C1-C2	2.25	129.50	112.39
5	A	502	HCA	O5-C7-C3	-2.23	117.78	122.09

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	506	TRS	C2-C-C3-O3
8	A	506	TRS	N-C-C3-O3
8	D	505	TRS	C3-C-C1-O1
11	E	505	EDO	O1-C1-C2-O2
11	E	503[B]	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	D	502	HCA	C4-C5-C6-O3
5	A	502	HCA	C4-C5-C6-O4
8	D	505	TRS	C3-C-C2-O2
5	D	502	HCA	C4-C5-C6-O4
11	B	504[B]	EDO	O1-C1-C2-O2
5	A	502	HCA	C4-C5-C6-O3
8	D	505	TRS	N-C-C1-O1
8	D	505	TRS	N-C-C2-O2


There are no ring outliers.

5 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	502	HCA	1	0
8	D	505	TRS	2	0
11	E	505	EDO	3	0
8	A	506	TRS	1	0
5	A	502	HCA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand D6N A 501




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	462:LYS	C	463:SER	N	2.27

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	473/474 (99%)	-0.35	2 (0%) 88 94	5, 11, 21, 44	10 (2%)
1	D	473/474 (99%)	-0.42	4 (0%) 82 91	4, 10, 22, 39	13 (2%)
2	B	465/475 (97%)	-0.37	3 (0%) 85 93	5, 11, 23, 68	12 (2%)
2	E	466/475 (98%)	-0.50	5 (1%) 78 88	4, 9, 21, 72	23 (4%)
3	C	113/113 (100%)	-0.00	3 (2%) 56 68	7, 15, 29, 51	2 (1%)
3	F	111/113 (98%)	0.42	14 (12%) 8 9	8, 17, 39, 53	4 (3%)
All	All	2101/2124 (98%)	-0.35	31 (1%) 72 81	4, 11, 24, 72	64 (3%)

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	11[A]	PRO	9.1
3	F	84	ILE	5.3
3	C	1	MET	5.0
3	F	79	VAL	4.9
2	B	12	ALA	4.4
3	F	80	ASN	4.0
3	F	78	GLN	3.8
2	B	377	THR	3.5
1	D	469	ILE	3.4
3	C	49	LEU	3.1
1	D	468	VAL	3.0
3	F	50[A]	ARG	2.7
1	D	470	VAL	2.7
3	F	51	GLY	2.7
2	E	10	LYS	2.7
2	E	16	LEU	2.6
3	C	2	SER	2.4
3	F	75	TRP	2.4
3	F	81	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	F	3	GLN	2.3
1	A	461	ASP	2.3
3	F	76	ALA	2.3
2	E	12	ALA	2.3
3	F	82	GLU	2.2
1	D	461	ASP	2.2
1	A	469	ILE	2.2
3	F	43	LEU	2.2
3	F	74	PRO	2.1
3	F	77	SER	2.1
2	E	11	PRO	2.1
2	E	377	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	TRS	D	505	8/8	0.89	0.10	22,26,27,34	0
11	EDO	C	202	4/4	0.89	0.11	23,23,23,25	0
8	TRS	A	506	8/8	0.91	0.10	28,32,41,44	0
11	EDO	F	202	4/4	0.93	0.10	16,16,18,21	4
8	TRS	A	505	8/8	0.94	0.08	17,20,25,25	0
11	EDO	B	506[B]	4/4	0.95	0.09	16,20,22,24	4
11	EDO	B	505	4/4	0.95	0.08	22,25,25,27	0
11	EDO	B	506[A]	4/4	0.95	0.09	12,20,21,24	4
11	EDO	B	504[B]	4/4	0.97	0.06	19,20,20,21	4
11	EDO	E	505	4/4	0.97	0.06	16,17,20,24	0
11	EDO	B	504[A]	4/4	0.97	0.06	11,12,12,13	4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
11	EDO	E	502	4/4	0.98	0.05	16,18,18,19	0
11	EDO	E	504	4/4	0.98	0.05	14,18,18,19	0
7	H2S	A	504	1/1	0.99	0.04	15,15,15,15	0
11	EDO	E	503[A]	4/4	0.99	0.04	8,8,9,9	4
11	EDO	E	503[B]	4/4	0.99	0.04	21,22,22,27	4
10	MG	F	201	1/1	0.99	0.11	16,16,16,16	0
5	HCA	A	502	14/14	0.99	0.03	7,8,11,12	0
5	HCA	D	502	14/14	0.99	0.03	6,6,11,11	0
7	H2S	D	504	1/1	1.00	0.04	14,14,14,14	0
4	D6N	D	501	16/17	1.00	0.01	6,7,7,7	0
6	BCT	A	503	4/4	1.00	0.03	8,8,9,9	0
6	BCT	D	503	4/4	1.00	0.01	6,7,7,7	0
9	CLF	B	501[A]	15/15	1.00	0.01	6,8,8,9	1
9	CLF	B	501[B]	15/15	1.00	0.01	8,8,9,15	1
9	CLF	E	501[A]	15/15	1.00	0.01	4,6,6,7	1
9	CLF	E	501[B]	15/15	1.00	0.01	6,6,7,12	1
10	MG	B	502	1/1	1.00	0.01	9,9,9,9	0
10	MG	B	503	1/1	1.00	0.02	8,8,8,8	0
10	MG	C	201	1/1	1.00	0.07	15,15,15,15	0
4	D6N	A	501	16/17	1.00	0.01	7,8,8,8	0

6.5 Other polymers

There are no such residues in this entry.