



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 08:59 AM UTC

PDB ID : 7AZD / pdb_00007azd
Title : DNA polymerase sliding clamp from Escherichia coli with peptide 20 bound
Authors : Monsarrat, C.; Compain, G.; Andre, C.; Martiel, I.; Engilberge, S.; Olieric, V.;
Wolff, P.; Brillet, K.; Landolfo, M.; Silva da Veiga, C.; Wagner, J.; Guichard,
G.; Burnouf, D.Y.
Deposited on : 2020-11-16
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	386	<div> <div>3%</div> <div>78%</div> <div>16%</div> <div>• 5%</div> </div>
1	B	386	<div> <div>6%</div> <div>74%</div> <div>20%</div> <div>• 5%</div> </div>
1	C	386	<div> <div>5%</div> <div>83%</div> <div>11%</div> <div>• 5%</div> </div>
1	D	386	<div> <div>9%</div> <div>76%</div> <div>17%</div> <div>6%</div> </div>
2	H	6	<div> <div>67%</div> <div>17%</div> <div>17%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	I	6	 67% 33%
2	J	6	 17% 67% 33%
2	K	6	 67% 33%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PEG	B	501	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12348 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta sliding clamp.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	367	Total	C	N	O	S	0	4	0
			2872	1805	508	540	19			
1	B	365	Total	C	N	O	S	0	2	0
			2857	1796	503	539	19			
1	C	368	Total	C	N	O	S	0	1	0
			2841	1784	496	542	19			
1	D	363	Total	C	N	O	S	0	1	0
			2813	1770	490	534	19			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP A0A073FMV0
A	-18	GLY	-	expression tag	UNP A0A073FMV0
A	-17	SER	-	expression tag	UNP A0A073FMV0
A	-16	SER	-	expression tag	UNP A0A073FMV0
A	-15	HIS	-	expression tag	UNP A0A073FMV0
A	-14	HIS	-	expression tag	UNP A0A073FMV0
A	-13	HIS	-	expression tag	UNP A0A073FMV0
A	-12	HIS	-	expression tag	UNP A0A073FMV0
A	-11	HIS	-	expression tag	UNP A0A073FMV0
A	-10	HIS	-	expression tag	UNP A0A073FMV0
A	-9	SER	-	expression tag	UNP A0A073FMV0
A	-8	SER	-	expression tag	UNP A0A073FMV0
A	-7	GLY	-	expression tag	UNP A0A073FMV0
A	-6	LEU	-	expression tag	UNP A0A073FMV0
A	-5	VAL	-	expression tag	UNP A0A073FMV0
A	-4	PRO	-	expression tag	UNP A0A073FMV0
A	-3	ARG	-	expression tag	UNP A0A073FMV0
A	-2	GLY	-	expression tag	UNP A0A073FMV0
A	-1	SER	-	expression tag	UNP A0A073FMV0
A	0	HIS	-	expression tag	UNP A0A073FMV0
B	-19	MET	-	initiating methionine	UNP A0A073FMV0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	expression tag	UNP A0A073FMV0
B	-17	SER	-	expression tag	UNP A0A073FMV0
B	-16	SER	-	expression tag	UNP A0A073FMV0
B	-15	HIS	-	expression tag	UNP A0A073FMV0
B	-14	HIS	-	expression tag	UNP A0A073FMV0
B	-13	HIS	-	expression tag	UNP A0A073FMV0
B	-12	HIS	-	expression tag	UNP A0A073FMV0
B	-11	HIS	-	expression tag	UNP A0A073FMV0
B	-10	HIS	-	expression tag	UNP A0A073FMV0
B	-9	SER	-	expression tag	UNP A0A073FMV0
B	-8	SER	-	expression tag	UNP A0A073FMV0
B	-7	GLY	-	expression tag	UNP A0A073FMV0
B	-6	LEU	-	expression tag	UNP A0A073FMV0
B	-5	VAL	-	expression tag	UNP A0A073FMV0
B	-4	PRO	-	expression tag	UNP A0A073FMV0
B	-3	ARG	-	expression tag	UNP A0A073FMV0
B	-2	GLY	-	expression tag	UNP A0A073FMV0
B	-1	SER	-	expression tag	UNP A0A073FMV0
B	0	HIS	-	expression tag	UNP A0A073FMV0
C	-19	MET	-	initiating methionine	UNP A0A073FMV0
C	-18	GLY	-	expression tag	UNP A0A073FMV0
C	-17	SER	-	expression tag	UNP A0A073FMV0
C	-16	SER	-	expression tag	UNP A0A073FMV0
C	-15	HIS	-	expression tag	UNP A0A073FMV0
C	-14	HIS	-	expression tag	UNP A0A073FMV0
C	-13	HIS	-	expression tag	UNP A0A073FMV0
C	-12	HIS	-	expression tag	UNP A0A073FMV0
C	-11	HIS	-	expression tag	UNP A0A073FMV0
C	-10	HIS	-	expression tag	UNP A0A073FMV0
C	-9	SER	-	expression tag	UNP A0A073FMV0
C	-8	SER	-	expression tag	UNP A0A073FMV0
C	-7	GLY	-	expression tag	UNP A0A073FMV0
C	-6	LEU	-	expression tag	UNP A0A073FMV0
C	-5	VAL	-	expression tag	UNP A0A073FMV0
C	-4	PRO	-	expression tag	UNP A0A073FMV0
C	-3	ARG	-	expression tag	UNP A0A073FMV0
C	-2	GLY	-	expression tag	UNP A0A073FMV0
C	-1	SER	-	expression tag	UNP A0A073FMV0
C	0	HIS	-	expression tag	UNP A0A073FMV0
D	-19	MET	-	initiating methionine	UNP A0A073FMV0
D	-18	GLY	-	expression tag	UNP A0A073FMV0
D	-17	SER	-	expression tag	UNP A0A073FMV0

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	expression tag	UNP A0A073FMV0
D	-15	HIS	-	expression tag	UNP A0A073FMV0
D	-14	HIS	-	expression tag	UNP A0A073FMV0
D	-13	HIS	-	expression tag	UNP A0A073FMV0
D	-12	HIS	-	expression tag	UNP A0A073FMV0
D	-11	HIS	-	expression tag	UNP A0A073FMV0
D	-10	HIS	-	expression tag	UNP A0A073FMV0
D	-9	SER	-	expression tag	UNP A0A073FMV0
D	-8	SER	-	expression tag	UNP A0A073FMV0
D	-7	GLY	-	expression tag	UNP A0A073FMV0
D	-6	LEU	-	expression tag	UNP A0A073FMV0
D	-5	VAL	-	expression tag	UNP A0A073FMV0
D	-4	PRO	-	expression tag	UNP A0A073FMV0
D	-3	ARG	-	expression tag	UNP A0A073FMV0
D	-2	GLY	-	expression tag	UNP A0A073FMV0
D	-1	SER	-	expression tag	UNP A0A073FMV0
D	0	HIS	-	expression tag	UNP A0A073FMV0

- Molecule 2 is a protein called Peptide 20.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	H	6	Total	C	N	O	0	0	0
			61	45	6	10			
2	I	6	Total	C	N	O	0	0	0
			61	45	6	10			
2	J	6	Total	C	N	O	0	0	0
			61	45	6	10			
2	K	6	Total	C	N	O	0	0	0
			61	45	6	10			

- Molecule 3 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			10	6	4		
3	B	1	Total	C	O	0	0
			13	8	5		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	4	3		
4	B	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			7	4	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	223	Total	O	0	0
			223	223		
5	B	185	Total	O	0	1
			186	186		
5	C	120	Total	O	0	1
			121	121		
5	D	131	Total	O	0	1
			131	131		
5	H	6	Total	O	0	0
			6	6		
5	I	2	Total	O	0	0
			2	2		
5	J	3	Total	O	0	0
			3	3		
5	K	5	Total	O	0	0
			5	5		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Beta sliding clamp




- Molecule 1: Beta sliding clamp





- Molecule 1: Beta sliding clamp






● Molecule 1: Beta sliding clamp




● Molecule 2: Peptide 20



● Molecule 2: Peptide 20



● Molecule 2: Peptide 20



- Molecule 2: Peptide 20

Chain K:  67% 33%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	69.68Å 81.76Å 141.93Å 90.00° 97.49° 90.00°	Depositor
Resolution (Å)	41.39 – 2.19 41.39 – 2.19	Depositor EDS
% Data completeness (in resolution range)	71.7 (41.39-2.19) 71.7 (41.39-2.19)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.78 (at 2.20Å)	Xtriage
Refinement program	BUSTER 2.10.3	Depositor
R, R_{free}	0.189 , 0.242 0.195 , 0.256	Depositor DCC
R_{free} test set	2847 reflections (3.50%)	wwPDB-VP
Wilson B-factor (Å ²)	40.8	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 66.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12348	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ALC, 1PE, SGZ, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.96	1/2935 (0.0%)	1.14	7/3972 (0.2%)
1	B	0.90	1/2908 (0.0%)	1.09	4/3935 (0.1%)
1	C	0.87	0/2893	1.09	2/3918 (0.1%)
1	D	0.82	0/2862	1.08	4/3875 (0.1%)
2	H	0.90	0/36	1.11	0/44
2	I	0.74	0/36	1.26	0/44
2	J	0.82	0/36	1.24	0/44
2	K	0.74	0/36	1.17	0/44
All	All	0.89	2/11742 (0.0%)	1.10	17/15876 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	266	ALA	C-N	6.72	1.42	1.33
1	B	359	TYR	CA-C	-5.32	1.46	1.52

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	150	ASP	CA-C-N	8.90	132.09	120.60
1	A	150	ASP	C-N-CA	8.90	132.09	120.60
1	B	198	LYS	CA-C-N	6.58	127.12	119.94
1	B	198	LYS	C-N-CA	6.58	127.12	119.94
1	A	210	GLY	N-CA-C	6.13	121.01	111.08
1	A	11	LEU	N-CA-C	5.62	117.87	111.02
1	D	70	VAL	CB-CA-C	5.47	114.69	109.33
1	C	39	ASP	CA-CB-CG	5.40	118.00	112.60
1	B	11	LEU	N-CA-C	5.38	116.83	110.97
1	A	50	GLU	CB-CG-CD	5.35	121.70	112.60
1	D	39	ASP	CA-CB-CG	5.29	117.89	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	173	ASP	CA-CB-CG	5.28	117.88	112.60
1	A	39	ASP	CA-CB-CG	5.17	117.77	112.60
1	C	285	VAL	N-CA-CB	5.16	117.19	110.99
1	D	152	ARG	CA-C-N	5.12	127.85	120.38
1	D	152	ARG	C-N-CA	5.12	127.85	120.38
1	A	237	VAL	N-CA-CB	5.05	116.22	110.72

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2872	0	2890	45	0
1	B	2857	0	2864	45	0
1	C	2841	0	2837	39	0
1	D	2813	0	2806	41	0
2	H	61	0	45	3	0
2	I	61	0	45	2	0
2	J	61	0	45	5	0
2	K	61	0	45	1	0
3	A	10	0	13	3	0
3	B	13	0	17	1	0
4	A	7	0	10	1	0
4	B	7	0	10	4	0
4	C	7	0	10	2	0
5	A	223	0	0	3	0
5	B	186	0	0	5	0
5	C	121	0	0	1	0
5	D	131	0	0	1	0
5	H	6	0	0	0	0
5	I	2	0	0	0	0
5	J	3	0	0	1	0
5	K	5	0	0	0	0
All	All	12348	0	11637	161	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:139:ILE:HG21	1:C:204:MET:HG2	1.62	0.80
1:A:278:PHE:CG	1:C:151:VAL:HG13	2.17	0.80
1:C:247:VAL:HG11	2:J:407:PHE:CE1	2.21	0.76
1:B:60:VAL:HG22	5:B:746:HOH:O	1.87	0.73
1:D:35:LEU:HD12	1:D:97:MET:HE1	1.71	0.73
1:A:149:GLN:O	1:C:278:PHE:CZ	2.43	0.72
1:A:136:LYS:HG3	1:A:204:MET:HE1	1.72	0.71
1:A:52:GLU:HG2	1:A:119:LEU:HD12	1.74	0.70
1:A:366:LEU:HD22	5:A:571:HOH:O	1.91	0.70
1:B:64:GLU:HG3	5:B:718:HOH:O	1.91	0.69
1:A:73[A]:ARG:HD2	3:A:401:1PE:H152	1.73	0.69
1:C:18:SER:HB3	4:C:401:PEG:H21	1.73	0.68
1:D:13:PRO:O	1:D:17:VAL:HG22	1.93	0.67
1:C:254:LYS:HD3	1:C:315:MET:HE3	1.77	0.67
1:B:73:ARG:HA	4:B:501:PEG:H21	1.75	0.67
1:A:151:VAL:HG23	1:C:278:PHE:CD1	2.30	0.66
1:A:365:ARG:HB2	2:H:405:ALC:HZ3	1.76	0.66
1:C:254:LYS:HD3	1:C:315:MET:CE	2.26	0.65
1:D:154:TYR:HA	1:D:237:VAL:HG11	1.79	0.65
1:D:70:VAL:HG22	1:D:71:PRO:HD2	1.79	0.64
2:J:407:PHE:HB3	5:J:502:HOH:O	1.97	0.64
1:A:149:GLN:O	1:C:278:PHE:CE2	2.51	0.64
1:C:221:ASN:HB3	5:C:567:HOH:O	1.96	0.63
1:B:136:LYS:HG3	1:B:204:MET:HE1	1.80	0.62
1:B:252:PRO:HA	1:B:341:THR:HG22	1.82	0.62
1:C:18:SER:HB3	4:C:401:PEG:C2	2.29	0.62
1:C:254:LYS:HG2	1:C:310:TYR:OH	2.00	0.62
1:B:338:MET:HE3	1:B:347:VAL:HG11	1.83	0.60
1:A:165:GLU:HG2	1:A:165:GLU:O	2.02	0.59
1:A:254:LYS:HG2	1:A:310:TYR:OH	2.04	0.58
1:A:242:PRO:HB2	2:H:408:PHE:CE1	2.39	0.57
1:B:134:THR:HG23	1:B:182:MET:HE2	1.86	0.57
1:D:136:LYS:HG3	1:D:204:MET:HE1	1.85	0.57
1:A:184:ILE:HD11	1:A:188:LEU:HD11	1.86	0.56
1:C:184:ILE:HD11	1:C:188:LEU:HD11	1.88	0.56
1:B:177:LEU:HD13	1:B:247:VAL:HG21	1.87	0.56
1:A:149:GLN:O	1:C:278:PHE:HZ	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:SER:HB3	3:A:401:1PE:H251	1.89	0.55
1:C:184:ILE:HD11	1:C:188:LEU:HD21	1.88	0.55
1:D:184:ILE:HD11	1:D:188:LEU:HD21	1.89	0.55
1:B:285:VAL:CG1	1:B:315:MET:HG2	2.37	0.55
1:C:247:VAL:CG1	2:J:407:PHE:CE1	2.89	0.55
1:B:296:ASN:HB2	1:B:297:PRO:CD	2.37	0.55
1:B:52:GLU:HG2	1:B:119:LEU:HD12	1.89	0.54
1:B:81:GLY:HA2	3:B:502:1PE:H252	1.88	0.54
1:A:254:LYS:HD3	1:A:315:MET:CE	2.37	0.54
1:A:278:PHE:CB	1:C:151:VAL:HG13	2.38	0.54
1:D:315:MET:HE2	1:D:317:ILE:HB	1.90	0.54
1:B:184:ILE:HD11	1:B:188:LEU:HD21	1.90	0.54
1:A:3:PHE:HD1	1:A:5:VAL:HG23	1.73	0.54
1:B:39:ASP:HB2	5:B:619:HOH:O	2.07	0.53
1:D:331:LEU:HD13	1:D:336:VAL:HG12	1.90	0.53
1:A:278:PHE:CD2	1:C:151:VAL:HG13	2.43	0.53
1:D:153:TYR:HE2	1:D:238:ASP:O	1.92	0.53
1:D:238:ASP:HB3	2:I:401:SGZ:C2	2.39	0.53
1:A:165:GLU:HA	1:A:186:GLN:O	2.09	0.53
1:D:254:LYS:HG2	1:D:310:TYR:OH	2.09	0.53
1:B:151:VAL:HB	1:D:175:HIS:CE1	2.44	0.53
1:C:35:LEU:HD12	1:C:97:MET:HE1	1.90	0.53
1:D:184:ILE:HD11	1:D:188:LEU:HD11	1.90	0.53
1:C:365:ARG:HB2	2:J:404:ALC:HZ3	1.92	0.52
1:B:214:LEU:HD11	1:B:225:ALA:HB1	1.90	0.52
1:C:3:PHE:HD1	1:C:5:VAL:HG23	1.74	0.52
1:B:184:ILE:HD11	1:B:188:LEU:HD11	1.91	0.52
1:A:184:ILE:HD11	1:A:188:LEU:HD21	1.93	0.51
1:B:296:ASN:HB2	1:B:297:PRO:HD2	1.93	0.51
1:B:29:ILE:O	1:B:32:ASN:HB2	2.12	0.50
1:B:73:ARG:CA	4:B:501:PEG:H21	2.41	0.50
1:B:148[B]:HIS:HD2	5:B:761:HOH:O	1.93	0.50
1:D:242:PRO:HG3	2:K:407:PHE:CZ	2.47	0.50
1:A:151:VAL:CG2	1:C:278:PHE:CD1	2.95	0.50
1:D:194:ILE:HD11	1:D:241:PHE:HB2	1.94	0.49
1:D:8:GLU:HB2	5:D:508:HOH:O	2.11	0.49
1:D:207:LEU:CD2	1:D:214:LEU:HD12	2.41	0.49
1:A:134:THR:HG23	1:A:182:MET:HE2	1.95	0.49
1:B:-1:SER:HB3	1:B:92:LEU:CD1	2.43	0.49
1:B:33:LEU:HG	1:B:72:ALA:HB2	1.95	0.49
1:B:3:PHE:HD1	1:B:5:VAL:HG23	1.76	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:58:ALA:HB2	4:A:402:PEG:H22	1.94	0.49
1:D:13:PRO:HA	1:D:230:PHE:HE1	1.78	0.49
1:B:316:GLU:O	1:B:343:SER:HB3	2.13	0.49
1:B:285:VAL:HG12	1:B:315:MET:HG2	1.95	0.49
1:C:281:VAL:HG12	1:C:294:ALA:HB2	1.95	0.48
1:D:29:ILE:O	1:D:32:ASN:HB2	2.14	0.48
1:D:132:GLN:HG3	1:D:212:ASN:O	2.13	0.48
1:A:153:TYR:HE2	1:A:238:ASP:O	1.97	0.47
1:B:76:PHE:CD2	4:B:501:PEG:H31	2.48	0.47
1:D:286:SER:HA	1:D:314:GLU:HG2	1.97	0.47
1:B:13:PRO:HA	1:B:230:PHE:HE1	1.79	0.47
1:B:123:GLN:HG2	5:B:726:HOH:O	2.13	0.47
1:C:247:VAL:HG11	2:J:407:PHE:CD1	2.49	0.47
1:B:153:TYR:HE2	1:B:238:ASP:O	1.97	0.47
1:D:3:PHE:HD1	1:D:5:VAL:HG23	1.80	0.47
1:B:51:MET:HE3	1:B:202:GLU:HG3	1.97	0.47
1:C:13:PRO:HA	1:C:230:PHE:HE1	1.80	0.47
1:B:291:LYS:HD2	1:B:303:GLU:OE2	2.14	0.47
1:C:126:VAL:HG22	1:C:189:PRO:HG2	1.97	0.46
1:D:207:LEU:HD21	1:D:214:LEU:CD1	2.45	0.46
1:A:73[B]:ARG:HD3	3:A:401:1PE:H152	1.98	0.46
1:A:96:ARG:HH11	1:D:299:GLN:HB2	1.80	0.46
1:A:129:THR:HA	1:A:214:LEU:O	2.16	0.46
1:D:165:GLU:HA	1:D:186:GLN:O	2.16	0.46
1:C:68:THR:HG21	1:C:97:MET:HE2	1.96	0.46
1:D:283:LEU:O	1:D:316:GLU:HA	2.15	0.46
1:D:207:LEU:HD21	1:D:214:LEU:HD12	1.97	0.46
1:D:255:HIS:ND1	1:D:339:MET:HG2	2.31	0.46
1:A:281:VAL:HG12	1:A:294:ALA:HB2	1.97	0.46
1:D:71:PRO:HB2	1:D:74:LYS:HB2	1.98	0.45
1:B:165:GLU:HA	1:B:186:GLN:O	2.17	0.45
1:B:214:LEU:HD13	1:B:227:VAL:CG2	2.47	0.45
1:A:261:ASP:O	1:A:265:GLN:HG2	2.17	0.45
1:B:36:GLN:HG3	1:B:67:ALA:HB2	1.98	0.45
1:B:14:LEU:HD23	1:B:14:LEU:HA	1.85	0.45
1:A:278:PHE:CE2	1:C:149:GLN:O	2.70	0.44
1:C:153:TYR:HE2	1:C:238:ASP:O	1.98	0.44
1:D:281:VAL:HG12	1:D:294:ALA:HB2	1.99	0.44
1:A:337:ARG:NH1	5:A:503:HOH:O	2.50	0.44
1:C:7:ARG:HB2	1:C:88:ILE:HD11	2.00	0.44
2:I:401:SGZ:C13	2:I:401:SGZ:CA	2.96	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:VAL:HG22	1:A:189:PRO:HG2	2.00	0.44
1:B:338:MET:HG2	1:B:349:ILE:HG12	2.00	0.44
1:A:33:LEU:HG	1:A:72:ALA:HB2	2.00	0.43
1:D:296:ASN:HB2	1:D:297:PRO:CD	2.47	0.43
1:A:13:PRO:HA	1:A:230:PHE:HE1	1.84	0.43
1:A:355:GLN:O	1:A:355:GLN:HG3	2.18	0.43
1:C:261:ASP:O	1:C:265:GLN:HG2	2.18	0.43
1:D:296:ASN:HB2	1:D:297:PRO:HD2	2.01	0.43
1:A:27:LEU:O	1:A:30:LEU:HB2	2.18	0.43
1:B:257:GLU:HA	1:B:336:VAL:O	2.18	0.43
1:C:255:HIS:ND1	1:C:339:MET:HG2	2.34	0.43
1:C:139:ILE:CG2	1:C:204:MET:HG2	2.42	0.43
1:A:51:MET:CE	1:A:198:LYS:HE2	2.48	0.43
1:B:70:VAL:HG22	1:B:71:PRO:HD2	2.01	0.42
1:A:148[B]:HIS:HE1	5:A:662:HOH:O	2.01	0.42
1:C:68:THR:HG21	1:C:97:MET:CE	2.49	0.42
1:B:18:SER:HB3	4:B:501:PEG:H11	2.01	0.42
1:C:165:GLU:HA	1:C:186:GLN:O	2.19	0.42
1:D:20:PRO:HB3	1:D:51:MET:HE3	2.01	0.42
1:D:143:GLN:HB2	1:D:146:MET:HE2	2.02	0.42
1:B:126:VAL:HG22	1:B:189:PRO:HG2	2.02	0.42
1:D:32:ASN:HB3	1:D:69:THR:HB	2.02	0.42
1:A:255:HIS:ND1	1:A:339:MET:HG2	2.34	0.42
1:D:126:VAL:HG22	1:D:189:PRO:HG2	2.01	0.42
1:B:116:PHE:HA	1:B:117:PRO:HD3	1.89	0.41
1:A:182:MET:HE3	1:A:182:MET:HB3	1.92	0.41
1:A:283:LEU:HD13	1:A:319:PHE:HD2	1.84	0.41
1:B:159:LEU:O	1:B:169:THR:HA	2.20	0.41
1:C:144:PHE:CD2	1:C:326:ASP:HB3	2.56	0.41
1:C:214:LEU:HD11	1:C:225:ALA:HB1	2.02	0.41
1:A:365:ARG:HB2	2:H:405:ALC:CZ	2.48	0.41
1:D:13:PRO:HA	1:D:230:PHE:CE1	2.55	0.41
1:D:33:LEU:HG	1:D:72:ALA:HB2	2.03	0.41
1:A:214:LEU:HD13	1:A:227:VAL:CG2	2.50	0.41
1:B:161:GLU:HG3	1:B:192:SER:HB3	2.03	0.41
1:D:197:ARG:O	1:D:201:ILE:HG12	2.21	0.40
1:A:286:SER:HA	1:A:314:GLU:HG2	2.03	0.40
1:B:3:PHE:CD1	1:B:5:VAL:HG23	2.56	0.40
1:C:130:LEU:HD21	1:C:214:LEU:HD23	2.03	0.40
1:C:286:SER:HA	1:C:314:GLU:HG2	2.02	0.40
1:D:48:ASP:OD1	1:D:48:ASP:C	2.65	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:256:LEU:HB3	1:D:338:MET:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	369/386 (96%)	358 (97%)	11 (3%)	0	100	100
1	B	363/386 (94%)	350 (96%)	13 (4%)	0	100	100
1	C	367/386 (95%)	355 (97%)	12 (3%)	0	100	100
1	D	358/386 (93%)	344 (96%)	14 (4%)	0	100	100
2	H	2/6 (33%)	2 (100%)	0	0	100	100
2	I	2/6 (33%)	2 (100%)	0	0	100	100
2	J	2/6 (33%)	2 (100%)	0	0	100	100
2	K	2/6 (33%)	2 (100%)	0	0	100	100
All	All	1465/1568 (93%)	1415 (97%)	50 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	315/330 (96%)	306 (97%)	9 (3%)	37	51
1	B	314/330 (95%)	303 (96%)	11 (4%)	32	43
1	C	310/330 (94%)	302 (97%)	8 (3%)	40	55
1	D	308/330 (93%)	301 (98%)	7 (2%)	44	59
2	H	4/4 (100%)	4 (100%)	0	100	100
2	I	4/4 (100%)	4 (100%)	0	100	100
2	J	4/4 (100%)	4 (100%)	0	100	100
2	K	4/4 (100%)	4 (100%)	0	100	100
All	All	1263/1336 (94%)	1228 (97%)	35 (3%)	38	52

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	69	THR
1	A	70	VAL
1	A	188	LEU
1	A	220	SER
1	A	226	HIS
1	A	254	LYS
1	A	340	LEU
1	A	341	THR
1	A	366	LEU
1	B	27	LEU
1	B	70	VAL
1	B	151	VAL
1	B	176	ARG
1	B	181	SER
1	B	188	LEU
1	B	255	HIS
1	B	283	LEU
1	B	340	LEU
1	B	350	GLU
1	B	366	LEU
1	C	70	VAL
1	C	151	VAL
1	C	181	SER
1	C	188	LEU
1	C	204	MET
1	C	285	VAL
1	C	311	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	340	LEU
1	D	70	VAL
1	D	176	ARG
1	D	181	SER
1	D	182	MET
1	D	188	LEU
1	D	282	ARG
1	D	340	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	HIS
1	A	16	GLN
1	A	36	GLN
1	A	191	HIS
1	A	251	ASN
1	A	335	ASN
1	A	355	GLN
1	B	32	ASN
1	B	61	GLN
1	B	221	ASN
1	C	16	GLN
1	C	61	GLN
1	C	148	HIS
1	C	226	HIS
1	C	289	GLN
1	C	335	ASN
1	D	123	GLN
1	D	335	ASN
2	H	404	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ALC	H	405	2	9,11,12	0.56	0	11,13,15	1.16	1 (9%)
2	ALC	J	404	2	9,11,12	0.42	0	11,13,15	0.81	0
2	ALC	I	403	2	9,11,12	0.52	0	11,13,15	1.25	1 (9%)
2	ALC	K	404	2	9,11,12	0.48	0	11,13,15	1.40	1 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ALC	H	405	2	-	2/5/14/16	0/1/1/1
2	ALC	J	404	2	-	2/5/14/16	0/1/1/1
2	ALC	I	403	2	-	2/5/14/16	0/1/1/1
2	ALC	K	404	2	-	2/5/14/16	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	404	ALC	CB-CA-C	-4.12	104.64	110.99
2	I	403	ALC	CB-CA-C	-3.60	105.45	110.99
2	H	405	ALC	CB-CA-C	-3.35	105.84	110.99

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	H	405	ALC	CA-CB-CG-CD2
2	I	403	ALC	CA-CB-CG-CD2
2	J	404	ALC	CA-CB-CG-CD2
2	K	404	ALC	CA-CB-CG-CD2
2	H	405	ALC	CA-CB-CG-CD1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	I	403	ALC	CA-CB-CG-CD1
2	J	404	ALC	CA-CB-CG-CD1
2	K	404	ALC	CA-CB-CG-CD1

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	405	ALC	2	0
2	J	404	ALC	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	PEG	C	401	-	6,6,6	0.26	0	5,5,5	0.21	0
4	PEG	A	402	-	6,6,6	0.23	0	5,5,5	0.15	0
4	PEG	B	501	-	6,6,6	0.21	0	5,5,5	0.30	0
3	1PE	B	502	-	12,12,15	0.58	0	11,11,14	0.40	0
3	1PE	A	401	-	9,9,15	0.47	0	8,8,14	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	C	401	-	-	2/4/4/4	-
4	PEG	A	402	-	-	2/4/4/4	-
4	PEG	B	501	-	-	1/4/4/4	-
3	1PE	B	502	-	-	5/10/10/13	-
3	1PE	A	401	-	-	4/7/7/13	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	502	1PE	OH6-C15-C25-OH5
3	B	502	1PE	OH7-C16-C26-OH6
4	A	402	PEG	O2-C3-C4-O4
3	A	401	1PE	OH7-C16-C26-OH6
3	A	401	1PE	OH5-C14-C24-OH4
3	B	502	1PE	OH5-C14-C24-OH4
3	A	401	1PE	OH6-C15-C25-OH5
3	B	502	1PE	C24-C14-OH5-C25
3	A	401	1PE	C16-C26-OH6-C15
4	C	401	PEG	O1-C1-C2-O2
4	A	402	PEG	C4-C3-O2-C2
3	B	502	1PE	OH4-C13-C23-OH3
4	B	501	PEG	C1-C2-O2-C3
4	C	401	PEG	C4-C3-O2-C2

There are no ring outliers.

5 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	401	PEG	2	0
4	A	402	PEG	1	0
4	B	501	PEG	4	0
3	B	502	1PE	1	0
3	A	401	1PE	3	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	367/386 (95%)	-0.04	10 (2%) 56 53	17, 38, 73, 85	4 (1%)
1	B	365/386 (94%)	0.38	22 (6%) 27 24	19, 47, 85, 108	2 (0%)
1	C	368/386 (95%)	0.58	21 (5%) 29 26	26, 54, 83, 108	1 (0%)
1	D	363/386 (94%)	0.70	34 (9%) 14 11	22, 55, 90, 111	1 (0%)
2	H	4/6 (66%)	-0.06	0 100 100	37, 39, 44, 44	0
2	I	4/6 (66%)	0.64	0 100 100	41, 47, 51, 59	0
2	J	4/6 (66%)	0.63	1 (25%) 2 1	35, 48, 49, 73	0
2	K	4/6 (66%)	-0.22	0 100 100	33, 39, 39, 55	0
All	All	1479/1568 (94%)	0.40	88 (5%) 28 25	17, 49, 84, 111	8 (0%)

All (88) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	126	VAL	4.3
1	D	207	LEU	4.2
1	D	203	LEU	3.8
1	D	188	LEU	3.8
1	D	22	GLY	3.6
1	D	90	VAL	3.5
1	B	339	MET	3.4
1	D	128	PHE	3.2
1	A	246[A]	ARG	3.2
1	D	62	PRO	3.2
1	A	209	GLY	3.1
1	A	366	LEU	3.0
1	C	184	ILE	3.0
1	D	225	ALA	3.0
1	D	253	ASP	3.0
1	D	216	VAL	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	244	TYR	2.9
1	C	-1	SER	2.9
1	A	284	TYR	2.8
1	B	284	TYR	2.8
1	B	355	GLN	2.8
1	B	366	LEU	2.8
1	C	0	HIS	2.8
1	B	25	PRO	2.7
1	B	208	ASP	2.7
1	B	352	ALA	2.7
1	B	148[A]	HIS	2.7
1	C	243	ASP	2.7
1	C	38	ALA	2.6
1	D	25	PRO	2.6
1	B	341	THR	2.6
1	B	252	PRO	2.6
1	C	189	PRO	2.5
1	D	184	ILE	2.5
1	D	130	LEU	2.5
1	C	219	GLY	2.5
1	C	244	TYR	2.5
1	C	117	PRO	2.5
1	B	338	MET	2.5
1	D	218	ILE	2.5
1	B	313	ALA	2.4
1	D	119	LEU	2.4
1	B	337	ARG	2.4
2	J	407	PHE	2.4
1	D	5	VAL	2.4
1	D	244	TYR	2.4
1	C	3	PHE	2.4
1	D	0	HIS	2.4
1	D	38	ALA	2.3
1	C	153	TYR	2.3
1	D	232	PHE	2.3
1	C	90	VAL	2.3
1	D	59	LEU	2.3
1	D	153	TYR	2.3
1	C	9	HIS	2.3
1	C	37	VAL	2.3
1	A	0	HIS	2.2
1	B	-1	SER	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	308	VAL	2.2
1	D	131	PRO	2.2
1	D	214	LEU	2.2
1	B	349	ILE	2.2
1	B	336	VAL	2.2
1	D	252	PRO	2.2
1	B	22	GLY	2.2
1	A	353	ALA	2.2
1	B	310	TYR	2.2
1	A	311	SER	2.2
1	D	213	PRO	2.2
1	D	219	GLY	2.2
1	A	255	HIS	2.2
1	C	249	PRO	2.1
1	B	317	ILE	2.1
1	C	60	VAL	2.1
1	C	99	VAL	2.1
1	D	312	GLY	2.1
1	D	226[A]	HIS	2.1
1	C	67	ALA	2.1
1	D	67	ALA	2.1
1	A	262	LEU	2.1
1	C	252	PRO	2.1
1	B	23	GLY	2.1
1	C	218	ILE	2.1
1	D	223	ILE	2.1
1	C	5	VAL	2.1
1	D	98	LEU	2.1
1	D	129	THR	2.0
1	B	153	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ALC	H	405	11/12	0.93	0.08	40,42,49,49	0
2	ALC	J	404	11/12	0.94	0.07	37,40,42,45	0
2	ALC	I	403	11/12	0.95	0.06	43,45,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	ALC	K	404	11/12	0.95	0.07	28,34,46,46	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	PEG	A	402	7/7	0.82	0.18	32,38,40,43	7
3	1PE	B	502	13/16	0.83	0.15	26,38,46,50	13
4	PEG	B	501	7/7	0.87	0.13	17,20,30,32	7
4	PEG	C	401	7/7	0.87	0.17	40,45,52,53	7
3	1PE	A	401	10/16	0.94	0.11	21,26,31,32	10

6.5 Other polymers [i](#)

There are no such residues in this entry.