



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 11:06 AM UTC

PDB ID : 7CIH / pdb_00007cih
Title : Microbial Hormone-sensitive lipase E53 mutant S285G
Authors : Yang, X.; Li, Z.; Xu, X.; Li, J.
Deposited on : 2020-07-07
Resolution : 1.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1365 (1.78-1.78)
Clashscore	190562	1395 (1.78-1.78)
Ramachandran outliers	187476	1382 (1.78-1.78)
Sidechain outliers	187428	1382 (1.78-1.78)
RSRZ outliers	180081	1365 (1.78-1.78)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	
1	B	314	
1	C	314	
1	D	314	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	D8F	A	401	-	-	X	-
2	D8F	B	502	-	-	X	-
2	D8F	C	502	-	-	X	-
2	D8F	D	501	-	-	X	-
3	DMS	A	407	-	-	X	-
3	DMS	B	504	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 10685 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Lipase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	309	Total	C	N	O	S	0	0	0
			2271	1441	391	427	12			
1	B	309	Total	C	N	O	S	0	0	0
			2275	1442	390	431	12			
1	C	311	Total	C	N	O	S	0	0	0
			2287	1450	393	432	12			
1	D	311	Total	C	N	O	S	0	0	0
			2295	1454	393	436	12			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	285	GLY	SER	engineered mutation	UNP A0A074MDU6
B	285	GLY	SER	engineered mutation	UNP A0A074MDU6
C	285	GLY	SER	engineered mutation	UNP A0A074MDU6
D	285	GLY	SER	engineered mutation	UNP A0A074MDU6

- Molecule 2 is (4-nitrophenyl) hexanoate (CCD ID: D8F) (formula: C₁₂H₁₅NO₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			17	12	1	4		
2	B	1	Total	C	N	O	0	0
			17	12	1	4		
2	C	1	Total	C	N	O	0	0
			17	12	1	4		
2	D	1	Total	C	N	O	0	0
			17	12	1	4		

- Molecule 3 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O S 4 2 1 1	0	0
3	A	1	Total C O S 4 2 1 1	0	0
3	A	1	Total C O S 4 2 1 1	0	0
3	A	1	Total C O S 4 2 1 1	0	0
3	A	1	Total C O S 4 2 1 1	0	0
3	B	1	Total C O S 4 2 1 1	0	0
3	B	1	Total C O S 4 2 1 1	0	0
3	B	1	Total C O S 4 2 1 1	0	0
3	C	1	Total C O S 4 2 1 1	0	0
3	C	1	Total C O S 4 2 1 1	0	0
3	D	1	Total C O S 4 2 1 1	0	0
3	D	1	Total C O S 4 2 1 1	0	0
3	D	1	Total C O S 4 2 1 1	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is 1,4-DIETHYLENE DIOXIDE (CCD ID: DIO) (formula: C₄H₈O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			6	4	2		
6	D	1	Total	C	O	0	0
			6	4	2		
6	D	1	Total	C	O	0	0
			6	4	2		
6	D	1	Total	C	O	0	0
			6	4	2		

- Molecule 7 is P-NITROPHENOL (CCD ID: NPO) (formula: $C_6H_5NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	N	O	0	0
			10	6	1	3		
7	B	1	Total	C	N	O	0	0
			10	6	1	3		

- Molecule 8 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	O	S	0	0
			5	4	1		
8	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	354	Total	O	0	0
			354	354		
9	B	294	Total	O	0	0
			294	294		
9	C	334	Total	O	0	0
			334	334		
9	D	269	Total	O	0	0
			269	269		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Lipase




• Molecule 1: Lipase



• Molecule 1: Lipase



• Molecule 1: Lipase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 2 21	Depositor
Cell constants a, b, c, α , β , γ	70.66Å 129.69Å 219.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.54 – 1.79 48.54 – 1.79	Depositor EDS
% Data completeness (in resolution range)	99.5 (48.54-1.79) 99.4 (48.54-1.79)	Depositor EDS
R_{merge}	0.02	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.60 (at 1.79Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.169 , 0.190 (Not available) , 0.189	Depositor DCC
R_{free} test set	9640 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	30.1	Xtriage
Anisotropy	0.508	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 44.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10685	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, SO4, GOL, DIO, D8F, NPO, DMS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.67	6/2322 (0.3%)	0.65	0/3170
1	B	0.57	5/2326 (0.2%)	0.64	1/3176 (0.0%)
1	C	0.55	1/2338 (0.0%)	0.66	2/3192 (0.1%)
1	D	0.53	2/2346 (0.1%)	0.61	1/3202 (0.0%)
All	All	0.58	14/9332 (0.2%)	0.64	4/12740 (0.0%)

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	145	SER	C-O	9.99	1.28	1.23
1	A	192	PRO	C-O	-7.40	1.14	1.23
1	B	192	PRO	C-O	-7.08	1.15	1.23
1	D	192	PRO	C-O	-6.74	1.15	1.23
1	B	12	LYS	C-O	-6.47	1.16	1.24
1	A	212	LEU	C-O	-6.30	1.16	1.24
1	B	151	ARG	CB-CG	-5.85	1.34	1.52
1	C	163	ALA	C-O	-5.72	1.17	1.24
1	D	151	ARG	CB-CG	-5.66	1.35	1.52
1	A	209	GLY	C-O	-5.46	1.17	1.24
1	B	163	ALA	C-O	-5.37	1.17	1.24
1	A	57	ASN	C-O	-5.13	1.17	1.24
1	A	55	ILE	C-O	-5.09	1.18	1.24
1	B	212	LEU	C-O	-5.06	1.17	1.24

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	151	ARG	CG-CD-NE	-7.32	95.89	112.00
1	D	151	ARG	CG-CD-NE	-5.73	99.38	112.00
1	C	312	GLY	CA-C-N	5.65	132.34	121.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	312	GLY	C-N-CA	5.65	132.34	121.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2271	0	2251	29	0
1	B	2275	0	2248	30	0
1	C	2287	0	2267	33	0
1	D	2295	0	2275	27	0
2	A	17	0	0	9	0
2	B	17	0	0	10	0
2	C	17	0	0	11	0
2	D	17	0	0	10	0
3	A	20	0	30	9	0
3	B	12	0	18	7	0
3	C	8	0	12	4	0
3	D	12	0	18	1	0
4	A	12	0	13	0	0
4	B	12	0	16	0	0
4	C	30	0	38	2	0
4	D	6	0	8	1	0
5	A	20	0	30	3	0
5	B	28	0	42	5	0
5	C	12	0	18	3	0
5	D	12	0	18	2	0
6	B	6	0	8	1	0
6	D	18	0	24	0	0
7	B	20	0	10	1	0
8	B	5	0	0	0	0
8	D	5	0	0	0	0
9	A	354	0	0	6	1
9	B	294	0	0	8	1
9	C	334	0	0	5	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	D	269	0	0	2	0
All	All	10685	0	9344	120	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:C:506:GOL:O3	9:C:601:HOH:O	1.61	1.19
1:B:162:SER:OG	2:B:502:D8F:CAN	2.08	1.01
1:C:162:SER:OG	2:C:502:D8F:CAL	2.07	1.01
1:C:162:SER:OG	2:C:502:D8F:CAN	2.12	0.97
1:D:162:SER:OG	2:D:501:D8F:CAM	2.15	0.94
1:B:162:SER:OG	2:B:502:D8F:CAQ	2.20	0.89
1:A:56:ARG:NH2	9:A:501:HOH:O	2.06	0.88
1:A:261:ARG:HH12	3:A:407:DMS:H22	1.38	0.87
1:D:162:SER:OG	2:D:501:D8F:CAL	2.24	0.85
1:B:214:LYS:NZ	9:B:601:HOH:O	2.08	0.85
3:A:406:DMS:S	3:A:407:DMS:H12	2.19	0.83
1:B:162:SER:OG	2:B:502:D8F:CAL	2.33	0.77
1:C:257:ARG:HH22	5:C:509:EDO:H22	1.50	0.76
3:C:510:DMS:H21	9:C:895:HOH:O	1.86	0.75
1:C:466:THR:HG22	1:C:467:ALA:N	1.99	0.75
1:C:309:MET:HE2	1:D:309:MET:CE	2.16	0.74
1:A:162:SER:OG	2:A:401:D8F:CAL	2.35	0.74
1:A:12:LYS:NZ	3:A:413:DMS:O	2.21	0.73
3:B:512:DMS:H11	9:B:784:HOH:O	1.87	0.73
1:C:91:GLY:H	2:C:502:D8F:CAN	2.01	0.73
1:D:261:ARG:HH12	3:D:510:DMS:H12	1.52	0.73
1:D:162:SER:OG	2:D:501:D8F:CAP	2.36	0.72
1:A:309:MET:HE2	1:B:309:MET:CE	2.20	0.71
1:A:91:GLY:H	2:A:401:D8F:CAM	2.04	0.71
1:B:225:LYS:NZ	9:B:604:HOH:O	2.23	0.71
1:C:302:ARG:NH1	9:C:602:HOH:O	2.24	0.71
1:C:466:THR:HG22	1:C:467:ALA:H	1.56	0.69
1:C:162:SER:OG	2:C:502:D8F:CAM	2.39	0.68
7:B:514:NPO:OH	9:B:602:HOH:O	2.11	0.68
1:A:58:LEU:HD12	1:A:58:LEU:N	2.08	0.68
3:C:510:DMS:C2	9:C:895:HOH:O	2.43	0.67
1:C:309:MET:HE2	1:D:309:MET:HE3	1.76	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:76:GLU:OE1	9:B:603:HOH:O	2.13	0.66
1:A:309:MET:SD	9:B:813:HOH:O	2.54	0.65
1:D:147:SER:H	5:D:508:EDO:H22	1.62	0.63
1:C:261:ARG:HH12	4:C:503:GOL:H31	1.63	0.63
1:A:163:ALA:H	2:A:401:D8F:CAM	2.12	0.63
1:A:309:MET:CE	1:B:309:MET:HE2	2.29	0.62
1:B:10:ASP:H	5:B:515:EDO:H11	1.64	0.61
1:D:214:LYS:O	1:D:218:GLU:HG3	2.01	0.61
3:A:406:DMS:O	3:A:407:DMS:H12	2.02	0.60
1:C:76:GLU:H	3:C:501:DMS:H13	1.67	0.60
1:C:309:MET:CE	1:D:309:MET:HE2	2.31	0.60
1:C:162:SER:OG	2:C:502:D8F:CAQ	2.50	0.59
1:C:162:SER:HG	2:C:502:D8F:CAM	2.15	0.58
3:A:413:DMS:H23	9:A:734:HOH:O	2.03	0.58
1:A:162:SER:OG	2:A:401:D8F:CAM	2.51	0.58
1:A:309:MET:HE2	1:B:309:MET:HE3	1.84	0.57
1:B:261:ARG:HH12	3:B:504:DMS:C2	2.17	0.57
1:D:91:GLY:H	2:D:501:D8F:CAM	2.17	0.57
1:A:309:MET:HE2	1:B:309:MET:HE2	1.87	0.56
5:B:510:EDO:H11	9:B:691:HOH:O	2.06	0.56
1:D:162:SER:OG	2:D:501:D8F:CAN	2.54	0.56
1:B:261:ARG:HH22	3:B:504:DMS:C1	2.18	0.56
1:C:309:MET:CE	1:D:309:MET:CE	2.84	0.55
1:A:261:ARG:HH12	3:A:407:DMS:C2	2.15	0.55
1:B:90:GLY:H	2:B:502:D8F:CAN	2.21	0.54
1:B:14:PHE:CE2	1:B:18:ILE:HD11	2.43	0.53
1:A:4:THR:N	9:A:507:HOH:O	2.42	0.53
1:C:466:THR:CG2	1:C:467:ALA:N	2.70	0.53
1:C:309:MET:HE3	1:D:309:MET:HE2	1.90	0.52
1:B:261:ARG:HH22	3:B:504:DMS:H13	1.73	0.52
1:D:90:GLY:H	2:D:501:D8F:CAM	2.21	0.52
1:B:162:SER:OG	2:B:502:D8F:CAO	2.57	0.52
1:A:162:SER:HG	2:A:401:D8F:CAL	2.22	0.52
1:B:75:ARG:HH22	6:B:506:DIO:H21	1.75	0.52
1:C:58:LEU:HD23	1:C:58:LEU:N	2.25	0.52
1:B:24:PRO:HG2	1:B:29:MET:HE3	1.92	0.51
1:C:163:ALA:H	2:C:502:D8F:CAN	2.23	0.51
1:D:162:SER:CB	2:D:501:D8F:CAM	2.89	0.51
9:A:640:HOH:O	3:B:504:DMS:H21	2.10	0.51
1:C:466:THR:O	1:C:467:ALA:C	2.51	0.51
1:D:228:ARG:NH2	4:D:502:GOL:H12	2.26	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:402:DMS:H12	9:A:694:HOH:O	2.12	0.49
1:B:9:PRO:HD2	5:B:515:EDO:H12	1.95	0.49
1:C:162:SER:CB	2:C:502:D8F:CAN	2.90	0.49
1:B:261:ARG:HH12	3:B:504:DMS:H21	1.78	0.49
1:C:77:SER:H	3:C:501:DMS:H22	1.78	0.48
1:A:162:SER:HG	2:A:401:D8F:CAN	2.26	0.48
1:A:98:ASP:O	5:A:410:EDO:H11	2.14	0.48
1:C:163:ALA:H	2:C:502:D8F:CAQ	2.27	0.48
1:B:56:ARG:HE	5:B:511:EDO:H22	1.79	0.47
1:B:162:SER:CB	2:B:502:D8F:CAN	2.91	0.47
1:A:123:ALA:HB1	1:A:124:PRO:HA	1.97	0.46
1:B:31:LEU:HD21	1:B:124:PRO:HD2	1.97	0.46
1:D:123:ALA:HB1	1:D:124:PRO:HA	1.97	0.45
1:B:91:GLY:H	2:B:502:D8F:CAN	2.30	0.45
1:A:162:SER:OG	2:A:401:D8F:CAN	2.65	0.45
1:B:91:GLY:H	2:B:502:D8F:CAQ	2.29	0.45
1:A:91:GLY:N	2:A:401:D8F:CAM	2.77	0.45
1:A:309:MET:HE3	1:B:309:MET:HE2	1.98	0.45
5:B:508:EDO:H12	9:B:748:HOH:O	2.17	0.45
1:D:162:SER:OG	2:D:501:D8F:CAO	2.64	0.45
1:C:90:GLY:H	2:C:502:D8F:CAN	2.30	0.44
1:D:95:GLY:HA2	1:D:99:THR:HG21	1.98	0.44
1:C:308:LYS:O	1:C:466:THR:N	2.51	0.44
1:B:163:ALA:H	2:B:502:D8F:CAQ	2.30	0.44
1:D:163:ALA:H	2:D:501:D8F:CAP	2.30	0.44
1:C:140:ARG:HD3	5:C:507:EDO:H21	2.00	0.44
1:C:308:LYS:NZ	9:C:605:HOH:O	2.40	0.43
1:C:308:LYS:HA	1:C:466:THR:O	2.18	0.43
1:D:44:MET:HB2	9:D:830:HOH:O	2.18	0.43
1:A:58:LEU:N	1:A:58:LEU:CD1	2.81	0.43
1:D:4:THR:N	9:D:606:HOH:O	2.51	0.43
1:C:140:ARG:HH11	5:C:507:EDO:H21	1.84	0.42
1:A:42:HIS:HB3	5:A:410:EDO:H21	2.01	0.42
1:B:261:ARG:HH12	3:B:504:DMS:H22	1.82	0.42
1:A:98:ASP:O	5:A:410:EDO:C1	2.67	0.42
1:A:76:GLU:H	3:A:402:DMS:H22	1.86	0.41
1:B:162:SER:OG	2:B:502:D8F:CAM	2.68	0.41
1:C:91:GLY:N	2:C:502:D8F:CAN	2.77	0.41
1:C:308:LYS:O	1:C:466:THR:CA	2.68	0.41
1:D:147:SER:H	5:D:508:EDO:C2	2.31	0.41
1:C:269:GLU:OE1	1:D:265:LYS:NZ	2.39	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:91:GLY:H	2:D:501:D8F:CAP	2.34	0.41
1:D:290:ARG:HA	1:D:296:THR:OG1	2.20	0.41
1:A:47:ARG:NH2	9:A:504:HOH:O	2.30	0.41
1:D:161:ASP:HB2	1:D:191:PHE:CE1	2.56	0.41
1:A:76:GLU:H	3:A:402:DMS:C2	2.33	0.40
1:A:91:GLY:HA2	2:A:401:D8F:CAP	2.52	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:616:HOH:O	9:C:679:HOH:O[3_544]	2.06	0.14
9:B:812:HOH:O	9:B:836:HOH:O[2_754]	2.06	0.14

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	307/314 (98%)	296 (96%)	11 (4%)	0	100	100
1	B	307/314 (98%)	298 (97%)	9 (3%)	0	100	100
1	C	309/314 (98%)	301 (97%)	8 (3%)	0	100	100
1	D	309/314 (98%)	298 (96%)	11 (4%)	0	100	100
All	All	1232/1256 (98%)	1193 (97%)	39 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	230/239 (96%)	228 (99%)	2 (1%)	70	59
1	B	231/239 (97%)	231 (100%)	0	100	100
1	C	232/239 (97%)	230 (99%)	2 (1%)	70	59
1	D	234/239 (98%)	233 (100%)	1 (0%)	84	78
All	All	927/956 (97%)	922 (100%)	5 (0%)	81	73

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	LEU
1	A	191	PHE
1	C	191	PHE
1	C	466	THR
1	D	191	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	126	HIS
1	C	126	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

53 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	D8F	D	501	-	17,17,17	1.22	3 (17%)	19,21,21	1.25	3 (15%)
5	EDO	C	508	-	3,3,3	0.47	0	2,2,2	0.77	0
6	DIO	D	509	-	6,6,6	0.67	0	6,6,6	0.62	0
4	GOL	B	507	-	5,5,5	0.83	0	5,5,5	1.02	0
5	EDO	A	404	-	3,3,3	0.50	0	2,2,2	0.51	0
5	EDO	B	511	-	3,3,3	0.51	0	2,2,2	0.14	0
7	NPO	B	514	-	10,10,10	1.55	2 (20%)	11,13,13	1.62	2 (18%)
3	DMS	A	402	-	3,3,3	0.63	0	3,3,3	0.83	0
3	DMS	D	510	-	3,3,3	0.73	0	3,3,3	1.18	0
3	DMS	B	504	-	3,3,3	0.61	0	3,3,3	0.84	0
5	EDO	B	510	-	3,3,3	0.44	0	2,2,2	0.60	0
4	GOL	C	503	-	5,5,5	1.25	0	5,5,5	0.65	0
6	DIO	D	504	-	6,6,6	0.68	0	6,6,6	0.66	0
4	GOL	C	511	-	5,5,5	1.03	0	5,5,5	0.60	0
8	SO4	D	512	-	4,4,4	0.40	0	6,6,6	0.22	0
3	DMS	B	516	-	3,3,3	0.71	0	3,3,3	0.46	0
3	DMS	C	501	-	3,3,3	0.59	0	3,3,3	0.72	0
3	DMS	D	511	-	3,3,3	0.73	0	3,3,3	0.99	0
3	DMS	B	512	-	3,3,3	0.67	0	3,3,3	0.60	0
6	DIO	B	506	-	6,6,6	0.66	0	6,6,6	0.70	0
7	NPO	B	513	-	10,10,10	1.42	1 (10%)	11,13,13	1.88	3 (27%)
4	GOL	C	505	-	5,5,5	1.29	0	5,5,5	1.06	1 (20%)
4	GOL	A	405	-	5,5,5	2.14	2 (40%)	5,5,5	1.53	1 (20%)
5	EDO	D	506	-	3,3,3	0.44	0	2,2,2	0.58	0
4	GOL	A	403	-	5,5,5	0.94	0	5,5,5	1.06	0
4	GOL	C	506	-	5,5,5	0.72	0	5,5,5	0.80	0
5	EDO	B	509	-	3,3,3	0.45	0	2,2,2	0.48	0
3	DMS	A	406	-	3,3,3	0.66	0	3,3,3	1.61	0
3	DMS	A	413	-	3,3,3	0.72	0	3,3,3	0.56	0
5	EDO	B	515	-	3,3,3	0.48	0	2,2,2	0.29	0
5	EDO	D	508	-	3,3,3	0.24	0	2,2,2	0.40	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	SO4	B	517	-	4,4,4	0.35	0	6,6,6	0.29	0
5	EDO	B	503	-	3,3,3	0.47	0	2,2,2	0.48	0
3	DMS	D	505	-	3,3,3	0.66	0	3,3,3	0.93	0
4	GOL	D	502	-	5,5,5	0.87	0	5,5,5	1.34	1 (20%)
5	EDO	A	408	-	3,3,3	0.46	0	2,2,2	0.44	0
3	DMS	C	510	-	3,3,3	0.76	0	3,3,3	0.68	0
6	DIO	D	503	-	6,6,6	0.65	0	6,6,6	0.79	0
5	EDO	A	411	-	3,3,3	0.28	0	2,2,2	0.60	0
5	EDO	A	409	-	3,3,3	0.39	0	2,2,2	0.65	0
2	D8F	A	401	-	17,17,17	1.43	3 (17%)	19,21,21	1.74	5 (26%)
5	EDO	D	507	-	3,3,3	0.51	0	2,2,2	0.20	0
4	GOL	B	501	-	5,5,5	1.05	0	5,5,5	1.35	1 (20%)
5	EDO	B	505	-	3,3,3	0.36	0	2,2,2	0.64	0
5	EDO	C	507	-	3,3,3	0.47	0	2,2,2	0.80	0
3	DMS	A	412	-	3,3,3	0.74	0	3,3,3	0.38	0
4	GOL	C	504	-	5,5,5	0.54	0	5,5,5	1.72	1 (20%)
2	D8F	B	502	-	17,17,17	1.22	2 (11%)	19,21,21	1.52	3 (15%)
5	EDO	A	410	-	3,3,3	0.42	0	2,2,2	0.15	0
3	DMS	A	407	-	3,3,3	0.61	0	3,3,3	1.05	0
2	D8F	C	502	-	17,17,17	1.33	4 (23%)	19,21,21	1.40	4 (21%)
5	EDO	B	508	-	3,3,3	0.49	0	2,2,2	0.43	0
5	EDO	C	509	-	3,3,3	0.52	0	2,2,2	0.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	D8F	D	501	-	-	6/11/13/13	0/1/1/1
5	EDO	C	508	-	-	1/1/1/1	-
6	DIO	D	509	-	-	-	0/1/1/1
4	GOL	B	507	-	-	0/4/4/4	-
5	EDO	A	404	-	-	1/1/1/1	-
5	EDO	B	511	-	-	1/1/1/1	-
7	NPO	B	514	-	-	0/2/4/4	0/1/1/1
5	EDO	B	510	-	-	1/1/1/1	-
4	GOL	C	503	-	-	2/4/4/4	-
2	D8F	C	502	-	-	5/11/13/13	0/1/1/1
6	DIO	D	504	-	-	-	0/1/1/1
4	GOL	C	511	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NPO	B	513	-	-	0/2/4/4	0/1/1/1
6	DIO	B	506	-	-	-	0/1/1/1
4	GOL	C	505	-	-	0/4/4/4	-
4	GOL	A	405	-	-	2/4/4/4	-
5	EDO	D	506	-	-	0/1/1/1	-
4	GOL	A	403	-	-	1/4/4/4	-
4	GOL	C	506	-	-	2/4/4/4	-
5	EDO	B	509	-	-	1/1/1/1	-
5	EDO	B	515	-	-	0/1/1/1	-
5	EDO	D	508	-	-	0/1/1/1	-
5	EDO	B	503	-	-	0/1/1/1	-
4	GOL	D	502	-	-	2/4/4/4	-
6	DIO	D	503	-	-	-	0/1/1/1
5	EDO	A	411	-	-	1/1/1/1	-
5	EDO	A	409	-	-	0/1/1/1	-
2	D8F	A	401	-	-	6/11/13/13	0/1/1/1
5	EDO	D	507	-	-	1/1/1/1	-
4	GOL	B	501	-	-	2/4/4/4	-
5	EDO	B	505	-	-	0/1/1/1	-
5	EDO	C	507	-	-	1/1/1/1	-
4	GOL	C	504	-	-	2/4/4/4	-
2	D8F	B	502	-	-	2/11/13/13	0/1/1/1
5	EDO	A	410	-	-	0/1/1/1	-
5	EDO	A	408	-	-	1/1/1/1	-
5	EDO	B	508	-	-	1/1/1/1	-
5	EDO	C	509	-	-	1/1/1/1	-

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	D8F	OAD-NAE	-3.37	1.17	1.22
4	A	405	GOL	O2-C2	-3.28	1.33	1.43
2	C	502	D8F	OAC-NAE	-2.73	1.17	1.35
7	B	514	NPO	C5-C4	2.66	1.44	1.39
4	A	405	GOL	O3-C3	-2.66	1.31	1.42
2	D	501	D8F	OAD-NAE	-2.61	1.18	1.22
7	B	514	NPO	C3-C4	-2.60	1.34	1.39
2	B	502	D8F	OAD-NAE	-2.55	1.18	1.22
2	A	401	D8F	OAC-NAE	-2.54	1.18	1.35
2	D	501	D8F	OAC-NAE	-2.54	1.18	1.35
2	A	401	D8F	CAM-CAL	-2.53	1.34	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	502	D8F	OAC-NAE	-2.44	1.19	1.35
2	C	502	D8F	OAD-NAE	-2.43	1.18	1.22
2	C	502	D8F	CAN-CAL	-2.34	1.34	1.38
2	C	502	D8F	OAA-CAK	2.29	1.42	1.35
2	D	501	D8F	CAM-CAL	-2.17	1.34	1.38
7	B	513	NPO	C5-C4	2.10	1.42	1.39

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	D8F	CAQ-CAO-NAE	4.54	123.31	119.34
2	B	502	D8F	OAA-CAK-CAI	4.23	123.81	110.78
7	B	513	NPO	C6-C1-N1	-3.78	116.04	119.34
7	B	514	NPO	C2-C1-N1	-3.56	116.23	119.34
7	B	513	NPO	C2-C1-N1	3.18	122.11	119.34
4	C	504	GOL	C3-C2-C1	-3.03	100.69	111.80
2	C	502	D8F	OAA-CAK-CAI	3.02	120.08	110.78
7	B	514	NPO	C6-C1-N1	2.98	121.94	119.34
7	B	513	NPO	O3-N1-C1	2.94	122.86	118.82
2	D	501	D8F	CAL-OAA-CAK	-2.65	110.46	119.09
2	C	502	D8F	CAL-OAA-CAK	-2.65	110.46	119.09
4	B	501	GOL	C3-C2-C1	-2.59	102.28	111.80
2	B	502	D8F	CAL-OAA-CAK	-2.58	110.69	119.09
4	D	502	GOL	C3-C2-C1	-2.50	102.61	111.80
2	A	401	D8F	CAP-CAO-NAE	-2.49	117.16	119.34
2	D	501	D8F	OAA-CAK-CAI	2.46	118.36	110.78
2	B	502	D8F	OAA-CAK-OAB	-2.46	117.79	122.76
2	C	502	D8F	CAP-CAO-NAE	2.36	121.39	119.34
4	A	405	GOL	C3-C2-C1	-2.28	103.45	111.80
2	A	401	D8F	OAA-CAK-CAI	2.23	117.66	110.78
2	A	401	D8F	OAA-CAL-CAM	-2.14	113.07	119.09
2	A	401	D8F	OAA-CAL-CAN	2.08	124.95	119.09
4	C	505	GOL	C3-C2-C1	-2.07	104.19	111.80
2	C	502	D8F	OAB-CAK-CAI	-2.07	115.70	123.78
2	D	501	D8F	CAQ-CAO-NAE	2.05	121.13	119.34

There are no chirality outliers.

All (43) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	D8F	CAI-CAK-OAA-CAL
2	A	401	D8F	OAB-CAK-OAA-CAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	502	D8F	CAI-CAK-OAA-CAL
2	C	502	D8F	CAI-CAK-OAA-CAL
2	C	502	D8F	OAB-CAK-OAA-CAL
2	D	501	D8F	CAI-CAK-OAA-CAL
2	D	501	D8F	OAB-CAK-OAA-CAL
4	B	501	GOL	C1-C2-C3-O3
4	C	506	GOL	C1-C2-C3-O3
4	D	502	GOL	C1-C2-C3-O3
2	B	502	D8F	OAB-CAK-OAA-CAL
5	D	507	EDO	O1-C1-C2-O2
2	A	401	D8F	CAF-CAG-CAI-CAK
4	A	403	GOL	O1-C1-C2-C3
4	C	503	GOL	O1-C1-C2-C3
4	C	504	GOL	C1-C2-C3-O3
4	B	501	GOL	O2-C2-C3-O3
4	C	503	GOL	O1-C1-C2-O2
4	C	504	GOL	O2-C2-C3-O3
4	C	506	GOL	O2-C2-C3-O3
4	D	502	GOL	O2-C2-C3-O3
5	B	510	EDO	O1-C1-C2-O2
5	C	507	EDO	O1-C1-C2-O2
5	C	508	EDO	O1-C1-C2-O2
2	A	401	D8F	CAM-CAL-OAA-CAK
2	A	401	D8F	CAH-CAF-CAG-CAI
2	A	401	D8F	CAN-CAL-OAA-CAK
5	A	404	EDO	O1-C1-C2-O2
5	A	411	EDO	O1-C1-C2-O2
4	A	405	GOL	O2-C2-C3-O3
2	C	502	D8F	CAG-CAF-CAH-CAJ
2	D	501	D8F	CAH-CAF-CAG-CAI
2	C	502	D8F	CAN-CAL-OAA-CAK
2	C	502	D8F	CAM-CAL-OAA-CAK
2	D	501	D8F	CAF-CAG-CAI-CAK
2	D	501	D8F	CAN-CAL-OAA-CAK
5	B	509	EDO	O1-C1-C2-O2
5	B	511	EDO	O1-C1-C2-O2
5	C	509	EDO	O1-C1-C2-O2
2	D	501	D8F	CAM-CAL-OAA-CAK
4	A	405	GOL	O1-C1-C2-O2
5	B	508	EDO	O1-C1-C2-O2
5	A	408	EDO	O1-C1-C2-O2


There are no ring outliers.

26 monomers are involved in 79 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	501	D8F	10	0
5	B	511	EDO	1	0
7	B	514	NPO	1	0
3	A	402	DMS	3	0
3	D	510	DMS	1	0
3	B	504	DMS	6	0
5	B	510	EDO	1	0
4	C	503	GOL	1	0
3	C	501	DMS	2	0
3	B	512	DMS	1	0
6	B	506	DIO	1	0
4	C	506	GOL	1	0
3	A	406	DMS	2	0
3	A	413	DMS	2	0
5	B	515	EDO	2	0
5	D	508	EDO	2	0
4	D	502	GOL	1	0
3	C	510	DMS	2	0
2	A	401	D8F	9	0
5	C	507	EDO	2	0
2	B	502	D8F	10	0
5	A	410	EDO	3	0
3	A	407	DMS	4	0
2	C	502	D8F	11	0
5	B	508	EDO	1	0
5	C	509	EDO	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand D8F D 501



Ligand D8F A 401





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	309/314 (98%)	0.11	6 (1%)	66 74	23, 30, 45, 61	0
1	B	309/314 (98%)	0.38	9 (2%)	53 61	26, 33, 50, 62	0
1	C	311/314 (99%)	0.12	5 (1%)	70 77	22, 29, 44, 63	2 (0%)
1	D	311/314 (99%)	0.49	14 (4%)	38 44	25, 34, 55, 70	0
All	All	1240/1256 (98%)	0.28	34 (2%)	56 63	22, 32, 50, 70	2 (0%)

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	467	ALA	9.1
1	C	466	THR	9.0
1	C	467	ALA	7.1
1	D	466	THR	6.1
1	D	27	ALA	4.4
1	A	4	THR	3.5
1	B	312	GLY	3.4
1	D	44	MET	3.4
1	B	4	THR	3.2
1	A	58	LEU	3.0
1	C	4	THR	2.7
1	D	4	THR	2.7
1	A	23	GLY	2.5
1	D	22	ALA	2.4
1	D	24	PRO	2.3
1	B	228	ARG	2.3
1	B	37	SER	2.3
1	A	22	ALA	2.3
1	D	64	ALA	2.3
1	A	312	GLY	2.3
1	C	312	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	219	PHE	2.3
1	D	198	VAL	2.3
1	B	199	GLY	2.2
1	B	44	MET	2.2
1	B	58	LEU	2.2
1	B	198	VAL	2.2
1	D	21	MET	2.1
1	D	20	ALA	2.1
1	C	77	SER	2.1
1	B	204	GLU	2.1
1	D	32	GLU	2.1
1	D	41	LEU	2.1
1	A	198	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	EDO	B	508	4/4	0.64	0.22	54,61,63,66	0
7	NPO	B	514	10/10	0.69	0.22	60,63,71,71	10
7	NPO	B	513	10/10	0.70	0.23	60,63,71,71	10
3	DMS	B	512	4/4	0.70	0.23	59,59,78,94	0
6	DIO	D	503	6/6	0.71	0.23	73,79,83,86	0
6	DIO	B	506	6/6	0.72	0.21	75,77,81,86	0
3	DMS	D	511	4/4	0.72	0.26	51,53,60,83	0
3	DMS	C	510	4/4	0.74	0.29	69,72,76,77	0
5	EDO	B	511	4/4	0.74	0.21	55,60,61,70	0
2	D8F	A	401	17/17	0.75	0.24	26,46,61,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	DMS	A	413	4/4	0.76	0.21	54,66,74,89	0
3	DMS	B	504	4/4	0.77	0.21	42,44,71,73	0
2	D8F	B	502	17/17	0.78	0.25	37,58,72,74	0
5	EDO	D	506	4/4	0.78	0.22	40,47,56,57	0
3	DMS	A	406	4/4	0.79	0.23	48,49,61,76	0
5	EDO	B	503	4/4	0.80	0.18	39,48,50,60	0
4	GOL	C	503	6/6	0.80	0.25	43,47,55,57	6
5	EDO	C	509	4/4	0.81	0.20	51,54,58,65	0
2	D8F	D	501	17/17	0.81	0.20	36,53,65,67	0
5	EDO	C	507	4/4	0.82	0.19	31,51,56,60	0
4	GOL	D	502	6/6	0.82	0.18	53,60,62,69	0
5	EDO	A	411	4/4	0.82	0.15	48,56,67,67	0
2	D8F	C	502	17/17	0.82	0.19	26,43,56,59	0
3	DMS	A	407	4/4	0.82	0.19	43,47,56,65	0
5	EDO	B	509	4/4	0.82	0.20	52,53,60,65	0
3	DMS	A	412	4/4	0.82	0.27	50,51,60,63	0
3	DMS	B	516	4/4	0.83	0.29	74,82,83,92	0
3	DMS	C	501	4/4	0.83	0.20	48,53,62,71	0
6	DIO	D	504	6/6	0.83	0.19	59,67,72,76	0
4	GOL	B	501	6/6	0.83	0.20	51,58,59,67	0
5	EDO	B	510	4/4	0.83	0.17	46,57,59,60	0
5	EDO	A	409	4/4	0.84	0.17	42,46,52,55	0
3	DMS	D	510	4/4	0.84	0.21	45,47,68,74	0
5	EDO	A	408	4/4	0.84	0.20	53,55,56,58	0
5	EDO	B	505	4/4	0.84	0.19	53,55,60,61	0
4	GOL	C	504	6/6	0.85	0.16	44,46,58,59	0
4	GOL	A	403	6/6	0.86	0.14	41,47,55,55	0
4	GOL	B	507	6/6	0.86	0.14	50,55,61,64	0
5	EDO	C	508	4/4	0.87	0.18	50,53,54,54	0
5	EDO	D	508	4/4	0.88	0.13	38,48,53,62	0
5	EDO	D	507	4/4	0.88	0.15	52,52,60,62	0
8	SO4	D	512	5/5	0.88	0.20	49,51,53,59	5
5	EDO	A	404	4/4	0.89	0.14	45,47,49,49	0
8	SO4	B	517	5/5	0.89	0.11	33,39,57,58	5
5	EDO	B	515	4/4	0.89	0.12	43,50,59,67	0
4	GOL	C	505	6/6	0.90	0.14	34,54,61,62	0
4	GOL	C	506	6/6	0.90	0.13	44,47,55,57	0
4	GOL	A	405	6/6	0.90	0.14	36,41,50,55	0
3	DMS	A	402	4/4	0.91	0.16	56,59,61,70	0
3	DMS	D	505	4/4	0.91	0.16	44,45,56,68	0
5	EDO	A	410	4/4	0.91	0.17	27,32,37,42	4
6	DIO	D	509	6/6	0.92	0.13	57,58,67,67	6

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	GOL	C	511	6/6	0.95	0.10	39,46,52,57	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around D8F A 401:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around D8F B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around D8F D 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around D8F C 502:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.