



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 12:32 PM UTC

PDB ID : 7CIP / pdb\_00007cip  
Title : Microbial Hormone-sensitive lipase E53 wild type  
Authors : Yang, X.; Li, Z.; Xu, X.; Li, J.  
Deposited on : 2020-07-08  
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	<div> <div></div> <div>91%</div> <div>7%</div> <div></div> </div>
1	B	314	<div> <div></div> <div>89%</div> <div>10%</div> <div></div> </div>
1	C	314	<div> <div></div> <div>92%</div> <div>6%</div> <div></div> </div>
1	D	314	<div> <div>4%</div> <div>89%</div> <div>9%</div> <div></div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
12	NA	C	821	-	-	-	X
2	GOL	C	809	-	-	X	-
3	EDO	B	624	-	-	X	-
4	6NA	D	1418	-	-	X	-
5	DMS	A	406	-	-	X	-
5	DMS	A	414	-	-	X	X
5	DMS	A	415	-	-	X	-
5	DMS	C	820	-	-	X	-
6	CCN	A	408	-	-	X	-
6	CCN	A	409	-	-	X	-
6	CCN	B	607	-	-	X	-
6	CCN	B	614	-	-	X	-
6	CCN	B	618	-	-	X	-
6	CCN	C	807	-	-	X	-
6	CCN	D	1403	-	-	X	-
6	CCN	D	1408	-	-	X	-
6	CCN	D	1415	-	-	X	-
6	CCN	D	1419	-	-	X	-
7	D8F	B	623	-	X	X	-
7	D8F	C	817	-	-	X	-
7	D8F	D	1423	-	-	X	-

## 2 Entry composition [i](#)


There are 13 unique types of molecules in this entry. The entry contains 11012 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lipase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	309	Total	C	N	O	S	0	0	0
			2277	1444	391	430	12			
1	B	309	Total	C	N	O	S	0	0	0
			2289	1450	391	436	12			
1	C	309	Total	C	N	O	S	0	0	0
			2285	1448	391	434	12			
1	D	309	Total	C	N	O	S	0	0	0
			2289	1450	391	436	12			

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0

- Molecule 4 is HEXANOIC ACID (CCD ID: 6NA) (formula:  $C_6H_{12}O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			8	6	2		
4	A	1	Total	C	O	0	0
			8	6	2		
4	C	1	Total	C	O	0	0
			8	6	2		
4	D	1	Total	C	O	0	0
			8	6	2		
4	D	1	Total	C	O	0	0
			8	6	2		


- Molecule 5 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula:  $C_2H_6OS$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	B	1	Total	C	O	S	0	0
			4	2	1	1		
5	B	1	Total	C	O	S	0	0
			4	2	1	1		
5	B	1	Total	C	O	S	0	0
			4	2	1	1		
5	B	1	Total	C	O	S	0	0
			4	2	1	1		
5	C	1	Total	C	O	S	0	0
			4	2	1	1		
5	C	1	Total	C	O	S	0	0
			4	2	1	1		
5	D	1	Total	C	O	S	0	0
			4	2	1	1		
5	D	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 6 is ACETONITRILE (CCD ID: CCN) (formula: C<sub>2</sub>H<sub>3</sub>N).






Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	N	0	0
			3	2	1		
6	A	1	Total	C	N	0	0
			3	2	1		
6	A	1	Total	C	N	0	0
			3	2	1		
6	A	1	Total	C	N	0	0
			3	2	1		
6	A	1	Total	C	N	0	0
			3	2	1		
6	B	1	Total	C	N	0	0
			3	2	1		
6	B	1	Total	C	N	0	0
			3	2	1		
6	B	1	Total	C	N	0	0
			3	2	1		
6	B	1	Total	C	N	0	0
			3	2	1		
6	B	1	Total	C	N	0	0
			3	2	1		
6	C	1	Total	C	N	0	0
			3	2	1		
6	C	1	Total	C	N	0	0
			3	2	1		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	N	0	0
			3	2	1		
6	D	1	Total	C	N	0	0
			3	2	1		
6	D	1	Total	C	N	0	0
			3	2	1		
6	D	1	Total	C	N	0	0
			3	2	1		
6	D	1	Total	C	N	0	0
			3	2	1		
6	D	1	Total	C	N	0	0
			3	2	1		
6	D	1	Total	C	N	0	0
			3	2	1		
6	D	1	Total	C	N	0	0
			3	2	1		

- Molecule 7 is (4-nitrophenyl) hexanoate (CCD ID: D8F) (formula:  $C_{12}H_{15}NO_4$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			17	12	1	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	N	O	0	0
			17	12	1	4		
7	C	1	Total	C	N	O	0	0
			17	12	1	4		
7	D	1	Total	C	N	O	0	0
			17	12	1	4		

- Molecule 8 is SULFATE ION (CCD ID: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	O	S	0	0
			5	4	1		
8	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 9 is 1,4-DIETHYLENE DIOXIDE (CCD ID: DIO) (formula: C<sub>4</sub>H<sub>8</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			6	4	2		

- Molecule 10 is butanoic acid (CCD ID: BUA) (formula:  $C_4H_8O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	B	1	Total	C	O	0	0
			6	4	2		

- Molecule 11 is P-NITROPHENOL (CCD ID: NPO) (formula:  $C_6H_5NO_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	B	1	Total	C	N	O	0	0
			10	6	1	3		
11	B	1	Total	C	N	O	0	0
			10	6	1	3		
11	D	1	Total	C	N	O	0	0
			10	6	1	3		

- Molecule 12 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	C	1	Total	Na	0	0
			1	1		

- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	401	Total	O	0	0
			401	401		
13	B	325	Total	O	0	0
			325	325		
13	C	396	Total	O	0	0
			396	396		
13	D	311	Total	O	0	0
			311	311		



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lipase





- Molecule 1: Lipase



- Molecule 1: Lipase



- Molecule 1: Lipase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	70.58Å 129.84Å 221.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.71 – 1.75 48.71 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.8 (48.71-1.75) 99.8 (48.71-1.75)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.51 (at 1.75Å)	Xtriage
Refinement program	REFMAC 5.8.0257	Depositor
R, $R_{free}$	0.176 , 0.181 0.177 , 0.181	Depositor DCC
$R_{free}$ test set	2000 reflections (0.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	25.9	Xtriage
Anisotropy	0.607	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 41.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	11012	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.07% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NPO, GOL, NA, DIO, EDO, SO4, D8F, BUA, 6NA, DMS, CCN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.51	1/2328 (0.0%)	0.67	0/3178
1	B	0.52	3/2340 (0.1%)	0.62	0/3193
1	C	0.51	0/2336	0.66	0/3188
1	D	0.51	1/2340 (0.0%)	0.63	2/3193 (0.1%)
All	All	0.51	5/9344 (0.1%)	0.65	2/12752 (0.0%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	145	SER	C-O	6.43	1.26	1.23
1	D	192	PRO	C-O	-6.36	1.16	1.23
1	B	158	PRO	C-O	-5.95	1.17	1.23
1	B	192	PRO	C-O	-5.54	1.17	1.23
1	A	76	GLU	C-O	-5.16	1.17	1.24

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	210	PHE	CA-C-N	5.04	131.04	121.97
1	D	210	PHE	C-N-CA	5.04	131.04	121.97

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within



the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2277	0	2257	52	0
1	B	2289	0	2269	39	0
1	C	2285	0	2265	44	0
1	D	2289	0	2269	41	0
2	A	6	0	8	0	0
2	B	6	0	8	0	0
2	C	30	0	38	9	0
2	D	12	0	15	2	0
3	A	16	0	24	4	0
3	B	28	0	42	9	0
3	C	32	0	48	2	0
3	D	24	0	36	2	0
4	A	16	0	22	2	0
4	C	8	0	11	1	0
4	D	16	0	22	21	0
5	A	16	0	24	22	0
5	B	20	0	30	4	0
5	C	8	0	12	7	0
5	D	8	0	12	0	0
6	A	18	0	18	7	0
6	B	18	0	18	11	0
6	C	9	0	9	4	0
6	D	27	0	27	11	0
7	A	17	0	0	6	0
7	B	17	0	0	12	0
7	C	17	0	0	9	0
7	D	17	0	0	10	0
8	A	10	0	0	0	0
9	B	6	0	8	0	0
10	B	6	0	7	2	0
11	B	20	0	8	1	0
11	D	10	0	4	2	0
12	C	1	0	0	0	0
13	A	401	0	0	22	0
13	B	325	0	0	14	0
13	C	396	0	0	9	0
13	D	311	0	0	18	0
All	All	11012	0	9511	208	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (208) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:414:DMS:O	13:A:501:HOH:O	1.72	1.04
1:A:47:ARG:HH22	5:A:414:DMS:H22	1.18	1.04
1:C:280:GLU:HG3	4:D:1418:6NA:C6	1.87	1.03
1:C:280:GLU:OE1	13:C:901:HOH:O	1.75	1.02
1:A:47:ARG:HH22	5:A:414:DMS:C2	1.77	0.98
5:C:819:DMS:S	4:D:1418:6NA:H6C3	2.06	0.95
1:A:56:ARG:NH1	1:A:58:LEU:HD21	1.81	0.94
1:C:280:GLU:CG	4:D:1418:6NA:H6C1	1.97	0.94
1:A:151:ARG:HH22	5:A:406:DMS:H12	1.32	0.93
1:C:280:GLU:CG	4:D:1418:6NA:C6	2.48	0.92
2:C:809:GOL:H31	13:D:1537:HOH:O	1.74	0.86
6:A:408:CCN:H23	13:A:642:HOH:O	1.78	0.82
1:C:280:GLU:HG3	4:D:1418:6NA:H6C2	1.61	0.82
3:A:412:EDO:O1	13:A:502:HOH:O	1.97	0.81
1:C:91:GLY:H	7:C:817:D8F:CAN	1.93	0.81
1:A:91:GLY:H	7:A:416:D8F:CAN	1.95	0.79
1:C:261:ARG:HH12	2:C:809:GOL:H32	1.47	0.79
1:C:58:LEU:HB2	6:C:807:CCN:H22	1.65	0.76
1:A:151:ARG:NH2	5:A:406:DMS:H12	2.00	0.76
1:C:269:GLU:OE2	6:D:1408:CCN:H23	1.86	0.75
1:D:90:GLY:H	7:D:1423:D8F:CAN	2.01	0.74
1:D:80:ALA:O	6:D:1407:CCN:H22	1.86	0.74
5:C:819:DMS:O	4:D:1418:6NA:H6C3	1.88	0.73
1:A:47:ARG:NH2	5:A:414:DMS:C2	2.51	0.72
6:A:408:CCN:H22	13:A:606:HOH:O	1.88	0.72
11:B:620:NPO:O2	13:B:701:HOH:O	2.06	0.72
1:D:44:MET:HE2	11:D:1421:NPO:O2	1.90	0.72
6:B:609:CCN:N	13:B:703:HOH:O	2.23	0.72
3:A:405:EDO:O1	13:A:503:HOH:O	2.04	0.72
13:C:1173:HOH:O	6:D:1403:CCN:H22	1.90	0.71
1:A:47:ARG:NH2	5:A:414:DMS:H22	2.01	0.71
1:C:21:MET:HE1	2:C:813:GOL:H31	1.72	0.71
1:A:159:ILE:HB	13:A:836:HOH:O	1.90	0.70
1:D:272:ARG:HB3	4:D:1418:6NA:OXT	1.91	0.69
2:C:809:GOL:C3	13:D:1537:HOH:O	2.38	0.69
1:A:309:MET:SD	13:B:930:HOH:O	2.49	0.69
1:D:204:GLU:HG2	13:D:1616:HOH:O	1.94	0.67
1:A:159:ILE:CD1	13:A:836:HOH:O	2.42	0.67
1:D:308:LYS:NZ	13:D:1504:HOH:O	2.27	0.66
5:C:820:DMS:H12	13:C:1192:HOH:O	1.95	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:D:1419:CCN:H22	13:D:1635:HOH:O	1.95	0.64
1:A:151:ARG:O	13:A:504:HOH:O	2.15	0.64
1:B:221:ASP:OD1	1:B:228:ARG:NH1	2.30	0.64
1:C:309:MET:SD	13:D:1726:HOH:O	2.55	0.64
3:B:605:EDO:O2	13:B:702:HOH:O	2.14	0.64
1:A:151:ARG:HH12	5:A:406:DMS:C1	2.11	0.64
2:C:809:GOL:H11	13:D:1566:HOH:O	1.96	0.64
1:B:12:LYS:NZ	3:B:608:EDO:O2	2.32	0.63
1:B:163:ALA:H	7:B:623:D8F:CAQ	2.12	0.63
1:A:257:ARG:HH12	4:A:403:6NA:HBC1	1.64	0.63
1:A:56:ARG:NH1	1:A:58:LEU:CD2	2.61	0.62
1:B:50:ARG:NH1	13:B:704:HOH:O	2.33	0.62
1:B:30:THR:OG1	6:B:607:CCN:H23	2.00	0.62
1:A:91:GLY:N	7:A:416:D8F:CAN	2.63	0.61
1:C:21:MET:HE1	2:C:813:GOL:C3	2.29	0.61
1:D:162:SER:OG	7:D:1423:D8F:CAL	2.48	0.61
10:B:615:BUA:H12	13:B:1004:HOH:O	2.00	0.61
1:D:162:SER:OG	7:D:1423:D8F:CAQ	2.49	0.61
1:C:280:GLU:CD	4:D:1418:6NA:H6C1	2.26	0.60
1:A:159:ILE:CB	13:A:836:HOH:O	2.45	0.60
6:A:408:CCN:H21	13:A:804:HOH:O	2.00	0.60
1:C:91:GLY:N	7:C:817:D8F:CAN	2.63	0.60
6:D:1411:CCN:H22	13:D:1782:HOH:O	2.02	0.60
1:C:280:GLU:CG	4:D:1418:6NA:H6C2	2.25	0.60
1:C:261:ARG:HH22	2:C:809:GOL:H12	1.65	0.60
1:D:280:GLU:OE1	13:D:1501:HOH:O	2.16	0.59
1:C:149:LEU:HD23	13:C:931:HOH:O	2.03	0.59
6:A:409:CCN:H22	13:A:529:HOH:O	2.02	0.59
5:C:820:DMS:O	13:C:902:HOH:O	2.16	0.59
1:C:28:GLU:HG3	6:C:808:CCN:H22	1.85	0.58
1:B:272:ARG:HH12	5:B:612:DMS:H13	1.69	0.57
1:B:90:GLY:H	7:B:623:D8F:CAN	2.17	0.57
1:B:91:GLY:H	7:B:623:D8F:CAN	2.18	0.57
5:C:820:DMS:H13	13:D:1731:HOH:O	2.04	0.57
1:C:90:GLY:H	7:C:817:D8F:CAN	2.18	0.57
1:A:151:ARG:C	13:A:504:HOH:O	2.48	0.57
1:B:91:GLY:H	7:B:623:D8F:CAQ	2.18	0.56
1:C:162:SER:OG	7:C:817:D8F:CAL	2.52	0.56
1:D:31:LEU:HD13	4:D:1412:6NA:HGC2	1.87	0.56
1:D:162:SER:OG	7:D:1423:D8F:CAN	2.54	0.56
1:D:219:PHE:CZ	4:D:1412:6NA:H6C3	2.40	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:602:EDO:H22	13:B:720:HOH:O	2.06	0.55
1:A:151:ARG:HH12	5:A:406:DMS:H12	1.72	0.55
5:C:820:DMS:H23	13:C:1192:HOH:O	2.08	0.54
1:D:265:LYS:NZ	6:D:1403:CCN:H21	2.23	0.54
1:A:91:GLY:HA2	7:A:416:D8F:CAQ	2.37	0.54
1:B:176:GLY:HA3	6:B:618:CCN:H23	1.89	0.54
1:C:309:MET:HE2	1:D:309:MET:HE3	1.88	0.54
1:D:261:ARG:HH22	3:D:1414:EDO:C1	2.19	0.54
1:C:309:MET:HE3	1:D:309:MET:HE2	1.90	0.54
1:C:162:SER:OG	7:C:817:D8F:CAM	2.56	0.54
1:A:309:MET:HE3	1:B:309:MET:HE2	1.89	0.54
1:D:273:ASP:HB2	4:D:1418:6NA:HAC2	1.90	0.54
1:D:44:MET:HB2	6:D:1415:CCN:C1	2.38	0.53
1:C:280:GLU:HG2	4:D:1418:6NA:H6C1	1.85	0.53
1:A:159:ILE:HG21	13:A:836:HOH:O	2.07	0.53
1:A:159:ILE:CG2	13:A:836:HOH:O	2.55	0.53
1:C:161:ASP:O	1:C:164:GLY:N	2.42	0.53
1:A:309:MET:HE2	1:B:309:MET:HE3	1.90	0.53
1:A:197:ALA:H	5:A:415:DMS:H13	1.74	0.52
1:C:309:MET:HE2	1:D:309:MET:CE	2.40	0.52
6:D:1419:CCN:H21	13:D:1686:HOH:O	2.08	0.52
1:A:302:ARG:HE	3:A:404:EDO:C2	2.23	0.51
1:B:162:SER:OG	7:B:623:D8F:CAL	2.58	0.51
1:C:269:GLU:OE1	1:D:265:LYS:NZ	2.42	0.51
1:C:91:GLY:H	7:C:817:D8F:CAQ	2.23	0.51
1:D:172:SER:HB2	13:D:1603:HOH:O	2.11	0.51
1:D:273:ASP:H	4:D:1418:6NA:CA	2.24	0.51
1:A:197:ALA:H	5:A:415:DMS:C1	2.23	0.51
1:C:308:LYS:HE3	13:C:1172:HOH:O	2.11	0.51
1:D:91:GLY:H	7:D:1423:D8F:CAN	2.24	0.51
1:C:21:MET:CE	2:C:813:GOL:H12	2.42	0.50
1:A:23:GLY:HA3	13:A:679:HOH:O	2.12	0.50
1:A:26:LEU:HA	1:A:29:MET:HE3	1.93	0.50
1:A:297:GLN:HG2	5:A:414:DMS:H23	1.93	0.50
1:C:280:GLU:HG2	4:D:1418:6NA:C6	2.36	0.50
1:B:242:ALA:HB3	6:B:618:CCN:H22	1.93	0.50
6:B:607:CCN:H22	13:B:939:HOH:O	2.12	0.49
6:A:410:CCN:H23	13:A:780:HOH:O	2.11	0.49
1:B:162:SER:O	1:B:165:GLY:N	2.44	0.49
1:D:221:ASP:HB2	2:D:1410:GOL:H32	1.93	0.49
1:B:162:SER:OG	7:B:623:D8F:CAN	2.60	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:44:MET:CE	11:D:1421:NPO:O2	2.60	0.49
1:A:159:ILE:HD12	13:A:836:HOH:O	2.11	0.48
1:B:8:ARG:HB3	3:B:605:EDO:H22	1.94	0.48
1:C:280:GLU:OE2	4:D:1418:6NA:H6C1	2.13	0.48
1:A:151:ARG:NH1	5:A:406:DMS:H12	2.28	0.48
1:D:162:SER:OG	7:D:1423:D8F:CAM	2.61	0.48
5:B:612:DMS:H12	13:B:907:HOH:O	2.13	0.48
1:B:308:LYS:O	10:B:615:BUA:H13	2.13	0.48
1:A:151:ARG:HH12	5:A:406:DMS:H13	1.78	0.48
1:C:58:LEU:HB2	6:C:807:CCN:C2	2.41	0.48
3:B:602:EDO:C2	13:B:720:HOH:O	2.61	0.48
1:A:151:ARG:HH22	5:A:406:DMS:C1	2.17	0.47
1:A:193:LEU:HD21	5:A:415:DMS:H21	1.95	0.47
1:B:272:ARG:HH12	5:B:612:DMS:C1	2.26	0.47
1:A:162:SER:OG	7:A:416:D8F:CAL	2.62	0.47
1:C:309:MET:CE	1:D:309:MET:HE2	2.44	0.47
1:A:162:SER:OG	7:A:416:D8F:CAM	2.63	0.47
6:B:618:CCN:C2	13:B:812:HOH:O	2.63	0.46
1:D:123:ALA:HB1	1:D:124:PRO:HA	1.98	0.46
1:C:91:GLY:HA2	7:C:817:D8F:CAQ	2.45	0.46
1:B:83:VAL:HG22	1:B:114:PRO:HG2	1.97	0.46
1:D:261:ARG:HH11	6:D:1408:CCN:H22	1.79	0.46
1:B:162:SER:O	1:B:163:ALA:C	2.57	0.46
1:D:31:LEU:HD21	1:D:124:PRO:HD2	1.98	0.46
1:B:56:ARG:HG3	5:B:622:DMS:H12	1.97	0.45
6:D:1408:CCN:H21	13:D:1515:HOH:O	2.14	0.45
1:D:162:SER:OG	7:D:1423:D8F:CAO	2.65	0.45
1:A:90:GLY:H	7:A:416:D8F:CAN	2.29	0.45
1:A:159:ILE:HD13	13:A:836:HOH:O	2.14	0.45
1:A:193:LEU:HD11	5:A:415:DMS:H11	1.98	0.45
1:B:91:GLY:HA2	7:B:623:D8F:CAQ	2.47	0.45
1:C:261:ARG:HH22	2:C:809:GOL:C1	2.30	0.45
1:A:47:ARG:NH2	5:A:414:DMS:H23	2.31	0.45
1:B:162:SER:HB3	7:B:623:D8F:CAN	2.47	0.45
1:B:173:GLN:HB3	6:B:614:CCN:H23	1.99	0.45
3:B:624:EDO:H11	13:B:885:HOH:O	2.16	0.45
1:A:151:ARG:CZ	5:A:406:DMS:H12	2.46	0.45
1:C:309:MET:CE	1:D:309:MET:CE	2.95	0.45
4:D:1418:6NA:HDC2	13:D:1604:HOH:O	2.15	0.45
1:B:221:ASP:CG	1:B:228:ARG:NH1	2.75	0.45
1:C:287:THR:HA	13:C:917:HOH:O	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:624:EDO:C1	13:B:885:HOH:O	2.64	0.44
4:D:1418:6NA:CD	13:D:1604:HOH:O	2.64	0.44
1:C:162:SER:OG	7:C:817:D8F:CAN	2.65	0.44
1:A:80:ALA:H	5:A:407:DMS:H12	1.83	0.44
1:D:261:ARG:HH22	3:D:1414:EDO:H11	1.82	0.44
1:C:312:GLY:C	4:C:810:6NA:OXT	2.60	0.44
5:C:819:DMS:H22	13:D:1590:HOH:O	2.17	0.44
1:A:309:MET:CE	1:B:309:MET:CE	2.96	0.43
1:D:44:MET:HB2	6:D:1415:CCN:C2	2.48	0.43
1:C:257:ARG:HH22	3:C:805:EDO:H21	1.83	0.43
1:A:76:GLU:CB	13:A:833:HOH:O	2.66	0.43
1:C:265:LYS:HE3	3:C:818:EDO:H12	2.01	0.43
1:B:163:ALA:HB2	7:B:623:D8F:CAQ	2.49	0.43
1:B:239:ASP:H	6:B:614:CCN:H22	1.84	0.43
1:B:14:PHE:CE2	1:B:18:ILE:HD11	2.54	0.42
1:B:91:GLY:N	7:B:623:D8F:CAQ	2.82	0.42
6:A:411:CCN:H22	1:C:44:MET:HE3	2.01	0.42
1:D:162:SER:OG	7:D:1423:D8F:CAP	2.68	0.42
4:D:1418:6NA:HDC1	4:D:1418:6NA:HAC1	1.83	0.42
1:A:309:MET:HE2	1:B:309:MET:CE	2.50	0.42
3:A:405:EDO:H12	13:A:777:HOH:O	2.19	0.42
1:D:38:TYR:HB2	1:D:94:ILE:HD12	2.02	0.42
1:B:239:ASP:H	6:B:614:CCN:C2	2.33	0.42
6:C:807:CCN:H21	13:C:1078:HOH:O	2.20	0.42
1:A:162:SER:O	1:A:163:ALA:C	2.63	0.41
1:B:261:ARG:HH12	3:B:624:EDO:H22	1.85	0.41
1:A:150:GLY:HA3	5:A:406:DMS:H23	2.01	0.41
1:A:162:SER:O	1:A:165:GLY:N	2.49	0.41
1:A:257:ARG:NH1	4:A:403:6NA:HBC1	2.33	0.41
1:A:193:LEU:CD2	5:A:415:DMS:H21	2.50	0.41
1:B:21:MET:HE2	1:B:21:MET:HB3	1.96	0.41
1:B:162:SER:CB	7:B:623:D8F:CAN	2.98	0.41
1:B:239:ASP:N	6:B:614:CCN:H22	2.35	0.41
6:B:618:CCN:H21	13:B:812:HOH:O	2.19	0.41
1:D:163:ALA:H	7:D:1423:D8F:CAQ	2.34	0.41
1:A:227:ASP:CG	13:A:509:HOH:O	2.64	0.41
6:A:409:CCN:C2	13:A:529:HOH:O	2.65	0.41
1:D:272:ARG:NE	4:D:1418:6NA:OXT	2.54	0.41
1:D:26:LEU:O	4:D:1412:6NA:H6C1	2.21	0.41
1:D:91:GLY:H	7:D:1423:D8F:CAQ	2.33	0.40
2:D:1401:GOL:H12	13:D:1619:HOH:O	2.20	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:162:SER:OG	7:B:623:D8F:CAM	2.69	0.40
1:B:261:ARG:HH12	3:B:624:EDO:C2	2.34	0.40
1:D:204:GLU:HB3	13:D:1762:HOH:O	2.21	0.40
1:C:91:GLY:N	7:C:817:D8F:CAQ	2.84	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	307/314 (98%)	299 (97%)	8 (3%)	0	100	100
1	B	307/314 (98%)	300 (98%)	7 (2%)	0	100	100
1	C	307/314 (98%)	298 (97%)	9 (3%)	0	100	100
1	D	307/314 (98%)	299 (97%)	8 (3%)	0	100	100
All	All	1228/1256 (98%)	1196 (97%)	32 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/240 (97%)	232 (100%)	0	100	100
1	B	235/240 (98%)	233 (99%)	2 (1%)	70	60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	234/240 (98%)	233 (100%)	1 (0%)	84	80
1	D	235/240 (98%)	231 (98%)	4 (2%)	53	36
All	All	936/960 (98%)	929 (99%)	7 (1%)	76	67

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	26	LEU
1	B	151	ARG
1	C	151	ARG
1	D	12	LYS
1	D	44	MET
1	D	151	ARG
1	D	211	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	126	HIS
1	C	126	HIS
1	D	102	ASN
1	D	126	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 88 ligands modelled in this entry, 1 is monoatomic - leaving 87 for Mogul analysis.



In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	EDO	C	803	-	3,3,3	0.42	0	2,2,2	0.36	0
3	EDO	B	602	-	3,3,3	0.26	0	2,2,2	0.80	0
4	6NA	D	1412	-	7,7,7	0.93	0	7,7,7	1.20	0
3	EDO	D	1406	-	3,3,3	0.52	0	2,2,2	0.25	0
9	DIO	B	604	-	6,6,6	0.70	0	6,6,6	1.14	1 (16%)
2	GOL	A	401	-	5,5,5	1.35	1 (20%)	5,5,5	0.78	0
6	CCN	C	807	-	2,2,2	0.99	0	1,1,1	0.18	0
6	CCN	D	1416	-	2,2,2	1.02	0	1,1,1	0.35	0
5	DMS	B	616	-	3,3,3	0.72	0	3,3,3	0.74	0
4	6NA	C	810	-	7,7,7	1.04	0	7,7,7	1.11	0
6	CCN	B	614	-	2,2,2	0.96	0	1,1,1	0.33	0
8	SO4	A	420	-	4,4,4	0.27	0	6,6,6	0.21	0
5	DMS	B	611	-	3,3,3	0.69	0	3,3,3	0.85	0
3	EDO	A	405	-	3,3,3	0.43	0	2,2,2	0.18	0
5	DMS	B	617	-	3,3,3	0.68	0	3,3,3	0.70	0
3	EDO	D	1402	-	3,3,3	0.49	0	2,2,2	0.30	0
6	CCN	D	1419	-	2,2,2	1.04	0	1,1,1	0.21	0
3	EDO	C	804	-	3,3,3	0.40	0	2,2,2	0.73	0
6	CCN	B	618	-	2,2,2	0.93	0	1,1,1	0.18	0
7	D8F	C	817	-	17,17,17	1.27	3 (17%)	19,21,21	1.32	4 (21%)
3	EDO	D	1404	-	3,3,3	0.42	0	2,2,2	0.36	0
11	NPO	B	621	-	10,10,10	1.27	2 (20%)	11,13,13	0.74	0
3	EDO	B	608	-	3,3,3	0.46	0	2,2,2	0.50	0
5	DMS	C	820	-	3,3,3	0.71	0	3,3,3	0.99	0
4	6NA	A	403	-	7,7,7	1.04	0	7,7,7	1.34	1 (14%)
6	CCN	B	610	-	2,2,2	0.96	0	1,1,1	0.34	0
5	DMS	A	415	-	3,3,3	0.52	0	3,3,3	1.10	0
5	DMS	B	622	-	3,3,3	0.87	0	3,3,3	0.80	0
2	GOL	C	813	-	5,5,5	1.44	1 (20%)	5,5,5	0.69	0
6	CCN	D	1415	-	2,2,2	1.01	0	1,1,1	0.22	0
5	DMS	A	406	-	3,3,3	0.80	0	3,3,3	1.52	1 (33%)
3	EDO	C	805	-	3,3,3	0.42	0	2,2,2	0.45	0
3	EDO	C	815	-	3,3,3	0.43	0	2,2,2	0.42	0
2	GOL	D	1410	-	5,5,5	0.88	0	5,5,5	1.09	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	CCN	A	410	-	2,2,2	0.94	0	1,1,1	0.21	0
3	EDO	B	601	-	3,3,3	0.53	0	2,2,2	0.11	0
2	GOL	C	814	-	5,5,5	0.86	0	5,5,5	0.92	0
2	GOL	D	1401	-	5,5,5	0.84	0	5,5,5	1.62	1 (20%)
3	EDO	C	812	-	3,3,3	0.56	0	2,2,2	0.26	0
3	EDO	D	1414	-	3,3,3	0.44	0	2,2,2	0.89	0
6	CCN	D	1417	-	2,2,2	1.03	0	1,1,1	0.41	0
3	EDO	B	624	-	3,3,3	0.37	0	2,2,2	0.24	0
6	CCN	A	411	-	2,2,2	0.95	0	1,1,1	0.36	0
5	DMS	D	1413	-	3,3,3	0.73	0	3,3,3	0.87	0
3	EDO	C	806	-	3,3,3	0.45	0	2,2,2	0.67	0
5	DMS	A	407	-	3,3,3	0.64	0	3,3,3	0.44	0
6	CCN	A	413	-	2,2,2	0.96	0	1,1,1	0.02	0
3	EDO	B	605	-	3,3,3	0.39	0	2,2,2	0.57	0
3	EDO	A	402	-	3,3,3	0.28	0	2,2,2	0.59	0
6	CCN	D	1403	-	2,2,2	0.94	0	1,1,1	0.35	0
6	CCN	D	1411	-	2,2,2	0.98	0	1,1,1	0.43	0
2	GOL	C	809	-	5,5,5	0.79	0	5,5,5	1.24	0
5	DMS	B	612	-	3,3,3	0.67	0	3,3,3	0.95	0
11	NPO	B	620	-	10,10,10	1.26	1 (10%)	11,13,13	2.14	4 (36%)
7	D8F	D	1423	-	17,17,17	2.66	6 (35%)	19,21,21	3.73	7 (36%)
3	EDO	A	404	-	3,3,3	0.52	0	2,2,2	0.20	0
7	D8F	A	416	-	17,17,17	1.23	3 (17%)	19,21,21	1.29	2 (10%)
5	DMS	C	819	-	3,3,3	0.70	0	3,3,3	0.87	0
10	BUA	B	615	-	5,5,5	1.19	0	5,5,5	1.22	1 (20%)
2	GOL	B	619	-	5,5,5	1.32	1 (20%)	5,5,5	0.95	0
5	DMS	A	414	-	3,3,3	0.74	0	3,3,3	0.85	0
3	EDO	D	1405	-	3,3,3	0.38	0	2,2,2	0.62	0
11	NPO	D	1421	-	10,10,10	1.98	4 (40%)	11,13,13	1.03	1 (9%)
8	SO4	A	419	-	4,4,4	0.24	0	6,6,6	0.09	0
6	CCN	C	811	-	2,2,2	0.95	0	1,1,1	0.28	0
6	CCN	D	1408	-	2,2,2	1.08	0	1,1,1	0.23	0
3	EDO	C	801	-	3,3,3	0.40	0	2,2,2	0.46	0
5	DMS	D	1409	-	3,3,3	0.71	0	3,3,3	0.63	0
2	GOL	C	802	-	5,5,5	1.32	0	5,5,5	1.50	1 (20%)
3	EDO	B	603	-	3,3,3	0.34	0	2,2,2	0.87	0
3	EDO	D	1422	-	3,3,3	0.39	0	2,2,2	0.30	0
3	EDO	A	412	-	3,3,3	0.30	0	2,2,2	0.32	0
7	D8F	B	623	-	17,17,17	2.90	7 (41%)	19,21,21	3.95	7 (36%)
6	CCN	D	1407	-	2,2,2	0.91	0	1,1,1	0.11	0
3	EDO	B	606	-	3,3,3	0.44	0	2,2,2	0.35	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	CCN	A	408	-	2,2,2	0.95	0	1,1,1	0.16	0
6	CCN	A	409	-	2,2,2	0.97	0	1,1,1	0.37	0
6	CCN	C	808	-	2,2,2	0.88	0	1,1,1	0.22	0
6	CCN	A	418	-	2,2,2	0.96	0	1,1,1	0.24	0
6	CCN	B	609	-	2,2,2	0.95	0	1,1,1	0.20	0
4	6NA	D	1418	-	7,7,7	1.65	1 (14%)	7,7,7	2.19	1 (14%)
6	CCN	B	607	-	2,2,2	0.92	0	1,1,1	0.41	0
6	CCN	D	1420	-	2,2,2	0.99	0	1,1,1	0.24	0
4	6NA	A	417	-	7,7,7	0.97	0	7,7,7	1.42	1 (14%)
3	EDO	C	818	-	3,3,3	0.59	0	2,2,2	0.47	0
6	CCN	B	613	-	2,2,2	0.95	0	1,1,1	0.50	0
2	GOL	C	816	-	5,5,5	0.85	0	5,5,5	1.33	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NPO	D	1421	-	-	0/2/4/4	0/1/1/1
3	EDO	C	803	-	-	0/1/1/1	-
3	EDO	B	602	-	-	0/1/1/1	-
3	EDO	C	804	-	-	0/1/1/1	-
2	GOL	C	814	-	-	2/4/4/4	-
2	GOL	D	1401	-	-	2/4/4/4	-
3	EDO	C	812	-	-	1/1/1/1	-
4	6NA	D	1412	-	-	3/5/5/5	-
7	D8F	C	817	-	-	5/11/13/13	0/1/1/1
3	EDO	D	1414	-	-	1/1/1/1	-
3	EDO	B	624	-	-	1/1/1/1	-
3	EDO	D	1404	-	-	1/1/1/1	-
11	NPO	B	621	-	-	0/2/4/4	0/1/1/1
3	EDO	C	801	-	-	0/1/1/1	-
3	EDO	D	1406	-	-	1/1/1/1	-
3	EDO	C	806	-	-	1/1/1/1	-
2	GOL	C	802	-	-	2/4/4/4	-
3	EDO	B	603	-	-	0/1/1/1	-
3	EDO	B	608	-	-	0/1/1/1	-
3	EDO	D	1422	-	-	1/1/1/1	-
2	GOL	A	401	-	-	2/4/4/4	-
3	EDO	A	412	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	DIO	B	604	-	-	-	0/1/1/1
3	EDO	B	605	-	-	1/1/1/1	-
4	6NA	A	403	-	-	5/5/5/5	-
7	D8F	B	623	-	-	9/11/13/13	0/1/1/1
3	EDO	A	402	-	-	1/1/1/1	-
4	6NA	C	810	-	-	4/5/5/5	-
2	GOL	C	809	-	-	4/4/4/4	-
3	EDO	B	606	-	-	1/1/1/1	-
11	NPO	B	620	-	-	0/2/4/4	0/1/1/1
7	D8F	D	1423	-	-	4/11/13/13	0/1/1/1
3	EDO	A	404	-	-	1/1/1/1	-
2	GOL	C	813	-	-	2/4/4/4	-
4	6NA	D	1418	-	-	4/5/5/5	-
3	EDO	A	405	-	-	1/1/1/1	-
4	6NA	A	417	-	-	1/5/5/5	-
3	EDO	C	805	-	-	1/1/1/1	-
3	EDO	C	815	-	-	1/1/1/1	-
3	EDO	D	1402	-	-	1/1/1/1	-
7	D8F	A	416	-	-	8/11/13/13	0/1/1/1
2	GOL	D	1410	-	-	4/4/4/4	-
3	EDO	C	818	-	-	1/1/1/1	-
2	GOL	B	619	-	-	4/4/4/4	-
10	BUA	B	615	-	-	3/3/3/3	-
3	EDO	D	1405	-	-	0/1/1/1	-
2	GOL	C	816	-	-	2/4/4/4	-
3	EDO	B	601	-	-	1/1/1/1	-

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	623	D8F	CAP-CAO	6.21	1.50	1.38
7	B	623	D8F	CAQ-CAO	6.17	1.50	1.38
7	D	1423	D8F	CAQ-CAO	5.79	1.49	1.38
7	D	1423	D8F	CAQ-CAN	5.45	1.47	1.38
7	B	623	D8F	CAQ-CAN	4.74	1.46	1.38
7	D	1423	D8F	CAM-CAL	4.63	1.47	1.38
7	B	623	D8F	CAN-CAL	4.36	1.46	1.38
4	D	1418	6NA	OXT-C	-4.04	1.17	1.30
7	D	1423	D8F	CAN-CAL	3.72	1.45	1.38
7	B	623	D8F	OAA-CAK	3.53	1.46	1.35

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	D	1421	NPO	C6-C1	-3.41	1.32	1.38
11	D	1421	NPO	C3-C4	-3.40	1.32	1.39
7	D	1423	D8F	OAA-CAK	3.26	1.45	1.35
7	A	416	D8F	OAA-CAK	3.16	1.45	1.35
11	B	620	NPO	C1-N1	-3.03	1.38	1.45
7	C	817	D8F	OAA-CAK	2.99	1.44	1.35
7	C	817	D8F	CAO-NAE	-2.94	1.38	1.45
11	B	621	NPO	C1-N1	-2.77	1.38	1.45
11	D	1421	NPO	C1-N1	-2.71	1.38	1.45
7	A	416	D8F	OAA-CAL	-2.58	1.35	1.41
7	C	817	D8F	OAA-CAL	-2.50	1.35	1.41
7	A	416	D8F	CAO-NAE	-2.46	1.39	1.45
7	D	1423	D8F	CAO-NAE	-2.45	1.39	1.45
7	B	623	D8F	CAO-NAE	-2.35	1.39	1.45
11	B	621	NPO	O3-N1	-2.31	1.18	1.22
2	A	401	GOL	C1-C2	2.28	1.60	1.51
7	B	623	D8F	OAA-CAL	-2.24	1.36	1.41
2	C	813	GOL	C3-C2	2.23	1.60	1.51
2	B	619	GOL	C1-C2	2.20	1.60	1.51
11	D	1421	NPO	O3-N1	2.18	1.26	1.22

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	623	D8F	CAN-CAQ-CAO	-11.10	105.38	120.08
7	D	1423	D8F	CAQ-CAN-CAL	-10.95	107.23	119.73
7	D	1423	D8F	CAQ-CAO-NAE	6.87	125.34	119.34
7	B	623	D8F	CAQ-CAN-CAL	6.78	127.47	119.73
7	B	623	D8F	CAQ-CAO-CAP	6.37	130.12	119.88
7	D	1423	D8F	CAN-CAQ-CAO	6.30	128.42	120.08
7	B	623	D8F	CAP-CAO-NAE	-6.17	113.95	119.34
4	D	1418	6NA	OXT-C-O	-5.25	109.84	123.33
7	D	1423	D8F	CAN-CAL-CAM	5.09	127.58	120.16
11	B	620	NPO	C2-C1-N1	-4.49	115.42	119.34
7	B	623	D8F	CAQ-CAO-NAE	-3.90	115.93	119.34
7	A	416	D8F	OAA-CAK-CAI	3.65	122.03	110.78
7	B	623	D8F	OAA-CAK-CAI	3.56	121.74	110.78
7	B	623	D8F	CAM-CAP-CAO	-3.55	115.37	120.08
7	D	1423	D8F	OAA-CAK-CAI	3.50	121.55	110.78
7	C	817	D8F	CAQ-CAO-NAE	3.13	122.07	119.34
11	B	620	NPO	C6-C1-N1	2.99	121.95	119.34
7	C	817	D8F	OAA-CAK-CAI	2.91	119.74	110.78

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	416	D8F	OAA-CAK-OAB	-2.91	116.89	122.76
11	B	620	NPO	O3-N1-C1	2.78	122.64	118.82
2	D	1401	GOL	C3-C2-C1	-2.64	102.12	111.80
5	A	406	DMS	O-S-C1	2.61	119.53	106.49
11	D	1421	NPO	C2-C1-N1	2.52	121.54	119.34
4	A	403	6NA	CB-CA-C	-2.50	107.97	114.51
7	D	1423	D8F	OAA-CAK-OAB	-2.44	117.82	122.76
7	C	817	D8F	OAA-CAK-OAB	-2.44	117.84	122.76
4	A	417	6NA	OXT-C-CA	2.41	121.61	114.00
7	C	817	D8F	CAP-CAO-NAE	-2.34	117.29	119.34
2	C	802	GOL	O3-C3-C2	-2.32	99.92	110.38
7	D	1423	D8F	CAQ-CAO-CAP	-2.31	116.16	119.88
2	C	816	GOL	O2-C2-C3	2.16	118.13	109.18
11	B	620	NPO	C5-C6-C1	-2.13	117.26	120.08
9	B	604	DIO	C2'-O1'-C1'	2.10	116.68	109.88
10	B	615	BUA	O2-C4-C3	2.05	120.48	114.00

There are no chirality outliers.

All (87) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	619	GOL	O1-C1-C2-O2
2	B	619	GOL	O1-C1-C2-C3
2	B	619	GOL	C1-C2-C3-O3
2	C	802	GOL	C1-C2-C3-O3
2	C	802	GOL	O2-C2-C3-O3
2	C	809	GOL	O1-C1-C2-C3
2	C	809	GOL	C1-C2-C3-O3
2	C	813	GOL	C1-C2-C3-O3
2	C	814	GOL	C1-C2-C3-O3
2	C	814	GOL	O2-C2-C3-O3
2	C	816	GOL	O1-C1-C2-C3
7	A	416	D8F	CAI-CAK-OAA-CAL
7	A	416	D8F	OAB-CAK-OAA-CAL
7	B	623	D8F	CAI-CAK-OAA-CAL
7	B	623	D8F	OAB-CAK-OAA-CAL
7	C	817	D8F	CAI-CAK-OAA-CAL
7	C	817	D8F	OAB-CAK-OAA-CAL
7	C	817	D8F	CAP-CAO-NAE-OAD
7	C	817	D8F	CAQ-CAO-NAE-OAD
7	D	1423	D8F	CAI-CAK-OAA-CAL
7	D	1423	D8F	OAB-CAK-OAA-CAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	D	1418	6NA	CA-CB-CG-CD
2	C	809	GOL	O1-C1-C2-O2
2	C	809	GOL	O2-C2-C3-O3
2	A	401	GOL	O1-C1-C2-C3
2	D	1401	GOL	C1-C2-C3-O3
2	D	1410	GOL	O1-C1-C2-C3
2	D	1410	GOL	C1-C2-C3-O3
2	C	813	GOL	O2-C2-C3-O3
2	D	1401	GOL	O2-C2-C3-O3
2	D	1410	GOL	O1-C1-C2-O2
2	D	1410	GOL	O2-C2-C3-O3
4	C	810	6NA	CA-CB-CG-CD
4	A	403	6NA	CA-CB-CG-CD
3	A	405	EDO	O1-C1-C2-O2
3	B	606	EDO	O1-C1-C2-O2
3	D	1422	EDO	O1-C1-C2-O2
2	B	619	GOL	O2-C2-C3-O3
3	B	601	EDO	O1-C1-C2-O2
3	B	605	EDO	O1-C1-C2-O2
3	C	812	EDO	O1-C1-C2-O2
3	C	818	EDO	O1-C1-C2-O2
3	D	1402	EDO	O1-C1-C2-O2
7	B	623	D8F	CAF-CAG-CAI-CAK
4	C	810	6NA	C6-CD-CG-CB
7	D	1423	D8F	CAH-CAF-CAG-CAI
4	A	417	6NA	CA-CB-CG-CD
7	A	416	D8F	CAH-CAF-CAG-CAI
3	A	404	EDO	O1-C1-C2-O2
3	B	624	EDO	O1-C1-C2-O2
3	D	1404	EDO	O1-C1-C2-O2
7	B	623	D8F	CAG-CAF-CAH-CAJ
4	D	1412	6NA	C6-CD-CG-CB
3	C	805	EDO	O1-C1-C2-O2
7	A	416	D8F	CAM-CAL-OAA-CAK
7	B	623	D8F	CAM-CAL-OAA-CAK
4	A	403	6NA	C-CA-CB-CG
3	D	1406	EDO	O1-C1-C2-O2
2	C	816	GOL	O1-C1-C2-O2
4	D	1418	6NA	C-CA-CB-CG
7	A	416	D8F	CAQ-CAO-NAE-OAD
7	B	623	D8F	CAP-CAO-NAE-OAD
7	B	623	D8F	CAQ-CAO-NAE-OAD

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
7	A	416	D8F	CAG-CAF-CAH-CAJ
7	A	416	D8F	CAN-CAL-OAA-CAK
7	B	623	D8F	CAH-CAF-CAG-CAI
4	D	1418	6NA	O-C-CA-CB
4	D	1418	6NA	OXT-C-CA-CB
7	C	817	D8F	CAH-CAF-CAG-CAI
4	C	810	6NA	O-C-CA-CB
4	A	403	6NA	OXT-C-CA-CB
7	B	623	D8F	CAN-CAL-OAA-CAK
10	B	615	BUA	C1-C2-C3-C4
4	C	810	6NA	OXT-C-CA-CB
3	C	815	EDO	O1-C1-C2-O2
3	D	1414	EDO	O1-C1-C2-O2
4	D	1412	6NA	CA-CB-CG-CD
10	B	615	BUA	C2-C3-C4-O2
4	A	403	6NA	C6-CD-CG-CB
4	A	403	6NA	O-C-CA-CB
7	A	416	D8F	CAP-CAO-NAE-OAD
10	B	615	BUA	C2-C3-C4-O1
3	C	806	EDO	O1-C1-C2-O2
2	A	401	GOL	O1-C1-C2-O2
7	D	1423	D8F	CAF-CAG-CAI-CAK
3	A	402	EDO	O1-C1-C2-O2
4	D	1412	6NA	O-C-CA-CB

There are no ring outliers.

49 monomers are involved in 158 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	602	EDO	2	0
4	D	1412	6NA	3	0
6	C	807	CCN	3	0
4	C	810	6NA	1	0
6	B	614	CCN	4	0
3	A	405	EDO	2	0
6	D	1419	CCN	2	0
6	B	618	CCN	4	0
7	C	817	D8F	9	0
3	B	608	EDO	1	0
5	C	820	DMS	4	0
4	A	403	6NA	2	0
5	A	415	DMS	5	0

*Continued on next page...*





*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	622	DMS	1	0
2	C	813	GOL	3	0
6	D	1415	CCN	2	0
5	A	406	DMS	9	0
3	C	805	EDO	1	0
2	D	1410	GOL	1	0
6	A	410	CCN	1	0
2	D	1401	GOL	1	0
3	D	1414	EDO	2	0
3	B	624	EDO	4	0
6	A	411	CCN	1	0
5	A	407	DMS	1	0
3	B	605	EDO	2	0
6	D	1403	CCN	2	0
6	D	1411	CCN	1	0
2	C	809	GOL	6	0
5	B	612	DMS	3	0
11	B	620	NPO	1	0
7	D	1423	D8F	10	0
3	A	404	EDO	1	0
7	A	416	D8F	6	0
5	C	819	DMS	3	0
10	B	615	BUA	2	0
5	A	414	DMS	7	0
11	D	1421	NPO	2	0
6	D	1408	CCN	3	0
3	A	412	EDO	1	0
7	B	623	D8F	12	0
6	D	1407	CCN	1	0
6	A	408	CCN	3	0
6	A	409	CCN	2	0
6	C	808	CCN	1	0
6	B	609	CCN	1	0
4	D	1418	6NA	18	0
6	B	607	CCN	2	0
3	C	818	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	309/314 (98%)	-0.04	4 (1%) 75 81	19, 25, 40, 49	0
1	B	309/314 (98%)	0.22	4 (1%) 75 81	22, 28, 45, 59	0
1	C	309/314 (98%)	-0.05	2 (0%) 85 89	19, 25, 40, 50	0
1	D	309/314 (98%)	0.39	12 (3%) 43 49	21, 29, 49, 62	0
All	All	1236/1256 (98%)	0.13	22 (1%) 67 74	19, 27, 45, 62	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	27	ALA	4.5
1	A	23	GLY	3.5
1	D	44	MET	3.5
1	A	4	THR	3.3
1	B	44	MET	3.1
1	C	312	GLY	3.0
1	B	14	PHE	2.8
1	D	30	THR	2.8
1	D	4	THR	2.7
1	D	219	PHE	2.7
1	A	312	GLY	2.7
1	D	31	LEU	2.6
1	B	4	THR	2.5
1	B	312	GLY	2.5
1	D	64	ALA	2.4
1	D	312	GLY	2.3
1	D	24	PRO	2.3
1	A	58	LEU	2.3
1	D	198	VAL	2.2
1	C	77	SER	2.2
1	D	25	THR	2.1
1	D	65	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	DMS	A	414	4/4	0.25	0.41	54,61,62,72	4
5	DMS	A	407	4/4	0.57	0.29	77,77,84,94	0
5	DMS	B	622	4/4	0.62	0.29	58,65,66,75	0
6	CCN	D	1411	3/3	0.63	0.26	47,47,55,56	0
4	6NA	C	810	8/8	0.64	0.26	46,57,65,68	0
5	DMS	D	1413	4/4	0.65	0.28	73,83,92,102	0
3	EDO	A	412	4/4	0.66	0.20	51,54,57,57	0
5	DMS	A	406	4/4	0.67	0.26	66,67,71,89	0
5	DMS	A	415	4/4	0.69	0.23	21,30,62,66	4
7	D8F	A	416	17/17	0.69	0.24	28,42,54,56	0
2	GOL	C	813	6/6	0.70	0.28	47,57,58,61	0
6	CCN	B	610	3/3	0.70	0.37	46,46,52,54	0
7	D8F	B	623	17/17	0.70	0.23	36,44,56,58	0
10	BUA	B	615	6/6	0.71	0.18	33,52,58,61	0
12	NA	C	821	1/1	0.71	0.46	77,77,77,77	0
6	CCN	A	411	3/3	0.72	0.31	46,46,51,53	0
6	CCN	C	807	3/3	0.73	0.27	43,43,50,52	0
11	NPO	D	1421	10/10	0.73	0.35	66,79,114,114	10
6	CCN	A	410	3/3	0.73	0.24	42,42,43,49	0
5	DMS	C	820	4/4	0.74	0.23	63,65,74,79	0
6	CCN	B	613	3/3	0.74	0.22	44,44,54,54	0
5	DMS	B	611	4/4	0.74	0.24	67,75,78,85	0
11	NPO	B	621	10/10	0.74	0.34	147,176,183,186	10
6	CCN	B	607	3/3	0.74	0.25	50,50,52,59	0
6	CCN	D	1415	3/3	0.74	0.25	39,39,40,51	0
7	D8F	D	1423	17/17	0.75	0.19	33,45,54,55	0
6	CCN	D	1417	3/3	0.75	0.22	40,40,50,51	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	CCN	D	1420	3/3	0.75	0.23	47,47,50,52	0
4	6NA	D	1418	8/8	0.75	0.27	29,37,44,46	8
6	CCN	D	1407	3/3	0.75	0.25	41,41,48,54	0
6	CCN	A	413	3/3	0.76	0.27	39,39,46,48	0
5	DMS	B	617	4/4	0.76	0.23	59,63,64,70	0
3	EDO	C	812	4/4	0.76	0.26	53,57,63,68	0
5	DMS	B	616	4/4	0.76	0.24	57,79,82,85	0
7	D8F	C	817	17/17	0.76	0.20	26,39,51,51	0
5	DMS	D	1409	4/4	0.77	0.28	74,80,90,94	0
3	EDO	C	806	4/4	0.77	0.19	55,58,59,63	0
3	EDO	B	605	4/4	0.78	0.18	38,48,48,59	0
3	EDO	B	608	4/4	0.78	0.23	57,60,61,65	0
11	NPO	B	620	10/10	0.78	0.33	168,176,183,184	10
6	CCN	D	1416	3/3	0.79	0.22	35,35,38,40	0
3	EDO	C	805	4/4	0.79	0.16	40,40,51,57	0
6	CCN	B	609	3/3	0.79	0.21	47,47,48,51	0
6	CCN	D	1403	3/3	0.80	0.19	43,43,50,52	0
6	CCN	A	409	3/3	0.80	0.20	44,44,47,47	0
2	GOL	C	816	6/6	0.81	0.23	53,59,66,73	0
5	DMS	C	819	4/4	0.81	0.28	64,66,73,79	0
4	6NA	D	1412	8/8	0.81	0.19	55,68,75,77	0
3	EDO	D	1414	4/4	0.82	0.17	35,40,42,43	0
3	EDO	D	1422	4/4	0.82	0.18	39,46,48,51	0
4	6NA	A	417	8/8	0.82	0.19	55,61,63,66	0
6	CCN	C	811	3/3	0.82	0.22	34,34,43,44	0
4	6NA	A	403	8/8	0.83	0.20	36,42,47,48	0
6	CCN	B	614	3/3	0.83	0.23	39,39,46,58	0
2	GOL	B	619	6/6	0.83	0.18	46,55,60,67	0
3	EDO	C	818	4/4	0.83	0.14	41,42,44,56	0
6	CCN	C	808	3/3	0.84	0.27	49,49,50,50	0
6	CCN	A	408	3/3	0.84	0.22	36,36,45,46	0
6	CCN	A	418	3/3	0.84	0.22	32,32,41,49	0
3	EDO	C	815	4/4	0.85	0.21	49,50,65,65	0
6	CCN	D	1419	3/3	0.85	0.18	39,39,43,49	0
3	EDO	C	803	4/4	0.85	0.15	52,54,61,67	0
3	EDO	A	405	4/4	0.85	0.16	41,50,52,58	0
3	EDO	B	606	4/4	0.85	0.16	51,55,56,62	0
3	EDO	B	601	4/4	0.85	0.18	38,40,49,61	0
8	SO4	A	419	5/5	0.86	0.10	55,58,69,69	0
3	EDO	B	624	4/4	0.86	0.15	38,39,41,42	0
2	GOL	C	814	6/6	0.86	0.14	42,42,52,56	0
2	GOL	D	1401	6/6	0.87	0.13	35,45,46,60	0

*Continued on next page...*

*Continued from previous page...*




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GOL	D	1410	6/6	0.88	0.14	48,49,58,63	0
3	EDO	B	603	4/4	0.88	0.15	37,45,46,47	0
3	EDO	D	1402	4/4	0.88	0.16	40,43,50,56	0
6	CCN	D	1408	3/3	0.88	0.18	26,26,40,41	0
3	EDO	D	1404	4/4	0.88	0.14	34,43,43,59	0
5	DMS	B	612	4/4	0.89	0.20	48,52,58,59	0
3	EDO	C	804	4/4	0.89	0.15	35,37,46,50	0
3	EDO	C	801	4/4	0.89	0.13	39,42,47,48	0
3	EDO	D	1406	4/4	0.89	0.18	37,40,54,63	0
8	SO4	A	420	5/5	0.89	0.09	56,56,70,84	0
3	EDO	B	602	4/4	0.90	0.15	31,37,41,45	0
2	GOL	C	809	6/6	0.90	0.15	31,40,46,46	6
2	GOL	C	802	6/6	0.90	0.14	29,36,39,43	0
3	EDO	A	404	4/4	0.90	0.16	42,45,46,59	0
3	EDO	D	1405	4/4	0.90	0.12	38,43,45,46	0
3	EDO	A	402	4/4	0.91	0.13	36,40,42,44	0
6	CCN	B	618	3/3	0.92	0.28	35,35,38,39	0
2	GOL	A	401	6/6	0.93	0.10	30,33,40,40	0
9	DIO	B	604	6/6	0.95	0.09	36,36,37,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around D8F A 416:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around D8F B 623:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around D8F D 1423:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around D8F C 817:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.