



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:25 PM UTC

PDB ID : 7F83 / pdb_00007f83
Title : Crystal Structure of a receptor in Complex with inverse agonist
Authors : Xu, Z.; Shao, Z.
Deposited on : 2021-07-01
Resolution : 2.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1159 (2.96-2.92)
Clashscore	190562	1184 (2.96-2.92)
Ramachandran outliers	187476	1131 (2.96-2.92)
Sidechain outliers	187428	1131 (2.96-2.92)
RSRZ outliers	180081	1159 (2.96-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	416	<div> <div>4%</div> <div> <div></div> <div>73%</div> <div>22%</div> <div>5%</div> </div> </div>
1	B	416	<div> <div>15%</div> <div> <div></div> <div>76%</div> <div>17%</div> <div>6%</div> </div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6227 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Growth hormone secretagogue receptor type 1, Soluble cytochrome b562.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	396	Total	C	N	O	S	0	0	0
			3158	2074	525	540	19			
1	B	389	Total	C	N	O	S	0	0	0
			2867	1879	479	492	17			

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	130	LYS	THR	engineered mutation	UNP Q92847
A	188	GLN	ASN	engineered mutation	UNP Q92847
A	1001	GLY	-	linker	UNP Q92847
A	1002	GLY	-	linker	UNP Q92847
A	1003	THR	-	linker	UNP Q92847
A	1004	THR	-	linker	UNP Q92847
A	1005	MET	-	linker	UNP Q92847
A	1012	TRP	MET	engineered mutation	UNP P0ABE7
A	1107	ILE	HIS	engineered mutation	UNP P0ABE7
A	1111	LEU	ARG	engineered mutation	UNP P0ABE7
A	343	GLU	-	expression tag	UNP Q92847
A	344	ASN	-	expression tag	UNP Q92847
A	345	LEU	-	expression tag	UNP Q92847
A	346	TYR	-	expression tag	UNP Q92847
A	347	PHE	-	expression tag	UNP Q92847
A	348	GLN	-	expression tag	UNP Q92847
B	130	LYS	THR	engineered mutation	UNP Q92847
B	188	GLN	ASN	engineered mutation	UNP Q92847
B	1001	GLY	-	linker	UNP Q92847
B	1002	GLY	-	linker	UNP Q92847
B	1003	THR	-	linker	UNP Q92847
B	1004	THR	-	linker	UNP Q92847
B	1005	MET	-	linker	UNP Q92847
B	1012	TRP	MET	engineered mutation	UNP P0ABE7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1107	ILE	HIS	engineered mutation	UNP P0ABE7
B	1111	LEU	ARG	engineered mutation	UNP P0ABE7
B	343	GLU	-	expression tag	UNP Q92847
B	344	ASN	-	expression tag	UNP Q92847
B	345	LEU	-	expression tag	UNP Q92847
B	346	TYR	-	expression tag	UNP Q92847
B	347	PHE	-	expression tag	UNP Q92847
B	348	GLN	-	expression tag	UNP Q92847


- Molecule 2 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: C₂₁H₄₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			18	14	4		
2	A	1	Total	C	O	0	0
			25	21	4		
2	B	1	Total	C	O	0	0
			19	15	4		
2	B	1	Total	C	O	0	0
			16	12	4		
2	B	1	Total	C	O	0	0
			25	21	4		
2	B	1	Total	C	O	0	0
			25	21	4		

- Molecule 3 is 2-(2-methylimidazo[2,1-b][1,3]thiazol-6-yl)-1-[2-[(1R)-5-(6-methylpyrimidin

-4-yl)-2,3-dihydro-1H-inden-1-yl]-2,7-diazaspiro[3.5]nonan-7-yl]ethanone (CCD ID: 1KQ)
(formula: C₂₉H₃₂N₆OS).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			37	29	6	1	1		
3	B	1	Total	C	N	O	S	0	0
			37	29	6	1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Growth hormone secretagogue receptor type 1, Soluble cytochrome b562



- Molecule 1: Growth hormone secretagogue receptor type 1, Soluble cytochrome b562



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	84.71Å 58.68Å 119.24Å 90.00° 90.60° 90.00°	Depositor
Resolution (Å)	39.78 – 2.94 39.78 – 2.94	Depositor EDS
% Data completeness (in resolution range)	100.0 (39.78-2.94) 99.9 (39.78-2.94)	Depositor EDS
R_{merge}	0.66	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.44 (at 2.95Å)	Xtriage
Refinement program	PHENIX 1.19.2-4158	Depositor
R, R_{free}	0.227 , 0.265 0.234 , 0.272	Depositor DCC
R_{free} test set	1239 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	66.4	Xtriage
Anisotropy	0.070	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 62.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.024 for h,-k,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6227	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 19.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 1KQ, OLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/3229	0.59	1/4377 (0.0%)
1	B	0.29	0/2930	0.58	5/3998 (0.1%)
All	All	0.30	0/6159	0.59	6/8375 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	73	GLU	CA-CB-CG	-6.71	100.69	114.10
1	B	1012	TRP	CA-C-N	5.94	128.83	120.28
1	B	1012	TRP	C-N-CA	5.94	128.83	120.28
1	B	1013	GLU	CB-CG-CD	5.79	122.44	112.60
1	B	150	ARG	NE-CZ-NH1	-5.55	115.95	121.50
1	B	150	ARG	CG-CD-NE	5.12	123.26	112.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	197	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3158	0	3245	58	0
1	B	2867	0	2745	42	0
2	A	43	0	63	0	0
2	B	85	0	126	4	0
3	A	37	0	0	0	0
3	B	37	0	0	0	0
All	All	6227	0	6179	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:ARG:O	1:A:1002:GLY:N	2.17	0.77
1:A:117:LYS:NZ	1:A:182:VAL:O	2.22	0.73
1:B:145:ILE:HD12	1:B:235:ILE:HD12	1.72	0.71
1:A:181:LEU:HB2	1:A:204:ALA:HB2	1.77	0.66
1:A:146:CYS:HA	1:A:238:LYS:HE3	1.79	0.65
1:A:340:PHE:HB3	2:B:1204:OLC:H24A	1.81	0.62
1:A:1050:PRO:HD2	1:A:1063:MET:HE1	1.82	0.61
1:B:202:GLU:CD	1:B:206:ARG:HD3	2.26	0.60
1:A:1004:THR:HG23	1:A:1007:ASP:H	1.67	0.60
1:A:1053:LEU:HD12	1:A:1056:LYS:HG3	1.84	0.59
1:B:35:LEU:HD23	1:B:195:THR:HG21	1.85	0.59
1:B:132:LEU:HB2	1:B:167:ILE:HG23	1.86	0.58
1:A:254:ARG:O	1:A:256:GLN:NE2	2.37	0.58
1:A:1106:TYR:HB2	1:A:1107:ILE:HD12	1.84	0.58
1:B:99:ASP:OD2	1:B:313:TYR:OH	2.22	0.58
1:A:1096:ALA:HA	1:A:1099:LEU:HD13	1.86	0.57
1:B:100:LEU:HB3	2:B:1204:OLC:H7A	1.87	0.56
1:A:243:ARG:NH2	1:A:1054:GLU:HG2	2.20	0.56
1:A:1078:ASP:O	1:A:1082:LYS:HG3	2.06	0.55
1:A:177:PRO:HG2	1:A:213:MET:HE3	1.89	0.55
1:B:70:ARG:NH1	1:B:337:LEU:O	2.40	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1103:ARG:HA	1:A:1107:ILE:HD13	1.90	0.54
1:A:1051:PRO:HA	1:A:1054:GLU:HG3	1.90	0.54
1:A:243:ARG:NH2	1:A:1049:THR:HB	2.22	0.53
1:A:124:GLU:HG3	1:A:178:ILE:HG13	1.89	0.53
1:A:1027:ASN:HB3	1:A:1030:GLN:HB2	1.91	0.53
1:A:1089:VAL:O	1:A:1093:GLN:HG3	2.08	0.52
1:A:129:ALA:O	1:A:133:THR:HG22	2.09	0.52
1:A:1083:LEU:HD13	1:A:1091:GLU:HB3	1.92	0.52
1:A:106:TYR:O	1:A:108:PRO:HD3	2.10	0.51
1:B:77:THR:HG22	1:B:81:TYR:CE2	2.45	0.51
1:A:202:GLU:HG2	1:A:206:ARG:HD3	1.91	0.51
1:A:221:PHE:O	1:A:224:PRO:HD2	2.10	0.51
1:B:233:SER:O	1:B:237:ARG:HG2	2.11	0.51
1:A:1005:MET:HE2	1:A:1051:PRO:HG3	1.93	0.51
1:B:1060:SER:OG	1:B:1061:PRO:HD3	2.10	0.51
1:A:178:ILE:O	1:A:182:VAL:HG22	2.11	0.51
1:A:267:VAL:HG12	1:A:322:LEU:HD13	1.94	0.50
1:B:142:TYR:HA	1:B:235:ILE:HD11	1.93	0.50
1:A:57:GLY:HA3	1:A:93:PHE:CE2	2.46	0.50
1:A:235:ILE:HG21	1:A:262:VAL:HG21	1.94	0.50
1:B:81:TYR:OH	1:B:163:VAL:HG21	2.13	0.48
1:B:261:THR:O	1:B:265:LEU:HG	2.13	0.48
1:A:118:LEU:O	1:A:121:PHE:HB3	2.14	0.48
1:B:130:LYS:HD2	1:B:272:PHE:CE1	2.49	0.48
1:B:293:GLY:O	1:B:297:ILE:HG12	2.13	0.48
1:B:72:ARG:HA	1:B:75:ARG:HH11	1.79	0.48
1:B:297:ILE:HA	1:B:300:ILE:HD12	1.96	0.47
1:A:1088:LYS:HB3	1:A:1091:GLU:HB2	1.96	0.47
1:A:277:LEU:HB3	1:A:278:PRO:HD3	1.97	0.47
1:A:286:PHE:HZ	1:A:300:ILE:HG22	1.79	0.47
1:A:1004:THR:HG22	1:A:1007:ASP:OD2	2.14	0.47
1:A:1018:ASN:C	1:A:1038:MET:HE2	2.40	0.47
1:B:145:ILE:HG12	1:B:258:HIS:HD1	1.79	0.47
1:B:82:LEU:HD23	1:B:85:MET:HE2	1.97	0.47
1:A:1072:ILE:O	1:A:1076:GLN:HG3	2.16	0.46
1:A:1047:LYS:HE3	1:A:1047:LYS:HB2	1.56	0.46
1:A:1096:ALA:O	1:A:1099:LEU:HB2	2.15	0.46
1:B:99:ASP:HB3	1:B:309:PHE:CE2	2.51	0.45
1:B:113:ASP:O	1:B:116:CYS:HB3	2.17	0.45
1:A:1010:ASP:O	1:A:1014:THR:HG23	2.17	0.45
1:A:82:LEU:HD23	1:A:85:MET:HE3	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:68:VAL:HG21	1:A:83:SER:HB2	1.99	0.44
1:B:40:ALA:N	1:B:41:PRO:HD2	2.32	0.44
1:B:130:LYS:HD2	1:B:272:PHE:HE1	1.83	0.44
1:B:47:THR:HG23	1:B:100:LEU:HD22	1.99	0.44
1:B:321:ILE:O	1:B:325:ILE:HG12	2.16	0.44
1:B:331:ARG:O	1:B:334:VAL:HG22	2.18	0.44
1:B:63:LEU:HA	1:B:63:LEU:HD23	1.69	0.44
1:A:1029:ALA:HA	1:A:1032:LYS:HE2	1.99	0.44
1:B:329:LYS:N	1:B:329:LYS:HD3	2.33	0.44
2:B:1203:OLC:H2A	2:B:1203:OLC:H21A	1.80	0.44
1:B:118:LEU:O	1:B:121:PHE:HB3	2.19	0.43
1:A:73:GLU:CD	1:A:73:GLU:H	2.26	0.43
1:B:116:CYS:O	1:B:117:LYS:C	2.61	0.43
1:A:1017:ASP:HA	1:A:1020:LYS:HE2	2.00	0.42
1:A:298:ALA:O	1:A:302:GLN:HG3	2.19	0.42
1:A:142:TYR:HA	1:A:235:ILE:HD11	2.00	0.42
1:B:1057:SER:HB3	1:B:1061:PRO:HD2	2.00	0.42
1:A:93:PHE:HZ	1:A:317:ALA:HB2	1.83	0.42
1:B:240:TRP:CH2	1:B:259:LYS:HD2	2.54	0.42
1:B:221:PHE:O	1:B:224:PRO:HD2	2.19	0.42
1:A:1034:ALA:O	1:A:1038:MET:HG3	2.20	0.42
1:A:1070:PHE:O	1:A:1074:VAL:HG23	2.20	0.41
1:B:304:CYS:O	1:B:307:VAL:HG22	2.19	0.41
1:B:290:PHE:HD2	1:B:291:GLU:HG3	1.85	0.41
1:A:62:LEU:HD23	1:A:62:LEU:HA	1.77	0.41
1:A:78:THR:CG2	1:A:141:ARG:HH11	2.32	0.41
1:B:181:LEU:HD21	1:B:209:LEU:HB3	2.02	0.41
2:B:1203:OLC:H2A	2:B:1203:OLC:H5	1.72	0.41
1:B:122:VAL:O	1:B:123:SER:C	2.62	0.41
1:B:145:ILE:HG12	1:B:258:HIS:ND1	2.36	0.41
1:A:132:LEU:HB2	1:A:167:ILE:HG23	2.03	0.41
1:B:38:PHE:CZ	1:B:302:GLN:HB3	2.56	0.41
1:B:43:LEU:HB3	1:B:104:TRP:CZ2	2.55	0.41
1:B:209:LEU:O	1:B:212:VAL:HG22	2.21	0.41
1:A:1011:ASN:CB	1:A:1045:ALA:HB2	2.51	0.41
1:A:159:ARG:O	1:A:163:VAL:HG23	2.21	0.40
1:A:240:TRP:HA	1:A:1004:THR:OG1	2.21	0.40
1:A:78:THR:O	1:A:82:LEU:HG	2.22	0.40
1:A:274:LEU:HD23	1:A:274:LEU:HA	1.88	0.40
1:B:322:LEU:O	1:B:326:MET:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	386/416 (93%)	373 (97%)	13 (3%)	0	100	100
1	B	377/416 (91%)	362 (96%)	15 (4%)	0	100	100
All	All	763/832 (92%)	735 (96%)	28 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	341/361 (94%)	341 (100%)	0	100	100
1	B	274/361 (76%)	274 (100%)	0	100	100
All	All	615/722 (85%)	615 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	36	GLN
1	A	1085	ASN
1	A	1093	GLN
1	B	1011	ASN
1	B	302	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	OLC	A	1202	-	24,24,24	0.91	1 (4%)	25,25,25	0.99	1 (4%)
2	OLC	A	1201	-	17,17,24	0.95	1 (5%)	18,18,25	1.18	1 (5%)
2	OLC	B	1202	-	15,15,24	1.04	1 (6%)	16,16,25	1.13	1 (6%)
3	1KQ	A	1203	-	43,43,43	5.95	14 (32%)	47,65,65	1.96	14 (29%)
2	OLC	B	1201	-	18,18,24	1.01	2 (11%)	19,19,25	0.92	1 (5%)
3	1KQ	B	1205	-	43,43,43	6.17	14 (32%)	47,65,65	1.94	14 (29%)
2	OLC	B	1203	-	24,24,24	0.84	2 (8%)	25,25,25	0.94	1 (4%)
2	OLC	B	1204	-	24,24,24	0.80	2 (8%)	25,25,25	1.08	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OLC	A	1202	-	-	8/24/24/24	-
2	OLC	A	1201	-	-	5/17/17/24	-
2	OLC	B	1202	-	-	9/15/15/24	-
3	1KQ	A	1203	-	-	0/12/47/47	0/7/7/7
2	OLC	B	1201	-	-	8/18/18/24	-
3	1KQ	B	1205	-	-	0/12/47/47	0/7/7/7
2	OLC	B	1203	-	-	12/24/24/24	-
2	OLC	B	1204	-	-	13/24/24/24	-

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1205	1KQ	C16-N17	-32.20	1.10	1.48
3	A	1203	1KQ	C16-N17	-30.97	1.12	1.48
3	B	1205	1KQ	C20-C19	-13.07	1.42	1.54
3	B	1205	1KQ	C18-C19	-12.30	1.43	1.54
3	A	1203	1KQ	C20-C19	-12.28	1.43	1.54
3	A	1203	1KQ	C18-C19	-12.13	1.43	1.54
3	B	1205	1KQ	C18-N17	-7.46	1.42	1.49
3	A	1203	1KQ	C18-N17	-7.06	1.43	1.49
3	A	1203	1KQ	C26-N23	6.87	1.48	1.35
3	B	1205	1KQ	C20-N17	-6.65	1.43	1.49
3	B	1205	1KQ	C31-N32	-6.25	1.31	1.39
3	B	1205	1KQ	C08-C06	-6.19	1.39	1.49
3	B	1205	1KQ	C26-N23	5.78	1.46	1.35
3	A	1203	1KQ	C31-N32	-5.67	1.31	1.39
3	A	1203	1KQ	C20-N17	-5.61	1.44	1.49
3	A	1203	1KQ	C08-C06	-5.55	1.40	1.49
3	A	1203	1KQ	C29-N30	-3.04	1.32	1.38
3	B	1205	1KQ	C14-C12	2.93	1.55	1.51
3	A	1203	1KQ	C11-C16	2.85	1.54	1.51
3	B	1205	1KQ	C29-N30	-2.84	1.33	1.38
2	B	1202	OLC	O20-C1	2.81	1.41	1.33
2	A	1202	OLC	O20-C1	2.78	1.41	1.33
3	A	1203	1KQ	C34-C35	2.69	1.38	1.34
2	B	1201	OLC	O20-C1	2.63	1.41	1.33
2	B	1203	OLC	O20-C1	2.56	1.40	1.33
2	A	1201	OLC	O20-C1	2.52	1.40	1.33
3	B	1205	1KQ	C11-C16	2.46	1.54	1.51
2	B	1204	OLC	O20-C1	2.45	1.40	1.33
3	A	1203	1KQ	C14-C12	2.39	1.54	1.51
3	B	1205	1KQ	C34-C35	2.28	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1203	1KQ	C22-N23	2.26	1.51	1.47
2	B	1204	OLC	O20-C21	-2.17	1.40	1.45
2	B	1203	OLC	O20-C21	-2.14	1.40	1.45
2	B	1201	OLC	O20-C21	-2.09	1.40	1.45
3	A	1203	1KQ	C24-N23	2.03	1.50	1.47
3	B	1205	1KQ	C22-N23	2.01	1.50	1.47
3	B	1205	1KQ	C25-C19	-2.00	1.48	1.53

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1203	1KQ	C33-C29-N30	-4.53	106.77	110.65
3	A	1203	1KQ	N05-C04-N03	-4.48	121.81	128.58
3	B	1205	1KQ	N05-C04-N03	-4.42	121.89	128.58
3	A	1203	1KQ	C28-C29-N30	4.26	125.30	118.15
3	B	1205	1KQ	C28-C29-N30	4.06	124.97	118.15
3	B	1205	1KQ	C35-C34-N32	3.57	115.14	107.48
3	B	1205	1KQ	C33-C29-N30	-3.39	107.75	110.65
2	A	1202	OLC	O20-C1-C2	3.33	122.00	111.83
3	B	1205	1KQ	N32-C31-N30	-3.25	110.68	113.60
3	B	1205	1KQ	C34-C35-S36	-3.07	105.70	109.31
2	A	1201	OLC	O20-C1-C2	3.07	121.19	111.83
2	B	1202	OLC	O20-C1-C2	3.04	121.10	111.83
3	B	1205	1KQ	C09-C08-C06	-3.04	116.48	121.28
3	B	1205	1KQ	S36-C31-N30	3.01	142.57	138.09
3	A	1203	1KQ	C04-N05-C06	3.00	120.07	115.89
3	A	1203	1KQ	C35-C34-N32	2.99	113.90	107.48
3	A	1203	1KQ	C15-C14-C12	2.96	106.17	103.27
3	B	1205	1KQ	C15-C14-C12	2.96	106.17	103.27
3	A	1203	1KQ	C09-C08-C06	-2.91	116.67	121.28
3	A	1203	1KQ	N32-C31-N30	-2.89	111.00	113.60
2	B	1201	OLC	O20-C1-C2	2.80	120.38	111.83
3	B	1205	1KQ	C07-C02-N03	-2.80	118.87	121.61
2	B	1203	OLC	O20-C1-C2	2.75	120.21	111.83
3	A	1203	1KQ	S36-C31-N30	2.68	142.08	138.09
3	A	1203	1KQ	C07-C02-N03	-2.60	119.07	121.61
2	B	1204	OLC	O20-C1-C2	2.49	119.42	111.83
3	B	1205	1KQ	C04-N05-C06	2.39	119.22	115.89
3	A	1203	1KQ	C31-N30-C29	2.28	108.10	104.97
3	A	1203	1KQ	C34-N32-C31	2.22	117.78	109.09
3	B	1205	1KQ	C34-N32-C31	2.15	117.53	109.09
3	B	1205	1KQ	C07-C06-C08	-2.12	118.94	121.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1203	1KQ	C34-C35-S36	-2.09	106.85	109.31
3	B	1205	1KQ	S36-C31-N32	-2.08	106.74	110.57
3	A	1203	1KQ	C14-C12-C11	-2.05	108.59	110.69

There are no chirality outliers.

All (55) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1201	OLC	O20-C21-C22-O23
2	B	1201	OLC	O20-C21-C22-C24
2	B	1203	OLC	O19-C1-O20-C21
2	B	1203	OLC	C2-C1-O20-C21
2	A	1202	OLC	O19-C1-O20-C21
2	A	1202	OLC	C2-C1-O20-C21
2	B	1204	OLC	C2-C1-O20-C21
2	B	1204	OLC	O19-C1-O20-C21
2	B	1202	OLC	C2-C1-O20-C21
2	B	1203	OLC	C13-C14-C15-C16
2	B	1201	OLC	O20-C21-C22-O23
2	B	1203	OLC	O20-C21-C22-O23
2	B	1202	OLC	O19-C1-O20-C21
2	B	1202	OLC	C1-C2-C3-C4
2	B	1204	OLC	C1-C2-C3-C4
2	B	1202	OLC	O20-C21-C22-O23
2	B	1204	OLC	O20-C21-C22-O23
2	B	1202	OLC	O20-C21-C22-C24
2	B	1203	OLC	O20-C21-C22-C24
2	B	1204	OLC	O20-C21-C22-C24
2	B	1204	OLC	C21-C22-C24-O25
2	B	1204	OLC	C11-C12-C13-C14
2	B	1204	OLC	C3-C4-C5-C6
2	B	1204	OLC	C5-C6-C7-C8
2	B	1201	OLC	C5-C6-C7-C8
2	B	1203	OLC	C6-C7-C8-C9
2	A	1202	OLC	C5-C6-C7-C8
2	B	1204	OLC	O23-C22-C24-O25
2	B	1203	OLC	C5-C6-C7-C8
2	B	1203	OLC	C11-C12-C13-C14
2	B	1202	OLC	C3-C4-C5-C6
2	A	1201	OLC	C2-C3-C4-C5
2	B	1204	OLC	C4-C5-C6-C7
2	A	1202	OLC	C6-C7-C8-C9

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
2	B	1203	OLC	C14-C15-C16-C17
2	B	1202	OLC	C4-C5-C6-C7
2	B	1203	OLC	C2-C3-C4-C5
2	B	1201	OLC	C7-C8-C9-C10
2	B	1202	OLC	C5-C6-C7-C8
2	A	1201	OLC	O20-C21-C22-C24
2	A	1202	OLC	O23-C22-C24-O25
2	B	1202	OLC	O23-C22-C24-O25
2	A	1202	OLC	C21-C22-C24-O25
2	A	1201	OLC	C5-C6-C7-C8
2	B	1201	OLC	C9-C10-C11-C12
2	B	1204	OLC	C2-C3-C4-C5
2	B	1204	OLC	C7-C8-C9-C10
2	A	1202	OLC	C10-C11-C12-C13
2	B	1201	OLC	O23-C22-C24-O25
2	B	1203	OLC	C9-C10-C11-C12
2	A	1201	OLC	C7-C8-C9-C10
2	B	1203	OLC	C3-C4-C5-C6
2	B	1201	OLC	O19-C1-O20-C21
2	B	1201	OLC	C2-C1-O20-C21
2	A	1202	OLC	C11-C12-C13-C14


There are no ring outliers.


2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1203	OLC	2	0
2	B	1204	OLC	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	396/416 (95%)	0.12	15 (3%) 44 36	28, 52, 106, 131	0
1	B	389/416 (93%)	0.77	63 (16%) 4 4	38, 69, 214, 235	0
All	All	785/832 (94%)	0.44	78 (9%) 13 12	28, 62, 198, 235	0

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	293	GLY	5.3
1	B	35	LEU	5.0
1	B	1110	TYR	4.9
1	B	1111	LEU	4.5
1	B	1106	TYR	4.0
1	B	1068	HIS	3.9
1	B	1102	THR	3.8
1	B	1101	THR	3.6
1	B	1066	PHE	3.5
1	B	1075	GLY	3.4
1	B	37	LEU	3.4
1	B	1027	ASN	3.2
1	B	106	TYR	3.2
1	B	1072	ILE	3.2
1	A	1105	ALA	3.2
1	B	1020	LYS	3.0
1	B	1071	ASP	3.0
1	B	1096	ALA	3.0
1	B	295	LEU	3.0
1	A	1028	ALA	3.0
1	A	255	ASP	2.9
1	B	1074	VAL	2.9
1	B	287	SER	2.9
1	A	35	LEU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	1092	ALA	2.8
1	A	151	ALA	2.7
1	A	73	GLU	2.7
1	B	1091	GLU	2.7
1	B	1023	GLU	2.7
1	B	1095	ALA	2.6
1	A	254	ARG	2.6
1	B	1086	GLU	2.6
1	A	292	PRO	2.6
1	B	1051	PRO	2.6
1	B	1104	ASN	2.6
1	B	1017	ASP	2.6
1	B	339	GLY	2.6
1	B	1026	ASP	2.6
1	B	1031	VAL	2.5
1	A	198	CYS	2.5
1	B	1083	LEU	2.5
1	B	1079	ASP	2.5
1	A	1029	ALA	2.5
1	A	243	ARG	2.5
1	A	1111	LEU	2.4
1	B	73	GLU	2.4
1	B	186	HIS	2.4
1	B	208	GLY	2.4
1	B	156	THR	2.4
1	B	1093	GLN	2.3
1	B	1042	ALA	2.3
1	B	1030	GLN	2.3
1	B	1099	LEU	2.3
1	B	242	ARG	2.3
1	B	1105	ALA	2.3
1	B	202	GLU	2.2
1	B	1065	ASP	2.2
1	B	1046	GLN	2.2
1	B	1035	LEU	2.2
1	B	1100	LYS	2.2
1	B	195	THR	2.2
1	B	294	SER	2.2
1	B	1064	LYS	2.2
1	B	1060	SER	2.2
1	B	1013	GLU	2.2
1	B	1080	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	193	TRP	2.1
1	B	1022	ILE	2.1
1	A	156	THR	2.1
1	B	290	PHE	2.1
1	B	1028	ALA	2.1
1	B	1034	ALA	2.1
1	B	1094	ALA	2.1
1	B	256	GLN	2.1
1	B	1036	THR	2.1
1	B	1078	ASP	2.1
1	B	1019	LEU	2.0
1	B	1018	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	OLC	A	1201	18/25	0.82	0.19	38,61,78,86	0
2	OLC	B	1203	25/25	0.82	0.14	51,70,95,102	0
2	OLC	B	1201	19/25	0.86	0.14	35,56,79,82	0
2	OLC	B	1202	16/25	0.88	0.15	46,69,84,87	0
2	OLC	A	1202	25/25	0.89	0.15	34,59,72,76	0
2	OLC	B	1204	25/25	0.89	0.14	45,59,78,85	0
3	1KQ	A	1203	37/37	0.93	0.11	22,41,52,58	0
3	1KQ	B	1205	37/37	0.93	0.11	37,52,63,67	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers



as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around OLC A 1201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC B 1203:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around OLC B 1201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)


**Electron density around OLC B 1202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around OLC A 1202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC B 1204:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 1KQ A 1203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 1KQ B 1205:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.