



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 01:47 PM UTC

PDB ID : 7FQH / pdb_00007fqh
Title : Crystal Structure of human Legumain in complex with (2S)-N-[(3S)-5-amino-5-oxopent-1-yn-3-yl]-1-[1-[4-(cyclopropylmethoxy)phenyl]cyclopropanecarbon
yl]pyrrolidine-2-carboxamide
Authors : Ehler, A.; Benz, J.; Bartels, B.; Hewings-David, S.; Rudolph, M.G.
Deposited on : 2022-10-05
Resolution : 2.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8975 (2.20-2.16)
Clashscore	190562	9786 (2.20-2.16)
Ramachandran outliers	187476	9664 (2.20-2.16)
Sidechain outliers	187428	9664 (2.20-2.16)
RSRZ outliers	180081	8979 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	444	<div> <div>2%</div> <div>54%</div> <div>5%</div> <div>41%</div> </div>
1	B	444	<div> <div>5%</div> <div>53%</div> <div>6%</div> <div>41%</div> </div>
1	D	444	<div> <div>37%</div> <div>57%</div> <div>.</div> <div>42%</div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6505 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Legumain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	262	Total	C	N	O	S	0	1	0
			2112	1337	357	403	15			
1	B	261	Total	C	N	O	S	0	0	0
			2094	1323	355	401	15			
1	D	259	Total	C	N	O	S	0	0	0
			2082	1316	353	399	14			

There are 90 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	initiating methionine	UNP Q99538
A	1	LYS	-	expression tag	UNP Q99538
A	2	LEU	-	expression tag	UNP Q99538
A	3	CYS	-	expression tag	UNP Q99538
A	4	ILE	-	expression tag	UNP Q99538
A	5	LEU	-	expression tag	UNP Q99538
A	6	LEU	-	expression tag	UNP Q99538
A	7	ALA	-	expression tag	UNP Q99538
A	8	VAL	-	expression tag	UNP Q99538
A	9	VAL	-	expression tag	UNP Q99538
A	10	ALA	-	expression tag	UNP Q99538
A	11	PHE	-	expression tag	UNP Q99538
A	12	VAL	-	expression tag	UNP Q99538
A	13	GLY	-	expression tag	UNP Q99538
A	14	LEU	-	expression tag	UNP Q99538
A	15	SER	-	expression tag	UNP Q99538
A	16	LEU	-	expression tag	UNP Q99538
A	17	GLY	-	expression tag	UNP Q99538
A	147	SNN	ASP	conflict	UNP Q99538
A	272	GLN	ASN	conflict	UNP Q99538
A	434	VAL	-	expression tag	UNP Q99538
A	435	ASP	-	expression tag	UNP Q99538
A	436	HIS	-	expression tag	UNP Q99538

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	437	HIS	-	expression tag	UNP Q99538
A	438	HIS	-	expression tag	UNP Q99538
A	439	HIS	-	expression tag	UNP Q99538
A	440	HIS	-	expression tag	UNP Q99538
A	441	HIS	-	expression tag	UNP Q99538
A	442	HIS	-	expression tag	UNP Q99538
A	443	HIS	-	expression tag	UNP Q99538
B	0	MET	-	initiating methionine	UNP Q99538
B	1	LYS	-	expression tag	UNP Q99538
B	2	LEU	-	expression tag	UNP Q99538
B	3	CYS	-	expression tag	UNP Q99538
B	4	ILE	-	expression tag	UNP Q99538
B	5	LEU	-	expression tag	UNP Q99538
B	6	LEU	-	expression tag	UNP Q99538
B	7	ALA	-	expression tag	UNP Q99538
B	8	VAL	-	expression tag	UNP Q99538
B	9	VAL	-	expression tag	UNP Q99538
B	10	ALA	-	expression tag	UNP Q99538
B	11	PHE	-	expression tag	UNP Q99538
B	12	VAL	-	expression tag	UNP Q99538
B	13	GLY	-	expression tag	UNP Q99538
B	14	LEU	-	expression tag	UNP Q99538
B	15	SER	-	expression tag	UNP Q99538
B	16	LEU	-	expression tag	UNP Q99538
B	17	GLY	-	expression tag	UNP Q99538
B	147	SNN	ASP	conflict	UNP Q99538
B	272	GLN	ASN	conflict	UNP Q99538
B	434	VAL	-	expression tag	UNP Q99538
B	435	ASP	-	expression tag	UNP Q99538
B	436	HIS	-	expression tag	UNP Q99538
B	437	HIS	-	expression tag	UNP Q99538
B	438	HIS	-	expression tag	UNP Q99538
B	439	HIS	-	expression tag	UNP Q99538
B	440	HIS	-	expression tag	UNP Q99538
B	441	HIS	-	expression tag	UNP Q99538
B	442	HIS	-	expression tag	UNP Q99538
B	443	HIS	-	expression tag	UNP Q99538
D	0	MET	-	initiating methionine	UNP Q99538
D	1	LYS	-	expression tag	UNP Q99538
D	2	LEU	-	expression tag	UNP Q99538
D	3	CYS	-	expression tag	UNP Q99538
D	4	ILE	-	expression tag	UNP Q99538

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	5	LEU	-	expression tag	UNP Q99538
D	6	LEU	-	expression tag	UNP Q99538
D	7	ALA	-	expression tag	UNP Q99538
D	8	VAL	-	expression tag	UNP Q99538
D	9	VAL	-	expression tag	UNP Q99538
D	10	ALA	-	expression tag	UNP Q99538
D	11	PHE	-	expression tag	UNP Q99538
D	12	VAL	-	expression tag	UNP Q99538
D	13	GLY	-	expression tag	UNP Q99538
D	14	LEU	-	expression tag	UNP Q99538
D	15	SER	-	expression tag	UNP Q99538
D	16	LEU	-	expression tag	UNP Q99538
D	17	GLY	-	expression tag	UNP Q99538
D	147	SNN	ASP	conflict	UNP Q99538
D	272	GLN	ASN	conflict	UNP Q99538
D	434	VAL	-	expression tag	UNP Q99538
D	435	ASP	-	expression tag	UNP Q99538
D	436	HIS	-	expression tag	UNP Q99538
D	437	HIS	-	expression tag	UNP Q99538
D	438	HIS	-	expression tag	UNP Q99538
D	439	HIS	-	expression tag	UNP Q99538
D	440	HIS	-	expression tag	UNP Q99538
D	441	HIS	-	expression tag	UNP Q99538
D	442	HIS	-	expression tag	UNP Q99538
D	443	HIS	-	expression tag	UNP Q99538

- Molecule 2 is N-[(3S)-5-amino-5-oxopent-1-en-3-yl]-1-{1-[4-(cyclopropylmethoxy)phenyl]cyclopropane-1-carbonyl}-L-prolinamide (CCD ID: WR9) (formula: C₂₄H₃₁N₃O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			31	24	3	4		
2	B	1	Total	C	N	O	0	0
			31	24	3	4		
2	D	1	Total	C	N	O	0	0
			31	24	3	4		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	43	Total	O	0	0
			43	43		
5	B	45	Total	O	0	0
			45	45		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Legumain




• Molecule 1: Legumain



• Molecule 1: Legumain





4 Data and refinement statistics

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants a, b, c, α , β , γ	117.80Å 117.80Å 102.81Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	51.46 – 2.18 51.46 – 2.18	Depositor EDS
% Data completeness (in resolution range)	65.1 (51.46-2.18) 65.5 (51.46-2.18)	Depositor EDS
R_{merge}	0.24	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.65 (at 2.18Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.223 , 0.272 0.225 , 0.272	Depositor DCC
R_{free} test set	1465 reflections (3.35%)	wwPDB-VP
Wilson B-factor (Å ²)	34.6	Xtriage
Anisotropy	0.103	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 37.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.017 for -h,-k,l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	6505	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, WR9, NAG, SNN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.97	0/2165	1.33	1/2936 (0.0%)
1	B	0.99	0/2143	1.35	0/2907
1	D	0.99	0/2131	1.35	0/2892
All	All	0.98	0/6439	1.34	1/8735 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	48	ASP	CA-CB-CG	6.20	118.80	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2112	0	1993	11	0
1	B	2094	0	1971	14	0
1	D	2082	0	1960	0	0
2	A	31	0	0	0	0
2	B	31	0	0	0	0
2	D	31	0	0	0	0
3	A	4	0	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	4	0	6	0	0
4	A	14	0	13	1	0
4	B	14	0	13	0	0
5	A	43	0	0	0	0
5	B	45	0	0	1	0
All	All	6505	0	5962	25	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (25) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:186:ILE:HD11	1:B:195:MET:HE3	1.87	0.56
1:A:199:PRO:HD3	4:A:503:NAG:O3	2.10	0.52
1:B:183:VAL:HA	1:B:205:TYR:O	2.10	0.51
1:B:90:PRO:HD3	1:B:220:TYR:CG	2.45	0.51
1:A:198:LEU:HD21	1:A:204:VAL:HG12	1.95	0.48
1:B:89:ARG:HA	1:B:220:TYR:CD2	2.50	0.47
1:A:141:VAL:O	1:A:182:MET:HA	2.15	0.46
1:B:118:ARG:HD3	5:B:620:HOH:O	2.16	0.46
1:B:70:MET:O	1:B:104:THR:HA	2.16	0.45
1:A:186:ILE:HD11	1:A:195:MET:HE3	1.98	0.45
1:B:184:PHE:O	1:B:206:ALA:HA	2.17	0.45
1:A:70:MET:O	1:A:104:THR:HA	2.17	0.44
1:B:140:HIS:CE1	1:B:282:GLN:HG3	2.53	0.44
1:A:145:PHE:CD1	1:A:145:PHE:C	2.96	0.43
1:A:210:ALA:HB1	1:A:214:GLU:HG3	1.99	0.43
1:A:178:MET:HE2	1:A:178:MET:HB3	1.91	0.43
1:B:31:VAL:HA	1:B:142:PHE:O	2.19	0.42
1:B:40:TRP:O	1:B:43:TYR:HB2	2.19	0.42
1:A:181:LYS:HD2	1:A:275:ILE:HG12	2.01	0.42
1:A:187:GLU:O	1:A:188:ALA:HB2	2.21	0.41
1:B:178:MET:HE2	1:B:178:MET:HB3	1.85	0.41
1:B:278:MET:HE2	1:B:282:GLN:HG2	2.02	0.41
1:B:56:ILE:HG23	1:B:61:ILE:HD12	2.03	0.40
1:A:40:TRP:O	1:A:43:TYR:HB2	2.21	0.40
1:B:75:ALA:HB2	1:B:96:TYR:CD1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	260/444 (59%)	250 (96%)	10 (4%)	0	100	100
1	B	258/444 (58%)	253 (98%)	5 (2%)	0	100	100
1	D	256/444 (58%)	237 (93%)	18 (7%)	1 (0%)	30	31
All	All	774/1332 (58%)	740 (96%)	33 (4%)	1 (0%)	48	55

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	94	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	229/396 (58%)	228 (100%)	1 (0%)	84	91
1	B	227/396 (57%)	224 (99%)	3 (1%)	61	74
1	D	226/396 (57%)	222 (98%)	4 (2%)	51	65
All	All	682/1188 (57%)	674 (99%)	8 (1%)	63	75

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	274	THR
1	B	146	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	282	GLN
1	B	286	MET
1	D	74	ILE
1	D	109	THR
1	D	117	LEU
1	D	237	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	138	GLN
1	A	162	HIS
1	A	254	GLN
1	A	282	GLN
1	A	284	GLN
1	B	162	HIS
1	B	176	HIS
1	B	254	GLN
1	B	269	GLN
1	B	282	GLN
1	B	284	GLN
1	D	46	GLN
1	D	59	ASN
1	D	197	HIS
1	D	211	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	SNN	A	147	1	5,6,8	1.03	0	1,6,11	2.76	1 (100%)
1	SNN	B	147	1	5,6,8	0.99	0	1,6,11	2.77	1 (100%)
1	SNN	D	147	1	5,6,8	0.65	0	1,6,11	0.86	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SNN	A	147	1	-	3/3/5/12	-
1	SNN	B	147	1	-	3/3/5/12	-
1	SNN	D	147	1	-	3/3/5/12	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	147	SNN	O5-C5-C4	-2.77	117.31	125.38
1	A	147	SNN	O5-C5-C4	-2.76	117.36	125.38

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	147	SNN	O-C-CA-C4
1	A	147	SNN	C5-C4-CA-N
1	B	147	SNN	O-C-CA-C4
1	B	147	SNN	C5-C4-CA-N
1	D	147	SNN	O-C-CA-C4
1	D	147	SNN	C5-C4-CA-N
1	D	147	SNN	CA-C4-C5-O5
1	A	147	SNN	CA-C4-C5-O5
1	B	147	SNN	CA-C4-C5-O5

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EDO	B	503	-	3,3,3	0.11	0	2,2,2	0.06	0
2	WR9	D	501	1	34,34,34	0.28	0	47,49,49	0.66	1 (2%)
4	NAG	B	502	1	14,14,15	0.46	0	17,19,21	0.76	0
2	WR9	B	501	1	34,34,34	0.29	0	47,49,49	0.80	1 (2%)
4	NAG	A	503	1	14,14,15	0.75	1 (7%)	17,19,21	0.83	0
3	EDO	A	502	-	3,3,3	0.17	0	2,2,2	0.25	0
2	WR9	A	501	1	34,34,34	0.30	0	47,49,49	0.70	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	503	-	-	0/1/1/1	-
2	WR9	D	501	1	-	10/35/51/51	0/4/4/4
4	NAG	B	502	1	-	2/6/23/26	0/1/1/1
2	WR9	B	501	1	-	4/35/51/51	0/4/4/4
4	NAG	A	503	1	-	2/6/23/26	0/1/1/1
3	EDO	A	502	-	-	0/1/1/1	-
2	WR9	A	501	1	-	5/35/51/51	0/4/4/4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	503	NAG	C1-C2	2.12	1.55	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	WR9	C18-C17-C20	4.67	124.02	118.58
2	A	501	WR9	C18-C17-C20	4.06	123.32	118.58
2	D	501	WR9	C18-C17-C20	3.47	122.63	118.58

There are no chirality outliers.

All (23) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	WR9	O24-C25-C26-C27
2	A	501	WR9	C22-C23-O24-C25
2	A	501	WR9	C29-C23-O24-C25
2	B	501	WR9	C22-C23-O24-C25
2	B	501	WR9	C29-C23-O24-C25
2	D	501	WR9	C22-C23-O24-C25
2	D	501	WR9	C26-C25-O24-C23
2	D	501	WR9	O5-C4-N6-C7
2	D	501	WR9	C29-C23-O24-C25
2	D	501	WR9	C18-C17-C20-C21
2	D	501	WR9	C18-C17-C20-C30
2	D	501	WR9	C3-C4-N6-C7
4	B	502	NAG	O5-C5-C6-O6
2	A	501	WR9	C26-C25-O24-C23
4	B	502	NAG	C4-C5-C6-O6
4	A	503	NAG	C4-C5-C6-O6
2	D	501	WR9	C11-C10-C7-N6
2	D	501	WR9	C15-C17-C20-C21
2	D	501	WR9	C15-C17-C20-C30
2	B	501	WR9	O5-C4-N6-C7
4	A	503	NAG	O5-C5-C6-O6
2	B	501	WR9	C26-C25-O24-C23
2	A	501	WR9	O24-C25-C26-C28


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	503	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	261/444 (58%)	0.49	8 (3%) 51 51	18, 36, 53, 72	1 (0%)
1	B	260/444 (58%)	0.51	20 (7%) 19 18	22, 36, 58, 83	0
1	D	258/444 (58%)	2.86	165 (63%) 0 0	10, 23, 40, 62	258 (100%)
All	All	779/1332 (58%)	1.28	193 (24%) 2 1	10, 33, 52, 83	259 (33%)

All (193) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	170	ILE	12.1
1	D	134	LYS	8.4
1	D	126	GLY	8.1
1	D	125	LYS	8.1
1	D	121	ALA	7.8
1	D	151	THR	7.4
1	D	124	VAL	7.2
1	D	123	ALA	7.1
1	D	109	THR	6.9
1	D	132	VAL	6.9
1	D	122	GLU	6.7
1	D	127	ILE	6.5
1	D	166	LEU	6.3
1	D	128	GLY	6.0
1	D	257	LEU	5.8
1	B	41	TYR	5.8
1	D	108	VAL	5.8
1	D	133	LEU	5.7
1	B	26	GLY	5.7
1	D	143	ILE	5.6
1	D	101	LYS	5.6
1	D	120	ASP	5.6
1	D	204	VAL	5.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	129	SER	5.5
1	D	103	TYR	5.5
1	D	41	TYR	5.3
1	D	104	THR	5.3
1	D	184	PHE	5.3
1	D	131	LYS	5.1
1	D	111	GLN	5.1
1	D	171	HIS	5.1
1	D	105	GLY	5.1
1	D	156	PHE	5.0
1	D	172	TYR	5.0
1	D	106	GLU	4.8
1	D	285	GLY	4.8
1	D	130	GLY	4.7
1	D	67	VAL	4.6
1	D	62	PRO	4.6
1	D	161	LEU	4.6
1	D	228	TYR	4.5
1	D	159	GLU	4.5
1	D	150	SER	4.5
1	D	260	SER	4.4
1	D	221	TYR	4.4
1	D	205	TYR	4.4
1	D	266	HIS	4.4
1	D	167	ASN	4.4
1	D	71	TYR	4.3
1	D	158	ASN	4.3
1	D	200	ASP	4.3
1	D	76	TYR	4.3
1	D	107	ASP	4.3
1	D	188	ALA	4.2
1	D	179	TYR	4.2
1	D	259	LYS	4.1
1	D	217	TYR	4.1
1	D	81	PRO	4.1
1	D	90	PRO	4.1
1	D	213	ARG	4.0
1	D	232	TRP	4.0
1	D	216	SER	4.0
1	D	155	VAL	4.0
1	D	202	ILE	4.0
1	D	223	GLU	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	220	TYR	3.9
1	B	97	GLN	3.9
1	D	173	MET	3.9
1	A	26	GLY	3.8
1	D	182	MET	3.8
1	D	95	VAL	3.8
1	A	232	TRP	3.7
1	D	99	VAL	3.6
1	D	116	VAL	3.6
1	D	119	GLY	3.6
1	D	258	VAL	3.6
1	D	263	ASN	3.6
1	D	224	LYS	3.5
1	D	96	TYR	3.5
1	D	79	ASP	3.5
1	D	102	ASP	3.5
1	D	219	CYS	3.5
1	D	61	ILE	3.4
1	D	85	ILE	3.4
1	D	87	ILE	3.4
1	D	117	LEU	3.4
1	D	262	THR	3.4
1	D	193	SER	3.4
1	D	246	LEU	3.4
1	D	68	VAL	3.4
1	D	84	GLY	3.4
1	D	55	ILE	3.4
1	D	93	THR	3.3
1	B	39	GLY	3.3
1	D	110	PRO	3.3
1	D	74	ILE	3.3
1	D	281	MET	3.3
1	D	75	ALA	3.3
1	D	135	SER	3.2
1	D	28	LYS	3.2
1	A	217	TYR	3.1
1	D	264	THR	3.1
1	B	286	MET	3.1
1	D	160	ASP	3.1
1	D	35	ALA	3.1
1	D	218	ALA	3.1
1	B	171	HIS	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	227	THR	3.0
1	D	157	PRO	3.0
1	D	78	GLU	3.0
1	D	199	PRO	3.0
1	D	57	HIS	3.0
1	D	280	VAL	3.0
1	B	84	GLY	3.0
1	D	89	ARG	3.0
1	D	201	ASN	3.0
1	D	153	ILE	3.0
1	D	261	HIS	3.0
1	B	71	TYR	3.0
1	D	73	ASP	2.9
1	D	60	GLY	2.9
1	D	100	PRO	2.9
1	D	163	VAL	2.9
1	A	41[A]	TYR	2.9
1	D	43	TYR	2.9
1	D	77	SER	2.9
1	D	29	HIS	2.9
1	D	175	LYS	2.8
1	D	58	ARG	2.8
1	D	207	THR	2.8
1	D	66	ILE	2.8
1	D	83	PRO	2.8
1	D	91	ASN	2.8
1	D	192	GLY	2.8
1	D	92	GLY	2.8
1	D	243	VAL	2.8
1	D	112	ASN	2.7
1	D	65	GLN	2.7
1	B	27	GLY	2.7
1	D	230	GLY	2.7
1	A	228	TYR	2.7
1	D	80	ASN	2.7
1	D	194	MET	2.7
1	D	226	SER	2.6
1	D	225	ARG	2.6
1	D	56	ILE	2.6
1	D	174	TYR	2.6
1	D	233	TYR	2.6
1	D	267	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	275	ILE	2.6
1	D	198	LEU	2.6
1	D	32	VAL	2.5
1	D	36	GLY	2.5
1	D	39	GLY	2.5
1	B	40	TRP	2.5
1	B	263	ASN	2.5
1	D	113	PHE	2.5
1	D	176	HIS	2.5
1	B	96	TYR	2.5
1	D	64	GLU	2.4
1	B	218	ALA	2.4
1	D	44	ARG	2.4
1	D	273	LYS	2.4
1	D	40	TRP	2.4
1	D	82	THR	2.4
1	D	245	ASP	2.3
1	D	145	PHE	2.3
1	D	282	GLN	2.3
1	B	79	ASP	2.3
1	B	221	TYR	2.3
1	B	228	TYR	2.3
1	B	260	SER	2.3
1	D	59	ASN	2.3
1	D	247	THR	2.2
1	D	162	HIS	2.2
1	D	234	SER	2.2
1	D	142	PHE	2.2
1	D	118	ARG	2.2
1	A	164	LYS	2.2
1	D	253	LYS	2.2
1	A	286	MET	2.2
1	B	126	GLY	2.2
1	D	152	GLY	2.1
1	D	38	ASN	2.1
1	A	264	THR	2.1
1	D	271	GLY	2.1
1	D	222	ASP	2.1
1	B	264	THR	2.1
1	D	94	ASP	2.0
1	B	89	ARG	2.0
1	D	144	TYR	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	69	MET	2.0
1	D	45	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SNN	D	147	7/8	0.84	0.09	26,27,28,28	7
1	SNN	B	147	7/8	0.89	0.11	23,27,30,34	0
1	SNN	A	147	7/8	0.94	0.09	15,17,18,18	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	A	503	14/15	0.49	0.25	64,72,77,79	0
3	EDO	A	502	4/4	0.67	0.15	42,43,44,45	0
4	NAG	B	502	14/15	0.74	0.15	47,53,61,62	0
2	WR9	D	501	31/31	0.77	0.20	29,36,52,52	31
2	WR9	B	501	31/31	0.86	0.16	32,51,97,98	0
3	EDO	B	503	4/4	0.91	0.11	26,26,26,27	0
2	WR9	A	501	31/31	0.93	0.10	24,34,54,56	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around WR9 D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around WR9 B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around WR9 A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.