



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:04 PM UTC

PDB ID : 7RBY / pdb_00007rby
Title : Crystal structure of Nanobody nb112 and SARS-CoV-2 RBD
Authors : Chen, Y.; Tolbert, W.; Pazgier, M.
Deposited on : 2021-07-06
Resolution : 2.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4591 (2.84-2.80)
Clashscore	190562	5010 (2.84-2.80)
Ramachandran outliers	187476	4916 (2.84-2.80)
Sidechain outliers	187428	4918 (2.84-2.80)
RSRZ outliers	180081	4594 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	210	
1	C	210	
2	B	130	
2	D	130	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5098 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	195	Total	C	N	O	S	0	0	0
			1545	991	258	288	8			
1	C	195	Total	C	N	O	S	0	0	0
			1545	991	258	288	8			

- Molecule 2 is a protein called llama-isolated nanobody NIH-CoV nb-112 specific to SARS-CoV-2 RBD.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	130	Total	C	N	O	S	0	0	0
			986	616	163	201	6			
2	D	130	Total	C	N	O	S	0	0	0
			986	616	163	201	6			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	1	Total	Mg	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	O	0	0
			1	1		
5	B	1	Total	O	0	0
			1	1		
5	C	3	Total	O	0	0
			3	3		
5	D	2	Total	O	0	0
			2	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Spike protein S1



• Molecule 1: Spike protein S1



• Molecule 2: Ilama-isolated nanobody NIH-CoV nb-112 specific to SARS-CoV-2 RBD




• Molecule 2: Ilama-isolated nanobody NIH-CoV nb-112 specific to SARS-CoV-2 RBD

Chain D:

62%

36%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	32.70Å 59.00Å 216.88Å 90.00° 91.34° 90.00°	Depositor
Resolution (Å)	56.93 – 2.82 56.93 – 2.82	Depositor EDS
% Data completeness (in resolution range)	79.7 (56.93-2.82) 72.2 (56.93-2.82)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.15	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.86 (at 2.82Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.201 , 0.287 0.239 , 0.290	Depositor DCC
R_{free} test set	1602 reflections (9.90%)	wwPDB-VP
Wilson B-factor (Å ²)	20.3	Xtriage
Anisotropy	0.631	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 3.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.120 for h,-k,-l	Xtriage
Reported twinning fraction	0.090 for h,-k,-l	Depositor
Outliers	1 of 16180 reflections (0.006%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5098	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.61	21/1589 (1.3%)	1.51	38/2162 (1.8%)
1	C	1.36	16/1589 (1.0%)	1.41	29/2162 (1.3%)
2	B	1.68	18/1010 (1.8%)	1.60	29/1372 (2.1%)
2	D	0.65	0/1010	0.85	0/1372
All	All	1.41	55/5198 (1.1%)	1.39	96/7068 (1.4%)

All (55) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	411	ALA	N-CA	-8.85	1.37	1.45
1	C	448	ASN	CA-C	-8.07	1.42	1.52
2	B	23	ALA	CA-C	-7.88	1.43	1.52
1	C	393	THR	CA-C	-7.79	1.42	1.52
1	A	342	PHE	CA-C	-7.42	1.43	1.52
1	A	336	CYS	CA-C	-7.16	1.43	1.53
1	A	484	GLU	CA-C	-7.03	1.44	1.52
1	A	396	TYR	CA-C	-6.94	1.44	1.52
1	A	501	ASN	CA-C	-6.86	1.43	1.53
1	A	498	GLN	CA-C	-6.75	1.44	1.52
1	C	496	GLY	CA-C	-6.73	1.44	1.51
2	B	25	SER	C-O	-6.49	1.16	1.23
1	A	498	GLN	C-N	-6.44	1.26	1.33
2	B	82(B)	SER	CA-C	-6.36	1.43	1.53
2	B	59	TYR	CA-C	-6.27	1.45	1.52
1	C	449	TYR	N-CA	-6.12	1.38	1.46
1	A	524	VAL	CA-C	-6.09	1.46	1.53
1	C	459	SER	CA-C	-6.08	1.45	1.52
2	B	82	MET	CA-C	-6.04	1.45	1.52
1	C	373	SER	CA-C	-5.93	1.46	1.53
1	C	340	GLU	CA-C	-5.93	1.44	1.52
1	A	517	LEU	CA-C	-5.90	1.45	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	379	CYS	CA-C	-5.90	1.45	1.52
1	C	477	SER	CA-C	-5.83	1.45	1.52
1	C	473	TYR	CA-C	-5.72	1.45	1.52
2	B	80	LEU	CA-C	-5.70	1.46	1.52
2	B	12	VAL	CA-C	-5.68	1.46	1.52
1	A	475	ALA	CA-C	-5.65	1.45	1.52
1	A	411	ALA	CA-CB	-5.64	1.46	1.53
2	B	91	TYR	CA-C	-5.61	1.45	1.52
2	B	69	THR	CA-C	-5.60	1.46	1.52
2	B	100(G)	THR	N-CA	-5.55	1.39	1.46
1	A	363	ALA	CA-C	-5.52	1.45	1.52
1	A	396	TYR	C-O	-5.52	1.17	1.24
2	B	23	ALA	C-O	-5.49	1.17	1.24
1	C	433	VAL	C-O	-5.43	1.18	1.24
2	B	40	ALA	CA-C	-5.37	1.46	1.52
1	C	501	ASN	CA-C	-5.37	1.45	1.53
1	A	373	SER	N-CA	-5.36	1.39	1.46
1	C	460	ASN	CA-C	-5.29	1.46	1.52
2	B	83	LYS	N-CA	-5.29	1.41	1.45
2	B	12	VAL	N-CA	-5.26	1.40	1.46
1	C	519	HIS	CA-C	-5.24	1.47	1.53
2	B	98	THR	N-CA	-5.21	1.39	1.46
1	A	358	ILE	CA-CB	-5.18	1.48	1.54
1	A	408	ARG	CA-C	-5.17	1.45	1.52
1	A	345	THR	CA-C	-5.15	1.46	1.52
2	B	27	LEU	CA-C	-5.14	1.46	1.52
1	C	414	GLN	CA-C	-5.14	1.46	1.52
1	C	437	ASN	CA-C	-5.14	1.46	1.52
1	A	390	LEU	CA-C	-5.11	1.46	1.52
1	A	481	ASN	CA-C	-5.09	1.46	1.52
2	B	31	TYR	C-O	-5.07	1.17	1.23
2	B	83	LYS	C-O	-5.03	1.19	1.24
1	C	336	CYS	CA-C	-5.02	1.47	1.53

All (96) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	371	SER	N-CA-C	16.87	129.36	111.14
1	C	371	SER	N-CA-C	14.26	126.90	111.36
1	C	476	GLY	N-CA-C	13.33	132.25	114.92
1	A	485	GLY	N-CA-C	10.42	129.64	111.50
1	C	373	SER	N-CA-C	-10.10	96.73	112.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	28	THR	N-CA-C	-8.51	100.34	113.02
2	B	72	ASP	N-CA-C	-8.46	94.74	108.52
2	B	74	ALA	N-CA-C	8.15	120.96	111.02
1	C	340	GLU	N-CA-C	-8.14	103.34	113.20
2	B	82(C)	LEU	N-CA-C	8.01	121.24	110.35
1	A	481	ASN	N-CA-C	-7.92	97.28	109.24
1	C	510	VAL	N-CA-C	7.90	119.50	108.12
1	C	475	ALA	N-CA-C	-7.84	103.86	113.19
1	A	523	THR	N-CA-C	7.69	119.75	111.36
1	A	478	THR	N-CA-C	-7.46	98.87	110.14
1	C	526	GLY	CA-C-N	-7.42	112.57	120.66
1	C	526	GLY	C-N-CA	-7.42	112.57	120.66
1	A	484	GLU	N-CA-C	7.17	121.39	108.48
1	A	368	LEU	N-CA-C	7.14	118.85	111.14
1	A	421	TYR	N-CA-C	7.14	124.32	113.61
2	B	100(L)	GLY	N-CA-C	7.10	130.00	113.18
1	A	507	PRO	N-CA-C	7.09	122.32	111.19
2	B	76	ASN	N-CA-C	-7.05	101.95	111.54
1	A	424	LYS	N-CA-C	7.04	120.40	109.07
2	B	91	TYR	N-CA-C	6.99	120.55	109.50
2	B	92	CYS	CB-CA-C	-6.99	98.27	109.80
1	A	390	LEU	N-CA-C	6.91	120.41	109.50
1	C	463	PRO	N-CA-C	6.91	121.66	111.03
1	A	342	PHE	N-CA-C	-6.82	105.23	113.97
1	C	520	ALA	N-CA-C	-6.77	99.37	108.11
1	A	516	GLU	N-CA-C	6.76	120.48	109.59
1	C	340	GLU	CA-C-N	-6.66	114.71	122.63
1	C	340	GLU	C-N-CA	-6.66	114.71	122.63
1	A	339	GLY	N-CA-C	-6.60	106.18	114.16
2	B	89	VAL	N-CA-C	-6.60	98.23	107.80
1	C	404	GLY	N-CA-C	6.58	122.19	113.37
1	A	350	VAL	N-CA-C	6.55	117.30	110.62
2	B	61	ASP	N-CA-C	6.51	118.96	111.02
2	B	32	TYR	N-CA-C	6.45	118.76	109.14
2	B	109	VAL	CB-CA-C	-6.45	102.60	110.99
1	A	503	VAL	N-CA-C	6.45	117.20	110.62
2	B	21	SER	N-CA-C	6.45	118.57	107.93
1	C	411	ALA	N-CA-C	-6.42	100.80	108.25
2	B	82(A)	ASN	N-CA-C	6.37	124.36	110.80
2	B	79	TYR	N-CA-C	6.33	119.50	109.81
2	B	13	GLN	CA-C-N	-6.27	113.30	119.76
2	B	13	GLN	C-N-CA	-6.27	113.30	119.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	521	PRO	N-CA-C	6.24	121.01	111.15
1	C	374	PHE	N-CA-C	6.21	119.66	109.72
2	B	86	ASP	N-CA-C	-6.18	105.32	112.92
1	A	383	SER	N-CA-C	-6.17	101.87	109.65
1	C	493	GLN	N-CA-C	6.16	119.18	108.76
2	B	53	SER	N-CA-C	6.16	117.79	111.14
2	B	44	GLU	N-CA-C	6.11	118.41	110.53
1	C	431	GLY	N-CA-C	6.10	119.36	110.63
2	B	92	CYS	CA-CB-SG	6.08	128.38	114.40
1	A	417	LYS	N-CA-C	6.00	117.81	111.28
1	A	521	PRO	CA-C-O	-5.99	114.60	121.36
1	C	372	ALA	N-CA-C	5.95	119.59	111.39
2	B	40	ALA	CA-C-N	-5.94	113.82	119.76
2	B	40	ALA	C-N-CA	-5.94	113.82	119.76
2	B	48	VAL	N-CA-CB	-5.91	104.91	111.41
1	A	365	TYR	N-CA-C	-5.90	105.66	112.92
2	B	101	ASP	N-CA-C	5.88	117.77	111.36
1	A	373	SER	N-CA-C	-5.86	104.28	113.02
1	A	354	ASN	N-CA-C	5.86	119.19	109.46
1	A	387	LEU	N-CA-C	5.86	118.61	111.82
1	C	490	PHE	CA-C-N	-5.75	114.32	121.00
1	C	490	PHE	C-N-CA	-5.75	114.32	121.00
1	C	456	PHE	N-CA-C	5.71	117.79	108.55
1	C	502	GLY	N-CA-C	-5.71	104.95	112.82
1	A	525	CYS	N-CA-C	5.59	118.37	109.81
1	A	370	ASN	N-CA-C	-5.57	106.06	112.92
1	A	369	TYR	N-CA-C	5.57	120.08	113.28
1	A	489	TYR	N-CA-C	5.51	118.21	109.50
1	A	353	TRP	N-CA-C	5.51	118.22	110.23
1	C	507	PRO	N-CA-C	5.50	119.83	111.19
1	A	336	CYS	N-CA-C	-5.47	103.18	110.07
1	A	491	PRO	N-CA-C	5.41	120.68	114.03
2	B	12	VAL	N-CA-C	-5.33	100.04	108.90
1	A	486	PHE	N-CA-C	-5.31	106.48	113.17
1	A	367	VAL	CB-CA-C	-5.27	105.22	111.97
1	A	383	SER	CA-C-N	-5.23	113.64	119.19
1	A	383	SER	C-N-CA	-5.23	113.64	119.19
1	C	489	TYR	N-CA-C	5.23	117.97	109.24
2	B	14	PRO	N-CA-C	5.18	119.22	111.14
2	B	53	SER	N-CA-CB	-5.16	102.60	110.07
1	A	483	VAL	CB-CA-C	-5.15	103.11	110.12
1	C	383	SER	N-CA-C	-5.14	103.59	110.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	520	ALA	N-CA-CB	-5.14	106.00	111.29
1	C	434	ILE	N-CA-C	5.12	116.09	108.46
2	B	26	GLY	N-CA-C	5.08	122.12	115.36
1	C	401	VAL	N-CA-C	5.04	115.83	108.53
1	A	346	ARG	N-CA-C	5.01	117.58	109.06
1	C	498	GLN	CA-C-N	5.01	124.67	119.56
1	C	498	GLN	C-N-CA	5.01	124.67	119.56

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1545	0	1465	33	0
1	C	1545	0	1465	40	0
2	B	986	0	922	38	0
2	D	986	0	922	65	0
3	A	14	0	13	1	0
3	C	14	0	13	0	0
4	C	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	3	0	0	0	0
5	D	2	0	0	0	0
All	All	5098	0	4800	173	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:87:THR:CG2	2:D:111:VAL:H	1.44	1.28
2:D:67:PHE:CD1	2:D:82:MET:HG2	1.83	1.11

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:67:PHE:CE1	2:D:82:MET:HG2	1.88	1.09
2:D:87:THR:CG2	2:D:111:VAL:N	2.23	1.00
2:D:63:VAL:HG22	2:D:67:PHE:CD2	1.98	0.99
2:D:87:THR:HG22	2:D:111:VAL:N	1.77	0.98
2:D:87:THR:HG21	2:D:111:VAL:H	1.29	0.97
1:C:426:PRO:HG2	1:C:429:PHE:HB2	1.53	0.91
2:D:87:THR:HG22	2:D:111:VAL:H	1.28	0.88
2:D:67:PHE:CE1	2:D:82:MET:CG	2.55	0.88
2:B:6:GLU:HG3	2:B:92:CYS:SG	2.14	0.87
2:D:11:LEU:HD12	2:D:110:THR:OG1	1.75	0.86
2:B:67:PHE:CD1	2:B:82:MET:HA	2.12	0.84
2:D:67:PHE:CE1	2:D:82:MET:HB3	2.13	0.83
2:B:26:GLY:O	2:B:28:THR:HG23	1.79	0.83
2:D:63:VAL:HG22	2:D:67:PHE:CE2	2.14	0.81
2:D:67:PHE:HD1	2:D:82:MET:HG2	1.46	0.80
2:B:9:GLY:HA2	2:B:18:LEU:HD21	1.63	0.78
2:D:49:SER:HB2	2:D:69:THR:CG2	2.13	0.78
1:C:421:TYR:HA	1:C:461:LEU:HD13	1.66	0.78
2:D:67:PHE:HE1	2:D:82:MET:CG	1.95	0.76
2:D:67:PHE:CE1	2:D:82:MET:CB	2.69	0.76
2:D:67:PHE:CD1	2:D:82:MET:CG	2.66	0.75
2:D:90:TYR:HE2	2:D:109:VAL:HB	1.53	0.72
2:D:83:LYS:HE3	2:D:85:GLU:HB2	1.72	0.71
2:D:90:TYR:CE2	2:D:109:VAL:HB	2.28	0.69
2:D:49:SER:HB2	2:D:69:THR:HG21	1.76	0.68
1:C:471:GLU:O	1:C:491:PRO:HG3	1.95	0.67
2:D:87:THR:HG22	2:D:110:THR:HA	1.78	0.66
2:B:2:VAL:HA	2:B:25:SER:O	1.96	0.65
2:B:4:LEU:HA	2:B:23:ALA:O	1.96	0.64
2:B:24:ALA:HB3	2:B:76:ASN:HB3	1.79	0.64
2:D:83:LYS:CE	2:D:85:GLU:HB2	2.28	0.64
1:A:452:LEU:HD23	1:A:494:SER:HA	1.79	0.63
2:B:37:PHE:O	2:B:91:TYR:N	2.31	0.63
2:D:27:LEU:HD22	2:D:32:TYR:CD1	2.34	0.62
2:B:67:PHE:HE1	2:B:82:MET:HB3	1.64	0.62
2:D:100(I):HIS:HD2	2:D:100(J):PRO:HD2	1.64	0.62
1:C:475:ALA:HB3	1:C:487:ASN:HA	1.80	0.61
2:B:67:PHE:CE1	2:B:82:MET:HB3	2.35	0.61
2:B:63:VAL:HA	2:B:66:ARG:HH21	1.65	0.61
1:A:454:ARG:NH2	1:A:469:SER:O	2.34	0.61
2:D:57:THR:CG2	2:D:69:THR:OG1	2.50	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:55:GLY:O	2:B:57:THR:HG23	2.02	0.60
2:D:75:LYS:HB3	2:D:77:THR:HG22	1.82	0.60
2:B:63:VAL:HG13	2:B:67:PHE:HB2	1.82	0.60
2:D:57:THR:HG21	2:D:69:THR:OG1	2.01	0.60
2:B:33:ALA:HB3	2:B:95:VAL:HG12	1.85	0.59
1:C:435:ALA:HB2	1:C:510:VAL:HG22	1.85	0.59
2:D:49:SER:CB	2:D:69:THR:CG2	2.81	0.58
2:D:61:ASP:HA	2:D:64:LYS:HE2	1.86	0.58
2:D:67:PHE:HE1	2:D:82:MET:HB3	1.61	0.58
1:C:474:GLN:C	1:C:476:GLY:H	2.11	0.57
2:D:67:PHE:HE1	2:D:82:MET:CB	2.13	0.57
2:B:40:ALA:HB3	2:B:43:LYS:HE3	1.86	0.57
2:D:49:SER:HB2	2:D:69:THR:HG23	1.86	0.57
2:D:83:LYS:HE3	2:D:85:GLU:OE2	2.05	0.57
2:D:87:THR:CG2	2:D:110:THR:HA	2.34	0.57
2:D:87:THR:HG22	2:D:111:VAL:HG23	1.87	0.57
2:B:100(I):HIS:HB3	2:B:100(L):GLY:H	1.71	0.56
2:D:59:TYR:HB3	2:D:63:VAL:HG12	1.85	0.56
1:A:363:ALA:O	1:A:527:PRO:HD3	2.05	0.56
2:D:87:THR:CG2	2:D:111:VAL:HG23	2.34	0.56
2:B:40:ALA:HB1	2:B:41:PRO:HD2	1.85	0.56
2:B:6:GLU:CG	2:B:92:CYS:SG	2.92	0.56
2:B:67:PHE:HA	2:B:81:GLN:O	2.06	0.56
2:D:49:SER:CB	2:D:69:THR:HG21	2.35	0.55
1:C:416:GLY:O	1:C:420:ASP:HB2	2.07	0.55
1:A:452:LEU:HD23	1:A:494:SER:CA	2.37	0.54
2:B:87:THR:HG23	2:B:110:THR:HA	1.89	0.54
2:D:3:GLN:HB3	2:D:25:SER:HB2	1.89	0.54
2:B:12:VAL:HG12	2:B:13:GLN:N	2.22	0.54
1:C:474:GLN:C	1:C:476:GLY:N	2.64	0.54
2:D:87:THR:HG22	2:D:110:THR:CA	2.37	0.53
2:D:63:VAL:HG13	2:D:67:PHE:HB2	1.90	0.53
2:D:32:TYR:O	2:D:52(A):SER:HB3	2.07	0.53
1:C:379:CYS:HA	1:C:432:CYS:HA	1.91	0.53
2:D:87:THR:HG22	2:D:110:THR:C	2.32	0.53
1:C:355:ARG:NE	1:C:398:ASP:OD1	2.40	0.53
1:C:401:VAL:HB	1:C:451:TYR:CD2	2.44	0.53
2:B:67:PHE:CE1	2:B:82:MET:CB	2.93	0.52
1:A:421:TYR:CD1	1:A:457:ARG:HB2	2.45	0.52
2:D:51:ILE:HG13	2:D:57:THR:HG23	1.92	0.52
2:D:6:GLU:OE2	2:D:104:GLY:HA3	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:407:VAL:C	1:A:409:GLN:N	2.67	0.52
2:D:66:ARG:NH1	2:D:86:ASP:OD2	2.42	0.51
2:B:67:PHE:HE1	2:B:82:MET:CB	2.24	0.51
1:A:360:ASN:HA	1:A:523:THR:HB	1.92	0.51
1:C:395:VAL:HG22	1:C:515:PHE:HD1	1.75	0.51
1:A:484:GLU:H	1:A:488:CYS:HB2	1.75	0.50
1:A:498:GLN:O	1:A:501:ASN:HB2	2.11	0.50
1:A:416:GLY:N	1:A:420:ASP:OD1	2.27	0.50
1:C:403:ARG:HD3	1:C:505:TYR:HA	1.94	0.50
1:C:467:ASP:OD1	1:C:467:ASP:C	2.53	0.49
2:B:37:PHE:HB2	2:B:91:TYR:HB2	1.95	0.49
2:D:39:GLN:NE2	2:D:43:LYS:O	2.40	0.49
1:A:367:VAL:HG11	3:A:1001:NAG:C7	2.43	0.49
1:C:454:ARG:NH2	1:C:492:LEU:HD21	2.28	0.49
1:A:467:ASP:C	1:A:468:ILE:HD13	2.38	0.48
2:D:67:PHE:HD1	2:D:82:MET:CG	2.16	0.48
1:A:411:ALA:HB3	1:A:414:GLN:HG3	1.94	0.48
2:B:18:LEU:HB3	2:B:82:MET:HE2	1.95	0.48
1:C:339:GLY:C	1:C:341:VAL:N	2.69	0.48
1:C:454:ARG:NH2	1:C:469:SER:O	2.47	0.48
1:C:394:ASN:HB2	1:C:516:GLU:HG2	1.96	0.48
2:D:67:PHE:CD1	2:D:82:MET:CB	2.97	0.47
1:A:489:TYR:CE1	2:B:100(G):THR:HG23	2.49	0.47
2:B:67:PHE:CE1	2:B:82:MET:HA	2.48	0.47
1:A:452:LEU:HD23	1:A:494:SER:OG	2.14	0.47
2:B:100(I):HIS:O	2:B:100(M):MET:HG2	2.14	0.47
1:A:334:ASN:HB3	1:A:335:LEU:H	1.55	0.47
1:C:353:TRP:CD1	1:C:353:TRP:H	2.32	0.47
1:A:407:VAL:C	1:A:409:GLN:H	2.21	0.46
2:D:72:ASP:OD2	2:D:74:ALA:HB3	2.15	0.46
1:C:449:TYR:HE1	2:D:96:PRO:HB3	1.81	0.46
1:A:381:GLY:C	1:A:382:VAL:HG23	2.41	0.46
1:C:474:GLN:HG2	1:C:476:GLY:H	1.82	0.45
1:C:339:GLY:C	1:C:341:VAL:H	2.25	0.45
1:C:401:VAL:HB	1:C:451:TYR:CE2	2.51	0.45
2:B:14:PRO:HD3	2:B:112:SER:O	2.16	0.45
2:D:100(I):HIS:CD2	2:D:100(K):GLY:H	2.35	0.45
2:B:2:VAL:HG13	2:B:27:LEU:HD22	1.97	0.45
1:C:403:ARG:HG2	1:C:497:PHE:HE1	1.82	0.45
1:C:422:ASN:OD1	1:C:454:ARG:HB3	2.18	0.44
1:A:352:ALA:HA	1:A:468:ILE:HD12	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:13:GLN:HA	2:B:112:SER:O	2.18	0.44
1:A:354:ASN:HB3	1:A:356:LYS:NZ	2.33	0.43
2:B:82:MET:HE3	2:B:82(C):LEU:HD21	1.99	0.43
1:C:467:ASP:OD1	1:C:468:ILE:N	2.52	0.43
1:C:338:PHE:O	1:C:341:VAL:HB	2.18	0.43
2:B:3:GLN:C	2:B:4:LEU:HD12	2.44	0.43
1:A:354:ASN:O	1:A:398:ASP:HA	2.18	0.43
1:C:498:GLN:H	1:C:501:ASN:ND2	2.17	0.43
2:D:50:CYS:O	2:D:57:THR:HA	2.18	0.42
1:A:336:CYS:HB3	1:A:358:ILE:HG21	2.01	0.42
2:B:18:LEU:O	2:B:82:MET:HB2	2.19	0.42
1:C:365:TYR:HD2	1:C:388:ASN:OD1	2.03	0.42
2:D:24:ALA:HB1	2:D:27:LEU:HD12	2.01	0.42
2:D:29:LEU:HD23	2:D:29:LEU:HA	1.76	0.42
1:A:442:ASP:OD1	1:A:451:TYR:CZ	2.73	0.42
1:C:350:VAL:HG23	1:C:400:PHE:CD1	2.54	0.42
1:C:498:GLN:O	1:C:501:ASN:HB2	2.19	0.42
1:A:452:LEU:CD2	1:A:494:SER:OG	2.67	0.42
1:C:350:VAL:HA	1:C:400:PHE:HB2	2.01	0.42
1:C:485:GLY:HA2	2:D:58:TYR:CD1	2.55	0.42
1:A:466:ARG:HG2	1:A:468:ILE:HD11	2.01	0.42
1:C:336:CYS:SG	1:C:363:ALA:HB2	2.59	0.42
1:C:435:ALA:CB	1:C:510:VAL:HG22	2.49	0.42
2:D:51:ILE:HA	2:D:56:SER:O	2.19	0.42
1:C:433:VAL:HG22	1:C:512:VAL:HG22	2.02	0.42
2:D:90:TYR:HE2	2:D:109:VAL:CB	2.27	0.42
2:D:95:VAL:HG22	2:D:96:PRO:HD2	2.02	0.41
2:B:3:GLN:HB2	2:B:25:SER:HB2	2.02	0.41
2:B:67:PHE:CD1	2:B:82:MET:CA	2.96	0.41
1:A:344:ALA:HB3	1:A:347:PHE:CE1	2.56	0.41
2:D:57:THR:HG22	2:D:69:THR:OG1	2.19	0.41
1:A:347:PHE:HB3	1:A:348:ALA:H	1.70	0.41
1:A:454:ARG:HA	1:A:492:LEU:HD23	2.03	0.41
1:A:351:TYR:CE2	1:A:468:ILE:HG23	2.56	0.41
1:A:454:ARG:HD3	1:A:457:ARG:HG2	2.03	0.41
1:C:335:LEU:HA	1:C:362:VAL:O	2.21	0.41
2:D:12:VAL:HG13	2:D:13:GLN:O	2.21	0.41
1:A:478:THR:O	1:A:479:PRO:C	2.63	0.41
2:B:18:LEU:HD23	2:B:82:MET:HE2	2.03	0.41
1:C:498:GLN:HA	1:C:499:PRO:HD3	1.88	0.41
2:D:18:LEU:HD23	2:D:18:LEU:HA	1.93	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:405:ASP:N	1:C:405:ASP:OD2	2.52	0.41
2:D:48:VAL:HG13	2:D:63:VAL:HG21	2.03	0.40
2:D:67:PHE:CD1	2:D:82:MET:HA	2.57	0.40
1:A:403:ARG:HB3	1:A:504:GLY:O	2.21	0.40
2:B:75:LYS:O	2:B:76:ASN:C	2.63	0.40
1:A:388:ASN:HB3	1:A:527:PRO:HD2	2.02	0.40
1:C:454:ARG:HA	1:C:492:LEU:HD23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	193/210 (92%)	187 (97%)	6 (3%)	0	100	100
1	C	193/210 (92%)	184 (95%)	9 (5%)	0	100	100
2	B	128/130 (98%)	124 (97%)	4 (3%)	0	100	100
2	D	128/130 (98%)	122 (95%)	6 (5%)	0	100	100
All	All	642/680 (94%)	617 (96%)	25 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	168/183 (92%)	165 (98%)	3 (2%)	51	80
1	C	168/183 (92%)	162 (96%)	6 (4%)	31	64
2	B	105/105 (100%)	101 (96%)	4 (4%)	29	62
2	D	105/105 (100%)	101 (96%)	4 (4%)	29	62
All	All	546/576 (95%)	529 (97%)	17 (3%)	35	69

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	362	VAL
1	A	468	ILE
1	A	489	TYR
2	B	34	ILE
2	B	51	ILE
2	B	63	VAL
2	B	69	THR
1	C	376	THR
1	C	402	ILE
1	C	424	LYS
1	C	434	ILE
1	C	471	GLU
1	C	524	VAL
2	D	57	THR
2	D	63	VAL
2	D	107	THR
2	D	113	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	394	ASN
2	B	81	GLN
2	B	100(I)	HIS
1	C	460	ASN
1	C	474	GLN
2	D	3	GLN
2	D	100(I)	HIS
2	D	108	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	NAG	C	1001	1	14,14,15	1.08	1 (7%)	17,19,21	0.53	0
3	NAG	A	1001	1	14,14,15	0.84	1 (7%)	17,19,21	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1001	1	-	4/6/23/26	0/1/1/1
3	NAG	A	1001	1	-	4/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1001	NAG	C1-C2	3.44	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1001	NAG	C1-C2	2.56	1.55	1.52

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	1001	NAG	O5-C5-C6-O6
3	A	1001	NAG	O5-C5-C6-O6
3	A	1001	NAG	C4-C5-C6-O6
3	C	1001	NAG	C4-C5-C6-O6
3	A	1001	NAG	C8-C7-N2-C2
3	A	1001	NAG	O7-C7-N2-C2
3	C	1001	NAG	C8-C7-N2-C2
3	C	1001	NAG	O7-C7-N2-C2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1001	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	195/210 (92%)	-1.38	0 100 100	5, 12, 35, 51	0
1	C	195/210 (92%)	-1.48	0 100 100	5, 10, 27, 51	0
2	B	130/130 (100%)	-1.37	0 100 100	8, 16, 34, 46	0
2	D	130/130 (100%)	-1.38	0 100 100	6, 14, 34, 51	0
All	All	650/680 (95%)	-1.41	0 100 100	5, 13, 34, 51	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	A	1001	14/15	0.97	0.08	41,50,63,65	0
3	NAG	C	1001	14/15	0.98	0.06	33,41,54,57	0
4	MG	C	1002	1/1	0.99	0.05	14,14,14,14	0

6.5 Other polymers [i](#)

There are no such residues in this entry.