



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 26, 2026 – 09:41 AM EDT

PDB ID : 7WJ9 / pdb_00007wj9
Title : Crystal structure of Lactococcus lactis subsp. cremoris GH31 alpha-1,3-glucosidase, P21 space group
Authors : Ikegaya, M.; Miyazaki, T.
Deposited on : 2022-01-06
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	759	<div> <div>%</div> <div>90% 7% .</div> </div>
1	B	759	<div> <div>4%</div> <div>87% 9% .</div> </div>
1	C	759	<div> <div>6%</div> <div>89% 7% .</div> </div>
1	D	759	<div> <div>3%</div> <div>88% 8% .</div> </div>
1	E	759	<div> <div>%</div> <div>89% 6% .</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	759	<div><div></div><div>5%</div><div></div><div>89%</div><div></div><div>6%</div><div></div></div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 39082 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-xylosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	733	Total	C	N	O	S	0	6	0
			6059	3904	983	1157	15			
1	B	728	Total	C	N	O	S	0	3	0
			6004	3868	978	1144	14			
1	C	728	Total	C	N	O	S	0	2	0
			5998	3865	976	1143	14			
1	D	728	Total	C	N	O	S	0	6	0
			6019	3877	979	1149	14			
1	F	728	Total	C	N	O	S	0	2	0
			6001	3866	978	1143	14			
1	E	728	Total	C	N	O	S	0	4	0
			6006	3870	976	1146	14			

There are 120 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP A2RM80
A	-18	GLY	-	expression tag	UNP A2RM80
A	-17	SER	-	expression tag	UNP A2RM80
A	-16	SER	-	expression tag	UNP A2RM80
A	-15	HIS	-	expression tag	UNP A2RM80
A	-14	HIS	-	expression tag	UNP A2RM80
A	-13	HIS	-	expression tag	UNP A2RM80
A	-12	HIS	-	expression tag	UNP A2RM80
A	-11	HIS	-	expression tag	UNP A2RM80
A	-10	HIS	-	expression tag	UNP A2RM80
A	-9	SER	-	expression tag	UNP A2RM80
A	-8	SER	-	expression tag	UNP A2RM80
A	-7	GLY	-	expression tag	UNP A2RM80
A	-6	LEU	-	expression tag	UNP A2RM80
A	-5	VAL	-	expression tag	UNP A2RM80
A	-4	PRO	-	expression tag	UNP A2RM80
A	-3	ARG	-	expression tag	UNP A2RM80

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP A2RM80
A	-1	SER	-	expression tag	UNP A2RM80
A	0	HIS	-	expression tag	UNP A2RM80
B	-19	MET	-	initiating methionine	UNP A2RM80
B	-18	GLY	-	expression tag	UNP A2RM80
B	-17	SER	-	expression tag	UNP A2RM80
B	-16	SER	-	expression tag	UNP A2RM80
B	-15	HIS	-	expression tag	UNP A2RM80
B	-14	HIS	-	expression tag	UNP A2RM80
B	-13	HIS	-	expression tag	UNP A2RM80
B	-12	HIS	-	expression tag	UNP A2RM80
B	-11	HIS	-	expression tag	UNP A2RM80
B	-10	HIS	-	expression tag	UNP A2RM80
B	-9	SER	-	expression tag	UNP A2RM80
B	-8	SER	-	expression tag	UNP A2RM80
B	-7	GLY	-	expression tag	UNP A2RM80
B	-6	LEU	-	expression tag	UNP A2RM80
B	-5	VAL	-	expression tag	UNP A2RM80
B	-4	PRO	-	expression tag	UNP A2RM80
B	-3	ARG	-	expression tag	UNP A2RM80
B	-2	GLY	-	expression tag	UNP A2RM80
B	-1	SER	-	expression tag	UNP A2RM80
B	0	HIS	-	expression tag	UNP A2RM80
C	-19	MET	-	initiating methionine	UNP A2RM80
C	-18	GLY	-	expression tag	UNP A2RM80
C	-17	SER	-	expression tag	UNP A2RM80
C	-16	SER	-	expression tag	UNP A2RM80
C	-15	HIS	-	expression tag	UNP A2RM80
C	-14	HIS	-	expression tag	UNP A2RM80
C	-13	HIS	-	expression tag	UNP A2RM80
C	-12	HIS	-	expression tag	UNP A2RM80
C	-11	HIS	-	expression tag	UNP A2RM80
C	-10	HIS	-	expression tag	UNP A2RM80
C	-9	SER	-	expression tag	UNP A2RM80
C	-8	SER	-	expression tag	UNP A2RM80
C	-7	GLY	-	expression tag	UNP A2RM80
C	-6	LEU	-	expression tag	UNP A2RM80
C	-5	VAL	-	expression tag	UNP A2RM80
C	-4	PRO	-	expression tag	UNP A2RM80
C	-3	ARG	-	expression tag	UNP A2RM80
C	-2	GLY	-	expression tag	UNP A2RM80
C	-1	SER	-	expression tag	UNP A2RM80

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	0	HIS	-	expression tag	UNP A2RM80
D	-19	MET	-	initiating methionine	UNP A2RM80
D	-18	GLY	-	expression tag	UNP A2RM80
D	-17	SER	-	expression tag	UNP A2RM80
D	-16	SER	-	expression tag	UNP A2RM80
D	-15	HIS	-	expression tag	UNP A2RM80
D	-14	HIS	-	expression tag	UNP A2RM80
D	-13	HIS	-	expression tag	UNP A2RM80
D	-12	HIS	-	expression tag	UNP A2RM80
D	-11	HIS	-	expression tag	UNP A2RM80
D	-10	HIS	-	expression tag	UNP A2RM80
D	-9	SER	-	expression tag	UNP A2RM80
D	-8	SER	-	expression tag	UNP A2RM80
D	-7	GLY	-	expression tag	UNP A2RM80
D	-6	LEU	-	expression tag	UNP A2RM80
D	-5	VAL	-	expression tag	UNP A2RM80
D	-4	PRO	-	expression tag	UNP A2RM80
D	-3	ARG	-	expression tag	UNP A2RM80
D	-2	GLY	-	expression tag	UNP A2RM80
D	-1	SER	-	expression tag	UNP A2RM80
D	0	HIS	-	expression tag	UNP A2RM80
F	-19	MET	-	initiating methionine	UNP A2RM80
F	-18	GLY	-	expression tag	UNP A2RM80
F	-17	SER	-	expression tag	UNP A2RM80
F	-16	SER	-	expression tag	UNP A2RM80
F	-15	HIS	-	expression tag	UNP A2RM80
F	-14	HIS	-	expression tag	UNP A2RM80
F	-13	HIS	-	expression tag	UNP A2RM80
F	-12	HIS	-	expression tag	UNP A2RM80
F	-11	HIS	-	expression tag	UNP A2RM80
F	-10	HIS	-	expression tag	UNP A2RM80
F	-9	SER	-	expression tag	UNP A2RM80
F	-8	SER	-	expression tag	UNP A2RM80
F	-7	GLY	-	expression tag	UNP A2RM80
F	-6	LEU	-	expression tag	UNP A2RM80
F	-5	VAL	-	expression tag	UNP A2RM80
F	-4	PRO	-	expression tag	UNP A2RM80
F	-3	ARG	-	expression tag	UNP A2RM80
F	-2	GLY	-	expression tag	UNP A2RM80
F	-1	SER	-	expression tag	UNP A2RM80
F	0	HIS	-	expression tag	UNP A2RM80
E	-19	MET	-	initiating methionine	UNP A2RM80

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-18	GLY	-	expression tag	UNP A2RM80
E	-17	SER	-	expression tag	UNP A2RM80
E	-16	SER	-	expression tag	UNP A2RM80
E	-15	HIS	-	expression tag	UNP A2RM80
E	-14	HIS	-	expression tag	UNP A2RM80
E	-13	HIS	-	expression tag	UNP A2RM80
E	-12	HIS	-	expression tag	UNP A2RM80
E	-11	HIS	-	expression tag	UNP A2RM80
E	-10	HIS	-	expression tag	UNP A2RM80
E	-9	SER	-	expression tag	UNP A2RM80
E	-8	SER	-	expression tag	UNP A2RM80
E	-7	GLY	-	expression tag	UNP A2RM80
E	-6	LEU	-	expression tag	UNP A2RM80
E	-5	VAL	-	expression tag	UNP A2RM80
E	-4	PRO	-	expression tag	UNP A2RM80
E	-3	ARG	-	expression tag	UNP A2RM80
E	-2	GLY	-	expression tag	UNP A2RM80
E	-1	SER	-	expression tag	UNP A2RM80
E	0	HIS	-	expression tag	UNP A2RM80

- Molecule 2 is Xylitol (CCD ID: XYL) (formula: $C_5H_{12}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			10	5	5		
2	B	1	Total	C	O	0	0
			10	5	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			10	5	5		
2	D	1	Total	C	O	0	0
			10	5	5		
2	F	1	Total	C	O	0	0
			10	5	5		
2	E	1	Total	C	O	0	0
			10	5	5		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	576	Total O 576 576	0	0
4	B	459	Total O 459 459	0	0
4	C	407	Total O 407 407	0	0
4	D	504	Total O 504 504	0	0
4	F	401	Total O 401 401	0	0
4	E	532	Total O 532 532	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Alpha-xylosidase




• Molecule 1: Alpha-xylosidase





• Molecule 1: Alpha-xylosidase









• Molecule 1: Alpha-xylosidase




• Molecule 1: Alpha-xylosidase



• Molecule 1: Alpha-xylosidase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	115.40Å 207.85Å 117.90Å 90.00° 103.63° 90.00°	Depositor
Resolution (Å)	47.19 – 1.75 47.19 – 1.75	Depositor EDS
% Data completeness (in resolution range)	97.9 (47.19-1.75) 97.9 (47.19-1.75)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.66 (at 1.75Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.186 , 0.217 0.197 , 0.226	Depositor DCC
R_{free} test set	26657 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	23.8	Xtriage
Anisotropy	0.034	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 33.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.016 for l,-k,h	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	39082	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, XYL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.07	7/6245 (0.1%)	1.23	4/8454 (0.0%)
1	B	1.01	0/6177	1.25	3/8364 (0.0%)
1	C	1.04	2/6171 (0.0%)	1.27	5/8356 (0.1%)
1	D	1.04	3/6198 (0.0%)	1.24	3/8392 (0.0%)
1	E	1.04	3/6185 (0.0%)	1.21	3/8375 (0.0%)
1	F	1.04	1/6171 (0.0%)	1.23	2/8356 (0.0%)
All	All	1.04	16/37147 (0.0%)	1.24	20/50297 (0.0%)

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	580	GLU	CD-OE1	5.93	1.36	1.25
1	A	580	GLU	CD-OE1	5.93	1.36	1.25
1	E	231	ASP	C-O	5.83	1.31	1.23
1	C	438	LEU	C-O	5.72	1.30	1.24
1	A	422	HIS	CE1-NE2	5.63	1.38	1.32
1	A	438	LEU	C-O	5.38	1.30	1.24
1	A	226[A]	SER	C-O	5.28	1.30	1.23
1	A	226[B]	SER	C-O	5.28	1.30	1.23
1	A	28	HIS	CE1-NE2	5.26	1.37	1.32
1	E	482	ARG	C-O	-5.22	1.18	1.24
1	F	337	PHE	C-O	5.20	1.30	1.23
1	D	320	LYS	C-O	5.19	1.30	1.24
1	C	580	GLU	CD-OE1	5.16	1.35	1.25
1	E	580	GLU	CD-OE1	5.10	1.35	1.25
1	D	285	ILE	C-O	5.02	1.30	1.24
1	A	76	LEU	C-O	5.02	1.30	1.24

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	18	ASP	CA-CB-CG	6.49	119.09	112.60
1	F	18	ASP	CA-CB-CG	6.17	118.77	112.60
1	B	612	PHE	CB-CA-C	6.03	116.72	109.85
1	E	239	GLU	CB-CA-C	-5.88	98.25	109.95
1	E	722	ASN	CA-CB-CG	-5.81	106.79	112.60
1	F	537	GLU	CB-CA-C	5.81	120.85	109.35
1	B	219	THR	CA-CB-OG1	-5.71	101.03	109.60
1	B	239	GLU	CB-CA-C	-5.43	99.14	109.95
1	C	239	GLU	CB-CA-C	-5.38	99.07	110.31
1	D	239	GLU	CB-CA-C	-5.38	99.08	110.31
1	C	231	ASP	CA-C-N	5.29	128.10	120.38
1	C	231	ASP	C-N-CA	5.29	128.10	120.38
1	A	728	GLN	CB-CA-C	-5.27	102.04	110.79
1	C	718	PHE	CA-CB-CG	-5.24	108.56	113.80
1	A	732	PHE	CA-CB-CG	-5.15	108.65	113.80
1	A	683	THR	CA-CB-OG1	-5.12	101.92	109.60
1	E	728	GLN	CB-CA-C	-5.11	102.63	110.81
1	C	454	SER	CA-C-O	-5.09	115.83	121.33
1	D	208	ASP	CA-CB-CG	5.05	117.65	112.60
1	A	427	HIS	CA-CB-CG	-5.04	108.76	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6059	0	5809	29	1
1	B	6004	0	5751	39	0
1	C	5998	0	5745	30	0
1	D	6019	0	5766	39	0
1	E	6006	0	5754	28	1
1	F	6001	0	5746	26	0
2	A	10	0	12	0	0
2	B	10	0	12	0	0
2	C	10	0	12	0	0
2	D	10	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	10	0	12	0	0
2	F	10	0	12	0	0
3	A	8	0	12	0	0
3	B	8	0	12	0	0
3	C	8	0	12	0	0
3	D	12	0	18	1	0
3	E	12	0	18	0	0
3	F	8	0	12	0	0
4	A	576	0	0	9	0
4	B	459	0	0	9	0
4	C	407	0	0	11	0
4	D	504	0	0	11	0
4	E	532	0	0	8	0
4	F	401	0	0	5	0
All	All	39082	0	34727	181	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (181) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:618:GLU:OE2	1:D:629:LYS:HE2	1.65	0.97
1:A:697:GLU:HG2	4:A:908:HOH:O	1.69	0.92
1:B:44:MET:HG2	4:B:1262:HOH:O	1.76	0.86
1:E:198:ASN:H	1:E:483:HIS:HE1	1.26	0.83
1:B:342:TRP:C	1:B:343[B]:GLN:HG3	1.98	0.83
1:A:272:LYS:HE3	4:A:1175:HOH:O	1.81	0.79
1:E:147:LYS:HE3	4:E:1352:HOH:O	1.85	0.77
1:D:198:ASN:H	1:D:483:HIS:HE1	1.28	0.77
1:C:198:ASN:H	1:C:483:HIS:HE1	1.35	0.75
1:D:343[B]:GLN:HG2	1:D:344:GLN:NE2	2.02	0.74
1:C:44:MET:HG2	4:C:1266:HOH:O	1.88	0.74
1:D:697:GLU:HG2	4:D:1312:HOH:O	1.88	0.74
1:B:198:ASN:H	1:B:483:HIS:HE1	1.37	0.73
1:A:198:ASN:H	1:A:483:HIS:HE1	1.37	0.72
1:B:679:TRP:HA	4:B:1150:HOH:O	1.91	0.70
1:C:697:GLU:HG2	4:C:1244:HOH:O	1.91	0.70
1:E:198:ASN:H	1:E:483:HIS:CE1	2.08	0.70
1:C:537[A]:GLU:HG3	4:C:1118:HOH:O	1.92	0.69
1:D:198:ASN:H	1:D:483:HIS:CE1	2.10	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:343[B]:GLN:HG2	1:F:344:GLN:NE2	2.10	0.67
1:B:648:LYS:HE3	1:B:661:ALA:HB1	1.77	0.66
1:F:198:ASN:H	1:F:483:HIS:HE1	1.43	0.65
1:F:198:ASN:H	1:F:483:HIS:CE1	2.15	0.65
1:B:364:GLN:HB2	4:B:1195:HOH:O	1.97	0.64
1:C:648:LYS:HE3	1:C:661:ALA:HB1	1.78	0.64
1:D:343[B]:GLN:HG2	1:D:344:GLN:HE22	1.62	0.63
1:D:618:GLU:OE2	1:D:629:LYS:CE	2.43	0.63
1:A:725:GLN:NE2	1:E:725:GLN:OE1	2.32	0.63
1:F:648:LYS:HE3	1:F:661:ALA:HB1	1.79	0.63
1:B:198:ASN:H	1:B:483:HIS:CE1	2.17	0.62
1:C:483:HIS:HD2	4:C:1263:HOH:O	1.81	0.62
4:C:978:HOH:O	1:F:725:GLN:HG3	2.00	0.61
1:D:537[A]:GLU:HG3	4:D:1176:HOH:O	2.00	0.60
1:D:343[B]:GLN:HE21	1:D:344:GLN:HE22	1.49	0.60
1:F:343[B]:GLN:HG2	1:F:344:GLN:HE22	1.66	0.60
1:A:198:ASN:H	1:A:483:HIS:CE1	2.18	0.59
1:D:294:GLN:CG	4:D:924:HOH:O	2.51	0.59
1:A:103:TRP:CE2	1:A:141:VAL:HG21	2.37	0.59
1:A:11:ASN:HD22	1:A:13:ASN:H	1.51	0.58
1:D:12:ASN:HD22	1:D:55:GLU:HG2	1.68	0.58
1:F:239:GLU:HG3	4:F:1080:HOH:O	2.03	0.58
1:A:272:LYS:CE	4:A:1175:HOH:O	2.45	0.58
1:E:103:TRP:CE2	1:E:141:VAL:HG21	2.39	0.58
1:D:483:HIS:HD2	4:D:1299:HOH:O	1.87	0.57
1:B:648:LYS:CE	1:B:661:ALA:HB1	2.34	0.57
1:B:725:GLN:HG3	1:D:725:GLN:NE2	2.20	0.57
1:D:316:LEU:HD12	4:D:1170:HOH:O	2.05	0.56
1:B:725:GLN:HG3	1:D:725:GLN:CD	2.30	0.56
1:B:483:HIS:HD2	4:B:1291:HOH:O	1.89	0.56
1:C:725:GLN:HG2	4:C:1013:HOH:O	2.06	0.55
1:E:648:LYS:HB3	1:E:661:ALA:HA	1.87	0.55
1:A:537[A]:GLU:HG3	4:A:1284:HOH:O	2.06	0.55
1:A:483:HIS:HD2	4:A:1402:HOH:O	1.90	0.55
1:D:103:TRP:CE2	1:D:141:VAL:HG21	2.41	0.54
1:D:294:GLN:HG2	4:D:924:HOH:O	2.06	0.54
1:F:600:LYS:HE2	4:F:1187:HOH:O	2.07	0.54
1:F:456:LYS:O	1:F:456:LYS:HG3	2.08	0.53
1:E:537[A]:GLU:HG3	4:E:1248:HOH:O	2.08	0.53
1:B:19:LYS:HA	4:B:1299:HOH:O	2.09	0.53
1:A:552:PHE:O	1:A:569:LYS:HA	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:677:PHE:CE1	3:D:804:EDO:H11	2.44	0.53
1:D:148:VAL:HG23	1:D:156:ALA:HB3	1.91	0.52
1:B:648:LYS:HB3	1:B:661:ALA:HA	1.91	0.52
1:C:103:TRP:CE2	1:C:141:VAL:HG21	2.45	0.52
1:C:198:ASN:H	1:C:483:HIS:CE1	2.22	0.52
1:A:697:GLU:CG	4:A:908:HOH:O	2.43	0.52
1:C:302:ASN:OD1	1:C:304:GLU:HG2	2.10	0.52
1:C:455:SER:HB3	4:C:1050:HOH:O	2.11	0.51
1:A:77:TYR:CZ	1:C:310:LYS:HD3	2.45	0.51
1:F:103:TRP:CE2	1:F:141:VAL:HG21	2.46	0.51
1:F:397:ILE:O	1:F:430:GLY:HA3	2.11	0.50
1:C:678:ASP:O	1:C:679:TRP:C	2.54	0.50
1:E:126:GLU:HG3	1:E:404:PHE:CE1	2.46	0.50
1:D:44:MET:HG2	4:D:1321:HOH:O	2.10	0.50
1:C:697:GLU:CG	4:C:1244:HOH:O	2.57	0.50
1:D:253:TRP:CE2	1:D:261:PRO:HB3	2.46	0.49
1:B:613:PRO:HG2	1:B:675:GLU:O	2.11	0.49
1:B:516:GLU:OE2	1:B:520:HIS:HE1	1.94	0.49
1:D:294:GLN:HG3	4:D:924:HOH:O	2.10	0.49
1:E:552:PHE:O	1:E:569:LYS:HA	2.13	0.49
1:F:192:PRO:HD3	1:F:372:ASN:O	2.12	0.49
1:E:600:LYS:NZ	4:E:909:HOH:O	2.45	0.49
1:E:44:MET:HG2	4:E:1331:HOH:O	2.12	0.48
1:F:483:HIS:HD2	4:F:1251:HOH:O	1.96	0.48
1:E:719:ILE:HD12	1:E:719:ILE:C	2.38	0.48
1:F:199:TRP:HB2	1:F:451:ARG:HA	1.95	0.48
1:D:507:LEU:HD11	1:D:523:GLN:HB3	1.96	0.47
1:A:648:LYS:HB3	1:A:661:ALA:HA	1.97	0.47
1:D:613:PRO:HD2	4:D:1118:HOH:O	2.14	0.47
1:F:678:ASP:O	1:F:679:TRP:C	2.57	0.46
1:C:192:PRO:HD3	1:C:372:ASN:O	2.14	0.46
1:E:483:HIS:HD2	4:E:1325:HOH:O	1.98	0.46
1:E:456:LYS:O	1:E:456:LYS:HG3	2.16	0.46
1:A:516[A]:GLU:OE1	1:A:520:HIS:HE1	1.98	0.46
1:D:325:GLU:CG	4:D:924:HOH:O	2.63	0.46
1:E:239:GLU:HG3	4:E:1124:HOH:O	2.14	0.46
1:A:103:TRP:NE1	1:A:141:VAL:HG21	2.30	0.46
1:B:103:TRP:CE2	1:B:141:VAL:HG21	2.51	0.46
1:C:93:LYS:NZ	4:C:916:HOH:O	2.49	0.46
1:D:77:TYR:CZ	1:F:310:LYS:HD3	2.52	0.45
1:D:592:PRO:HG3	1:D:619:TYR:CE2	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:GLY:HA3	4:A:976:HOH:O	2.17	0.45
1:D:648:LYS:HE3	1:D:661:ALA:HB1	1.99	0.45
1:F:552:PHE:O	1:F:569:LYS:HA	2.17	0.45
1:E:545:MET:HE2	1:E:575:TYR:C	2.42	0.45
1:A:606[A]:GLU:HG2	1:A:648:LYS:HB2	1.98	0.45
1:B:253:TRP:CE2	1:B:261:PRO:HB3	2.51	0.45
1:B:678:ASP:O	1:B:679:TRP:C	2.58	0.45
1:B:192:PRO:HD3	1:B:372:ASN:O	2.17	0.45
1:C:547:SER:HB3	1:C:575:TYR:CD2	2.52	0.45
1:D:310:LYS:HD3	1:E:77:TYR:CZ	2.52	0.44
1:F:15:ILE:HD11	1:F:58:PHE:CE2	2.52	0.44
1:E:657:GLU:OE2	1:E:660:SER:OG	2.31	0.44
1:B:199:TRP:HB2	1:B:451:ARG:HA	1.99	0.44
1:F:349:LYS:HG3	4:F:1271:HOH:O	2.17	0.44
1:B:287:ALA:HA	1:B:292:TYR:CG	2.52	0.44
1:C:264:PHE:CZ	1:C:268:LEU:HD11	2.53	0.44
1:C:253:TRP:CE2	1:C:261:PRO:HB3	2.53	0.44
1:D:12:ASN:ND2	1:D:55:GLU:HG2	2.31	0.44
1:E:253:TRP:CE2	1:E:261:PRO:HB3	2.52	0.44
1:C:148:VAL:HG23	1:C:156:ALA:HB3	2.00	0.44
1:B:310:LYS:HD3	1:C:77:TYR:CZ	2.53	0.43
1:D:274:LYS:HE3	4:D:1372:HOH:O	2.17	0.43
1:F:343[B]:GLN:HE21	1:F:344:GLN:HE22	1.64	0.43
1:B:595:LYS:HE3	4:B:1144:HOH:O	2.19	0.43
1:A:586:LYS:HD2	4:A:1381:HOH:O	2.18	0.43
1:B:563:GLY:HA3	1:B:677:PHE:CD2	2.53	0.43
1:B:651:ILE:HD11	1:B:666:PHE:CE2	2.53	0.43
1:D:199:TRP:HB2	1:D:451:ARG:HA	2.00	0.43
1:F:253:TRP:CE2	1:F:261:PRO:HB3	2.54	0.43
1:E:613:PRO:HD2	4:E:986:HOH:O	2.18	0.43
1:B:231:ASP:HB3	4:B:1204:HOH:O	2.18	0.43
1:A:77:TYR:CE1	1:C:310:LYS:HD3	2.54	0.43
1:A:397:ILE:O	1:A:430:GLY:HA3	2.18	0.43
1:D:191:LEU:HD11	1:D:419:TRP:CD2	2.53	0.43
1:E:148:VAL:HG22	1:E:157:GLY:O	2.18	0.43
1:E:199:TRP:HB2	1:E:451:ARG:HA	2.01	0.43
1:A:15:ILE:HD11	1:A:58:PHE:CE2	2.55	0.42
1:A:317:LYS:HG3	4:A:1367:HOH:O	2.18	0.42
1:D:425:GLY:H	1:D:440:TRP:CG	2.37	0.42
1:D:648:LYS:HB3	1:D:661:ALA:HA	2.00	0.42
1:F:185:THR:O	1:F:386:ARG:HD3	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:397:ILE:O	1:C:430:GLY:HA3	2.19	0.42
1:B:576:ARG:HB3	1:B:580:GLU:HB2	2.02	0.42
1:A:185:THR:O	1:A:386:ARG:HD3	2.21	0.41
1:A:18:ASP:OD1	1:A:19:LYS:N	2.53	0.41
1:B:203:TYR:O	1:B:456:LYS:HA	2.20	0.41
1:B:254:ASN:C	1:B:254:ASN:OD1	2.63	0.41
1:B:547:SER:HB3	1:B:575:TYR:CD2	2.54	0.41
1:A:651:ILE:HD11	1:A:666:PHE:CE2	2.55	0.41
1:D:545:MET:HE2	1:D:575:TYR:C	2.45	0.41
1:B:659:VAL:HG23	1:B:668:ILE:HD13	2.01	0.41
1:C:239:GLU:HG3	4:C:1082:HOH:O	2.20	0.41
1:E:287:ALA:HA	1:E:292:TYR:CG	2.55	0.41
1:D:631:GLU:O	1:D:637:PHE:HA	2.21	0.41
1:F:302:ASN:OD1	1:F:304:GLU:HG2	2.20	0.41
1:C:191:LEU:HD11	1:C:419:TRP:CD2	2.56	0.41
1:B:673:LYS:HD3	1:B:673:LYS:HA	1.81	0.41
1:C:592:PRO:HG3	1:C:619:TYR:CE2	2.56	0.41
1:D:343[B]:GLN:HG3	1:E:99:TYR:CZ	2.56	0.41
1:F:680:ASN:ND2	1:F:683:THR:H	2.19	0.41
1:F:146:GLY:HA3	4:F:960:HOH:O	2.20	0.41
1:B:425:GLY:H	1:B:440:TRP:CG	2.38	0.41
1:F:516:GLU:OE2	1:F:520:HIS:HE1	2.04	0.41
1:B:287:ALA:HA	1:B:292:TYR:CD2	2.56	0.41
1:E:146:GLY:HA3	4:E:936:HOH:O	2.20	0.41
1:A:592:PRO:HG3	1:A:619:TYR:CE2	2.56	0.40
1:B:704:GLN:HG3	4:B:1139:HOH:O	2.20	0.40
1:C:650:THR:HA	1:C:659:VAL:O	2.21	0.40
1:E:287:ALA:HA	1:E:292:TYR:CD2	2.55	0.40
1:A:199:TRP:HB2	1:A:451:ARG:HA	2.02	0.40
1:A:310:LYS:HD3	1:B:77:TYR:CZ	2.55	0.40
1:C:98:VAL:HG23	1:C:99:TYR:CD2	2.55	0.40
1:E:403:ASP:HA	1:E:536:THR:HB	2.02	0.40
1:B:653:TYR:HE2	1:B:675:GLU:HG2	1.86	0.40
1:C:292:TYR:HB3	1:C:293:PRO:HD3	2.03	0.40
1:D:606:GLU:HA	1:D:648:LYS:O	2.20	0.40
1:E:651:ILE:HD11	1:E:666:PHE:CE2	2.57	0.40
1:B:368:LYS:HG3	1:B:369:LYS:N	2.36	0.40
1:B:710:GLU:HG3	4:B:1281:HOH:O	2.21	0.40
1:C:725:GLN:CD	4:C:906:HOH:O	2.64	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:663:ARG:NH2	1:E:266[B]:ASP:OD2[1_554]	1.81	0.39

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	737/759 (97%)	715 (97%)	22 (3%)	0	100	100
1	B	729/759 (96%)	704 (97%)	25 (3%)	0	100	100
1	C	728/759 (96%)	700 (96%)	28 (4%)	0	100	100
1	D	732/759 (96%)	713 (97%)	17 (2%)	2 (0%)	36	21
1	E	730/759 (96%)	709 (97%)	19 (3%)	2 (0%)	36	21
1	F	728/759 (96%)	701 (96%)	27 (4%)	0	100	100
All	All	4384/4554 (96%)	4242 (97%)	138 (3%)	4 (0%)	100	32

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	455[A]	SER
1	E	455[B]	SER
1	D	455[A]	SER
1	D	455[B]	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	656/673 (98%)	650 (99%)	6 (1%)	70	60
1	B	648/673 (96%)	635 (98%)	13 (2%)	48	29
1	C	647/673 (96%)	639 (99%)	8 (1%)	63	49
1	D	651/673 (97%)	643 (99%)	8 (1%)	63	49
1	E	649/673 (96%)	640 (99%)	9 (1%)	59	44
1	F	647/673 (96%)	634 (98%)	13 (2%)	48	29
All	All	3898/4038 (96%)	3841 (98%)	57 (2%)	57	41

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	108	LYS
1	A	179	LYS
1	A	297	GLN
1	A	304	GLU
1	A	313	PHE
1	A	660	SER
1	B	108	LYS
1	B	110	ASP
1	B	179	LYS
1	B	230	ILE
1	B	297	GLN
1	B	304	GLU
1	B	313	PHE
1	B	368	LYS
1	B	464	PRO
1	B	493	ASN
1	B	602	GLU
1	B	643	LYS
1	B	655	GLU
1	C	297	GLN
1	C	313	PHE
1	C	574	VAL
1	C	599	LYS
1	C	602	GLU
1	C	660	SER
1	C	710	GLU
1	C	725	GLN
1	D	108	LYS
1	D	179	LYS
1	D	304	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	313	PHE
1	D	574	VAL
1	D	599	LYS
1	D	660	SER
1	D	710	GLU
1	F	108	LYS
1	F	148	VAL
1	F	179	LYS
1	F	230	ILE
1	F	256	LYS
1	F	297	GLN
1	F	304	GLU
1	F	313	PHE
1	F	369	LYS
1	F	456	LYS
1	F	537	GLU
1	F	574	VAL
1	F	660	SER
1	E	55	GLU
1	E	108	LYS
1	E	110	ASP
1	E	304	GLU
1	E	313	PHE
1	E	456	LYS
1	E	574	VAL
1	E	599	LYS
1	E	660	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (42) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	ASN
1	A	362	GLN
1	A	370	HIS
1	A	483	HIS
1	A	596	ASN
1	A	680	ASN
1	A	705	GLN
1	A	712	HIS
1	B	362	GLN
1	B	483	HIS
1	B	544	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	596	ASN
1	B	680	ASN
1	B	705	GLN
1	B	712	HIS
1	C	362	GLN
1	C	365	ASN
1	C	483	HIS
1	C	596	ASN
1	C	680	ASN
1	C	705	GLN
1	D	12	ASN
1	D	362	GLN
1	D	365	ASN
1	D	372	ASN
1	D	483	HIS
1	D	656	HIS
1	D	680	ASN
1	D	705	GLN
1	D	712	HIS
1	D	725	GLN
1	F	362	GLN
1	F	483	HIS
1	F	596	ASN
1	F	680	ASN
1	F	705	GLN
1	F	712	HIS
1	E	362	GLN
1	E	483	HIS
1	E	680	ASN
1	E	705	GLN
1	E	712	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EDO	B	803	-	3,3,3	0.20	0	2,2,2	0.18	0
3	EDO	F	803	-	3,3,3	0.06	0	2,2,2	0.21	0
3	EDO	D	802	-	3,3,3	0.14	0	2,2,2	0.27	0
2	XYL	E	801	-	9,9,9	0.22	0	11,11,11	0.98	0
3	EDO	A	802	-	3,3,3	0.32	0	2,2,2	0.22	0
2	XYL	D	801	-	9,9,9	0.43	0	11,11,11	1.12	1 (9%)
3	EDO	D	804	-	3,3,3	0.15	0	2,2,2	0.18	0
3	EDO	E	804	-	3,3,3	0.10	0	2,2,2	0.07	0
3	EDO	C	802	-	3,3,3	0.06	0	2,2,2	0.14	0
2	XYL	C	801	-	9,9,9	0.47	0	11,11,11	0.82	0
2	XYL	B	801	-	9,9,9	0.42	0	11,11,11	1.02	0
3	EDO	C	803	-	3,3,3	0.21	0	2,2,2	0.48	0
3	EDO	D	803	-	3,3,3	0.40	0	2,2,2	0.48	0
2	XYL	F	801	-	9,9,9	0.21	0	11,11,11	0.85	0
2	XYL	A	801	-	9,9,9	0.24	0	11,11,11	0.83	0
3	EDO	A	803	-	3,3,3	0.33	0	2,2,2	0.22	0
3	EDO	B	802	-	3,3,3	0.23	0	2,2,2	0.30	0
3	EDO	E	802	-	3,3,3	0.07	0	2,2,2	0.16	0
3	EDO	F	802	-	3,3,3	0.31	0	2,2,2	0.34	0
3	EDO	E	803	-	3,3,3	0.19	0	2,2,2	0.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	803	-	-	0/1/1/1	-
3	EDO	F	803	-	-	0/1/1/1	-
3	EDO	D	802	-	-	0/1/1/1	-
2	XYL	E	801	-	-	1/12/12/12	-
3	EDO	A	802	-	-	0/1/1/1	-
2	XYL	D	801	-	-	0/12/12/12	-
3	EDO	D	804	-	-	0/1/1/1	-
3	EDO	E	804	-	-	1/1/1/1	-
3	EDO	C	802	-	-	0/1/1/1	-
2	XYL	C	801	-	-	1/12/12/12	-
2	XYL	B	801	-	-	1/12/12/12	-
3	EDO	C	803	-	-	1/1/1/1	-
3	EDO	D	803	-	-	0/1/1/1	-
2	XYL	F	801	-	-	1/12/12/12	-
2	XYL	A	801	-	-	1/12/12/12	-
3	EDO	A	803	-	-	1/1/1/1	-
3	EDO	B	802	-	-	0/1/1/1	-
3	EDO	E	802	-	-	0/1/1/1	-
3	EDO	F	802	-	-	0/1/1/1	-
3	EDO	E	803	-	-	0/1/1/1	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	801	XYL	C4-C3-C2	-2.15	109.99	113.57

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	803	EDO	O1-C1-C2-O2
3	C	803	EDO	O1-C1-C2-O2
2	E	801	XYL	O1-C1-C2-O2
2	F	801	XYL	O1-C1-C2-O2
2	B	801	XYL	O1-C1-C2-O2
2	A	801	XYL	O3-C3-C4-C5
3	E	804	EDO	O1-C1-C2-O2
2	C	801	XYL	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	804	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	733/759 (96%)	0.04	10 (1%)	73	80	13, 25, 45, 64	6 (0%)
1	B	728/759 (95%)	0.32	27 (3%)	45	51	13, 30, 52, 93	3 (0%)
1	C	728/759 (95%)	0.57	43 (5%)	28	32	14, 32, 58, 82	2 (0%)
1	D	728/759 (95%)	0.16	20 (2%)	56	62	10, 26, 52, 72	6 (0%)
1	E	728/759 (95%)	0.06	11 (1%)	72	78	13, 26, 49, 73	4 (0%)
1	F	728/759 (95%)	0.43	38 (5%)	33	37	13, 31, 58, 80	2 (0%)
All	All	4373/4554 (96%)	0.26	149 (3%)	48	54	10, 28, 53, 93	23 (0%)

All (149) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	672	GLY	5.3
1	B	672	GLY	4.8
1	B	659	VAL	4.2
1	B	676	ASN	3.9
1	B	656	HIS	3.7
1	C	152	VAL	3.7
1	C	316	LEU	3.7
1	F	431[A]	TYR	3.7
1	E	672	GLY	3.6
1	D	666	PHE	3.5
1	F	661	ALA	3.5
1	F	668	ILE	3.4
1	C	56	VAL	3.4
1	C	12	ASN	3.4
1	D	349	LYS	3.3
1	E	369	LYS	3.3
1	C	603	ILE	3.2
1	D	658	ILE	3.2
1	F	637	PHE	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	659	VAL	3.2
1	C	658	ILE	3.1
1	B	661	ALA	3.1
1	B	152	VAL	3.0
1	D	431[A]	TYR	3.0
1	A	349	LYS	3.0
1	E	12	ASN	3.0
1	D	633	VAL	3.0
1	C	149	LEU	3.0
1	C	620	LEU	3.0
1	B	655	GLU	3.0
1	F	666	PHE	3.0
1	E	14	ILE	2.9
1	F	37	THR	2.9
1	F	664	GLY	2.9
1	B	678	ASP	2.9
1	F	603	ILE	2.9
1	C	14	ILE	2.8
1	B	368	LYS	2.8
1	B	431[A]	TYR	2.8
1	F	12	ASN	2.7
1	C	153	GLY	2.7
1	B	369	LYS	2.7
1	C	320	LYS	2.7
1	C	637	PHE	2.7
1	C	622	LEU	2.7
1	C	708	LEU	2.7
1	E	431[A]	TYR	2.7
1	C	15	ILE	2.7
1	D	672	GLY	2.7
1	A	369	LYS	2.6
1	F	670	LEU	2.6
1	C	639	VAL	2.6
1	E	370	HIS	2.6
1	C	431[A]	TYR	2.6
1	C	659	VAL	2.6
1	F	658	ILE	2.6
1	B	332	LYS	2.6
1	C	663	ARG	2.6
1	F	149	LEU	2.6
1	E	659	VAL	2.6
1	B	658	ILE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	658	ILE	2.6
1	B	673	LYS	2.5
1	D	152	VAL	2.5
1	F	152	VAL	2.5
1	F	663	ARG	2.5
1	C	13	ASN	2.5
1	C	58	PHE	2.5
1	F	662	LYS	2.5
1	D	64	GLU	2.4
1	A	659	VAL	2.4
1	C	646	SER	2.4
1	D	603	ILE	2.4
1	D	645	SER	2.4
1	A	370	HIS	2.4
1	B	677	PHE	2.4
1	C	57	ASN	2.4
1	C	633	VAL	2.4
1	C	370	HIS	2.4
1	F	370	HIS	2.4
1	A	9	TYR	2.4
1	B	668	ILE	2.4
1	C	37	THR	2.3
1	F	622	LEU	2.3
1	B	643	LYS	2.3
1	B	651	ILE	2.3
1	D	12	ASN	2.3
1	F	153	GLY	2.3
1	A	625	ASP	2.3
1	B	600	LYS	2.3
1	C	369	LYS	2.3
1	D	643	LYS	2.3
1	C	621	LEU	2.3
1	C	40	PHE	2.3
1	F	14	ILE	2.3
1	F	15	ILE	2.3
1	F	639	VAL	2.3
1	C	625	ASP	2.3
1	D	708	LEU	2.3
1	B	675	GLU	2.3
1	F	646	SER	2.3
1	C	664	GLY	2.3
1	F	56	VAL	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	12	ASN	2.2
1	E	349	LYS	2.2
1	C	38	GLY	2.2
1	F	652	ILE	2.2
1	F	13	ASN	2.2
1	F	643	LYS	2.2
1	B	305	LEU	2.2
1	C	602	GLU	2.2
1	A	431[A]	TYR	2.2
1	A	60	ILE	2.2
1	C	349	LYS	2.2
1	C	648	LYS	2.2
1	D	625	ASP	2.2
1	B	316	LEU	2.2
1	D	79	ASN	2.2
1	F	673	LYS	2.2
1	C	668	ILE	2.2
1	E	668	ILE	2.2
1	F	109	SER	2.2
1	F	644	GLU	2.1
1	F	708	LEU	2.1
1	C	661	ALA	2.1
1	C	672	GLY	2.1
1	E	664	GLY	2.1
1	A	673	LYS	2.1
1	D	108	LYS	2.1
1	B	299	LEU	2.1
1	C	294	GLN	2.1
1	F	641	SER	2.1
1	C	636	ILE	2.1
1	F	60	ILE	2.1
1	B	255	LYS	2.1
1	D	661	ALA	2.1
1	F	369	LYS	2.1
1	F	625	ASP	2.1
1	C	642	LYS	2.1
1	F	332	LYS	2.1
1	C	60	ILE	2.1
1	D	14	ILE	2.1
1	B	664	GLY	2.0
1	F	654	GLY	2.0
1	D	57	ASN	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	304	GLU	2.0
1	F	667	SER	2.0
1	D	659	VAL	2.0
1	C	371	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	EDO	B	802	4/4	0.87	0.15	42,45,46,51	0
3	EDO	F	802	4/4	0.90	0.13	43,43,45,47	0
3	EDO	C	803	4/4	0.91	0.12	42,44,45,45	0
3	EDO	A	802	4/4	0.91	0.11	37,37,37,38	0
3	EDO	E	804	4/4	0.91	0.10	42,45,46,48	0
3	EDO	D	804	4/4	0.93	0.12	33,39,40,41	0
3	EDO	D	802	4/4	0.93	0.11	36,43,43,44	0
3	EDO	E	802	4/4	0.93	0.12	43,43,44,45	0
3	EDO	D	803	4/4	0.93	0.12	22,27,33,35	0
3	EDO	E	803	4/4	0.94	0.10	27,31,36,38	0
3	EDO	B	803	4/4	0.95	0.10	28,32,39,41	0
3	EDO	A	803	4/4	0.95	0.10	28,34,39,47	0
3	EDO	F	803	4/4	0.95	0.11	26,30,33,40	0
3	EDO	C	802	4/4	0.96	0.10	25,33,38,40	0
2	XYL	A	801	10/10	0.96	0.06	20,22,24,25	0
2	XYL	B	801	10/10	0.96	0.07	23,26,29,30	0
2	XYL	C	801	10/10	0.96	0.06	21,24,25,28	0
2	XYL	F	801	10/10	0.96	0.06	22,25,28,30	0
2	XYL	D	801	10/10	0.97	0.06	19,20,22,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	XYL	E	801	10/10	0.97	0.05	18,20,21,26	0

6.5 Other polymers [i](#)

There are no such residues in this entry.