



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:18 PM UTC

PDB ID : 8BZL / pdb_00008bzl
Title : Human 20S Proteasome in complex with peptide activator peptide BLM42
Authors : Henneberg, F.; Chari, A.; Jankowska, E.; Witkowska, J.
Deposited on : 2022-12-15
Resolution : 2.14 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION






The reported resolution of this entry is 2.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3689 (2.16-2.12)
Clashscore	190562	3812 (2.16-2.12)
Ramachandran outliers	187476	3773 (2.16-2.12)
Sidechain outliers	187428	3772 (2.16-2.12)
RSRZ outliers	180081	3691 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	3	205	 96%
1	I	205	 94% 5%
2	A	234	 5% 86% 9%
2	O	234	 12% 88% 5% 6%
3	B	261	 8% 85% 6% 9%





Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	P	261	
4	C	248	
4	Q	248	
5	D	241	
5	R	241	
6	E	263	
6	S	263	
7	F	255	
7	T	255	
8	G	246	
8	U	246	
9	H	277	
9	V	277	
10	J	201	
10	X	201	
11	K	263	
11	Y	263	
12	L	241	
12	Z	241	
13	M	264	
13	a	264	
14	N	239	
14	b	239	
15	c	14	
15	d	14	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	e	14	
15	f	14	
15	g	14	
15	h	14	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
16	CL	H	302	-	-	X	-

2 Entry composition

There are 21 unique types of molecules in this entry. The entry contains 50949 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	3	204	Total	C	N	O	S	0	1	0
			1582	1007	264	292	19			
1	I	204	Total	C	N	O	S	13	7	0
			1639	1042	275	303	19			

- Molecule 2 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A	227	Total	C	N	O	S	0	2	0
			1773	1133	302	332	6			
2	O	221	Total	C	N	O	S	0	0	0
			1600	1021	274	299	6			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	B	238	Total	C	N	O	S	0	0	0
			1814	1146	312	346	10			
3	P	238	Total	C	N	O	S	0	2	0
			1785	1130	307	339	9			

- Molecule 4 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	C	225	Total	C	N	O	S	0	0	0
			1706	1074	306	321	5			
4	Q	222	Total	C	N	O	S	0	0	0
			1685	1060	300	320	5			

- Molecule 5 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	D	225	Total	C	N	O	S	0	1	0
			1641	1031	274	325	11			
5	R	230	Total	C	N	O	S	0	0	0
			1745	1098	291	345	11			

- Molecule 6 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	E	228	Total	C	N	O	S	0	0	0
			1747	1099	313	324	11			
6	S	237	Total	C	N	O	S	0	3	0
			1846	1160	335	340	11			

- Molecule 7 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	F	240	Total	C	N	O	S	8	5	0
			1885	1198	320	354	13			
7	T	239	Total	C	N	O	S	0	1	0
			1844	1171	316	345	12			

- Molecule 8 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	G	243	Total	C	N	O	S	0	3	0
			1872	1188	317	354	13			
8	U	230	Total	C	N	O	S	0	0	0
			1738	1099	293	333	13			

- Molecule 9 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	H	220	Total	C	N	O	S	0	4	0
			1686	1062	291	320	13			
9	V	218	Total	C	N	O	S	5	2	0
			1625	1024	272	317	12			

- Molecule 10 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	196	Total	C	N	O	S	0	2	0
			1576	1011	267	288	10			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	196	Total	C	N	O	S	0	2	0
			1573	1009	269	285	10			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	200	Total	C	N	O	S	0	1	0
			1536	971	267	289	9			
11	Y	199	Total	C	N	O	S	0	3	0
			1560	986	275	289	10			

- Molecule 12 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	213	Total	C	N	O	S	0	2	0
			1647	1044	280	312	11			
12	Z	213	Total	C	N	O	S	0	2	0
			1649	1046	282	310	11			

- Molecule 13 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	214	Total	C	N	O	S	0	0	0
			1669	1053	289	315	12			
13	a	215	Total	C	N	O	S	0	1	0
			1682	1062	290	318	12			

- Molecule 14 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	197	Total	C	N	O	S	0	1	0
			1473	924	249	287	13			
14	b	198	Total	C	N	O	S	0	2	0
			1489	935	252	288	14			

- Molecule 15 is a protein called ARG-SER-TYR-TYR-SER.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	c	5	Total	C	N	O	0	0	0
			41	27	5	9			
15	d	5	Total	C	N	O	0	0	0
			41	27	5	9			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	e	3	Total	C	N	O	0	0	0
			30	21	3	6			
15	f	3	Total	C	N	O	0	0	0
			30	21	3	6			
15	g	3	Total	C	N	O	0	0	0
			29	21	3	5			
15	h	4	Total	C	N	O	0	0	0
			35	24	4	7			

- Molecule 16 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	3	1	Total	Cl	0	0
			1	1		
16	A	4	Total	Cl	0	0
			4	4		
16	B	2	Total	Cl	0	0
			2	2		
16	C	2	Total	Cl	0	0
			2	2		
16	D	1	Total	Cl	0	0
			1	1		
16	E	3	Total	Cl	0	0
			3	3		
16	F	1	Total	Cl	0	0
			1	1		
16	G	2	Total	Cl	0	0
			2	2		
16	H	2	Total	Cl	0	0
			2	2		
16	I	1	Total	Cl	0	0
			1	1		
16	K	4	Total	Cl	0	0
			4	4		
16	M	4	Total	Cl	0	0
			4	4		
16	N	3	Total	Cl	0	0
			3	3		
16	O	4	Total	Cl	0	0
			4	4		
16	P	1	Total	Cl	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	Q	2	Total 2	Cl 2	0	0
16	R	1	Total 1	Cl 1	0	0
16	S	2	Total 2	Cl 2	0	0
16	U	1	Total 1	Cl 1	0	0
16	V	2	Total 2	Cl 2	0	0
16	Y	5	Total 5	Cl 5	0	0
16	a	4	Total 4	Cl 4	0	0
16	b	2	Total 2	Cl 2	0	0

- Molecule 17 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	3	1	Total 1	Mg 1	0	0
17	H	2	Total 2	Mg 2	0	0
17	I	1	Total 1	Mg 1	0	0
17	J	1	Total 1	Mg 1	0	0
17	K	1	Total 1	Mg 1	0	0
17	V	2	Total 2	Mg 2	0	0
17	X	1	Total 1	Mg 1	0	0
17	Y	1	Total 1	Mg 1	0	0

- Molecule 18 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
18	3	1	Total	C	O	0	0
			16	10	6		
18	G	1	Total	C	O	0	0
			16	10	6		
18	I	1	Total	C	O	0	0
			16	10	6		
18	I	1	Total	C	O	0	0
			16	10	6		
18	K	1	Total	C	O	0	0
			16	10	6		
18	M	1	Total	C	O	0	0
			16	10	6		
18	U	1	Total	C	O	0	0
			16	10	6		
18	Y	1	Total	C	O	0	0
			16	10	6		
18	a	1	Total	C	O	0	0
			16	10	6		

- Molecule 19 is 1-ETHYL-PYRROLIDINE-2,5-DIONE (CCD ID: NEN) (formula: C₆H₉NO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
19	E	1	Total	C	N	O	0	0
			9	6	1	2		
19	G	1	Total	C	N	O	0	0
			9	6	1	2		
19	S	1	Total	C	N	O	0	0
			9	6	1	2		
19	U	1	Total	C	N	O	0	0
			9	6	1	2		

- Molecule 20 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	G	1	Total	K	0	0
			1	1		
20	L	1	Total	K	0	0
			1	1		
20	N	1	Total	K	0	0
			1	1		
20	U	1	Total	K	0	0
			1	1		
20	Z	1	Total	K	0	0
			1	1		
20	b	1	Total	K	0	0
			1	1		

- Molecule 21 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
21	3	98	Total O 98 98	0	0
21	A	98	Total O 98 98	0	0
21	B	111	Total O 111 111	0	0
21	C	59	Total O 59 59	0	0
21	D	56	Total O 56 56	0	0
21	E	116	Total O 116 116	0	0
21	F	188	Total O 188 188	0	0
21	G	166	Total O 166 166	0	0
21	H	160	Total O 160 160	0	0
21	I	159	Total O 159 159	0	0
21	J	144	Total O 144 144	0	0
21	K	117	Total O 117 117	0	0
21	L	111	Total O 111 111	0	0
21	M	178	Total O 178 178	0	0
21	N	161	Total O 161 161	0	0
21	O	50	Total O 50 50	0	0
21	P	77	Total O 77 77	0	0
21	Q	51	Total O 51 51	0	0
21	R	111	Total O 111 111	0	0
21	S	103	Total O 103 103	0	0
21	T	104	Total O 104 104	0	0
21	U	82	Total O 82 82	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
21	V	110	Total 110	O 110	0	0
21	X	131	Total 131	O 131	0	0
21	Y	179	Total 179	O 179	0	0
21	Z	172	Total 172	O 172	0	0
21	a	195	Total 195	O 195	0	0
21	b	123	Total 123	O 123	0	0
21	c	1	Total 1	O 1	0	0
21	d	1	Total 1	O 1	0	0
21	e	3	Total 3	O 3	0	0
21	f	3	Total 3	O 3	0	0
21	g	5	Total 5	O 5	0	0
21	h	3	Total 3	O 3	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit beta type-3

Chain 3:  96%




- Molecule 1: Proteasome subunit beta type-3

Chain I:  94% 5%





- Molecule 2: Proteasome subunit alpha type-2

Chain A:  5% 86% 9%





- Molecule 2: Proteasome subunit alpha type-2

Chain O:  12% 88% 5% 6%





- Molecule 3: Proteasome subunit alpha type-4



Chain B:  8% 85% 6% 9%





- Molecule 3: Proteasome subunit alpha type-4





- Molecule 4: Proteasome subunit alpha type-7





- Molecule 4: Proteasome subunit alpha type-7





- Molecule 5: Proteasome subunit alpha type-5





- Molecule 5: Proteasome subunit alpha type-5




- Molecule 6: Proteasome subunit alpha type-1





- Molecule 6: Proteasome subunit alpha type-1




- Molecule 7: Proteasome subunit alpha type-3





- Molecule 7: Proteasome subunit alpha type-3





- Molecule 8: Proteasome subunit alpha type-6





• Molecule 8: Proteasome subunit alpha type-6




• Molecule 9: Proteasome subunit beta type-7



• Molecule 9: Proteasome subunit beta type-7



• Molecule 10: Proteasome subunit beta type-2



• Molecule 10: Proteasome subunit beta type-2






• Molecule 11: Proteasome subunit beta type-5





• Molecule 11: Proteasome subunit beta type-5





• Molecule 12: Proteasome subunit beta type-1




• Molecule 12: Proteasome subunit beta type-1






• Molecule 13: Proteasome subunit beta type-4











• Molecule 13: Proteasome subunit beta type-4



• Molecule 14: Proteasome subunit beta type-6



• Molecule 14: Proteasome subunit beta type-6




• Molecule 15: ARG-SER-TYR-TYR-SER




• Molecule 15: ARG-SER-TYR-TYR-SER






• Molecule 15: ARG-SER-TYR-TYR-SER




• Molecule 15: ARG-SER-TYR-TYR-SER



• Molecule 15: ARG-SER-TYR-TYR-SER



• Molecule 15: ARG-SER-TYR-TYR-SER



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	113.92Å 203.26Å 316.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	107.12 – 2.14 107.12 – 2.14	Depositor EDS
% Data completeness (in resolution range)	81.6 (107.12-2.14) 81.6 (107.12-2.14)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.71 (at 2.14Å)	Xtriage
Refinement program	REFMAC 5.8.0352	Depositor
R, R_{free}	0.196 , 0.226 0.196 , 0.226	Depositor DCC
R_{free} test set	16355 reflections (4.07%)	wwPDB-VP
Wilson B-factor (Å ²)	39.2	Xtriage
Anisotropy	0.034	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 49.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	50949	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: YCM, CL, MG, K, 1PE, NEN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	3	0.43	0/1613	0.87	0/2177
1	I	0.43	0/1674	0.87	0/2255
2	A	0.43	0/1818	0.90	0/2467
2	O	0.45	0/1631	0.91	0/2224
3	B	0.45	0/1842	0.89	0/2494
3	P	0.44	0/1815	0.90	0/2461
4	C	0.43	0/1718	0.93	0/2327
4	Q	0.43	0/1698	0.93	0/2306
5	D	0.44	0/1665	0.91	0/2258
5	R	0.44	0/1771	0.91	0/2391
6	E	0.44	0/1779	0.92	0/2409
6	S	0.45	0/1890	0.91	0/2557
7	F	0.43	0/1932	0.92	0/2603
7	T	0.44	0/1882	0.92	0/2539
8	G	0.44	0/1900	0.93	0/2573
8	U	0.43	0/1756	0.93	0/2379
9	H	0.46	0/1719	0.85	0/2326
9	V	0.46	0/1657	0.85	0/2247
10	J	0.45	0/1612	0.87	0/2181
10	X	0.45	0/1612	0.86	0/2181
11	K	0.44	0/1567	0.89	0/2120
11	Y	0.44	0/1600	0.86	0/2160
12	L	0.45	0/1683	0.87	0/2270
12	Z	0.45	0/1682	0.87	0/2267
13	M	0.45	0/1702	0.90	0/2304
13	a	0.46	0/1718	0.90	0/2326
14	N	0.47	0/1502	0.88	0/2034
14	b	0.46	0/1517	0.87	0/2051
15	c	0.49	0/42	0.91	0/55
15	d	0.52	0/42	0.88	0/55
15	e	0.49	0/31	0.57	0/40
15	f	0.50	0/31	0.59	0/40

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
15	g	0.48	0/30	0.65	0/38
15	h	0.47	0/36	0.71	0/48
All	All	0.44	0/48167	0.89	0/65163

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	3	1582	0	1594	6	0
1	I	1639	0	1666	9	0
2	A	1773	0	1750	13	0
2	O	1600	0	1515	9	0
3	B	1814	0	1772	11	0
3	P	1785	0	1717	6	0
4	C	1706	0	1671	18	0
4	Q	1685	0	1625	18	0
5	D	1641	0	1567	10	0
5	R	1745	0	1733	19	0
6	E	1747	0	1712	19	0
6	S	1846	0	1828	17	0
7	F	1885	0	1864	12	0
7	T	1844	0	1806	14	0
8	G	1872	0	1858	14	0
8	U	1738	0	1707	18	0
9	H	1686	0	1719	15	0
9	V	1625	0	1613	7	0
10	J	1576	0	1573	9	0
10	X	1573	0	1577	8	0
11	K	1536	0	1485	9	0
11	Y	1560	0	1535	10	0
12	L	1647	0	1642	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	Z	1649	0	1645	15	0
13	M	1669	0	1646	20	0
13	a	1682	0	1661	18	0
14	N	1473	0	1433	7	0
14	b	1489	0	1453	11	0
15	c	41	0	26	1	0
15	d	41	0	26	0	0
15	e	30	0	19	1	0
15	f	30	0	19	0	0
15	g	29	0	18	2	0
15	h	35	0	24	0	0
16	3	1	0	0	0	0
16	A	4	0	0	0	0
16	B	2	0	0	1	0
16	C	2	0	0	0	0
16	D	1	0	0	0	0
16	E	3	0	0	0	0
16	F	1	0	0	0	0
16	G	2	0	0	1	0
16	H	2	0	0	2	0
16	I	1	0	0	0	0
16	K	4	0	0	0	0
16	M	4	0	0	0	0
16	N	3	0	0	0	0
16	O	4	0	0	0	0
16	P	1	0	0	0	0
16	Q	2	0	0	0	0
16	R	1	0	0	0	0
16	S	2	0	0	1	0
16	U	1	0	0	0	0
16	V	2	0	0	0	0
16	Y	5	0	0	1	0
16	a	4	0	0	1	0
16	b	2	0	0	0	0
17	3	1	0	0	0	0
17	H	2	0	0	0	0
17	I	1	0	0	0	0
17	J	1	0	0	0	0
17	K	1	0	0	0	0
17	V	2	0	0	0	0
17	X	1	0	0	0	0
17	Y	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
18	3	16	0	22	0	0
18	G	16	0	22	0	0
18	I	32	0	44	1	0
18	K	16	0	22	0	0
18	M	16	0	22	1	0
18	U	16	0	22	1	0
18	Y	16	0	22	0	0
18	a	16	0	22	0	0
19	E	9	0	8	0	0
19	G	9	0	8	2	0
19	S	9	0	8	1	0
19	U	9	0	8	0	0
20	G	1	0	0	0	0
20	L	1	0	0	0	0
20	N	1	0	0	0	0
20	U	1	0	0	0	0
20	Z	1	0	0	0	0
20	b	1	0	0	0	0
21	3	98	0	0	0	0
21	A	98	0	0	0	0
21	B	111	0	0	0	0
21	C	59	0	0	0	0
21	D	56	0	0	0	0
21	E	116	0	0	2	0
21	F	188	0	0	3	0
21	G	166	0	0	2	0
21	H	160	0	0	1	0
21	I	159	0	0	1	0
21	J	144	0	0	1	0
21	K	117	0	0	0	0
21	L	111	0	0	0	0
21	M	178	0	0	1	0
21	N	161	0	0	0	0
21	O	50	0	0	0	0
21	P	77	0	0	0	0
21	Q	51	0	0	1	0
21	R	111	0	0	2	0
21	S	103	0	0	0	0
21	T	104	0	0	2	0
21	U	82	0	0	3	0
21	V	110	0	0	0	0
21	X	131	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
21	Y	179	0	0	0	0
21	Z	172	0	0	0	0
21	a	195	0	0	0	0
21	b	123	0	0	0	0
21	c	1	0	0	0	0
21	d	1	0	0	0	0
21	e	3	0	0	1	0
21	f	3	0	0	0	0
21	g	5	0	0	0	0
21	h	3	0	0	0	0
All	All	50949	0	46729	342	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (342) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
16:S:301:CL:CL	19:S:303:NEN:H61	1.91	1.08
8:G:103:TYR:O	9:H:81[B]:ARG:HD3	1.71	0.90
6:S:154:PHE:HD2	7:T:63:ASN:HD21	1.19	0.90
12:L:144:MET:HE1	12:L:185:ARG:HB2	1.53	0.87
11:Y:158:ARG:HE	11:Y:162:GLN:HE21	1.18	0.87
4:Q:157:LYS:HB3	4:Q:176:TYR:CZ	2.09	0.87
6:E:47:VAL:HG12	6:E:195:LEU:HD22	1.57	0.87
12:L:144:MET:CE	12:L:185:ARG:HB2	2.04	0.86
4:C:157:LYS:HB3	4:C:176:TYR:CZ	2.11	0.85
8:U:118:ILE:HG13	8:U:138:MET:HE1	1.58	0.85
6:S:47:VAL:HG12	6:S:195:LEU:HD22	1.59	0.82
3:P:12:PHE:H	4:Q:18:GLN:HE22	1.31	0.78
18:U:303:1PE:H251	14:b:94:LEU:HD21	1.67	0.77
4:Q:94:HIS:CE1	4:Q:98:VAL:HG21	2.20	0.76
13:a:96:MET:HE3	13:a:127:MET:HA	1.69	0.74
4:C:188:ILE:HG23	4:C:208:LEU:HD21	1.68	0.74
6:E:154:PHE:HD2	7:F:63:ASN:HD21	1.34	0.73
3:B:12:PHE:H	4:C:18:GLN:HE22	1.34	0.73
1:I:25[A]:ARG:HG2	1:I:25[A]:ARG:HH11	1.53	0.73
9:H:81[A]:ARG:HD3	16:H:302:CL:CL	2.25	0.73
1:3:25[A]:ARG:HG2	1:3:25[A]:ARG:HH11	1.51	0.72
13:M:96:MET:HE3	13:M:127:MET:HA	1.70	0.72
7:T:24:GLU:HA	7:T:27:MET:HE2	1.72	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:Q:153:TYR:HE1	5:R:86:LYS:HE2	1.58	0.69
8:G:183:VAL:HG13	8:G:191:PHE:CZ	2.28	0.69
6:E:148:CYS:HB3	21:E:475:HOH:O	1.92	0.68
8:U:151:VAL:HG13	8:U:163:PHE:O	1.94	0.68
14:b:95[A]:MET:O	14:b:95[A]:MET:HG2	1.92	0.68
2:A:94:GLN:OE1	9:H:61:SER:HB2	1.93	0.67
3:B:63:GLU:HG3	3:B:64:LYS:HG3	1.76	0.67
11:K:12:VAL:HG13	11:K:179:VAL:HB	1.76	0.67
12:L:54:CYS:SG	12:L:106:VAL:HG13	2.36	0.65
4:C:35:VAL:HG12	4:C:191:VAL:CG2	2.26	0.65
12:Z:54:CYS:SG	12:Z:106[A]:VAL:HG13	2.37	0.65
2:O:3:ARG:HD3	2:O:4:GLY:H	1.62	0.64
4:Q:153:TYR:CE1	5:R:86:LYS:HE2	2.33	0.64
12:L:54:CYS:HG	12:L:61:CYS:HG	0.65	0.63
14:N:14:LEU:HD23	14:N:44:CYS:SG	2.39	0.63
8:U:58:ASP:O	8:U:59:LYS:HB3	1.98	0.62
14:b:14:LEU:HD23	14:b:44:CYS:SG	2.39	0.62
10:J:35:MET:HG2	10:J:45:LEU:HG	1.82	0.62
11:Y:158:ARG:HE	11:Y:162:GLN:NE2	1.94	0.61
11:K:174:VAL:HG11	11:K:195:LEU:HD11	1.81	0.61
8:U:138:MET:HE3	8:U:140:LEU:HD11	1.83	0.61
2:A:3:ARG:HD2	2:A:4:GLY:H	1.66	0.61
3:P:190:LEU:HG	3:P:236:LEU:HD21	1.84	0.60
13:a:5:MET:HE3	13:a:30:TYR:HE1	1.67	0.60
7:F:87:LEU:HD12	7:F:133[A]:CYS:SG	2.42	0.60
6:S:38:LEU:HD23	6:S:45:VAL:HG23	1.83	0.60
4:C:157:LYS:HB3	4:C:176:TYR:CE1	2.36	0.60
4:Q:157:LYS:HB3	4:Q:176:TYR:CE1	2.36	0.60
10:X:35:MET:HG2	10:X:45:LEU:HG	1.83	0.59
6:S:49:LEU:HG	6:S:195:LEU:HD21	1.83	0.59
6:E:49:LEU:HG	6:E:195:LEU:HD21	1.84	0.59
12:L:144:MET:HE2	12:L:182:ALA:HA	1.85	0.59
6:E:107:ARG:NH2	13:M:74:GLU:HG3	2.18	0.59
13:a:5:MET:HE3	13:a:30:TYR:CE1	2.37	0.59
7:T:87:LEU:HD12	7:T:133[A]:CYS:SG	2.43	0.58
8:G:32:ILE:HD13	8:G:137:YCM:HD2	1.85	0.58
4:C:208:LEU:HD23	4:C:220:LEU:HD12	1.85	0.58
2:O:94:GLN:OE1	9:V:61:SER:HB2	2.04	0.57
11:K:27:ALA:O	12:L:136:LYS:NZ	2.37	0.57
12:Z:54:CYS:SG	12:Z:106[A]:VAL:CG1	2.93	0.57
1:3:25[A]:ARG:HG2	1:3:25[A]:ARG:NH1	2.19	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:155:ASN:ND2	4:C:77:THR:OG1	2.38	0.57
5:D:18:GLU:O	6:E:31:GLN:NE2	2.38	0.57
9:V:52:THR:HG22	9:V:96:ALA:HA	1.87	0.57
8:U:32:ILE:HD13	8:U:137:YCM:HD2	1.88	0.56
4:C:40:ILE:HD11	4:C:210:VAL:HG13	1.87	0.56
12:L:54:CYS:SG	12:L:106:VAL:CG1	2.93	0.56
10:X:1:MET:HG2	10:X:134:TYR:H	1.70	0.56
7:T:41:CYS:HB3	7:T:189:ILE:HG13	1.88	0.56
5:D:165:CYS:HA	6:E:57:ALA:HA	1.88	0.56
6:E:107:ARG:HH22	13:M:74:GLU:HG3	1.71	0.56
9:H:52:THR:HG22	9:H:96:ALA:HA	1.88	0.56
9:H:112:SER:HB2	9:H:127[B]:MET:HE3	1.87	0.55
12:Z:193:LEU:HB3	12:Z:208:VAL:HG22	1.88	0.55
3:B:44:LEU:HD22	3:B:190:LEU:HD13	1.87	0.55
4:C:35:VAL:CG1	4:C:191:VAL:CG2	2.85	0.55
3:P:44:LEU:HD22	3:P:190:LEU:HD13	1.88	0.55
4:C:148:ASP:OD2	4:C:152:THR:OG1	2.24	0.55
4:C:40:ILE:HD11	4:C:210:VAL:CG1	2.36	0.55
8:G:78:CYS:HB3	8:G:140:LEU:HD23	1.88	0.54
1:I:97:LYS:HE2	18:I:303:1PE:H252	1.89	0.54
11:K:20:ALA:HB2	11:K:31:VAL:HG21	1.90	0.54
12:L:144:MET:HE3	12:L:185:ARG:HB2	1.88	0.54
14:b:190:LEU:H	14:b:193:GLN:HE21	1.56	0.54
16:a:302:CL:CL	16:a:303:CL:CL	2.99	0.54
6:S:38:LEU:CD2	6:S:45:VAL:HG23	2.38	0.54
5:R:121:LEU:HD12	6:S:79:ALA:HB3	1.89	0.53
8:G:179:LEU:O	8:G:183:VAL:HG22	2.09	0.53
7:F:41:CYS:HB3	7:F:189:ILE:HG13	1.90	0.53
9:H:6[B]:VAL:HG13	9:H:142:PHE:HE1	1.72	0.53
5:R:120:ALA:HB2	21:R:496:HOH:O	2.08	0.53
11:Y:20:ALA:HB2	11:Y:31:VAL:HG21	1.90	0.53
11:Y:27:ALA:O	12:Z:136:LYS:NZ	2.41	0.53
7:T:17:ASP:HB3	21:T:398:HOH:O	2.09	0.53
5:D:121:LEU:HD12	6:E:79:ALA:HB3	1.91	0.53
2:O:203:THR:H	2:O:206:ASN:HD21	1.56	0.53
12:Z:184:GLU:OE2	12:Z:211:ARG:HD2	2.09	0.52
8:U:78:CYS:HB3	8:U:140:LEU:HD23	1.90	0.52
14:N:190:LEU:H	14:N:193:GLN:HE21	1.56	0.52
12:L:14:ALA:HA	12:L:22:ILE:O	2.10	0.52
5:R:85:ALA:HB2	5:R:139:VAL:HG21	1.90	0.52
7:T:108:LEU:HD11	7:T:137:LEU:HB3	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:158:ARG:HD2	11:K:162:GLN:HE21	1.75	0.52
12:L:123:SER:HB3	12:L:136:LYS:HG2	1.92	0.52
5:R:235:GLU:O	5:R:239:LYS:HG3	2.10	0.52
2:A:203:THR:H	2:A:206:ASN:HD21	1.57	0.51
12:Z:14:ALA:HA	12:Z:22:ILE:O	2.10	0.51
13:M:92:LEU:HD22	13:M:112:ILE:HD11	1.91	0.51
9:V:163:ILE:HG23	9:V:170:GLY:HA2	1.92	0.51
3:B:51:ASN:HB3	3:B:56:LEU:HD13	1.93	0.51
9:H:163:ILE:HG23	9:H:170:GLY:HA2	1.92	0.51
1:I:25[A]:ARG:HG2	1:I:25[A]:ARG:NH1	2.21	0.51
10:J:118:MET:HE2	10:J:124:LEU:HD13	1.92	0.51
15:c:13:TYR:O	15:c:14:SER:CB	2.59	0.51
2:A:61:VAL:HG22	19:G:305:NEN:H41	1.93	0.51
10:X:118:MET:HE2	10:X:124:LEU:HD13	1.93	0.51
16:B:301:CL:CL	16:B:302:CL:CL	3.03	0.50
7:F:164:ALA:O	7:F:169:ARG:HG3	2.11	0.50
1:I:16[A]:LYS:HE3	1:I:17[A]:ASN:HD21	1.76	0.50
16:G:301:CL:CL	21:G:449:HOH:O	2.57	0.50
7:F:117[A]:MET:HE2	7:F:117[A]:MET:HA	1.93	0.50
6:S:71:GLY:HA3	6:S:221:PHE:CZ	2.47	0.50
7:T:117:MET:HE2	7:T:117:MET:HA	1.93	0.50
9:V:112:SER:HB2	9:V:127[A]:MET:HE2	1.93	0.50
14:N:172:GLY:HA2	13:a:209:TRP:CH2	2.46	0.50
12:L:13:LEU:HD11	12:L:149:LEU:HD11	1.94	0.50
12:L:145:LEU:HD22	12:L:178:VAL:HB	1.94	0.50
12:L:184:GLU:OE2	12:L:211:ARG:HD2	2.11	0.50
8:U:108:GLU:HG2	21:U:443:HOH:O	2.11	0.50
13:M:96:MET:CE	13:M:127:MET:HA	2.40	0.50
9:H:81[A]:ARG:CD	16:H:302:CL:CL	2.95	0.49
13:a:96:MET:CE	13:a:127:MET:HA	2.40	0.49
6:E:71:GLY:HA3	6:E:221:PHE:CZ	2.47	0.49
8:G:49[B]:VAL:HG22	8:G:219:VAL:HG12	1.94	0.49
12:Z:123:SER:HB3	12:Z:136:LYS:HG2	1.93	0.49
12:Z:145:LEU:HD22	12:Z:178:VAL:HB	1.94	0.49
11:K:5:ALA:HA	11:K:13:ILE:O	2.12	0.49
11:Y:5:ALA:HA	11:Y:13:ILE:O	2.12	0.49
8:G:141:ILE:HG22	8:G:151:VAL:HG22	1.95	0.49
5:R:178:GLN:O	5:R:182:GLN:HG3	2.12	0.48
13:M:86:ARG:NH1	13:M:133:GLU:OE1	2.45	0.48
6:S:73[B]:SER:OG	6:S:133:LEU:HB2	2.14	0.48
6:E:50:LYS:HD3	6:E:211:SER:HB2	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:G:49[B]:VAL:HG21	8:G:195:VAL:HG22	1.95	0.48
9:H:198:ARG:HG2	9:H:200:GLY:O	2.13	0.48
13:a:86:ARG:NH1	13:a:133:GLU:OE1	2.43	0.48
5:D:155:HIS:O	5:D:162:PHE:HA	2.14	0.48
2:O:73:LEU:HD22	2:O:82:TYR:HE1	1.78	0.48
3:P:171:ALA:HB2	3:P:200:THR:HG21	1.96	0.48
2:A:61:VAL:HB	21:G:537:HOH:O	2.14	0.48
6:E:175:HIS:O	6:E:178:GLU:HG2	2.14	0.48
5:R:155:HIS:O	5:R:162:PHE:HA	2.13	0.48
1:I:16[A]:LYS:HG3	1:I:17[A]:ASN:ND2	2.28	0.48
4:C:52:LYS:O	4:C:53:LEU:HB2	2.14	0.48
10:J:132:HIS:HD2	21:J:515:HOH:O	1.97	0.47
5:R:167:ALA:HB3	6:S:56:LEU:HD13	1.96	0.47
6:E:107:ARG:HH22	13:M:74:GLU:CG	2.27	0.47
7:F:243:LEU:O	7:F:244:LYS:C	2.56	0.47
4:Q:157:LYS:HD2	4:Q:176:TYR:HE1	1.80	0.47
5:R:199:LEU:HD12	5:R:237:VAL:HG12	1.96	0.47
6:S:175:HIS:O	6:S:178:GLU:HG2	2.14	0.47
7:T:108:LEU:HD22	7:T:139:SER:HB3	1.96	0.47
11:Y:15:ALA:HB2	11:Y:176:LEU:HD12	1.95	0.47
4:Q:157:LYS:HD2	4:Q:176:TYR:CE1	2.48	0.47
4:Q:98:VAL:HG23	4:Q:100:ASP:H	1.79	0.47
6:S:208:LYS:HE2	6:S:208:LYS:HA	1.95	0.47
8:U:151:VAL:CG1	8:U:163:PHE:O	2.62	0.47
2:A:165:ASN:HD22	2:A:197:SER:HB3	1.79	0.47
2:A:221:THR:HG22	2:A:224:GLU:HG3	1.96	0.47
9:H:173:ILE:HB	9:H:190:THR:HG23	1.96	0.47
6:S:50:LYS:HD3	6:S:211:SER:HB2	1.97	0.47
13:a:86:ARG:HH12	13:a:133:GLU:CD	2.23	0.47
4:C:69:VAL:HG11	4:C:107:ILE:HG21	1.96	0.47
12:L:75:TYR:CD1	12:L:83:MET:HG3	2.49	0.47
4:Q:69:VAL:HG11	4:Q:107:ILE:HG21	1.97	0.47
5:R:91:LYS:HG2	5:R:119:LEU:HD11	1.96	0.47
8:G:208:ILE:O	8:G:209:ASP:HB3	2.16	0.46
4:Q:208:LEU:HD22	4:Q:220:LEU:HD12	1.96	0.46
12:Z:75:TYR:CD1	12:Z:83:MET:HG3	2.50	0.46
3:B:171:ALA:HB2	3:B:200:THR:HG21	1.97	0.46
8:U:59:LYS:HD3	8:U:59:LYS:C	2.39	0.46
3:B:151:ASP:HB2	3:B:152:PRO:CD	2.45	0.46
11:K:15:ALA:HB2	11:K:176:LEU:HD12	1.97	0.46
8:G:53:GLN:CD	8:G:206:LEU:HD21	2.41	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:M:86:ARG:HH12	13:M:133:GLU:CD	2.24	0.46
12:L:10:GLY:HA3	12:L:42:LYS:HE2	1.98	0.46
2:A:58:GLU:CD	2:A:58:GLU:H	2.24	0.46
11:Y:9:ARG:HG3	11:Y:9:ARG:HH11	1.80	0.46
5:D:91:LYS:HG2	5:D:119:LEU:HD11	1.97	0.46
5:R:227:HIS:HE1	5:R:233:GLU:OE1	1.98	0.46
14:b:115:PRO:HG2	14:b:119:MET:HG2	1.98	0.46
9:H:112:SER:HB2	9:H:127[A]:MET:HE2	1.98	0.46
13:M:209:TRP:CH2	14:b:172:GLY:HA2	2.51	0.46
4:C:199:VAL:HG12	4:C:202:GLY:HA3	1.98	0.46
8:G:78:CYS:CB	8:G:140:LEU:HD23	2.45	0.46
11:K:4:LEU:C	11:K:4:LEU:HD12	2.41	0.46
5:D:227:HIS:HE1	5:D:233:GLU:OE1	1.98	0.45
8:U:78:CYS:CB	8:U:140:LEU:HD23	2.46	0.45
8:U:53:GLN:CD	8:U:206:LEU:HD21	2.41	0.45
8:U:208:ILE:O	8:U:209:ASP:HB3	2.17	0.45
4:C:185:ASP:O	4:C:189:LYS:HG3	2.17	0.45
11:Y:1:THR:HB	16:Y:301:CL:CL	2.53	0.45
11:Y:4:LEU:C	11:Y:4:LEU:HD12	2.41	0.45
4:Q:215:GLN:O	4:Q:215:GLN:NE2	2.50	0.45
13:M:141:TYR:HE1	14:b:25:TYR:HB2	1.82	0.45
12:Z:106[A]:VAL:HG12	12:Z:108:ASN:ND2	2.32	0.45
14:N:25:TYR:HB2	13:a:141:TYR:HE1	1.82	0.45
13:a:110:MET:HE3	13:a:110:MET:HB2	1.89	0.45
10:J:27:GLN:NE2	10:X:169:LYS:O	2.50	0.45
13:a:124:TYR:O	13:a:131:ALA:HA	2.17	0.45
4:Q:94:HIS:CE1	4:Q:98:VAL:CG2	2.95	0.44
2:O:58:GLU:H	2:O:58:GLU:CD	2.25	0.44
7:T:110:HIS:HD2	21:T:350:HOH:O	2.00	0.44
8:U:194:THR:N	21:U:403:HOH:O	2.50	0.44
7:F:108:LEU:HD21	7:F:137:LEU:HB3	1.99	0.44
6:S:158:ALA:O	7:T:57:LEU:HB3	2.18	0.44
1:3:14:LYS:HE3	1:3:118:PRO:HB2	1.99	0.44
8:G:42:VAL:CG1	8:G:198:ALA:HB2	2.48	0.44
15:e:12:TYR:N	21:e:101:HOH:O	2.49	0.44
3:B:169:ALA:O	3:B:172:VAL:HG12	2.18	0.44
2:O:133:LEU:O	2:O:147:GLN:HA	2.18	0.44
13:M:50:MET:HE2	13:M:192:VAL:HG12	2.00	0.44
14:N:115:PRO:HG2	14:N:119:MET:HG2	1.99	0.44
5:D:59:MET:SD	5:D:64:ILE:HD11	2.58	0.43
18:M:305:1PE:H222	14:b:22:THR:HG22	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:R:20:ARG:HG2	15:g:12:TYR:CE2	2.53	0.43
13:a:50:MET:HE2	13:a:192:VAL:HG12	1.99	0.43
2:A:74:VAL:HG22	2:A:75:TYR:H	1.84	0.43
7:F:191:LYS:HD3	21:F:516:HOH:O	2.18	0.43
1:I:14:LYS:HE3	1:I:118:PRO:HB2	1.98	0.43
1:I:141:CYS:HB3	1:I:177:ASP:HB2	2.00	0.43
12:Z:13:LEU:HD11	12:Z:149:LEU:HD11	1.99	0.43
13:a:67:LEU:O	13:a:71:VAL:HG13	2.17	0.43
7:T:197:ILE:HD12	7:T:211:LEU:CD1	2.49	0.43
6:E:26:MET:O	6:E:29:VAL:HG13	2.18	0.43
8:G:183:VAL:HG13	8:G:191:PHE:CE2	2.53	0.43
9:H:171:SER:C	21:H:421:HOH:O	2.61	0.43
10:J:154:GLU:H	10:J:154:GLU:CD	2.27	0.43
12:L:106:VAL:HG12	12:L:108:ASN:ND2	2.33	0.43
12:L:194:ARG:HE	12:L:207:THR:HG22	1.82	0.43
13:M:25:ASP:HA	13:M:187:PHE:HA	2.00	0.43
13:M:124:TYR:O	13:M:131:ALA:HA	2.18	0.43
14:b:84:LYS:HG3	14:b:120:MET:HB2	2.01	0.43
4:C:221:ASN:H	4:C:221:ASN:ND2	2.17	0.43
8:U:42:VAL:CG1	8:U:198:ALA:HB2	2.48	0.43
9:H:189:TYR:CD2	9:H:190:THR:HG22	2.53	0.43
1:I:82:LYS:HE2	21:I:542:HOH:O	2.18	0.43
13:a:5:MET:HE2	14:b:116:MET:HB2	2.00	0.43
3:P:112:THR:HG23	4:Q:81:ARG:HD2	2.01	0.43
4:Q:94:HIS:O	4:Q:98:VAL:HG22	2.19	0.43
8:G:206:LEU:HB3	8:G:208:ILE:HG13	1.99	0.43
5:R:38:ILE:HD12	5:R:202:LEU:HG	1.99	0.43
9:V:46:ALA:O	9:V:52:THR:HG21	2.19	0.43
10:X:121:LEU:O	10:X:122:ALA:HB3	2.19	0.43
13:a:25:ASP:HA	13:a:187:PHE:HA	2.01	0.43
1:3:93:LEU:C	1:3:93:LEU:HD23	2.44	0.43
2:A:49:LYS:O	2:A:51:GLN:N	2.51	0.43
8:U:206:LEU:HB3	8:U:208:ILE:HG13	2.00	0.43
2:A:133:LEU:O	2:A:147:GLN:HA	2.18	0.42
7:T:75:MET:HA	7:T:136:MET:O	2.19	0.42
2:A:61:VAL:HG22	19:G:305:NEN:H11	2.01	0.42
14:b:47:GLY:HA2	14:b:95[A]:MET:HE2	2.01	0.42
3:B:151:ASP:HB2	3:B:152:PRO:HD2	2.01	0.42
5:R:157:ASP:HB2	5:R:158:PRO:HD2	2.00	0.42
7:F:75:MET:HA	7:F:136:MET:O	2.19	0.42
11:K:174:VAL:CG1	11:K:195:LEU:HD11	2.47	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:M:110:MET:HE3	13:M:110:MET:HB2	1.89	0.42
10:J:121:LEU:O	10:J:122:ALA:HB3	2.19	0.42
12:Z:148:LEU:HD23	12:Z:178:VAL:HG12	2.01	0.42
13:a:51:LEU:C	13:a:51:LEU:HD23	2.45	0.42
1:I:93:LEU:C	1:I:93:LEU:HD23	2.44	0.42
12:L:145:LEU:HD21	12:L:182:ALA:HB2	2.00	0.42
5:R:157:ASP:HB2	5:R:158:PRO:CD	2.50	0.42
13:M:72:ILE:O	13:M:76:LEU:HG	2.20	0.42
5:R:59:MET:SD	5:R:64:ILE:HD11	2.60	0.42
13:a:72:ILE:O	13:a:76:LEU:HG	2.20	0.42
1:3:141:CYS:HB3	1:3:177:ASP:HB2	2.01	0.42
6:E:47:VAL:HG11	6:E:192:LEU:HD23	2.02	0.42
7:F:142:VAL:HG23	21:F:413:HOH:O	2.20	0.42
10:J:153:ARG:NH1	10:J:184:ASP:OD2	2.53	0.42
2:O:74:VAL:HG22	2:O:75:TYR:H	1.84	0.42
11:Y:9:ARG:NH2	11:Y:146:ASP:OD1	2.47	0.42
5:D:157:ASP:HB2	5:D:158:PRO:HD2	2.01	0.41
12:L:144:MET:CE	12:L:182:ALA:HA	2.50	0.41
13:M:48:SER:O	13:M:114:GLY:HA2	2.20	0.41
14:N:84:LYS:HG3	14:N:120:MET:HB2	2.02	0.41
5:R:20:ARG:HG3	15:g:13:TYR:CZ	2.55	0.41
10:X:1:MET:HE2	10:X:134:TYR:CE2	2.55	0.41
2:O:73:LEU:HD21	2:O:133:LEU:HD22	2.02	0.41
7:F:108:LEU:CD1	7:F:149:TYR:CD1	3.03	0.41
6:S:26:MET:O	6:S:29:VAL:HG13	2.21	0.41
7:T:156:VAL:HG22	8:U:84:THR:HB	2.03	0.41
5:D:157:ASP:HB2	5:D:158:PRO:CD	2.50	0.41
6:E:26:MET:CG	21:E:475:HOH:O	2.68	0.41
13:M:92:LEU:O	13:M:96:MET:HG2	2.21	0.41
8:U:19:GLU:HG2	21:U:406:HOH:O	2.20	0.41
4:C:12:PRO:O	4:C:13:ASP:CB	2.69	0.41
6:S:47:VAL:HG11	6:S:192:LEU:HD23	2.02	0.41
10:J:16:ALA:HA	10:J:179:SER:O	2.21	0.41
13:M:44:ARG:HH21	13:M:47:ASN:ND2	2.18	0.41
6:S:45:VAL:HG12	6:S:214:ILE:HG12	2.02	0.41
7:T:229:LYS:HE2	7:T:233:GLU:OE2	2.21	0.41
3:B:186:LEU:O	3:B:190:LEU:HD22	2.21	0.41
4:C:157:LYS:HB3	4:C:176:TYR:OH	2.21	0.41
6:E:84:LEU:HD12	6:E:84:LEU:HA	1.95	0.41
9:H:97:ALA:HB1	9:H:127[B]:MET:SD	2.60	0.41
12:L:148:LEU:HD23	12:L:178:VAL:HG12	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:3:76:LYS:HE3	1:3:76:LYS:HB2	1.88	0.41
6:E:47:VAL:CG1	6:E:195:LEU:HD22	2.40	0.41
7:F:117[A]:MET:HE3	21:F:424:HOH:O	2.21	0.41
12:L:10:GLY:CA	12:L:42:LYS:HE2	2.51	0.41
13:M:44:ARG:HD2	21:M:549:HOH:O	2.21	0.41
13:M:51:LEU:C	13:M:51:LEU:HD23	2.45	0.41
4:Q:6:ALA:HB2	21:R:460:HOH:O	2.21	0.41
10:X:12:TYR:CD1	10:X:12:TYR:C	2.99	0.41
13:a:44:ARG:HH21	13:a:47:ASN:ND2	2.19	0.41
5:R:210:LEU:C	5:R:210:LEU:HD23	2.46	0.41
9:V:178:ILE:HG12	9:V:183:LEU:HD12	2.03	0.41
6:E:65:HIS:HD2	12:L:77:HIS:NE2	2.18	0.40
14:N:14:LEU:HD21	14:N:101:ALA:HB3	2.04	0.40
12:Z:148:LEU:HD23	12:Z:178:VAL:CG1	2.52	0.40
5:D:10:ARG:HD2	5:D:14:THR:HG21	2.02	0.40
10:J:12:TYR:CD1	10:J:12:TYR:C	3.00	0.40
12:L:72:LEU:HD23	12:L:83:MET:SD	2.61	0.40
8:U:176:THR:O	8:U:180:GLU:HG3	2.22	0.40
3:B:190:LEU:HD13	3:B:190:LEU:HA	1.91	0.40
12:L:123:SER:CB	12:L:136:LYS:HG2	2.51	0.40
6:S:115:LYS:HE3	6:S:128:TYR:OH	2.21	0.40
12:Z:145:LEU:HD21	12:Z:182:ALA:HB2	2.03	0.40
2:A:147:GLN:O	2:A:154:TYR:HA	2.21	0.40
2:O:147:GLN:O	2:O:154:TYR:HA	2.21	0.40
3:P:44:LEU:C	3:P:44:LEU:HD12	2.46	0.40
4:Q:117:ARG:NH1	21:Q:402:HOH:O	2.54	0.40
4:Q:106:TYR:CD1	4:Q:106:TYR:C	2.99	0.40
10:X:16:ALA:HA	10:X:179:SER:O	2.21	0.40
12:Z:13:LEU:CD1	12:Z:149:LEU:HD11	2.52	0.40
13:a:48:SER:O	13:a:114:GLY:HA2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	3	203/205 (99%)	197 (97%)	6 (3%)	0	100	100
1	I	208/205 (102%)	200 (96%)	8 (4%)	0	100	100
2	A	227/234 (97%)	216 (95%)	7 (3%)	4 (2%)	6	2
2	O	215/234 (92%)	210 (98%)	5 (2%)	0	100	100
3	B	234/261 (90%)	229 (98%)	5 (2%)	0	100	100
3	P	233/261 (89%)	227 (97%)	4 (2%)	2 (1%)	14	8
4	C	218/248 (88%)	208 (95%)	9 (4%)	1 (0%)	24	19
4	Q	215/248 (87%)	210 (98%)	5 (2%)	0	100	100
5	D	222/241 (92%)	219 (99%)	3 (1%)	0	100	100
5	R	226/241 (94%)	222 (98%)	4 (2%)	0	100	100
6	E	224/263 (85%)	219 (98%)	5 (2%)	0	100	100
6	S	238/263 (90%)	233 (98%)	5 (2%)	0	100	100
7	F	243/255 (95%)	240 (99%)	3 (1%)	0	100	100
7	T	238/255 (93%)	235 (99%)	2 (1%)	1 (0%)	30	26
8	G	243/246 (99%)	240 (99%)	3 (1%)	0	100	100
8	U	225/246 (92%)	221 (98%)	3 (1%)	1 (0%)	30	26
9	H	222/277 (80%)	218 (98%)	4 (2%)	0	100	100
9	V	216/277 (78%)	212 (98%)	4 (2%)	0	100	100
10	J	196/201 (98%)	192 (98%)	4 (2%)	0	100	100
10	X	196/201 (98%)	192 (98%)	4 (2%)	0	100	100
11	K	199/263 (76%)	196 (98%)	3 (2%)	0	100	100
11	Y	200/263 (76%)	197 (98%)	3 (2%)	0	100	100
12	L	213/241 (88%)	211 (99%)	2 (1%)	0	100	100
12	Z	213/241 (88%)	211 (99%)	2 (1%)	0	100	100
13	M	212/264 (80%)	207 (98%)	5 (2%)	0	100	100
13	a	214/264 (81%)	210 (98%)	4 (2%)	0	100	100
14	N	196/239 (82%)	195 (100%)	1 (0%)	0	100	100
14	b	196/239 (82%)	193 (98%)	3 (2%)	0	100	100
15	c	3/14 (21%)	3 (100%)	0	0	100	100
15	d	3/14 (21%)	3 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
15	e	1/14 (7%)	1 (100%)	0	0	100	100
15	f	1/14 (7%)	1 (100%)	0	0	100	100
15	g	1/14 (7%)	1 (100%)	0	0	100	100
15	h	2/14 (14%)	2 (100%)	0	0	100	100
All	All	6096/6960 (88%)	5971 (98%)	116 (2%)	9 (0%)	48	49

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	P	52	ILE
2	A	199	GLU
2	A	50	LYS
3	P	51	ASN
7	T	208	ALA
8	U	59	LYS
4	C	13	ASP
2	A	201	GLN
2	A	200	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	3	170/174 (98%)	170 (100%)	0	100	100
1	I	179/174 (103%)	178 (99%)	1 (1%)	78	84
2	A	185/191 (97%)	179 (97%)	6 (3%)	34	35
2	O	153/191 (80%)	149 (97%)	4 (3%)	40	42
3	B	185/221 (84%)	183 (99%)	2 (1%)	65	71
3	P	177/221 (80%)	175 (99%)	2 (1%)	65	71
4	C	170/210 (81%)	165 (97%)	5 (3%)	37	38
4	Q	168/210 (80%)	165 (98%)	3 (2%)	51	57

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	D	168/203 (83%)	163 (97%)	5 (3%)	36	37
5	R	190/203 (94%)	185 (97%)	5 (3%)	40	42
6	E	184/224 (82%)	183 (100%)	1 (0%)	81	86
6	S	197/224 (88%)	195 (99%)	2 (1%)	68	74
7	F	197/212 (93%)	196 (100%)	1 (0%)	81	86
7	T	189/212 (89%)	186 (98%)	3 (2%)	55	61
8	G	198/209 (95%)	196 (99%)	2 (1%)	68	74
8	U	182/209 (87%)	180 (99%)	2 (1%)	65	71
9	H	184/228 (81%)	182 (99%)	2 (1%)	65	71
9	V	174/228 (76%)	171 (98%)	3 (2%)	53	58
10	J	167/171 (98%)	163 (98%)	4 (2%)	43	45
10	X	167/171 (98%)	164 (98%)	3 (2%)	51	57
11	K	151/202 (75%)	148 (98%)	3 (2%)	48	53
11	Y	156/202 (77%)	153 (98%)	3 (2%)	50	55
12	L	177/199 (89%)	176 (99%)	1 (1%)	78	84
12	Z	176/199 (88%)	176 (100%)	0	100	100
13	M	176/215 (82%)	174 (99%)	2 (1%)	65	71
13	a	178/215 (83%)	178 (100%)	0	100	100
14	N	152/181 (84%)	150 (99%)	2 (1%)	61	67
14	b	153/181 (84%)	153 (100%)	0	100	100
15	c	3/13 (23%)	3 (100%)	0	100	100
15	d	3/13 (23%)	3 (100%)	0	100	100
15	e	2/13 (15%)	2 (100%)	0	100	100
15	f	2/13 (15%)	2 (100%)	0	100	100
15	g	2/13 (15%)	2 (100%)	0	100	100
15	h	3/13 (23%)	3 (100%)	0	100	100
All	All	4918/5758 (85%)	4851 (99%)	67 (1%)	61	65

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	3	ARG
2	A	69	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	131	VAL
2	A	202	MET
2	A	206	ASN
2	A	221	THR
3	B	43	VAL
3	B	190	LEU
4	C	105	GLU
4	C	179	GLU
4	C	206	ILE
4	C	219	ILE
4	C	221	ASN
5	D	46	VAL
5	D	87	THR
5	D	121	LEU
5	D	139	VAL
5	D	187	LYS
6	E	29	VAL
7	F	240	LYS
8	G	42	VAL
8	G	183	VAL
9	H	65	LEU
9	H	190	THR
1	I	115	THR
10	J	1	MET
10	J	102	LEU
10	J	153	ARG
10	J	158	GLU
11	K	12	VAL
11	K	141	ARG
11	K	187	VAL
12	L	207	THR
13	M	92	LEU
13	M	155	GLU
14	N	86[A]	MET
14	N	86[B]	MET
2	O	3	ARG
2	O	73	LEU
2	O	167	VAL
2	O	206	ASN
3	P	43	VAL
3	P	190	LEU
4	Q	105	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	Q	206	ILE
4	Q	215	GLN
5	R	46	VAL
5	R	87	THR
5	R	121	LEU
5	R	125	GLU
5	R	199	LEU
6	S	29	VAL
6	S	202	GLU
7	T	81	LEU
7	T	206	ASP
7	T	218	GLU
8	U	42	VAL
8	U	151	VAL
9	V	65	LEU
9	V	104[A]	ASP
9	V	104[B]	ASP
10	X	95	ARG
10	X	102	LEU
10	X	172	ILE
11	Y	141[A]	ARG
11	Y	141[B]	ARG
11	Y	197	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (83) such sidechains are listed below:

Mol	Chain	Res	Type
1	3	168	GLN
2	A	95	GLN
2	A	118	GLN
2	A	178	ASN
2	A	188	HIS
3	B	40	ASN
3	B	102	GLN
3	B	146	GLN
3	B	155	ASN
3	B	166	ASN
3	B	177	GLN
4	C	18	GLN
4	C	92	GLN
4	C	175	ASN
4	C	221	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	D	186	HIS
5	D	227	HIS
6	E	65	HIS
6	E	68	ASN
6	E	86	ASN
7	F	63	ASN
8	G	12	HIS
8	G	75	ASN
8	G	100	ASN
9	H	116	HIS
9	H	153	ASN
9	H	193	ASN
1	I	168	GLN
10	J	24	ASN
10	J	63	ASN
10	J	174	ASN
11	K	162	GLN
11	K	196	HIS
12	L	79	ASN
12	L	108	ASN
12	L	151	ASN
12	L	152	GLN
12	L	157	ASN
13	M	47	ASN
13	M	162	GLN
13	M	208	ASN
14	N	110	GLN
14	N	193	GLN
2	O	95	GLN
2	O	118	GLN
2	O	178	ASN
3	P	40	ASN
3	P	88	ASN
3	P	102	GLN
3	P	146	GLN
3	P	166	ASN
4	Q	18	GLN
4	Q	54	GLN
4	Q	92	GLN
4	Q	94	HIS
4	Q	175	ASN
5	R	155	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	R	186	HIS
5	R	227	HIS
6	S	20	HIS
6	S	43	HIS
6	S	86	ASN
7	T	63	ASN
8	U	75	ASN
8	U	100	ASN
9	V	193	ASN
10	X	24	ASN
10	X	27	GLN
10	X	63	ASN
10	X	174	ASN
11	Y	62	GLN
11	Y	162	GLN
11	Y	196	HIS
12	Z	58	HIS
12	Z	79	ASN
12	Z	108	ASN
12	Z	151	ASN
12	Z	152	GLN
13	a	47	ASN
13	a	89	HIS
13	a	162	GLN
13	a	208	ASN
14	b	193	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	YCM	C	63	4	7,9,10	0.50	0	5,10,12	0.59	0
4	YCM	Q	63	4	7,9,10	0.47	0	5,10,12	0.53	0
8	YCM	G	137	8	7,9,10	0.57	0	5,10,12	0.60	0
8	YCM	U	137	8	7,9,10	0.56	0	5,10,12	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	YCM	C	63	4	-	2/6/8/10	-
4	YCM	Q	63	4	-	5/6/8/10	-
8	YCM	G	137	8	-	4/6/8/10	-
8	YCM	U	137	8	-	4/6/8/10	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	G	137	YCM	C-CA-CB-SG
8	G	137	YCM	SG-CD-CE-NZ2
4	Q	63	YCM	N-CA-CB-SG
4	Q	63	YCM	C-CA-CB-SG
4	Q	63	YCM	CE-CD-SG-CB
4	Q	63	YCM	SG-CD-CE-OZ1
4	Q	63	YCM	SG-CD-CE-NZ2
8	U	137	YCM	C-CA-CB-SG
8	U	137	YCM	SG-CD-CE-NZ2
4	C	63	YCM	CE-CD-SG-CB
8	G	137	YCM	CE-CD-SG-CB
8	U	137	YCM	CE-CD-SG-CB
4	C	63	YCM	SG-CD-CE-NZ2
8	G	137	YCM	N-CA-CB-SG
8	U	137	YCM	N-CA-CB-SG

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	G	137	YCM	1	0
8	U	137	YCM	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 83 ligands modelled in this entry, 70 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
19	NEN	S	303	6	9,9,9	0.39	0	12,12,12	1.06	1 (8%)
18	1PE	Y	307	-	15,15,15	0.19	0	14,14,14	0.10	0
19	NEN	G	305	8	9,9,9	0.39	0	12,12,12	1.11	1 (8%)
18	1PE	G	304	-	15,15,15	0.15	0	14,14,14	0.11	0
18	1PE	M	305	-	15,15,15	0.18	0	14,14,14	0.09	0
18	1PE	3	303	-	15,15,15	0.18	0	14,14,14	0.10	0
18	1PE	I	303	-	15,15,15	0.21	0	14,14,14	0.11	0
19	NEN	E	304	6	9,9,9	0.35	0	12,12,12	1.03	1 (8%)
18	1PE	a	305	-	15,15,15	0.18	0	14,14,14	0.10	0
19	NEN	U	304	8	9,9,9	0.39	0	12,12,12	1.00	0
18	1PE	U	303	-	15,15,15	0.18	0	14,14,14	0.10	0
18	1PE	K	306	-	15,15,15	0.17	0	14,14,14	0.13	0
18	1PE	I	304	-	15,15,15	0.16	0	14,14,14	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
19	NEN	S	303	6	-	0/2/15/15	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	1PE	Y	307	-	-	9/13/13/13	-
19	NEN	G	305	8	-	0/2/15/15	0/1/1/1
18	1PE	G	304	-	-	6/13/13/13	-
18	1PE	M	305	-	-	7/13/13/13	-
18	1PE	3	303	-	-	9/13/13/13	-
18	1PE	I	303	-	-	6/13/13/13	-
19	NEN	E	304	6	-	0/2/15/15	0/1/1/1
18	1PE	a	305	-	-	4/13/13/13	-
19	NEN	U	304	8	-	0/2/15/15	0/1/1/1
18	1PE	U	303	-	-	4/13/13/13	-
18	1PE	K	306	-	-	8/13/13/13	-
18	1PE	I	304	-	-	6/13/13/13	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	G	305	NEN	O1-C2-N1	2.21	126.31	123.94
19	S	303	NEN	O1-C2-N1	2.11	126.20	123.94
19	E	304	NEN	C4-C1-C2	-2.05	103.14	105.24

There are no chirality outliers.

All (59) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
18	I	304	1PE	OH5-C14-C24-OH4
18	G	304	1PE	OH2-C12-C22-OH3
18	3	303	1PE	OH6-C15-C25-OH5
18	I	304	1PE	OH6-C15-C25-OH5
18	Y	307	1PE	OH5-C14-C24-OH4
18	G	304	1PE	OH7-C16-C26-OH6
18	I	303	1PE	OH7-C16-C26-OH6
18	3	303	1PE	OH5-C14-C24-OH4
18	a	305	1PE	OH2-C12-C22-OH3
18	a	305	1PE	OH7-C16-C26-OH6
18	Y	307	1PE	OH4-C13-C23-OH3
18	I	304	1PE	OH7-C16-C26-OH6
18	K	306	1PE	OH2-C12-C22-OH3
18	K	306	1PE	OH7-C16-C26-OH6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	M	305	1PE	OH2-C12-C22-OH3
18	I	304	1PE	OH4-C13-C23-OH3
18	I	303	1PE	OH6-C15-C25-OH5
18	M	305	1PE	OH7-C16-C26-OH6
18	U	303	1PE	OH7-C16-C26-OH6
18	K	306	1PE	OH5-C14-C24-OH4
18	M	305	1PE	C13-C23-OH3-C22
18	M	305	1PE	C23-C13-OH4-C24
18	I	303	1PE	C14-C24-OH4-C13
18	U	303	1PE	C12-C22-OH3-C23
18	K	306	1PE	C25-C15-OH6-C26
18	I	303	1PE	C12-C22-OH3-C23
18	I	303	1PE	C25-C15-OH6-C26
18	3	303	1PE	C12-C22-OH3-C23
18	a	305	1PE	C13-C23-OH3-C22
18	Y	307	1PE	C24-C14-OH5-C25
18	G	304	1PE	C13-C23-OH3-C22
18	Y	307	1PE	C16-C26-OH6-C15
18	3	303	1PE	OH2-C12-C22-OH3
18	I	304	1PE	C15-C25-OH5-C14
18	U	303	1PE	C25-C15-OH6-C26
18	Y	307	1PE	C12-C22-OH3-C23
18	3	303	1PE	C23-C13-OH4-C24
18	3	303	1PE	OH4-C13-C23-OH3
18	K	306	1PE	C14-C24-OH4-C13
18	3	303	1PE	C24-C14-OH5-C25
18	G	304	1PE	C14-C24-OH4-C13
18	K	306	1PE	C13-C23-OH3-C22
18	K	306	1PE	OH4-C13-C23-OH3
18	I	304	1PE	C13-C23-OH3-C22
18	Y	307	1PE	C13-C23-OH3-C22
18	Y	307	1PE	C25-C15-OH6-C26
18	3	303	1PE	C14-C24-OH4-C13
18	M	305	1PE	C24-C14-OH5-C25
18	K	306	1PE	C12-C22-OH3-C23
18	Y	307	1PE	C15-C25-OH5-C14
18	M	305	1PE	C25-C15-OH6-C26
18	I	303	1PE	C13-C23-OH3-C22
18	a	305	1PE	OH5-C14-C24-OH4
18	3	303	1PE	C15-C25-OH5-C14
18	G	304	1PE	OH5-C14-C24-OH4
18	U	303	1PE	C24-C14-OH5-C25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	Y	307	1PE	OH6-C15-C25-OH5
18	G	304	1PE	C25-C15-OH6-C26
18	M	305	1PE	OH6-C15-C25-OH5

There are no ring outliers.

5 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
19	S	303	NEN	1	0
19	G	305	NEN	2	0
18	M	305	1PE	1	0
18	I	303	1PE	1	0
18	U	303	1PE	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	3	204/205 (99%)	0.23	0 100 100	25, 47, 66, 83	1 (0%)
1	I	204/205 (99%)	-0.15	1 (0%) 87 89	16, 31, 50, 69	7 (3%)
2	A	227/234 (97%)	0.46	11 (4%) 35 41	17, 45, 84, 100	2 (0%)
2	O	221/234 (94%)	1.01	28 (12%) 8 9	42, 62, 98, 107	0
3	B	238/261 (91%)	0.67	21 (8%) 15 18	30, 53, 88, 114	0
3	P	238/261 (91%)	0.83	26 (10%) 10 13	26, 56, 98, 127	2 (0%)
4	C	224/248 (90%)	1.22	44 (19%) 3 4	37, 63, 103, 120	0
4	Q	221/248 (89%)	1.05	28 (12%) 8 9	34, 58, 104, 115	0
5	D	225/241 (93%)	1.14	33 (14%) 6 7	36, 65, 90, 98	1 (0%)
5	R	230/241 (95%)	0.69	16 (6%) 22 26	25, 50, 74, 98	0
6	E	228/263 (86%)	0.50	13 (5%) 29 34	28, 45, 83, 102	0
6	S	237/263 (90%)	0.46	7 (2%) 52 56	23, 47, 80, 105	3 (1%)
7	F	240/255 (94%)	0.12	2 (0%) 82 85	17, 34, 61, 81	5 (2%)
7	T	239/255 (93%)	0.70	17 (7%) 22 25	28, 52, 79, 97	1 (0%)
8	G	242/246 (98%)	0.18	7 (2%) 53 57	16, 37, 71, 96	3 (1%)
8	U	229/246 (93%)	0.88	19 (8%) 17 20	41, 62, 92, 107	0
9	H	220/277 (79%)	0.15	16 (7%) 21 24	12, 30, 77, 106	4 (1%)
9	V	218/277 (78%)	0.52	10 (4%) 37 42	23, 47, 78, 107	2 (0%)
10	J	196/201 (97%)	0.07	2 (1%) 79 83	16, 37, 54, 72	2 (1%)
10	X	196/201 (97%)	0.13	4 (2%) 65 69	20, 40, 55, 73	2 (1%)
11	K	200/263 (76%)	0.20	2 (1%) 79 83	18, 43, 65, 75	1 (0%)
11	Y	199/263 (75%)	-0.07	1 (0%) 87 89	19, 32, 52, 66	3 (1%)
12	L	213/241 (88%)	0.33	1 (0%) 87 89	25, 47, 74, 87	2 (0%)
12	Z	213/241 (88%)	0.02	2 (0%) 81 84	13, 33, 58, 79	2 (0%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
13	M	214/264 (81%)	0.05	2 (0%)	81 84	22, 36, 64, 86	0
13	a	215/264 (81%)	0.02	4 (1%)	66 70	21, 33, 61, 86	1 (0%)
14	N	197/239 (82%)	-0.22	0	100 100	19, 29, 49, 63	1 (0%)
14	b	198/239 (82%)	0.00	3 (1%)	72 76	21, 37, 59, 81	2 (1%)
15	c	5/14 (35%)	2.52	3 (60%)	0 0	34, 40, 54, 56	3 (60%)
15	d	5/14 (35%)	2.46	1 (20%)	3 4	43, 47, 58, 63	2 (40%)
15	e	3/14 (21%)	3.30	3 (100%)	0 0	82, 82, 85, 98	0
15	f	3/14 (21%)	4.07	3 (100%)	0 0	82, 82, 92, 94	0
15	g	3/14 (21%)	3.11	2 (66%)	0 0	45, 45, 52, 66	2 (66%)
15	h	4/14 (28%)	3.15	4 (100%)	0 0	48, 50, 53, 53	3 (75%)
All	All	6149/6960 (88%)	0.43	336 (5%)	30 35	12, 45, 85, 127	57 (0%)

All (336) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	P	2[A]	SER	10.3
4	C	229	VAL	6.6
10	J	1	MET	5.5
15	d	14	SER	5.3
4	C	53	LEU	5.3
15	c	14	SER	5.2
4	Q	53	LEU	5.1
4	Q	59	VAL	5.1
15	f	12	TYR	5.0
4	Q	229	VAL	5.0
8	U	183	VAL	5.0
6	E	57	ALA	4.9
2	O	228	TYR	4.9
2	O	198	PHE	4.9
6	S	2	PHE	4.8
7	T	204	VAL	4.8
9	V	199	LEU	4.8
4	C	176	TYR	4.8
4	C	48	LYS	4.7
14	b	199	VAL	4.7
4	C	51	ALA	4.6
2	A	50	LYS	4.6
4	Q	50	VAL	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	O	55	LEU	4.5
2	A	3	ARG	4.5
2	A	181	LEU	4.5
5	R	121	LEU	4.5
15	e	14	SER	4.4
4	Q	138	PHE	4.4
8	U	199	ILE	4.4
9	V	202	TYR	4.3
15	f	14	SER	4.2
8	U	243	ALA	4.2
4	Q	199	VAL	4.2
3	P	235	GLN	4.2
9	H	189	TYR	4.2
4	C	98	VAL	4.2
3	P	52	ILE	4.1
8	G	187[A]	PHE	4.1
4	C	200	GLN	4.1
5	R	120	ALA	4.1
9	H	196	GLY	4.0
6	E	227	ASP	3.9
4	Q	221	ASN	3.9
9	H	185	PHE	3.8
13	a	215	ILE	3.8
15	g	13	TYR	3.8
3	P	206	LEU	3.8
2	O	167	VAL	3.8
3	P	61	PHE	3.8
15	g	12	TYR	3.7
9	H	199	LEU	3.6
4	Q	176	TYR	3.6
2	O	157	TRP	3.6
9	H	187[A]	ARG	3.6
5	D	217	LEU	3.6
15	h	13	TYR	3.6
4	Q	52	LYS	3.5
4	C	138	PHE	3.5
4	C	52	LYS	3.5
7	F	5	THR	3.5
6	S	238	GLU	3.5
5	D	121	LEU	3.4
9	H	202	TYR	3.4
7	T	6	GLY	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	A	199	GLU	3.4
4	C	203	GLY	3.4
13	a	209	TRP	3.4
8	U	194	THR	3.4
4	Q	51	ALA	3.4
4	Q	206	ILE	3.4
4	Q	225	ILE	3.4
5	D	238	ILE	3.4
5	D	131	GLY	3.3
15	h	11	SER	3.3
3	P	55	LEU	3.3
3	P	240	HIS	3.3
9	V	197	THR	3.3
5	D	123	PHE	3.2
6	S	235	GLY	3.2
15	h	10	ARG	3.2
3	B	58	GLU	3.2
3	B	55	LEU	3.2
4	Q	219	ILE	3.2
5	D	82	ILE	3.2
7	T	142	VAL	3.1
4	C	96	LEU	3.1
4	Q	217	LEU	3.1
8	U	179	LEU	3.1
6	E	233	LEU	3.1
3	B	52	ILE	3.1
8	G	189	TRP	3.0
2	O	177	TYR	3.0
2	O	180	ASP	3.0
3	B	206	LEU	3.0
3	P	236	LEU	3.0
5	D	199	LEU	3.0
8	U	240	VAL	3.0
8	U	242	LEU	3.0
5	D	54	ILE	3.0
7	T	37	ILE	3.0
15	f	13	TYR	3.0
4	C	216	SER	3.0
2	A	229	LEU	3.0
5	R	181	LEU	3.0
4	Q	137	ASP	3.0
5	D	9	ASP	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	Q	205	ASN	2.9
3	P	59	VAL	2.9
9	V	200	GLY	2.9
3	P	60	PHE	2.9
3	B	2	SER	2.9
14	b	198	ALA	2.9
3	P	56	LEU	2.9
3	P	53	HIS	2.9
9	H	190	THR	2.9
10	X	1	MET	2.9
5	R	131	GLY	2.9
12	L	164	VAL	2.9
4	C	177	THR	2.9
4	C	225	ILE	2.9
4	C	199	VAL	2.8
5	D	47	CYS	2.8
4	C	206	ILE	2.8
8	U	181	LYS	2.8
5	R	129	ASP	2.8
9	V	205	GLU	2.8
5	D	188	SER	2.8
3	B	240	HIS	2.8
4	C	202	GLY	2.8
4	C	101	PRO	2.8
15	c	11	SER	2.8
2	O	181	LEU	2.8
15	c	10	ARG	2.7
3	P	58	GLU	2.7
5	D	125	GLU	2.7
2	O	231	ALA	2.7
9	V	206	LYS	2.7
6	E	236	LEU	2.7
15	e	12	TYR	2.7
15	e	13	TYR	2.7
4	Q	97	THR	2.7
6	E	207	THR	2.7
4	Q	38	ARG	2.7
3	P	202	ASP	2.7
5	D	223	GLY	2.7
8	G	186	LYS	2.7
4	Q	17	PHE	2.7
2	O	192	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	C	195	LEU	2.7
4	C	220	LEU	2.7
4	Q	222	PRO	2.7
5	D	208	GLU	2.7
2	A	56	TYR	2.7
6	E	228	ASP	2.7
13	M	214	MET	2.6
9	H	193	ASN	2.6
3	P	237	ILE	2.6
5	D	184	VAL	2.6
2	O	176	ARG	2.6
2	O	188	HIS	2.6
2	O	230	ALA	2.6
9	H	188	PRO	2.6
9	V	194	LYS	2.6
2	O	56	TYR	2.6
3	B	211	VAL	2.6
3	P	233	VAL	2.6
13	a	214	MET	2.6
3	B	53	HIS	2.6
4	C	183	THR	2.6
7	T	208	ALA	2.6
5	D	200	ILE	2.6
5	D	237	VAL	2.6
5	R	223	GLY	2.6
2	O	202	MET	2.6
10	X	110	HIS	2.6
5	D	210	LEU	2.6
2	A	54	ILE	2.5
4	Q	181	ILE	2.5
5	D	46	VAL	2.5
7	T	42	LYS	2.5
9	V	53	ASP	2.5
3	B	189	ALA	2.5
3	B	190	LEU	2.5
4	C	208	LEU	2.5
3	B	61	PHE	2.5
15	h	12	TYR	2.5
8	U	58	ASP	2.5
7	T	185	THR	2.5
9	H	197	THR	2.5
4	C	223	GLU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	D	222	PRO	2.5
5	R	119	LEU	2.5
5	D	132	ALA	2.5
3	B	175	LEU	2.5
6	S	56	LEU	2.5
3	B	60	PHE	2.5
7	T	209	PHE	2.5
4	C	191	VAL	2.4
7	T	53	VAL	2.4
4	C	196	LEU	2.4
4	C	217	LEU	2.4
3	B	51	ASN	2.4
5	R	175	GLU	2.4
12	Z	159	GLN	2.4
4	C	214	ASP	2.4
1	I	1[A]	SER	2.4
3	P	201	MET	2.4
4	C	222	PRO	2.4
7	T	54	LEU	2.4
8	U	239	LEU	2.4
6	S	8	ASN	2.4
4	Q	224	GLU	2.4
3	B	237	ILE	2.4
4	C	69	VAL	2.4
5	D	53	ARG	2.4
7	T	244	LYS	2.4
9	V	73	LEU	2.4
5	D	232	GLU	2.4
7	F	6	GLY	2.4
2	O	191	ILE	2.4
4	Q	210	VAL	2.4
4	Q	48	LYS	2.4
9	H	194	LYS	2.4
3	B	170	ALA	2.3
3	P	170	ALA	2.3
8	U	198	ALA	2.3
2	A	55	LEU	2.3
2	O	172	PHE	2.3
6	E	232	PHE	2.3
10	X	153	ARG	2.3
4	C	219	ILE	2.3
3	B	172	VAL	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	C	41	VAL	2.3
4	Q	191	VAL	2.3
5	D	198	SER	2.3
8	G	193	GLN	2.3
6	S	9	ASP	2.3
8	U	88	ARG	2.3
11	K	71	LYS	2.3
5	R	123	PHE	2.3
7	T	226	ILE	2.3
2	O	140	GLU	2.3
3	P	243	GLU	2.3
2	O	171	THR	2.3
7	T	239	ALA	2.3
4	C	156	TRP	2.3
4	C	60	ARG	2.3
6	S	204	ASP	2.3
9	H	195	LYS	2.3
14	b	95[A]	MET	2.3
11	K	200	SER	2.3
4	C	198	VAL	2.3
5	D	163	VAL	2.3
2	O	206	ASN	2.3
10	J	46	CYS	2.3
2	O	159	ALA	2.3
6	E	201	ALA	2.3
8	G	188	ASP	2.3
4	C	228	TYR	2.3
2	O	207	ILE	2.2
5	D	64	ILE	2.2
2	O	209	VAL	2.2
4	C	45	VAL	2.2
9	V	25	VAL	2.2
12	Z	161	VAL	2.2
6	E	208	LYS	2.2
6	E	225	ASP	2.2
5	D	165	CYS	2.2
8	U	4	GLY	2.2
8	U	178	PHE	2.2
3	P	238	LYS	2.2
3	P	239	LYS	2.2
4	C	68	ASN	2.2
4	C	35	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	C	168	VAL	2.2
7	T	207	LYS	2.2
3	B	34	CYS	2.2
5	R	126	GLU	2.2
2	O	229	LEU	2.2
3	B	54	LYS	2.2
4	C	204	LYS	2.2
4	C	205	ASN	2.2
4	C	62	ILE	2.2
7	T	190	VAL	2.2
8	U	195	VAL	2.2
3	B	191	ALA	2.2
13	a	212	ALA	2.2
2	O	73	LEU	2.2
4	Q	96	LEU	2.2
9	H	204	CYS	2.2
7	T	117	MET	2.2
8	G	209	ASP	2.2
8	G	208	ILE	2.1
3	B	59	VAL	2.1
5	R	132	ALA	2.1
3	P	229	LYS	2.1
5	D	192	LYS	2.1
5	D	185	TYR	2.1
7	T	238	TYR	2.1
2	O	179	GLU	2.1
2	A	171	THR	2.1
2	A	201	GLN	2.1
5	D	215	ILE	2.1
8	U	217	VAL	2.1
9	H	191	VAL	2.1
10	X	99[A]	HIS	2.1
4	C	163	ARG	2.1
4	Q	163	ARG	2.1
3	P	77	ALA	2.1
5	D	177	ALA	2.1
8	U	241	ALA	2.1
5	D	81	LEU	2.1
9	H	205	GLU	2.1
5	R	240	ASP	2.1
2	A	51	GLN	2.1
8	U	52	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
9	H	200	GLY	2.1
3	P	54	LYS	2.1
13	M	213	HIS	2.1
5	R	19	GLY	2.1
11	Y	37	ILE	2.1
3	P	211	VAL	2.1
3	P	208	ALA	2.1
2	O	194	LEU	2.0
6	E	59	HIS	2.0
4	Q	177	THR	2.0
5	D	213	THR	2.0
8	U	35	GLY	2.0
5	R	184	VAL	2.0
5	R	59	MET	2.0
6	E	58	ALA	2.0
6	E	8	ASN	2.0
2	O	183	LEU	2.0
5	R	186	HIS	2.0
4	C	218	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	YCM	Q	63	10/11	0.83	0.15	57,61,68,69	0
8	YCM	U	137	10/11	0.87	0.15	53,60,71,71	0
8	YCM	G	137	10/11	0.89	0.13	35,42,56,59	0
4	YCM	C	63	10/11	0.91	0.10	57,59,65,67	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
19	NEN	S	303	9/9	0.62	0.21	71,75,80,81	0
19	NEN	E	304	9/9	0.70	0.20	65,69,73,75	0
19	NEN	U	304	9/9	0.71	0.21	77,80,83,84	0
18	1PE	M	305	16/16	0.79	0.19	83,87,93,94	0
20	K	b	303	1/1	0.81	0.14	59,59,59,59	0
20	K	L	301	1/1	0.82	0.17	73,73,73,73	0
16	CL	C	301	1/1	0.83	0.21	73,73,73,73	0
18	1PE	I	304	16/16	0.83	0.19	65,79,92,92	0
18	1PE	a	305	16/16	0.84	0.20	73,82,88,89	0
16	CL	E	303	1/1	0.84	0.31	91,91,91,91	0
16	CL	D	301	1/1	0.85	0.13	88,88,88,88	0
18	1PE	3	303	16/16	0.85	0.14	70,74,78,80	0
18	1PE	Y	307	16/16	0.85	0.18	63,77,82,83	0
18	1PE	I	303	16/16	0.86	0.16	59,69,74,75	0
16	CL	M	302	1/1	0.86	0.23	76,76,76,76	0
16	CL	K	303	1/1	0.87	0.21	83,83,83,83	0
16	CL	G	302	1/1	0.87	0.14	92,92,92,92	0
16	CL	S	301	1/1	0.87	0.43	85,85,85,85	0
18	1PE	K	306	16/16	0.87	0.15	62,69,79,79	0
16	CL	S	302	1/1	0.88	0.25	78,78,78,78	0
17	MG	H	303	1/1	0.88	0.08	42,42,42,42	0
17	MG	K	305	1/1	0.89	0.09	44,44,44,44	0
16	CL	Y	303	1/1	0.89	0.13	65,65,65,65	0
16	CL	C	302	1/1	0.89	0.20	85,85,85,85	0
19	NEN	G	305	9/9	0.89	0.12	48,51,54,56	0
16	CL	a	302	1/1	0.90	0.14	63,63,63,63	0
16	CL	O	301	1/1	0.90	0.13	71,71,71,71	0
16	CL	V	301	1/1	0.90	0.18	73,73,73,73	0
18	1PE	U	303	16/16	0.90	0.13	53,56,70,71	0
16	CL	I	301	1/1	0.90	0.11	49,49,49,49	0
16	CL	Y	305	1/1	0.90	0.21	63,63,63,63	0
16	CL	O	303	1/1	0.91	0.10	83,83,83,83	0
16	CL	O	304	1/1	0.91	0.13	91,91,91,91	0
16	CL	F	301	1/1	0.91	0.18	73,73,73,73	0
16	CL	H	301	1/1	0.91	0.20	66,66,66,66	0
16	CL	3	301	1/1	0.92	0.10	67,67,67,67	0
16	CL	R	301	1/1	0.92	0.12	66,66,66,66	0
16	CL	a	301	1/1	0.93	0.24	63,63,63,63	0
16	CL	A	302	1/1	0.93	0.10	70,70,70,70	0
16	CL	Q	301	1/1	0.93	0.07	79,79,79,79	0
16	CL	V	302	1/1	0.93	0.14	87,87,87,87	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
16	CL	H	302	1/1	0.93	0.15	58,58,58,58	0
20	K	U	302	1/1	0.93	0.07	50,50,50,50	0
16	CL	K	304	1/1	0.93	0.14	74,74,74,74	0
16	CL	N	302	1/1	0.94	0.13	48,48,48,48	0
18	1PE	G	304	16/16	0.94	0.10	41,46,55,56	0
20	K	N	304	1/1	0.94	0.06	47,47,47,47	0
16	CL	K	302	1/1	0.94	0.09	75,75,75,75	0
16	CL	Y	301	1/1	0.94	0.12	41,41,41,41	0
16	CL	E	301	1/1	0.95	0.15	71,71,71,71	0
16	CL	Y	302	1/1	0.95	0.10	66,66,66,66	0
16	CL	B	302	1/1	0.95	0.11	62,62,62,62	0
16	CL	Y	304	1/1	0.95	0.08	63,63,63,63	0
16	CL	N	301	1/1	0.95	0.12	50,50,50,50	0
16	CL	U	301	1/1	0.95	0.19	59,59,59,59	0
16	CL	A	304	1/1	0.95	0.18	76,76,76,76	0
16	CL	a	304	1/1	0.95	0.13	58,58,58,58	0
20	K	Z	301	1/1	0.95	0.07	51,51,51,51	0
16	CL	Q	302	1/1	0.95	0.12	67,67,67,67	0
16	CL	B	301	1/1	0.96	0.12	42,42,42,42	0
16	CL	P	301	1/1	0.96	0.15	55,55,55,55	0
16	CL	A	303	1/1	0.96	0.13	63,63,63,63	0
16	CL	A	301	1/1	0.96	0.09	56,56,56,56	0
16	CL	K	301	1/1	0.96	0.18	51,51,51,51	0
17	MG	V	303	1/1	0.96	0.06	48,48,48,48	0
17	MG	3	302	1/1	0.97	0.06	38,38,38,38	0
16	CL	O	302	1/1	0.97	0.10	66,66,66,66	0
16	CL	M	304	1/1	0.97	0.21	61,61,61,61	0
20	K	G	303	1/1	0.97	0.05	40,40,40,40	0
16	CL	G	301	1/1	0.97	0.27	46,46,46,46	0
17	MG	V	304	1/1	0.97	0.07	51,51,51,51	0
17	MG	X	301	1/1	0.97	0.05	51,51,51,51	0
16	CL	M	301	1/1	0.97	0.26	69,69,69,69	0
16	CL	E	302	1/1	0.97	0.13	54,54,54,54	0
16	CL	N	303	1/1	0.98	0.16	40,40,40,40	0
17	MG	J	301	1/1	0.98	0.03	44,44,44,44	0
16	CL	b	301	1/1	0.98	0.16	49,49,49,49	0
16	CL	b	302	1/1	0.98	0.15	57,57,57,57	0
16	CL	a	303	1/1	0.98	0.14	43,43,43,43	0
17	MG	Y	306	1/1	0.99	0.03	29,29,29,29	0
17	MG	I	302	1/1	0.99	0.07	33,33,33,33	0
16	CL	M	303	1/1	0.99	0.12	40,40,40,40	0
17	MG	H	304	1/1	0.99	0.06	33,33,33,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.