



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:27 PM UTC

PDB ID : 9G4K / pdb_00009g4k
Title : The structure of Candida albicans phosphoglucose isomerase in complex with fragments
Authors : Yan, K.
Deposited on : 2024-07-15
Resolution : 1.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 1.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4037 (1.50-1.50)
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	555	
1	B	555	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	A1IIB	B	601	-	X	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9760 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glucose-6-phosphate isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	551	Total	C	N	O	S	0	11	0
			4364	2801	721	831	11			
1	B	551	Total	C	N	O	S	0	7	0
			4345	2788	719	826	12			

There are 10 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP P83780
A	-3	PRO	-	expression tag	UNP P83780
A	-2	LEU	-	expression tag	UNP P83780
A	-1	GLY	-	expression tag	UNP P83780
A	0	SER	-	expression tag	UNP P83780
B	-4	GLY	-	expression tag	UNP P83780
B	-3	PRO	-	expression tag	UNP P83780
B	-2	LEU	-	expression tag	UNP P83780
B	-1	GLY	-	expression tag	UNP P83780
B	0	SER	-	expression tag	UNP P83780

- Molecule 2 is methyl 1H-imidazole-5-carboxylate (CCD ID: A1IIB) (formula: C₅H₆N₂O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			9	5	2	2		
2	B	1	Total	C	N	O	0	0
			9	5	2	2		

- Molecule 3 is 5-PHOSPHOARABINONIC ACID (CCD ID: PA5) (formula: $C_5H_{11}O_9P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			15	5	9	1		

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total 1	Cl 1	0	0
4	B	1	Total 1	Cl 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	503	Total 503	O 503	0	0
5	B	513	Total 513	O 513	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glucose-6-phosphate isomerase



- Molecule 1: Glucose-6-phosphate isomerase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	87.15Å 101.46Å 134.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.85 – 1.49 29.85 – 1.49	Depositor EDS
% Data completeness (in resolution range)	82.7 (29.85-1.49) 83.2 (29.85-1.49)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.82 (at 1.49Å)	Xtriage
Refinement program	REFMAC 5.8.0352	Depositor
R, R_{free}	0.178 , 0.210 (Not available) , 0.223	Depositor DCC
R_{free} test set	8037 reflections (4.12%)	wwPDB-VP
Wilson B-factor (Å ²)	15.6	Xtriage
Anisotropy	0.449	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 33.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9760	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.50 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.7751e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PA5, CL, A1IIB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.74	0/4499	1.07	8/6099 (0.1%)
1	B	0.74	0/4468	1.09	11/6057 (0.2%)
All	All	0.74	0/8967	1.08	19/12156 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	350	HIS	CB-CG-CD2	-6.97	122.14	131.20
1	B	138	ASP	CA-CB-CG	6.17	118.77	112.60
1	B	270	PHE	CA-CB-CG	6.13	119.93	113.80
1	A	125	GLU	CB-CG-CD	5.99	122.78	112.60
1	A	445	ASP	CA-CB-CG	5.97	118.57	112.60
1	A	104	HIS	CB-CG-CD2	-5.89	123.55	131.20
1	B	195	HIS	CB-CG-CD2	-5.88	123.55	131.20
1	B	410	PHE	CA-CB-CG	5.87	119.67	113.80
1	A	350	HIS	CB-CG-ND1	5.83	131.45	122.70
1	B	125	GLU	CB-CG-CD	5.73	122.34	112.60
1	B	445	ASP	CA-CB-CG	5.70	118.30	112.60
1	B	393	HIS	CA-CB-CG	-5.52	108.28	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	506	PHE	CA-CB-CG	-5.42	108.38	113.80
1	B	195	HIS	CB-CG-ND1	5.41	130.81	122.70
1	B	156	VAL	O-C-N	5.37	129.00	123.20
1	B	350	HIS	CB-CG-CD2	-5.19	124.45	131.20
1	B	433	PHE	CA-CB-CG	5.08	118.88	113.80
1	A	67	GLU	CB-CG-CD	5.02	121.14	112.60
1	A	300	PHE	CA-CB-CG	5.02	118.82	113.80

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	351	ARG	Sidechain
1	B	85	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4364	0	4279	60	0
1	B	4345	0	4248	58	0
2	A	9	0	0	0	0
2	B	9	0	0	0	0
3	A	15	0	8	1	0
4	A	1	0	0	0	0
4	B	1	0	0	1	0
5	A	503	0	0	14	1
5	B	513	0	0	16	2
All	All	9760	0	8535	114	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:515:LYS:O	5:A:701:HOH:O	1.83	0.96
1:A:508:GLN:HB2	1:A:511:VAL:CG1	1.99	0.93
1:A:277:ARG:HH22	1:A:508:GLN:HE21	1.17	0.88
1:B:310:HIS:HE1	1:B:320:ILE:H	1.20	0.87
1:B:277:ARG:HH22	1:B:508:GLN:HE21	1.20	0.86
1:A:1:MET:CE	5:A:1118:HOH:O	2.22	0.86
1:A:310:HIS:HE1	1:A:320:ILE:H	1.26	0.83
1:B:215:LYS:HD2	5:B:1001:HOH:O	1.78	0.83
1:A:467:ASN:HB2	5:A:745:HOH:O	1.78	0.83
1:B:161:ILE:HD12	5:B:828:HOH:O	1.83	0.79
4:B:602:CL:CL	5:B:1168:HOH:O	2.38	0.78
1:A:467:ASN:CB	5:A:745:HOH:O	2.32	0.78
1:A:467:ASN:CG	5:A:745:HOH:O	2.29	0.75
1:A:393:HIS:HE1	1:B:221[B]:GLU:OE2	1.70	0.75
1:A:14:LYS:HE2	5:A:948:HOH:O	1.88	0.74
1:A:1:MET:HE3	5:A:1118:HOH:O	1.86	0.73
1:A:148:TYR:H	1:A:246:HIS:HE1	1.38	0.70
1:A:508:GLN:CG	1:A:511:VAL:CG1	2.69	0.70
1:A:508:GLN:CB	1:A:511:VAL:CG1	2.69	0.69
1:A:508:GLN:HB2	1:A:511:VAL:HG12	1.75	0.67
1:A:221:GLU:OE2	1:B:393:HIS:HE1	1.77	0.67
1:B:190:ASN:H	1:B:195:HIS:HD2	1.41	0.67
1:A:190:ASN:H	1:A:195:HIS:HD2	1.42	0.66
1:A:392:GLN:HE22	1:A:432:ASN:HB3	1.60	0.66
1:B:308:ASP:OD1	1:B:492:HIS:HE1	1.78	0.66
1:A:277:ARG:HH22	1:A:508:GLN:NE2	1.92	0.66
1:B:392:GLN:HE22	1:B:432:ASN:HB3	1.60	0.65
1:A:350:HIS:HD2	5:A:1110:HOH:O	1.79	0.65
3:A:602:PA5:O4	1:B:393:HIS:HD2	1.81	0.63
1:B:253:ASN:C	1:B:253:ASN:HD22	2.06	0.63
1:A:508:GLN:HG2	1:A:511:VAL:HG13	1.81	0.62
1:A:508:GLN:CG	1:A:511:VAL:HG13	2.30	0.62
1:A:508:GLN:HG3	1:A:511:VAL:HG11	1.80	0.62
1:B:26:LYS:HA	1:B:26:LYS:HE2	1.81	0.62
1:A:508:GLN:CG	1:A:511:VAL:HG11	2.30	0.61
1:A:308:ASP:OD1	1:A:492:HIS:HE1	1.84	0.61
1:A:173:GLU:OE1	1:A:350:HIS:HE1	1.82	0.60
1:A:508:GLN:HB2	1:A:511:VAL:HG11	1.83	0.60
1:B:388:ALA:HB1	1:B:389:THR:HA	1.81	0.60
1:B:173:GLU:OE1	1:B:350:HIS:HE1	1.84	0.60
1:B:208:THR:O	1:B:246:HIS:HD2	1.85	0.60
1:B:350:HIS:HD2	5:B:1137:HOH:O	1.84	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:148:TYR:H	1:B:246:HIS:HE1	1.49	0.59
1:B:70:ASP:HB3	5:B:1007:HOH:O	2.01	0.59
1:A:208:THR:O	1:A:246:HIS:HD2	1.85	0.59
1:A:394[B]:SER:OG	5:A:702:HOH:O	2.16	0.59
1:A:535:ASP:CG	1:B:441[A]:MET:HE1	2.27	0.58
1:B:349[B]:LEU:HD11	1:B:478:ILE:HG21	1.85	0.58
1:B:8:THR:HG21	5:B:781:HOH:O	2.04	0.58
1:A:148:TYR:N	1:A:246:HIS:HE1	1.99	0.58
1:A:508:GLN:O	1:A:511:VAL:HG13	2.03	0.58
1:B:333:ASN:ND2	1:B:501:TRP:HE1	2.02	0.57
1:A:333:ASN:HD21	1:A:501:TRP:HE1	1.53	0.57
1:B:277:ARG:HH22	1:B:508:GLN:NE2	1.97	0.57
1:B:338:GLN:CD	5:B:705:HOH:O	2.49	0.56
1:A:333:ASN:ND2	1:A:501:TRP:HE1	2.04	0.56
1:A:390:ASN:HD22	1:A:390:ASN:H	1.53	0.56
1:B:70:ASP:CB	5:B:1007:HOH:O	2.54	0.56
1:A:458:LEU:HD21	1:A:462:LYS:HE3	1.88	0.55
1:B:104:HIS:HD2	5:B:1016:HOH:O	1.89	0.55
1:B:333:ASN:HD21	1:B:501:TRP:HE1	1.54	0.55
1:A:104:HIS:HE1	5:A:1102:HOH:O	1.90	0.55
1:A:258:VAL:HG23	5:A:854:HOH:O	2.06	0.54
1:B:310:HIS:HD2	5:B:1154:HOH:O	1.90	0.54
1:B:310:HIS:CE1	1:B:320:ILE:H	2.12	0.52
1:A:513:LEU:O	1:A:517:LEU:HG	2.10	0.52
1:B:458:LEU:HD21	1:B:462:LYS:HE3	1.92	0.52
1:B:338:GLN:NE2	5:B:705:HOH:O	2.43	0.51
1:A:189:SER:H	1:A:195:HIS:CD2	2.29	0.51
1:A:310:HIS:CE1	1:A:320:ILE:H	2.17	0.51
1:B:161:ILE:CD1	5:B:828:HOH:O	2.48	0.51
1:B:76:ALA:HA	1:B:500:ILE:CD1	2.42	0.50
1:A:388:ALA:HB1	1:A:389:THR:HA	1.94	0.50
1:B:103:TYR:CZ	1:B:115[B]:MET:HE3	2.47	0.50
1:B:148:TYR:N	1:B:246:HIS:HE1	2.08	0.50
1:B:76:ALA:HA	1:B:500:ILE:HD11	1.93	0.49
1:A:310:HIS:HD2	5:A:1151:HOH:O	1.96	0.49
1:A:425:HIS:HE1	1:B:225:ASN:HD22	1.60	0.48
1:B:29:VAL:H	1:B:467:ASN:ND2	2.11	0.48
1:B:189:SER:H	1:B:195:HIS:CD2	2.31	0.48
1:B:73:VAL:HG12	1:B:77:LYS:HE2	1.95	0.48
1:B:195:HIS:HE1	5:B:1138:HOH:O	1.96	0.47
1:A:104:HIS:HD2	5:A:989:HOH:O	1.96	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:26:LYS:HA	1:B:26:LYS:CE	2.44	0.46
1:A:349[B]:LEU:HD11	1:A:478[B]:ILE:HG21	1.98	0.46
1:B:103:TYR:HB3	1:B:273:TRP:CE3	2.51	0.46
1:A:298:ASN:ND2	1:A:302:LYS:HE3	2.31	0.46
1:A:191:ILE:O	1:A:192:ASP:C	2.59	0.45
1:A:508:GLN:CB	1:A:511:VAL:HG11	2.42	0.45
1:A:415:GLN:NE2	5:A:712:HOH:O	2.50	0.45
1:B:15:LYS:CG	5:B:1082:HOH:O	2.64	0.45
1:A:333:ASN:HD21	1:A:501:TRP:NE1	2.15	0.44
1:A:497:GLU:HB3	1:A:501:TRP:CZ3	2.52	0.44
1:B:213:ALA:HA	1:B:250:LEU:HB2	2.00	0.44
1:B:70:ASP:CG	5:B:1007:HOH:O	2.61	0.43
1:B:35:LYS:HE2	1:B:35:LYS:HB2	1.84	0.43
1:A:308:ASP:OD1	1:A:492:HIS:CE1	2.69	0.43
1:A:103:TYR:HB3	1:A:273:TRP:CE3	2.54	0.43
1:A:166:LEU:CD2	1:A:355:TYR:HA	2.49	0.43
1:B:190:ASN:H	1:B:195:HIS:CD2	2.30	0.43
1:B:352:PHE:HB3	1:B:353:PRO:HD3	2.01	0.43
1:A:448:LYS:HE2	1:A:448:LYS:HB2	1.88	0.42
1:B:333:ASN:HD21	1:B:501:TRP:NE1	2.17	0.42
1:B:390:ASN:HD22	1:B:390:ASN:H	1.68	0.41
1:A:170:MET:HE1	1:A:487:ILE:HD11	2.02	0.41
1:B:104:HIS:CD2	1:B:104:HIS:H	2.37	0.41
1:B:104:HIS:HE1	5:B:1103:HOH:O	2.03	0.41
1:A:251:SER:O	1:A:269:GLY:HA2	2.20	0.41
1:A:425:HIS:CE1	1:B:225:ASN:HD22	2.39	0.40
1:B:413:ALA:HB2	1:B:478:ILE:HG12	2.04	0.40
1:A:178:TYR:CZ	1:A:480:PRO:HD3	2.57	0.40
1:B:191:ILE:O	1:B:192:ASP:C	2.65	0.40
1:B:493:LEU:C	1:B:493:LEU:HD23	2.47	0.40
1:B:63:LEU:HD13	1:B:469:PRO:HB3	2.04	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:1079:HOH:O	5:B:1181:HOH:O[3_644]	2.11	0.09
5:A:1084:HOH:O	5:B:1160:HOH:O[3_544]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	560/555 (101%)	542 (97%)	18 (3%)	0	100	100
1	B	556/555 (100%)	537 (97%)	19 (3%)	0	100	100
All	All	1116/1110 (100%)	1079 (97%)	37 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	465/463 (100%)	453 (97%)	12 (3%)	40	13
1	B	460/463 (99%)	451 (98%)	9 (2%)	48	20
All	All	925/926 (100%)	904 (98%)	21 (2%)	45	16

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23[A]	VAL
1	A	23[B]	VAL
1	A	63	LEU
1	A	103	TYR
1	A	168	PRO
1	A	195	HIS
1	A	467	ASN
1	A	508	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	511	VAL
1	A	519	LYS
1	A	531	VAL
1	A	550	GLU
1	B	63	LEU
1	B	103	TYR
1	B	161	ILE
1	B	166	LEU
1	B	195	HIS
1	B	250	LEU
1	B	317	GLU
1	B	423	ASN
1	B	508	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	62	ASN
1	A	71	GLN
1	A	104	HIS
1	A	195	HIS
1	A	225	ASN
1	A	246	HIS
1	A	296	ASN
1	A	309	GLN
1	A	310	HIS
1	A	333	ASN
1	A	350	HIS
1	A	357	GLN
1	A	390	ASN
1	A	392	GLN
1	A	393	HIS
1	A	415	GLN
1	A	492	HIS
1	A	502	ASN
1	A	508	GLN
1	B	104	HIS
1	B	184	ASN
1	B	195	HIS
1	B	225	ASN
1	B	246	HIS
1	B	253	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	310	HIS
1	B	333	ASN
1	B	350	HIS
1	B	357	GLN
1	B	390	ASN
1	B	392	GLN
1	B	393	HIS
1	B	415	GLN
1	B	467	ASN
1	B	492	HIS
1	B	502	ASN
1	B	508	GLN
1	B	544	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PA5	A	602	-	14,14,14	0.92	1 (7%)	18,20,20	1.06	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	A1IIB	B	601	-	8,9,9	2.37	4 (50%)	10,11,11	3.83	6 (60%)
2	A1IIB	A	601	-	8,9,9	1.98	4 (50%)	10,11,11	3.33	3 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PA5	A	602	-	-	0/18/18/18	-
2	A1IIB	B	601	-	-	2/6/6/6	0/1/1/1
2	A1IIB	A	601	-	-	2/6/6/6	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	A1IIB	C04-C03	-4.74	1.36	1.48
2	A	601	A1IIB	C04-C03	-3.39	1.39	1.48
2	B	601	A1IIB	C07-N08	-2.81	1.30	1.35
2	A	601	A1IIB	O09-C03	2.60	1.26	1.21
2	B	601	A1IIB	C05-N06	-2.55	1.33	1.37
2	A	601	A1IIB	C05-N06	-2.42	1.33	1.37
3	A	602	PA5	O1-C1	-2.22	1.23	1.30
2	A	601	A1IIB	O02-C03	2.20	1.38	1.33
2	B	601	A1IIB	O09-C03	2.04	1.25	1.21

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	A1IIB	C03-C04-N08	9.07	132.09	120.79
2	A	601	A1IIB	C03-C04-N08	8.83	131.79	120.79
2	B	601	A1IIB	O02-C03-C04	5.23	118.50	111.97
2	A	601	A1IIB	O02-C03-C04	4.25	117.28	111.97
2	B	601	A1IIB	C07-N08-C04	-3.94	104.97	107.53
2	B	601	A1IIB	C05-C04-N08	2.94	109.80	104.68
2	A	601	A1IIB	C07-N08-C04	-2.55	105.87	107.53
3	A	602	PA5	O3-C3-C4	2.52	114.65	108.93
2	B	601	A1IIB	C04-C05-N06	-2.46	107.27	111.04
2	B	601	A1IIB	C01-O02-C03	-2.11	111.93	115.85

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	601	A1IIB	C04-C03-O02-C01
2	A	601	A1IIB	O09-C03-O02-C01
2	B	601	A1IIB	O09-C03-O02-C01
2	B	601	A1IIB	C04-C03-O02-C01


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	PA5	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	551/555 (99%)	0.16	14 (2%) 58 62	8, 15, 28, 55	11 (1%)
1	B	551/555 (99%)	0.11	16 (2%) 53 58	8, 15, 27, 48	7 (1%)
All	All	1102/1110 (99%)	0.14	30 (2%) 56 60	8, 15, 27, 55	18 (1%)

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	511	VAL	5.0
1	B	260	PHE	4.7
1	B	259	ALA	4.3
1	A	0	SER	4.2
1	A	516	VAL	3.9
1	A	517	LEU	3.7
1	A	2	ALA	3.6
1	B	511	VAL	3.3
1	B	219	THR	3.3
1	A	1	MET	3.1
1	B	258	VAL	3.0
1	B	252	THR	3.0
1	B	214	SER	2.7
1	A	514	GLY	2.7
1	B	376	ASN	2.6
1	B	218	THR	2.6
1	A	513	LEU	2.6
1	B	550	GLU	2.6
1	A	527	ASP	2.5
1	A	240	SER	2.4
1	B	256	GLU	2.4
1	B	530	ALA	2.3
1	B	526	ASP	2.3
1	A	30	ARG	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	0	SER	2.3
1	A	260	PHE	2.2
1	A	258	VAL	2.2
1	B	529	LYS	2.2
1	B	257	VAL	2.2
1	A	512	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	A1IIB	A	601	9/9	0.70	0.15	28,32,37,43	0
2	A1IIB	B	601	9/9	0.80	0.13	24,29,37,41	0
3	PA5	A	602	15/15	0.92	0.09	14,19,23,25	9
4	CL	B	602	1/1	0.96	0.10	29,29,29,29	0
4	CL	A	603	1/1	0.98	0.07	31,31,31,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A1IIB A 601:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.