



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 9, 2026 – 09:34 PM UTC

PDB ID : 9UCG / pdb\_00009ucg  
Title : A Fab structure with a covalent bond  
Authors : Makabe, K.; Nakanishi, T.  
Deposited on : 2025-04-04  
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	222	<div> <div>5%</div> <div>81%</div> <div>17%</div> <div>.</div> </div>
1	C	222	<div> <div>9%</div> <div>71%</div> <div>24%</div> <div>5%</div> </div>
2	B	218	<div> <div>%</div> <div>83%</div> <div>16%</div> </div>
2	D	218	<div> <div>15%</div> <div>72%</div> <div>24%</div> <div>.</div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6636 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Anti-CD63 VH-CH1 iso.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	218	Total	C	N	O	S	0	0	0
			1650	1046	271	327	6			
1	C	211	Total	C	N	O	S	0	0	0
			1599	1014	264	316	5			

- Molecule 2 is a protein called Anti-CD63 VL-CL iso.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	218	Total	C	N	O	S	0	0	0
			1683	1054	287	335	7			
2	D	210	Total	C	N	O	S	0	0	0
			1624	1020	277	320	7			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	23	Total	O	0	0
			23	23		
3	B	26	Total	O	0	0
			26	26		
3	C	13	Total	O	0	0
			13	13		
3	D	18	Total	O	0	0
			18	18		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Anti-CD63 VH-CH1 iso




- Molecule 1: Anti-CD63 VH-CH1 iso




- Molecule 2: Anti-CD63 VL-CL iso



- Molecule 2: Anti-CD63 VL-CL iso





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	101.23Å 101.23Å 212.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.24 – 2.65 49.24 – 2.65	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.24-2.65) 99.9 (49.24-2.65)	Depositor EDS
$R_{merge}$	0.17	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.26 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, $R_{free}$	0.220 , 0.281 0.220 , 0.281	Depositor DCC
$R_{free}$ test set	2000 reflections (6.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	48.7	Xtriage
Anisotropy	0.354	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 43.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6636	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.26% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.40	0/1691	0.62	0/2303
1	C	0.38	0/1638	0.61	2/2232 (0.1%)
2	B	0.44	0/1717	0.62	0/2328
2	D	0.41	0/1657	0.68	0/2244
All	All	0.41	0/6703	0.64	2/9107 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	109	TRP	CA-C-N	-5.36	114.33	122.04
1	C	109	TRP	C-N-CA	-5.36	114.33	122.04

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1650	0	1609	25	0
1	C	1599	0	1569	36	0
2	B	1683	0	1656	22	0
2	D	1624	0	1601	37	0
3	A	23	0	0	1	0
3	B	26	0	0	1	0
3	C	13	0	0	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	18	0	0	1	0
All	All	6636	0	6435	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:34:ILE:HD13	2:B:54:ARG:HH21	1.19	1.07
2:B:34:ILE:CD1	2:B:54:ARG:HH21	1.90	0.83
1:C:6:GLU:OE2	1:C:110:GLY:HA3	1.83	0.79
2:B:34:ILE:HD13	2:B:54:ARG:NH2	1.99	0.77
1:A:59:TYR:CD2	1:A:64:LYS:HD3	2.27	0.70
1:C:47:TRP:CD2	2:D:100:PRO:HD2	2.31	0.66
2:D:186:SER:HG	2:D:189:ASP:H	1.45	0.64
1:C:53:SER:HA	1:C:71:ARG:NH1	2.17	0.60
2:D:199:GLU:HB2	2:D:209:VAL:O	2.02	0.60
2:D:136:VAL:HG13	2:D:183:LEU:HB3	1.84	0.59
1:A:216:LYS:HB3	1:C:210:ASN:HB3	1.85	0.58
2:B:187:LYS:NZ	2:B:191:GLU:OE1	2.36	0.58
1:A:59:TYR:HD2	1:A:64:LYS:HD3	1.69	0.57
2:D:152:TRP:CZ3	2:D:198:CYS:HB2	2.39	0.57
2:D:38:GLN:HG3	2:D:53:TYR:HA	1.85	0.56
1:C:177:GLN:OE1	1:C:183:LEU:HD12	2.05	0.56
1:A:199:THR:HG23	1:A:216:LYS:HE3	1.86	0.56
1:C:103:TRP:CD1	1:C:103:TRP:N	2.74	0.56
2:D:152:TRP:HA	2:D:197:ALA:O	2.05	0.56
1:A:34:VAL:HG11	1:A:78:VAL:HG21	1.88	0.55
2:D:197:ALA:HA	2:D:212:SER:OG	2.06	0.55
1:C:9:PRO:HD2	1:C:207:LYS:HD2	1.89	0.54
1:A:37:ILE:HD12	1:A:96:VAL:HG21	1.90	0.54
2:B:155:ASP:OD2	2:B:193:HIS:HB3	2.08	0.54
1:C:129:PRO:HD3	1:C:215:LYS:HE2	1.90	0.54
1:A:47:TRP:CD2	2:B:100:PRO:HD2	2.44	0.53
1:A:75:LYS:O	1:A:77:GLN:HG3	2.08	0.53
2:D:87:VAL:HG21	2:D:170:GLN:HB3	1.91	0.53
2:B:104:GLN:HB2	3:B:316:HOH:O	2.08	0.52
1:A:108:TYR:CZ	1:A:110:GLY:HA2	2.45	0.52
2:B:151:GLN:HB2	2:B:199:GLU:HB3	1.92	0.52
2:B:188:ALA:O	2:B:192:LYS:HG3	2.10	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:47:TRP:CH2	1:A:49:GLY:HA2	2.45	0.52
1:A:212:LYS:HD2	3:A:323:HOH:O	2.09	0.52
1:C:7:SER:HB2	1:C:111:GLN:HB3	1.92	0.51
1:A:102:ASN:CG	1:A:103:TRP:H	2.19	0.50
2:D:186:SER:OG	2:D:189:ASP:N	2.35	0.50
2:D:185:LEU:HD12	2:D:190:TYR:HD1	1.75	0.49
1:C:175:ILE:HD11	2:D:166:MET:HB2	1.93	0.49
2:D:95:THR:HG22	2:D:100:PRO:HB3	1.94	0.49
2:D:27:GLN:NE2	2:D:97:GLU:OE2	2.46	0.49
1:C:60:ASN:OD1	1:C:61:SER:N	2.46	0.48
2:D:65:ARG:CZ	2:D:83:GLU:HG3	2.43	0.48
1:C:33:TYR:N	3:C:302:HOH:O	2.47	0.48
1:C:62:GLU:O	1:C:62:GLU:OE1	2.32	0.48
2:D:218:CYS:OXT	2:D:218:CYS:SG	2.71	0.48
2:D:149:LYS:O	2:D:200:VAL:HA	2.14	0.47
2:D:121:ILE:HD13	2:D:212:SER:HA	1.96	0.47
1:C:109:TRP:CD1	1:C:109:TRP:N	2.83	0.47
1:A:12:VAL:O	1:A:117:VAL:HA	2.14	0.47
2:B:169:GLU:CD	2:B:170:GLN:H	2.23	0.47
2:D:185:LEU:HD13	2:D:190:TYR:HA	1.97	0.47
2:B:189:ASP:OD1	2:B:192:LYS:NZ	2.36	0.46
2:D:129:LEU:HD22	2:D:187:LYS:HG2	1.96	0.46
1:C:44:GLY:HA3	3:C:307:HOH:O	2.15	0.46
1:C:58:ASP:OD1	1:C:59:TYR:N	2.49	0.46
1:C:47:TRP:CH2	1:C:49:GLY:HA2	2.51	0.45
1:C:149:LYS:HG2	1:C:150:ASP:CG	2.42	0.45
2:D:112:ARG:NE	2:D:113:THR:O	2.38	0.45
1:C:3:GLN:HA	1:C:19:SER:HB3	1.97	0.45
2:D:180:LYS:HD2	2:D:182:LEU:HD21	1.99	0.44
2:D:136:VAL:CG1	2:D:183:LEU:HB3	2.47	0.44
1:C:18:LEU:HD11	1:C:20:LEU:HD21	1.99	0.44
2:D:189:ASP:HA	2:D:192:LYS:HD2	1.98	0.44
2:D:134:ALA:O	2:D:184:GLN:HA	2.17	0.44
1:C:35:GLN:HE21	1:C:47:TRP:HE1	1.65	0.44
1:A:183:LEU:C	1:A:183:LEU:HD23	2.43	0.44
1:A:9:PRO:HB3	1:A:114:LEU:O	2.17	0.44
2:D:194:LYS:O	2:D:214:ASN:HA	2.18	0.43
1:C:133:SER:HB2	2:D:218:CYS:SG	2.58	0.43
2:B:58:LEU:HD11	2:B:66:PHE:O	2.19	0.43
2:D:70:GLY:HA3	2:D:75:PHE:HA	2.01	0.43
1:C:138:SER:HB2	3:D:307:HOH:O	2.18	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:30:THR:HA	2:D:34:ILE:O	2.19	0.43
2:D:202:HIS:O	2:D:205:LEU:HG	2.19	0.43
1:A:72:ASP:OD1	1:A:74:SER:HB3	2.19	0.43
2:D:153:LYS:HA	2:D:153:LYS:HD3	1.64	0.43
1:A:150:ASP:HA	1:A:181:LEU:HB3	2.01	0.43
1:C:38:ARG:HD3	1:C:48:MET:SD	2.59	0.43
2:D:12:ALA:HA	2:D:109:GLU:O	2.18	0.43
2:B:13:VAL:HG11	2:B:82:VAL:HG21	2.00	0.42
1:A:51:ILE:HG13	1:A:57:THR:HG22	2.02	0.42
1:A:158:VAL:HA	1:A:203:ASN:O	2.18	0.42
1:A:173:PRO:O	2:B:166:MET:HG2	2.19	0.42
1:C:142:ALA:O	1:C:189:THR:HA	2.19	0.42
1:C:37:ILE:HD12	1:C:96:VAL:HG21	2.01	0.42
1:C:50:PHE:CD1	1:C:50:PHE:C	2.98	0.42
1:A:207:LYS:HB3	1:A:207:LYS:HE3	1.84	0.42
1:C:132:PRO:HD3	1:C:144:LEU:HB3	2.01	0.42
2:B:109:GLU:HG2	2:B:110:ILE:N	2.34	0.42
1:C:47:TRP:HZ2	1:C:50:PHE:HD2	1.67	0.42
1:C:151:TYR:CE1	1:C:156:VAL:HG13	2.54	0.42
1:C:171:THR:HG22	1:C:186:SER:OG	2.19	0.42
2:B:41:GLN:HB2	2:B:51:LEU:HD11	2.02	0.42
2:B:174:ASP:OD1	2:B:176:THR:OG1	2.32	0.42
1:C:156:VAL:HA	1:C:205:ASN:O	2.20	0.41
1:A:38:ARG:HD3	1:A:48:MET:SD	2.60	0.41
2:B:23:CYS:HB2	2:B:39:TRP:CH2	2.55	0.41
2:B:183:LEU:HG	2:B:185:LEU:HD13	2.01	0.41
2:D:217:GLU:O	2:D:218:CYS:C	2.63	0.41
1:C:13:LYS:HB2	1:C:16:GLU:CD	2.46	0.41
2:D:41:GLN:HB2	2:D:51:LEU:HD11	2.02	0.41
2:D:122:PHE:O	2:D:136:VAL:HG23	2.20	0.41
1:C:66:ARG:O	1:C:82:LEU:HA	2.20	0.41
1:A:18:LEU:HD13	1:A:115:VAL:HG11	2.02	0.41
2:B:163:SER:HA	2:B:182:LEU:O	2.21	0.41
2:D:112:ARG:NH2	2:D:113:THR:OG1	2.53	0.41
2:D:120:PHE:HD2	2:D:139:LEU:HD23	1.86	0.41
1:A:64:LYS:HA	1:A:64:LYS:HD2	1.86	0.40
2:B:33:SER:O	2:B:33:SER:OG	2.37	0.40
1:A:205:ASN:OD1	1:A:212:LYS:HG3	2.21	0.40
1:C:163:GLY:O	1:C:166:THR:HG23	2.21	0.40
2:B:214:ASN:O	2:B:217:GLU:HG2	2.21	0.40
1:C:183:LEU:HD23	1:C:183:LEU:C	2.47	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	214/222 (96%)	205 (96%)	9 (4%)	0	100	100
1	C	207/222 (93%)	195 (94%)	12 (6%)	0	100	100
2	B	216/218 (99%)	207 (96%)	8 (4%)	1 (0%)	24	39
2	D	206/218 (94%)	194 (94%)	12 (6%)	0	100	100
All	All	843/880 (96%)	801 (95%)	41 (5%)	1 (0%)	48	66

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	131	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	189/193 (98%)	188 (100%)	1 (0%)	81	91
1	C	183/193 (95%)	183 (100%)	0	100	100
2	B	191/191 (100%)	190 (100%)	1 (0%)	81	91
2	D	184/191 (96%)	183 (100%)	1 (0%)	81	91
All	All	747/768 (97%)	744 (100%)	3 (0%)	84	93

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	SER
2	B	33	SER
2	D	214	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	GLN
2	B	42	GLN
2	B	46	GLN
2	B	104	GLN
2	B	141	ASN
2	B	142	ASN
2	B	156	ASN
2	D	46	GLN
2	D	57	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	218/222 (98%)	0.32	12 (5%) 30 24	31, 44, 70, 85	0
1	C	211/222 (95%)	0.62	19 (9%) 15 12	34, 51, 76, 89	0
2	B	218/218 (100%)	-0.03	2 (0%) 81 78	27, 39, 54, 73	0
2	D	210/218 (96%)	0.68	33 (15%) 5 4	30, 50, 80, 89	0
All	All	857/880 (97%)	0.39	66 (7%) 19 14	27, 45, 75, 89	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	27	PHE	4.5
2	D	174	ASP	4.5
2	D	212	SER	4.4
2	D	195	VAL	4.4
1	C	221	SER	4.3
2	D	213	PHE	3.9
1	A	32	TYR	3.6
2	D	199	GLU	3.6
1	C	103	TRP	3.5
2	B	130	LYS	3.5
1	A	26	GLY	3.5
1	A	28	SER	3.5
2	D	188	ALA	3.4
2	D	197	ALA	3.4
1	C	106	PHE	3.4
1	A	53	SER	3.4
1	C	137	THR	3.4
2	D	196	TYR	3.4
1	C	104	ASP	3.2
2	D	200	VAL	3.2
2	D	153	LYS	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	D	120	PHE	3.2
2	D	119	VAL	3.1
2	D	205	LEU	3.0
1	A	101	TYR	3.0
1	C	3	GLN	3.0
1	C	135	LYS	3.0
1	C	74	SER	2.9
2	D	215	ARG	2.9
1	C	56	ASN	2.8
2	D	218	CYS	2.8
1	C	52	ARG	2.8
1	C	102	ASN	2.8
1	C	64	LYS	2.7
2	B	156	ASN	2.6
2	D	194	LYS	2.6
2	D	214	ASN	2.6
2	D	161	GLY	2.6
1	C	101	TYR	2.6
2	D	148	ALA	2.6
2	D	207	SER	2.5
1	C	33	TYR	2.5
1	C	110	GLY	2.5
2	D	173	LYS	2.5
2	D	198	CYS	2.5
1	C	192	SER	2.4
1	C	134	SER	2.4
2	D	192	LYS	2.4
1	C	191	PRO	2.4
2	D	33	SER	2.3
1	A	9	PRO	2.3
1	A	5	GLN	2.3
2	D	209	VAL	2.3
2	D	123	PRO	2.2
2	D	208	PRO	2.2
2	D	185	LEU	2.2
1	C	164	ALA	2.2
2	D	201	THR	2.2
1	A	64	LYS	2.2
2	D	149	LYS	2.2
1	A	52	ARG	2.2
2	D	193	HIS	2.1
2	D	121	ILE	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	D	117	PRO	2.0
1	A	31	SER	2.0
1	A	33	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.