



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 12:59 PM UTC

PDB ID : 1GIG / pdb_00001gig
Title : REFINED THREE-DIMENSIONAL STRUCTURE OF THE FAB FRAGMENT OF A MURINE IGG1, LAMBDA ANTIBODY
Authors : Bizebard, T.; Knossow, M.
Deposited on : 1993-01-20
Resolution : 2.30 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	L	210	
2	H	221	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3352 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called IGG1-KAPPA HC19 FAB (LIGHT CHAIN).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	L	210	1589	994	266	323	6	0	0	0

- Molecule 2 is a protein called IGG1-KAPPA HC19 FAB (HEAVY CHAIN).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	H	221	1672	1065	270	328	9	0	0	0

There are 23 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	3	GLN	LYS	conflict	GB 4096752
H	5	LYS	GLN	conflict	GB 4096752
H	28	LEU	SER	conflict	GB 4096752
H	30	ILE	THR	conflict	GB 4096752
H	32	ASN	TYR	conflict	GB 4096752
H	63	LEU	HIS	conflict	GB 4096752
H	69	ILE	PHE	conflict	GB 4096752
H	83	LYS	ASN	conflict	GB 4096752
H	92	MET	LEU	conflict	GB 4096752
H	98	ASP	-	insertion	GB 4096752
H	99	PHE	-	insertion	GB 4096752
H	100	TYR	-	insertion	GB 4096752
H	102	TYR	HIS	conflict	GB 4096752
H	103	ASP	GLY	conflict	GB 4096752
H	105	PHE	-	insertion	GB 4096752
H	106	TYR	-	insertion	GB 4096752
H	107	TYR	-	insertion	GB 4096752
H	108	ALA	-	insertion	GB 4096752
H	109	MET	-	insertion	GB 4096752
H	110	ASP	-	insertion	GB 4096752

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	117	SER	LEU	conflict	GB 4096752
H	122	SER	ALA	conflict	GB 4096752
H	135	PRO	SER	conflict	GB 4096752

- Molecule 3 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	L	46	Total O 46 46	0	0
3	H	45	Total O 45 45	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: IGG1-KAPPA HC19 FAB (LIGHT CHAIN)



- Molecule 2: IGG1-KAPPA HC19 FAB (HEAVY CHAIN)



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	98.90Å 98.90Å 89.30Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	7.00 – 2.30	Depositor
% Data completeness (in resolution range)	(Not available) (7.00-2.30)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ, X-PLOR	Depositor
R, R_{free}	0.195 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3352	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	L	1.00	0/1627	2.09	59/2224 (2.7%)
2	H	1.02	0/1718	2.11	64/2351 (2.7%)
All	All	1.01	0/3345	2.10	123/4575 (2.7%)

There are no bond length outliers.

All (123) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	58	ASN	CA-CB-CG	9.71	122.31	112.60
1	L	2	ALA	N-CA-C	-8.91	91.82	110.80
1	L	36	ASN	OD1-CG-ND2	8.87	131.47	122.60
2	H	88	ASP	CA-CB-CG	8.49	121.09	112.60
1	L	83	GLU	CB-CG-CD	8.23	126.59	112.60
2	H	195	SER	CA-C-N	8.18	131.56	120.44
2	H	195	SER	C-N-CA	8.18	131.56	120.44
2	H	110	ASP	N-CA-C	8.08	123.48	112.90
1	L	30	THR	CA-C-N	7.98	130.97	120.28
1	L	30	THR	C-N-CA	7.98	130.97	120.28
2	H	196	THR	N-CA-C	7.93	119.71	111.14
1	L	42	PRO	CA-C-N	7.69	136.23	121.54
1	L	42	PRO	C-N-CA	7.69	136.23	121.54
2	H	5	LYS	CB-CA-C	-7.39	98.31	110.14
1	L	23	ARG	CD-NE-CZ	7.27	134.57	124.40
2	H	197	TRP	CB-CA-C	7.27	118.78	108.68
2	H	60	ASN	N-CA-C	-7.19	99.17	109.96
2	H	38	ARG	CB-CG-CD	7.06	127.54	111.30
1	L	30	THR	N-CA-CB	-7.01	100.53	111.05
1	L	166	GLN	N-CA-C	-6.96	101.02	109.72
2	H	57	THR	CA-CB-OG1	-6.90	99.24	109.60
2	H	169	SER	CA-C-O	6.87	126.45	118.90
2	H	110	ASP	CA-CB-CG	6.85	119.45	112.60
2	H	160	THR	CA-CB-OG1	-6.84	99.34	109.60
2	H	8	GLY	O-C-N	6.80	128.57	121.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	30	THR	CA-CB-CG2	6.79	122.04	110.50
2	H	220	VAL	O-C-N	6.78	127.03	121.40
2	H	219	ILE	CB-CA-C	6.74	120.21	110.98
2	H	86	GLN	N-CA-C	-6.68	99.16	109.52
1	L	43	ASP	CB-CA-C	6.67	123.69	110.42
1	L	7	GLU	CA-C-O	-6.49	114.67	121.55
2	H	129	SER	CA-C-O	-6.47	113.33	120.38
1	L	26	THR	N-CA-CB	-6.34	99.86	110.39
1	L	2	ALA	CA-C-O	6.34	129.57	120.51
2	H	174	THR	CB-CA-C	6.33	120.94	110.74
1	L	150	ASP	CA-CB-CG	6.24	118.84	112.60
1	L	26	THR	N-CA-C	6.20	120.11	112.54
2	H	87	THR	CA-CB-OG1	-6.18	100.33	109.60
2	H	89	ASP	N-CA-C	-6.17	105.40	113.17
2	H	152	LYS	N-CA-C	6.16	119.74	109.95
2	H	182	ASP	CA-CB-CG	-6.16	106.44	112.60
2	H	196	THR	CA-CB-OG1	-6.09	100.47	109.60
1	L	101	GLY	N-CA-C	-6.09	103.29	112.60
1	L	29	VAL	N-CA-C	-6.08	100.94	109.21
1	L	7	GLU	CB-CG-CD	6.08	122.93	112.60
2	H	113	GLY	N-CA-C	-6.05	102.86	112.66
2	H	109	MET	N-CA-C	-6.03	96.54	107.75
2	H	5	LYS	N-CA-CB	6.01	120.21	110.77
1	L	32	SER	O-C-N	5.96	130.36	122.43
1	L	84	ASP	CA-CB-CG	-5.95	106.65	112.60
2	H	56	ASN	OD1-CG-ND2	-5.94	116.66	122.60
2	H	176	PRO	CA-C-N	5.93	130.87	122.09
2	H	176	PRO	C-N-CA	5.93	130.87	122.09
1	L	31	THR	CB-CA-C	5.93	120.63	110.79
2	H	92	MET	N-CA-C	-5.92	99.64	109.46
1	L	54	ASN	N-CA-C	5.87	121.40	112.54
2	H	203	THR	O-C-N	5.86	130.42	123.27
1	L	4	VAL	CA-C-O	-5.85	114.31	120.57
1	L	148	THR	CA-CB-OG1	-5.84	100.84	109.60
2	H	110	ASP	CA-C-N	5.82	131.71	122.74
2	H	110	ASP	C-N-CA	5.82	131.71	122.74
1	L	191	HIS	CA-CB-CG	-5.81	107.99	113.80
2	H	136	GLY	N-CA-C	-5.81	99.41	113.18
1	L	121	PHE	CA-CB-CG	5.78	119.58	113.80
2	H	216	ASP	CA-C-O	-5.76	113.92	120.32
1	L	19	THR	CA-C-O	-5.74	114.16	120.36
2	H	5	LYS	CA-CB-CG	5.72	125.53	114.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	123	ALA	CA-C-N	5.70	129.57	121.42
2	H	123	ALA	C-N-CA	5.70	129.57	121.42
2	H	159	VAL	N-CA-CB	5.70	122.47	111.93
1	L	26	THR	CA-CB-OG1	-5.68	101.08	109.60
1	L	31	THR	CA-CB-CG2	5.68	120.15	110.50
2	H	134	ALA	CB-CA-C	5.68	117.41	108.84
2	H	28	LEU	CA-C-O	-5.67	114.51	120.80
2	H	119	THR	CA-C-O	-5.64	114.12	120.32
2	H	77	GLN	CA-C-O	5.63	127.14	120.66
2	H	126	THR	O-C-N	5.62	127.78	121.32
1	L	170	GLN	N-CA-C	-5.61	102.16	110.46
1	L	54	ASN	CB-CG-ND2	5.60	124.80	116.40
2	H	152	LYS	N-CA-CB	-5.55	101.97	110.85
1	L	205	VAL	N-CA-CB	5.52	119.16	112.10
1	L	87	ILE	CA-C-O	-5.47	114.68	120.48
2	H	65	SER	N-CA-C	5.46	117.31	111.36
1	L	26	THR	OG1-CB-CG2	5.44	120.18	109.30
1	L	56	ARG	NE-CZ-NH1	5.43	126.93	121.50
1	L	31	THR	N-CA-CB	-5.42	102.15	110.12
1	L	30	THR	CA-CB-OG1	-5.38	101.52	109.60
1	L	178	SER	N-CA-CB	-5.38	101.49	111.13
1	L	13	SER	CB-CA-C	5.38	118.51	109.32
1	L	32	SER	CA-C-O	-5.37	112.34	119.10
1	L	104	THR	N-CA-CB	5.36	119.68	110.68
2	H	185	THR	CA-CB-CG2	5.35	119.59	110.50
2	H	149	CYS	O-C-N	5.34	129.87	123.36
1	L	23	ARG	N-CA-CB	-5.34	101.55	110.83
1	L	143	TYR	CA-CB-CG	-5.31	104.34	113.90
2	H	176	PRO	CB-CA-C	5.29	118.00	111.23
2	H	185	THR	N-CA-CB	5.29	120.59	111.13
1	L	185	ALA	CA-C-N	5.28	127.31	120.44
1	L	185	ALA	C-N-CA	5.28	127.31	120.44
1	L	186	ARG	CD-NE-CZ	5.26	131.76	124.40
2	H	149	CYS	CA-C-O	-5.26	113.81	120.28
2	H	126	THR	CA-C-N	5.26	123.50	119.66
2	H	126	THR	C-N-CA	5.26	123.50	119.66
1	L	192	SER	N-CA-C	5.25	119.44	112.72
1	L	55	ASN	CA-CB-CG	5.21	117.81	112.60
2	H	169	SER	N-CA-C	-5.21	106.88	114.12
1	L	174	LYS	N-CA-C	-5.19	103.06	110.59
2	H	163	TRP	CA-C-O	5.18	125.85	120.30
2	H	109	MET	CA-C-O	-5.17	115.26	120.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	205	VAL	CA-C-O	-5.16	115.25	120.31
2	H	182	ASP	CA-C-O	-5.15	114.20	120.12
1	L	117	SER	N-CA-C	-5.15	100.78	109.07
2	H	124	LYS	CA-C-O	-5.13	115.20	121.05
1	L	73	ALA	N-CA-C	-5.13	102.16	110.32
2	H	174	THR	CA-CB-OG1	-5.12	101.92	109.60
1	L	43	ASP	O-C-N	5.11	129.39	122.59
1	L	25	SER	CA-C-O	5.09	125.82	119.97
2	H	27	PHE	CA-C-O	-5.06	115.82	121.23
2	H	27	PHE	O-C-N	5.05	128.82	123.42
1	L	158	VAL	O-C-N	5.04	128.68	122.83
1	L	63	ARG	CD-NE-CZ	5.01	131.41	124.40
2	H	179	LEU	CA-C-O	-5.01	115.14	120.40
1	L	180	TYR	CA-C-O	-5.01	114.95	120.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	1589	0	1532	33	0
2	H	1672	0	1635	40	0
3	H	45	0	0	0	0
3	L	46	0	0	0	0
All	All	3352	0	3167	70	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:142:ASN:HD22	2:H:143:SER:H	1.13	0.97
2:H:162:THR:HG22	2:H:205:ASN:HB2	1.49	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:142:ASN:ND2	2:H:143:SER:H	1.70	0.89
2:H:40:PRO:HB2	2:H:43:LYS:HE2	1.56	0.87
1:L:165:THR:HG22	2:H:178:VAL:HG13	1.65	0.79
2:H:193:PRO:O	2:H:196:THR:HB	1.93	0.67
2:H:35:HIS:HD2	2:H:47:TRP:HE1	1.41	0.67
2:H:35:HIS:CD2	2:H:47:TRP:HE1	2.13	0.67
1:L:113:LYS:O	1:L:113:LYS:HE2	1.96	0.65
2:H:38:ARG:HG2	2:H:48:LEU:HD21	1.80	0.64
1:L:199:THR:HG23	1:L:204:THR:OG1	1.99	0.62
2:H:83:LYS:HB2	2:H:83:LYS:NZ	2.14	0.61
1:L:192:SER:O	1:L:210:SER:HA	2.01	0.61
2:H:2:VAL:HG13	2:H:27:PHE:CD1	2.38	0.57
1:L:118:VAL:HG12	1:L:207:LYS:HG3	1.84	0.57
2:H:18:LEU:O	2:H:81:LYS:HD2	2.05	0.57
1:L:149:VAL:HA	1:L:197:GLN:O	2.05	0.56
2:H:164:ASN:ND2	2:H:168:LEU:HD22	2.21	0.55
1:L:1:GLN:HA	1:L:1:GLN:OE1	2.07	0.55
1:L:10:LEU:HD23	1:L:20:LEU:HD22	1.89	0.55
2:H:67:VAL:HG12	2:H:82:MET:HG3	1.89	0.54
1:L:167:PRO:HA	1:L:176:MET:O	2.10	0.52
1:L:200:HIS:HB3	1:L:203:HIS:CE1	2.45	0.52
1:L:197:GLN:HG2	1:L:204:THR:HG23	1.92	0.51
1:L:113:LYS:HE2	1:L:113:LYS:C	2.36	0.51
1:L:46:PHE:CE1	2:H:45:LEU:HD11	2.46	0.50
2:H:132:PRO:HD3	2:H:217:LYS:HE2	1.93	0.50
2:H:144:MET:HB3	2:H:191:THR:HG22	1.93	0.50
1:L:56:ARG:HD3	1:L:64:PHE:O	2.11	0.50
2:H:1:GLN:OE1	2:H:1:GLN:N	2.32	0.50
1:L:153:VAL:HG23	1:L:158:VAL:HG22	1.93	0.50
2:H:205:ASN:HD22	2:H:216:ASP:CG	2.20	0.49
1:L:117:SER:O	1:L:139:ILE:HA	2.14	0.48
1:L:30:THR:HG22	1:L:32:SER:HB2	1.95	0.47
2:H:63:LEU:HD22	2:H:82:MET:HE2	1.96	0.47
1:L:5:THR:OG1	1:L:23:ARG:NE	2.46	0.47
1:L:153:VAL:HG23	1:L:158:VAL:CG2	2.45	0.47
2:H:164:ASN:HD22	2:H:168:LEU:HD22	1.80	0.47
2:H:172:VAL:HG22	2:H:190:VAL:HG23	1.96	0.47
1:L:54:ASN:HD22	1:L:54:ASN:C	2.22	0.46
1:L:132:LYS:HA	1:L:132:LYS:HD2	1.77	0.46
2:H:162:THR:HG22	2:H:205:ASN:CB	2.34	0.46
2:H:99:PHE:HD1	2:H:102:TYR:CZ	2.34	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:128:PRO:HB3	2:H:154:TYR:HB3	1.98	0.46
2:H:5:LYS:HB2	2:H:5:LYS:NZ	2.31	0.45
1:L:5:THR:HG23	1:L:23:ARG:NH2	2.32	0.45
2:H:41:PRO:O	2:H:43:LYS:HD3	2.17	0.45
2:H:134:ALA:HB2	2:H:219:ILE:CD1	2.48	0.44
1:L:203:HIS:ND1	1:L:203:HIS:C	2.76	0.44
1:L:138:THR:HB	2:H:175:PHE:CZ	2.53	0.43
2:H:18:LEU:HB2	2:H:85:LEU:HD11	2.00	0.43
1:L:60:VAL:HA	1:L:61:PRO:HD3	1.83	0.43
1:L:113:LYS:HG2	1:L:114:SER:N	2.32	0.43
2:H:156:PRO:O	2:H:208:HIS:HE1	2.01	0.43
1:L:162:MET:HA	1:L:180:TYR:O	2.19	0.42
1:L:196:CYS:O	1:L:206:GLU:HA	2.20	0.42
2:H:12:VAL:HG23	2:H:120:VAL:HG22	2.01	0.42
2:H:72:ASP:HB3	2:H:75:LYS:HB2	2.01	0.41
1:L:203:HIS:CE1	1:L:205:VAL:HG23	2.55	0.41
2:H:153:GLY:HA2	2:H:183:LEU:HB3	2.02	0.41
2:H:6:GLU:HA	2:H:21:THR:O	2.21	0.41
1:L:11:THR:HA	1:L:107:THR:O	2.20	0.41
2:H:92:MET:HE3	2:H:92:MET:HB3	1.85	0.41
1:L:14:PRO:HD3	1:L:109:LEU:O	2.19	0.41
2:H:17:SER:OG	2:H:81:LYS:HE3	2.20	0.41
1:L:4:VAL:HA	1:L:23:ARG:O	2.21	0.41
2:H:35:HIS:CD2	2:H:50:VAL:HB	2.56	0.40
2:H:134:ALA:HA	2:H:135:PRO:HD3	1.84	0.40
1:L:13:SER:HA	1:L:14:PRO:HD3	1.91	0.40
2:H:126:THR:O	2:H:154:TYR:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	208/210 (99%)	198 (95%)	9 (4%)	1 (0%)	24	31
2	H	219/221 (99%)	209 (95%)	7 (3%)	3 (1%)	9	9
All	All	427/431 (99%)	407 (95%)	16 (4%)	4 (1%)	14	17

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	64	MET
2	H	137	SER
1	L	95	SER
2	H	142	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	178/178 (100%)	149 (84%)	29 (16%)	2	2
2	H	192/192 (100%)	166 (86%)	26 (14%)	4	4
All	All	370/370 (100%)	315 (85%)	55 (15%)	3	3

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	1	GLN
1	L	10	LEU
1	L	11	THR
1	L	18	VAL
1	L	20	LEU
1	L	23	ARG
1	L	26	THR
1	L	30	THR
1	L	31	THR
1	L	36	ASN
1	L	49	LEU
1	L	50	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	L	54	ASN
1	L	68	LEU
1	L	96	ASN
1	L	105	LYS
1	L	113	LYS
1	L	135	LEU
1	L	139	ILE
1	L	146	VAL
1	L	149	VAL
1	L	156	THR
1	L	159	THR
1	L	197	GLN
1	L	199	THR
1	L	203	HIS
1	L	204	THR
1	L	206	GLU
1	L	209	LEU
2	H	3	GLN
2	H	5	LYS
2	H	12	VAL
2	H	17	SER
2	H	28	LEU
2	H	61	SER
2	H	81	LYS
2	H	82	MET
2	H	83	LYS
2	H	114	GLN
2	H	124	LYS
2	H	126	THR
2	H	140	GLN
2	H	141	THR
2	H	146	THR
2	H	147	LEU
2	H	158	PRO
2	H	160	THR
2	H	162	THR
2	H	169	SER
2	H	180	GLN
2	H	185	THR
2	H	186	LEU
2	H	200	GLU
2	H	214	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	219	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	54	ASN
1	L	96	ASN
1	L	200	HIS
2	H	35	HIS
2	H	77	GLN
2	H	142	ASN
2	H	180	GLN
2	H	208	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.