Full wwPDB EM Validation Report

Nov 18, 2026 – 04:15 AM JST

PDB ID	:	20XO / pdb_000020xo
EMDB ID	:	EMD-67382
Title	:	Gdi-1 pre back-splicing(Mg2+)
Authors	:	Zhang, J.; Yao, Y.Q.; Ma, J.B.
Deposited on	:	2025-12-02
Resolution	:	2.53 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev133
MolProbity	:	4-5-2 with Phenix2.2
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics	:	202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
RNA backbone	8273	3508	-
Q-score	-	25397	7309 (2.03 - 3.03)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	6	
2	A	935	

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 16728 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called RNA (5'-R(P*GP*AP*AP*GP*UP*U)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	B	6	130	58	24	42	6	0	0

- Molecule 2 is a RNA chain called Gdi-1 pre Back-splicing(Mg2+).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	A	772	16581	7383	3040	5386	772	0	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
3	A	6	6	6	0

- Molecule 4 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
			Total	K	
4	A	2	2	2	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		AltConf
			Total	O	
5	B	1	1	1	0
5	A	8	Total	O	0
			8	8	

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: RNA (5'-R(P*GP*AP*AP*GP*UP*U)-3')

Chain B:





• Molecule 2: Gdi-1 pre Back-splicing(Mg2+)

Chain A:






G755 U756 G763 G773 G779 U780 U781 G782 C783 G784 U785 C786 A787 A788 A789 C790 G791 G792 G793 G794 G795 U796 G797 G798 U799 U800 C801 C802 U803 C804 G805 U806 G807 C808 A809 A810 U811 C812 A813 A814 A815 G816 U817 A822 A823 A824 A835 C836 A837 G838 G839 G840 U841 A842 A
U C G G C A U G G C G C U U G G C G G C G C C G U G G C A A G U G U G A C C U C G U A U G A G C C G G G U G G C A C C G
A C U U A U G C G A G G C G A G A G G A U G G G U G G C U C

4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	331267	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	TFS FALCON 4i (4k x 4k)	Depositor
Maximum map value	1.000	Depositor
Minimum map value	-0.374	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.026	Depositor
Recommended contour level	0.09	Depositor
Map size (Å)	245.504, 245.504, 245.504	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.959, 0.959, 0.959	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: K, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	B	0.74	0/145	0.92	0/224
2	A	0.64	0/18558	0.86	12/28956 (0.0%)
All	All	0.64	0/18703	0.86	12/29180 (0.0%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	39	G	N1-C2-N2	-5.89	110.90	116.20
2	A	5	C	N1-C2-O2	5.69	122.31	118.90
2	A	838	G	P-O3'-C3'	5.69	126.53	119.70
2	A	478	A	O4'-C1'-N9	5.55	112.39	108.50
2	A	435	G	C4-N9-C1'	5.54	133.70	126.50
2	A	13	G	N1-C2-N2	-5.36	111.37	116.20
2	A	49	A	C1'-O4'-C4'	-5.34	105.96	109.70
2	A	246	C	C2-N1-C1'	5.12	124.43	118.80
2	A	722	A	O5'-C5'-C4'	5.07	113.45	109.40
2	A	686	C	C5-C6-N1	5.06	123.53	121.00
2	A	246	C	N1-C2-O2	5.04	121.92	118.90
2	A	458	G	O4'-C1'-N9	-5.00	104.20	108.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	130	0	64	0	0
2	A	16581	0	8346	169	0
3	A	6	0	0	0	0
4	A	2	0	0	0	0
5	A	8	0	0	0	0
5	B	1	0	0	0	0
All	All	16728	0	8410	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:792:G:H1	2:A:803:U:H3	1.32	0.77
2:A:255:C:H4'	2:A:256:G:H5'	1.72	0.72
2:A:595:G:H4'	2:A:607:G:H21	1.55	0.71
2:A:22:A:H8	2:A:51:C:H1'	1.55	0.70
2:A:29:C:H2'	2:A:30:G:C8	2.27	0.70
2:A:692:G:H1	2:A:697:U:H3	1.39	0.69
2:A:790:C:H2'	2:A:791:G:C8	2.29	0.68
2:A:304:G:H2'	2:A:305:G:C8	2.27	0.68
2:A:22:A:H3'	2:A:23:G:H8	1.59	0.68
2:A:7:U:N3	2:A:10:C:OP2	2.28	0.67
2:A:29:C:H2'	2:A:30:G:H8	1.59	0.67
2:A:582:G:H2'	2:A:583:C:C6	2.30	0.66
2:A:823:A:H2'	2:A:824:A:C8	2.32	0.65
2:A:-1:G:H1	2:A:19:G:H1	1.43	0.64
2:A:795:G:O6	2:A:801:C:N4	2.30	0.64
2:A:792:G:H2'	2:A:793:G:H8	1.64	0.63
2:A:116:C:H3'	2:A:118:C:H5	1.62	0.63
2:A:400:U:H2'	2:A:402:C:C6	2.33	0.63
2:A:790:C:H2'	2:A:791:G:H8	1.64	0.62
2:A:33:U:O2'	2:A:36:C:N4	2.33	0.62
2:A:791:G:H2'	2:A:792:G:H8	1.66	0.60
2:A:-1:G:N2	2:A:20:G:N7	2.48	0.60
2:A:436:C:H2'	2:A:437:U:C6	2.36	0.60
2:A:46:U:H2'	2:A:47:C:C6	2.37	0.60
2:A:742:A:HO2'	2:A:743:A:H8	1.49	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:791:G:H2'	2:A:792:G:C8	2.37	0.60
2:A:35:A:H61	2:A:798:G:H1	1.51	0.59
2:A:811:U:H2'	2:A:812:C:C6	2.38	0.59
2:A:706:A:H4'	2:A:707:U:H2'	1.84	0.58
2:A:322:G:H2'	2:A:323:A:C8	2.38	0.58
2:A:809:A:H2'	2:A:810:A:H8	1.68	0.58
2:A:27:C:H2'	2:A:28:G:C8	2.38	0.58
2:A:259:G:H2'	2:A:260:G:H8	1.68	0.58
2:A:792:G:H2'	2:A:793:G:C8	2.39	0.57
2:A:707:U:H3'	2:A:708:A:H5"	1.87	0.57
2:A:554:G:H1	2:A:557:A:H62	1.51	0.57
2:A:52:U:H2'	2:A:53:G:H8	1.70	0.57
2:A:687:G:H2'	2:A:688:U:C6	2.39	0.56
2:A:572:A:H62	2:A:598:A:H2	1.51	0.56
2:A:8:A:N6	2:A:696:U:O4	2.39	0.56
2:A:289:A:H5"	2:A:290:U:H5	1.70	0.56
2:A:597:A:OP2	2:A:598:A:O2'	2.19	0.55
2:A:39:G:H2'	2:A:40:C:C6	2.42	0.55
2:A:289:A:H3'	2:A:290:U:H6	1.71	0.55
2:A:739:G:N2	2:A:815:A:OP2	2.36	0.55
2:A:383:A:O2'	2:A:384:A:OP1	2.23	0.55
2:A:583:C:H2'	2:A:584:A:H8	1.70	0.55
2:A:755:G:H5'	2:A:763:G:H22	1.71	0.55
2:A:239:C:H2'	2:A:240:G:H8	1.73	0.54
2:A:239:C:H2'	2:A:240:G:C8	2.42	0.54
2:A:36:C:H2'	2:A:37:C:H6	1.71	0.54
2:A:246:C:H3'	2:A:247:A:H8	1.73	0.54
2:A:113:A:H3'	2:A:114:A:H8	1.73	0.54
2:A:52:U:H2'	2:A:53:G:C8	2.42	0.54
2:A:577:G:O2'	2:A:605:G:N2	2.40	0.54
2:A:809:A:H2'	2:A:810:A:C8	2.43	0.54
2:A:263:C:H3'	2:A:264:U:H5'	1.89	0.53
2:A:583:C:H2'	2:A:584:A:C8	2.43	0.53
2:A:22:A:C8	2:A:51:C:H1'	2.41	0.53
2:A:111:U:O2'	2:A:115:A:N6	2.42	0.52
2:A:779:G:H1	2:A:811:U:H3	1.56	0.52
2:A:248:C:H2'	2:A:249:C:C6	2.43	0.52
2:A:635:C:H2'	2:A:636:G:C8	2.45	0.52
2:A:263:C:H3'	2:A:264:U:C5'	2.39	0.52
2:A:668:G:H2'	2:A:669:G:C8	2.44	0.52
2:A:706:A:H1'	2:A:708:A:C5	2.44	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:47:C:C2	2:A:48:G:H1'	2.45	0.52
2:A:22:A:H3'	2:A:23:G:C8	2.43	0.52
2:A:687:G:H2'	2:A:688:U:H6	1.73	0.51
2:A:5:C:H2'	2:A:6:C:C6	2.46	0.51
2:A:41:G:C2	2:A:42:U:H1'	2.46	0.51
2:A:590:C:O2'	2:A:591:G:OP1	2.27	0.51
2:A:14:U:H2'	2:A:15:G:C8	2.47	0.50
2:A:805:G:H2'	2:A:806:U:C6	2.46	0.50
2:A:232:C:H2'	2:A:233:U:H6	1.77	0.50
2:A:794:G:H2'	2:A:795:G:C8	2.46	0.50
2:A:28:G:H1	2:A:42:U:H3	1.58	0.50
2:A:789:A:H2'	2:A:790:C:C6	2.47	0.50
2:A:112:G:H21	2:A:115:A:H5"	1.77	0.49
2:A:811:U:H2'	2:A:812:C:H6	1.77	0.49
2:A:21:C:H2'	2:A:22:A:H4'	1.95	0.49
2:A:607:G:H4'	2:A:608:A:OP1	2.12	0.49
2:A:350:C:H2'	2:A:351:A:H8	1.77	0.49
2:A:231:C:H2'	2:A:232:C:H6	1.77	0.49
2:A:552:U:H3'	2:A:553:U:H2'	1.95	0.49
2:A:709:G:H2'	2:A:710:C:O4'	2.11	0.49
2:A:794:G:H2'	2:A:795:G:H8	1.77	0.48
2:A:835:A:H2'	2:A:836:C:O4'	2.13	0.48
2:A:587:G:H2'	2:A:588:C:C6	2.48	0.48
2:A:591:G:H2'	2:A:592:G:H8	1.78	0.48
2:A:782:G:O6	2:A:809:A:N6	2.47	0.48
2:A:804:C:H2'	2:A:805:G:C8	2.49	0.47
2:A:35:A:N6	2:A:798:G:H1	2.12	0.47
2:A:795:G:H2'	2:A:796:U:C6	2.49	0.47
2:A:810:A:H2'	2:A:811:U:C6	2.48	0.47
2:A:680:G:H1	2:A:712:U:H3	1.63	0.47
2:A:264:U:H2'	2:A:265:G:C8	2.50	0.47
2:A:45:U:H2'	2:A:46:U:C6	2.49	0.47
2:A:2:A:N1	2:A:17:C:H1'	2.30	0.46
2:A:37:C:H3'	2:A:38:A:H8	1.80	0.46
2:A:795:G:H22	2:A:800:U:H3	1.62	0.46
2:A:21:C:H41	2:A:839:G:H1'	1.80	0.46
2:A:591:G:H2'	2:A:592:G:C8	2.50	0.46
2:A:109:G:N2	2:A:120:C:C2	2.83	0.46
2:A:349:G:H2'	2:A:350:C:C6	2.51	0.46
2:A:438:C:H5"	2:A:439:A:C8	2.50	0.46
2:A:328:G:H2'	2:A:329:U:H5"	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:478:A:H2'	2:A:479:A:O4'	2.16	0.46
2:A:6:C:H2'	2:A:7:U:C2	2.51	0.46
2:A:23:G:H2'	2:A:24:A:C8	2.51	0.45
2:A:40:C:H2'	2:A:41:G:C8	2.51	0.45
2:A:106:A:H2'	2:A:107:G:C8	2.52	0.45
2:A:278:A:H2'	2:A:279:A:C8	2.52	0.45
2:A:23:G:H2'	2:A:24:A:H8	1.81	0.45
2:A:101:C:H2'	2:A:102:G:O4'	2.17	0.45
2:A:118:C:O3'	2:A:119:C:H2'	2.16	0.45
2:A:48:G:C4	2:A:49:A:H1'	2.52	0.45
2:A:359:A:OP1	2:A:359:A:H8	2.00	0.45
2:A:9:A:H2'	2:A:10:C:H6	1.82	0.45
2:A:231:C:H2'	2:A:232:C:C6	2.51	0.45
2:A:249:C:H2'	2:A:250:G:C8	2.51	0.45
2:A:557:A:H2'	2:A:558:C:C6	2.53	0.44
2:A:238:U:H2'	2:A:239:C:H6	1.82	0.44
2:A:797:G:H2'	2:A:798:G:C8	2.53	0.44
2:A:28:G:N1	2:A:43:G:C6	2.86	0.43
2:A:519:G:H2'	2:A:520:U:C6	2.52	0.43
2:A:120:C:H2'	2:A:121:C:H6	1.83	0.43
2:A:383:A:HO2'	2:A:384:A:P	2.40	0.43
2:A:3:C:H2'	2:A:4:G:C8	2.54	0.43
2:A:350:C:H2'	2:A:351:A:C8	2.54	0.43
2:A:590:C:HO2'	2:A:591:G:P	2.41	0.43
2:A:34:A:C4	2:A:35:A:C8	3.07	0.43
2:A:106:A:H2'	2:A:107:G:H8	1.84	0.42
2:A:9:A:H2'	2:A:10:C:C6	2.54	0.42
2:A:788:A:H3'	2:A:789:A:H8	1.84	0.42
2:A:604:U:O2'	2:A:605:G:P	2.77	0.42
2:A:235:C:C2	2:A:236:C:C5	3.07	0.42
2:A:4:G:C6	2:A:5:C:N4	2.88	0.42
2:A:289:A:H5"	2:A:290:U:C5	2.54	0.42
2:A:412:C:H2'	2:A:413:A:O4'	2.20	0.42
2:A:258:G:H2'	2:A:259:G:H8	1.85	0.42
2:A:593:U:H2'	2:A:594:C:C6	2.54	0.42
2:A:2:A:N6	2:A:17:C:O2	2.53	0.41
2:A:248:C:H2'	2:A:249:C:H6	1.84	0.41
2:A:742:A:O2'	2:A:743:A:H8	2.00	0.41
2:A:803:U:H2'	2:A:804:C:C6	2.55	0.41
2:A:589:G:HO2'	2:A:590:C:H6	1.68	0.41
2:A:705:G:N3	2:A:708:A:H1'	2.36	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:122:U:H2'	2:A:123:G:C8	2.55	0.41
2:A:588:C:O2'	2:A:589:G:H8	2.04	0.41
2:A:782:G:C6	2:A:809:A:C6	3.09	0.41
2:A:358:G:N2	2:A:361:A:OP2	2.51	0.41
2:A:33:U:H1'	2:A:36:C:H41	1.85	0.41
2:A:49:A:OP1	2:A:49:A:H4'	2.20	0.41
2:A:456:C:H2'	2:A:458:G:N7	2.36	0.41
2:A:781:U:N3	2:A:782:G:N7	2.69	0.41
2:A:530:U:C2	2:A:531:G:C8	3.08	0.40
2:A:53:G:H2'	2:A:54:U:C6	2.57	0.40
2:A:53:G:H2'	2:A:54:U:H6	1.87	0.40
2:A:235:C:H2'	2:A:236:C:H6	1.85	0.40
2:A:605:G:H2'	2:A:605:G:N3	2.35	0.40
2:A:789:A:H2'	2:A:790:C:H6	1.86	0.40
2:A:519:G:H2'	2:A:520:U:H6	1.86	0.40
2:A:686:C:H42	2:A:703:G:H1	1.68	0.40
2:A:124:U:H2'	2:A:125:U:C6	2.56	0.40
2:A:595:G:O2'	2:A:607:G:N2	2.53	0.40
2:A:39:G:H2'	2:A:40:C:H6	1.85	0.40
2:A:235:C:H2'	2:A:236:C:C6	2.57	0.40
2:A:349:G:H2'	2:A:350:C:H6	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

There are no protein molecules in this entry.

5.3.2 Protein sidechains (i)

There are no protein molecules in this entry.

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	B	5/6 (83%)	1 (20%)	0
2	A	770/935 (82%)	153 (19%)	9 (1%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
All	All	775/941 (82%)	154 (19%)	9 (1%)

All (154) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	B	206	G
2	A	0	G
2	A	4	G
2	A	7	U
2	A	13	G
2	A	19	G
2	A	20	G
2	A	21	C
2	A	22	A
2	A	23	G
2	A	24	A
2	A	25	G
2	A	26	C
2	A	42	U
2	A	43	G
2	A	44	G
2	A	45	U
2	A	46	U
2	A	47	C
2	A	48	G
2	A	49	A
2	A	50	C
2	A	59	G
2	A	69	G
2	A	84	C
2	A	85	G
2	A	95	A
2	A	97	C
2	A	102	G
2	A	109	G
2	A	110	G
2	A	111	U
2	A	112	G
2	A	115	A
2	A	116	C
2	A	118	C
2	A	119	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	120	C
2	A	122	U
2	A	123	G
2	A	128	A
2	A	135	C
2	A	136	A
2	A	211	G
2	A	213	G
2	A	218	G
2	A	220	A
2	A	221	C
2	A	246	C
2	A	256	G
2	A	263	C
2	A	264	U
2	A	269	G
2	A	277	G
2	A	281	A
2	A	289	A
2	A	292	A
2	A	330	G
2	A	362	C
2	A	383	A
2	A	384	A
2	A	386	C
2	A	388	U
2	A	390	G
2	A	397	U
2	A	401	A
2	A	415	G
2	A	418	G
2	A	427	G
2	A	431	G
2	A	432	A
2	A	445	G
2	A	457	A
2	A	458	G
2	A	459	U
2	A	460	A
2	A	469	C
2	A	475	G
2	A	480	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	489	G
2	A	499	A
2	A	501	A
2	A	502	G
2	A	504	G
2	A	523	G
2	A	537	A
2	A	538	G
2	A	546	G
2	A	553	U
2	A	554	G
2	A	555	G
2	A	571	A
2	A	582	G
2	A	586	A
2	A	589	G
2	A	590	C
2	A	591	G
2	A	599	G
2	A	605	G
2	A	606	A
2	A	607	G
2	A	608	A
2	A	619	C
2	A	630	G
2	A	634	G
2	A	641	G
2	A	647	U
2	A	679	A
2	A	683	C
2	A	685	G
2	A	689	C
2	A	694	G
2	A	695	G
2	A	697	U
2	A	704	C
2	A	705	G
2	A	706	A
2	A	707	U
2	A	708	A
2	A	709	G
2	A	710	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	720	G
2	A	721	G
2	A	722	A
2	A	723	G
2	A	725	G
2	A	732	G
2	A	735	G
2	A	740	A
2	A	741	A
2	A	756	U
2	A	773	G
2	A	783	C
2	A	785	U
2	A	787	A
2	A	788	A
2	A	793	G
2	A	796	U
2	A	797	G
2	A	798	G
2	A	802	C
2	A	806	U
2	A	807	G
2	A	812	C
2	A	813	A
2	A	814	A
2	A	816	G
2	A	817	U
2	A	822	A
2	A	836	C
2	A	838	G
2	A	839	G
2	A	840	G
2	A	841	U

All (9) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	A	49	A
2	A	110	G
2	A	135	C
2	A	383	A
2	A	590	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	604	U
2	A	607	G
2	A	682	G
2	A	838	G

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 8 ligands modelled in this entry, 8 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Map visualisation

This section contains visualisations of the EMDB entry EMD-67382. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections

6.1.1 Primary map



X



Y



Z

6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map



X Index: 128



Y Index: 128



Z Index: 128

6.2.2 Raw map



X Index: 128



Y Index: 128



Z Index: 128

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 123



Y Index: 137



Z Index: 135

6.3.2 Raw map



X Index: 123



Y Index: 137



Z Index: 135

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



X



Y



Z

6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views (i)

6.5.1 Primary map



X Y Z

The images above show the 3D surface view of the map at the recommended contour level 0.09. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X Y Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate



The volume at the recommended contour level is 136 nm^3; this corresponds to an approximate mass of 123 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.395 Å^{-1}

8 Fourier-Shell correlation

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC



*Reported resolution corresponds to spatial frequency of 0.395 Å^{-1}

8.2 Resolution estimates (i)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.53	-	-
Author-provided FSC curve	2.53	2.89	2.60
Unmasked-calculated*	3.04	3.62	3.08

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.04 differs from the reported value 2.53 by more than 10 %

9 Map-model fit

This section contains information regarding the fit between EMDB map EMD-67382 and PDB model 20XO. Per-residue inclusion information can be found in section 3 on page 4.

9.1 Map-model overlay



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.09 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.09).

9.4 Atom inclusion (i)



At the recommended contour level, 82% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.09) and Q-score for the entire model and for each chain.



Chain	Atom inclusion	Q-score
All	0.8530	0.4890
A	0.8520	0.4880
B	1.0000	0.6300