



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 3, 2026 – 01:30 AM JST

PDB ID : 21DT / pdb_000021dt
Title : X-ray structure of the Haloalkane dehalogenase HaloTag7 labeled with BD566-HTL substrate
Authors : Zhang, K.; Chen, Z.
Deposited on : 2025-12-09
Resolution : 1.48 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6779 (1.50-1.46)
Clashscore	190562	7025 (1.50-1.46)
Ramachandran outliers	187476	6917 (1.50-1.46)
Sidechain outliers	187428	6914 (1.50-1.46)
RSRZ outliers	180081	6781 (1.50-1.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	295	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 2866 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Haloalkane dehalogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	295	2334	1522	393	409	10	0	1	0

- Molecule 2 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Cl		
2	A	1	1	1	0	0

- Molecule 3 is alpha-D-glucopyranose (CCD ID: GLC) (formula: C₆H₁₂O₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
3	A	1	4	2	2	0	0
3	A	1	4	2	2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is 2-[3,6-bis[(1R,5S)-3-oxa-8-azabicyclo[3.2.1]octan-8-yl]-1H-xanthen-9-yl]-4-[2-(2-hexoxyethoxy)ethylcarbamoyl]benzoic acid (CCD ID: A1EQX) (formula: C₄₃H₅₃N₃O₈) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	1
			108	86	6	16		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	379	Total 379	O 379	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Haloalkane dehalogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	62.97Å 62.97Å 165.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.53 – 1.48 44.53 – 1.48	Depositor EDS
% Data completeness (in resolution range)	98.9 (44.53-1.48) 98.9 (44.53-1.48)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.32 (at 1.48Å)	Xtrriage
Refinement program	PHENIX 1.16_3549: ???	Depositor
R, R_{free}	0.203 , 0.216 0.206 , 0.217	Depositor DCC
R_{free} test set	2773 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	10.4	Xtrriage
Anisotropy	0.781	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 40.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2866	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.02% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1EQX, CL, GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/2416	0.56	2/3306 (0.1%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	175[A]	MET	CA-C-O	6.26	127.19	119.05
1	A	175[B]	MET	CA-C-O	6.26	127.19	119.05

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2334	0	2271	21	0
2	A	1	0	0	0	0
3	A	44	0	33	10	0
4	A	108	0	0	16	0
5	A	379	0	0	7	0
All	All	2866	0	2304	35	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (35) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:312[B]:A1EQX:C21	4:A:312[B]:A1EQX:O02	1.80	1.29
4:A:312[A]:A1EQX:O03	4:A:312[A]:A1EQX:C25	1.82	1.28
4:A:312[B]:A1EQX:C26	4:A:312[B]:A1EQX:O03	1.82	1.28
4:A:312[A]:A1EQX:O03	4:A:312[A]:A1EQX:C26	1.82	1.27
4:A:312[A]:A1EQX:C21	4:A:312[A]:A1EQX:O02	1.80	1.27
4:A:312[A]:A1EQX:O02	4:A:312[A]:A1EQX:C22	1.82	1.27
4:A:312[B]:A1EQX:O02	4:A:312[B]:A1EQX:C22	1.82	1.26
4:A:312[B]:A1EQX:O03	4:A:312[B]:A1EQX:C25	1.82	1.26
1:A:296:SER:HB3	5:A:431:HOH:O	1.56	1.04
1:A:181:LEU:H	3:A:311:GLC:C5	1.85	0.87
1:A:143:GLU:HG3	5:A:679:HOH:O	1.73	0.85
1:A:74:LYS:H	3:A:303:GLC:H61	1.44	0.83
1:A:251:GLU:OE1	3:A:306:GLC:H62	1.91	0.70
1:A:175[B]:MET:SD	4:A:312[B]:A1EQX:C17	2.83	0.67
1:A:181:LEU:H	3:A:311:GLC:C6	2.13	0.61
1:A:160:LYS:NZ	5:A:408:HOH:O	2.36	0.59
1:A:172:THR:HG23	4:A:312[B]:A1EQX:C35	2.35	0.56
1:A:181:LEU:H	3:A:311:GLC:H61	1.69	0.56
1:A:181:LEU:N	3:A:311:GLC:H61	2.21	0.55
1:A:175[A]:MET:HE3	1:A:175[A]:MET:HA	1.89	0.53
3:A:304:GLC:O5	3:A:307:GLC:O5	2.30	0.49
1:A:74:LYS:N	3:A:303:GLC:H61	2.22	0.49
1:A:14:TYR:HE2	3:A:309:GLC:H62	1.79	0.47
3:A:307:GLC:H61	5:A:607:HOH:O	2.15	0.47
1:A:160:LYS:NZ	5:A:401:HOH:O	2.21	0.46
1:A:295:ILE:HG22	1:A:296:SER:N	2.33	0.44
4:A:312[A]:A1EQX:C25	4:A:312[A]:A1EQX:C26	2.97	0.43
1:A:175[A]:MET:SD	4:A:312[A]:A1EQX:C11	3.07	0.43
1:A:104:ILE:HD12	1:A:109:SER:HA	2.02	0.42
4:A:312[A]:A1EQX:C21	4:A:312[A]:A1EQX:C22	2.98	0.41
4:A:312[B]:A1EQX:C26	4:A:312[B]:A1EQX:C25	2.98	0.41
1:A:295:ILE:C	5:A:431:HOH:O	2.64	0.41
1:A:148:THR:HG21	4:A:312[A]:A1EQX:C33	2.49	0.41
1:A:191:GLU:OE2	5:A:402:HOH:O	2.22	0.40
4:A:312[B]:A1EQX:C21	4:A:312[B]:A1EQX:C22	2.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	294/295 (100%)	284 (97%)	9 (3%)	1 (0%)	36 17

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	296	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	247/253 (98%)	247 (100%)	0	100 100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 1 is monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GLC	A	306	-	3,3,12	0.37	0	2,2,17	0.59	0
3	GLC	A	309	-	3,3,12	0.58	0	2,2,17	0.42	0
3	GLC	A	313	-	3,3,12	0.46	0	2,2,17	0.23	0
3	GLC	A	304	-	3,3,12	0.43	0	2,2,17	0.40	0
4	A1EQX	A	312[B]	1	60,61,61	7.36	44 (73%)	70,86,86	1.84	12 (17%)
3	GLC	A	308	-	3,3,12	0.50	0	2,2,17	0.21	0
3	GLC	A	302	-	3,3,12	0.65	0	2,2,17	0.01	0
4	A1EQX	A	312[A]	1	60,61,61	7.34	45 (75%)	70,86,86	2.19	16 (22%)
3	GLC	A	310	-	3,3,12	0.51	0	2,2,17	0.20	0
3	GLC	A	305	-	3,3,12	0.44	0	2,2,17	0.37	0
3	GLC	A	311	-	3,3,12	0.79	0	2,2,17	1.03	0
3	GLC	A	307	-	3,3,12	0.47	0	2,2,17	0.34	0
3	GLC	A	303	-	3,3,12	0.37	0	2,2,17	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GLC	A	306	-	-	1/1/1/22	-
3	GLC	A	309	-	-	1/1/1/22	-
3	GLC	A	313	-	-	1/1/1/22	-
3	GLC	A	304	-	-	0/1/1/22	-
4	A1EQX	A	312[B]	1	-	19/33/96/96	0/10/8/8
3	GLC	A	308	-	-	1/1/1/22	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GLC	A	302	-	-	1/1/1/22	-
4	A1EQX	A	312[A]	1	-	17/33/96/96	0/10/8/8
3	GLC	A	310	-	-	1/1/1/22	-
3	GLC	A	305	-	-	1/1/1/22	-
3	GLC	A	311	-	-	1/1/1/22	-
3	GLC	A	307	-	-	1/1/1/22	-
3	GLC	A	303	-	-	1/1/1/22	-

All (89) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	312[A]	A1EQX	O02-C22	20.50	1.82	1.42
4	A	312[A]	A1EQX	O03-C25	20.50	1.82	1.42
4	A	312[B]	A1EQX	O03-C25	20.48	1.82	1.42
4	A	312[B]	A1EQX	O03-C26	20.39	1.82	1.42
4	A	312[A]	A1EQX	O03-C26	20.37	1.82	1.42
4	A	312[B]	A1EQX	O02-C22	20.37	1.82	1.42
4	A	312[A]	A1EQX	O02-C21	19.56	1.80	1.42
4	A	312[B]	A1EQX	O02-C21	19.47	1.80	1.42
4	A	312[B]	A1EQX	C18-C19	15.28	1.64	1.39
4	A	312[A]	A1EQX	C18-C19	15.13	1.64	1.39
4	A	312[B]	A1EQX	C07-C04	13.79	1.48	1.35
4	A	312[A]	A1EQX	C07-C04	13.38	1.47	1.35
4	A	312[A]	A1EQX	C17-C16	12.83	1.61	1.39
4	A	312[B]	A1EQX	C17-C16	12.77	1.61	1.39
4	A	312[A]	A1EQX	C15-C14	12.54	1.59	1.39
4	A	312[B]	A1EQX	C15-C14	12.47	1.59	1.39
4	A	312[A]	A1EQX	C14-C07	11.85	1.65	1.49
4	A	312[B]	A1EQX	C14-C07	11.55	1.65	1.49
4	A	312[B]	A1EQX	C33-N03	9.21	1.54	1.33
4	A	312[A]	A1EQX	C33-N03	9.19	1.54	1.33
4	A	312[A]	A1EQX	C01-N02	7.85	1.59	1.36
4	A	312[B]	A1EQX	C01-N02	7.68	1.59	1.36
4	A	312[B]	A1EQX	O01-C05	7.08	1.50	1.37
4	A	312[B]	A1EQX	O01-C09	6.76	1.48	1.38
4	A	312[A]	A1EQX	C12-N01	6.72	1.55	1.40
4	A	312[B]	A1EQX	C12-N01	6.62	1.55	1.40
4	A	312[A]	A1EQX	O01-C05	6.44	1.49	1.37
4	A	312[A]	A1EQX	O01-C09	6.13	1.48	1.38
4	A	312[B]	A1EQX	C16-C33	5.98	1.62	1.50
4	A	312[A]	A1EQX	C16-C33	5.79	1.62	1.50
4	A	312[A]	A1EQX	C10-C11	5.28	1.48	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	312[B]	A1EQX	C13-C09	5.16	1.48	1.38
4	A	312[B]	A1EQX	C19-C32	5.03	1.60	1.49
4	A	312[B]	A1EQX	C10-C11	4.91	1.47	1.38
4	A	312[A]	A1EQX	C19-C32	4.90	1.60	1.49
4	A	312[A]	A1EQX	C21-C20	4.85	1.60	1.51
4	A	312[B]	A1EQX	C34-N03	4.81	1.57	1.46
4	A	312[A]	A1EQX	C34-N03	4.81	1.57	1.46
4	A	312[B]	A1EQX	C10-C08	4.60	1.47	1.39
4	A	312[A]	A1EQX	C13-C09	4.60	1.47	1.38
4	A	312[A]	A1EQX	C10-C08	4.60	1.47	1.39
4	A	312[B]	A1EQX	C21-C20	4.59	1.59	1.51
4	A	312[A]	A1EQX	C34-C35	4.59	1.66	1.50
4	A	312[A]	A1EQX	C02-C01	4.52	1.50	1.35
4	A	312[B]	A1EQX	C06-C05	4.49	1.48	1.36
4	A	312[B]	A1EQX	C02-C01	4.20	1.49	1.35
4	A	312[B]	A1EQX	C34-C35	4.19	1.65	1.50
4	A	312[A]	A1EQX	C22-C23	4.14	1.59	1.51
4	A	312[A]	A1EQX	C06-C05	4.12	1.47	1.36
4	A	312[A]	A1EQX	C31-C30	-3.97	1.43	1.54
4	A	312[B]	A1EQX	C29-C28	-3.97	1.43	1.54
4	A	312[B]	A1EQX	C31-C30	-3.94	1.43	1.54
4	A	312[B]	A1EQX	C22-C23	3.91	1.58	1.51
4	A	312[A]	A1EQX	C29-C28	-3.87	1.43	1.54
4	A	312[B]	A1EQX	C13-C12	3.84	1.46	1.39
4	A	312[B]	A1EQX	C27-N01	-3.66	1.44	1.47
4	A	312[A]	A1EQX	C27-N01	-3.64	1.44	1.47
4	A	312[B]	A1EQX	C26-C27	3.56	1.58	1.51
4	A	312[B]	A1EQX	C39-C38	3.53	1.66	1.51
4	A	312[A]	A1EQX	C26-C27	3.51	1.58	1.51
4	A	312[A]	A1EQX	O04-C32	3.49	1.33	1.22
4	A	312[A]	A1EQX	C39-C38	3.49	1.65	1.51
4	A	312[A]	A1EQX	C03-C04	-3.38	1.43	1.50
4	A	312[B]	A1EQX	O04-C32	3.36	1.32	1.22
4	A	312[A]	A1EQX	C25-C24	3.36	1.57	1.51
4	A	312[B]	A1EQX	C25-C24	3.31	1.57	1.51
4	A	312[B]	A1EQX	C06-C01	3.29	1.48	1.40
4	A	312[B]	A1EQX	C11-C12	3.28	1.45	1.39
4	A	312[A]	A1EQX	C11-C12	3.25	1.45	1.39
4	A	312[A]	A1EQX	C13-C12	3.24	1.45	1.39
4	A	312[B]	A1EQX	C03-C04	-3.18	1.44	1.50
4	A	312[A]	A1EQX	C08-C09	3.11	1.46	1.40
4	A	312[B]	A1EQX	C30-C27	3.10	1.61	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	312[B]	A1EQX	C08-C09	3.08	1.46	1.40
4	A	312[A]	A1EQX	C06-C01	2.87	1.47	1.40
4	A	312[A]	A1EQX	C30-C27	2.62	1.60	1.53
4	A	312[B]	A1EQX	C20-N02	-2.60	1.44	1.47
4	A	312[A]	A1EQX	C29-C20	2.43	1.59	1.53
4	A	312[B]	A1EQX	C29-C20	2.39	1.59	1.53
4	A	312[A]	A1EQX	C37-C36	2.39	1.61	1.49
4	A	312[B]	A1EQX	C37-C36	2.34	1.61	1.49
4	A	312[A]	A1EQX	O08-C37	2.26	1.51	1.42
4	A	312[A]	A1EQX	C41-C40	2.25	1.64	1.51
4	A	312[B]	A1EQX	O08-C37	2.23	1.51	1.42
4	A	312[A]	A1EQX	C31-C24	2.19	1.59	1.53
4	A	312[B]	A1EQX	C41-C40	2.17	1.63	1.51
4	A	312[B]	A1EQX	C31-C24	2.17	1.59	1.53
4	A	312[A]	A1EQX	C20-N02	-2.07	1.45	1.47
4	A	312[A]	A1EQX	C43-C42	2.03	1.66	1.49

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	312[A]	A1EQX	C12-N01-C27	10.07	132.28	121.18
4	A	312[B]	A1EQX	C30-C27-N01	6.97	106.75	102.11
4	A	312[B]	A1EQX	C31-C24-N01	5.84	106.00	102.11
4	A	312[A]	A1EQX	C29-C20-N02	5.07	107.38	101.70
4	A	312[A]	A1EQX	C31-C24-N01	5.07	105.49	102.11
4	A	312[A]	A1EQX	C30-C27-C26	-4.42	107.57	111.64
4	A	312[A]	A1EQX	C11-C12-N01	4.24	127.11	121.21
4	A	312[B]	A1EQX	C29-C20-N02	4.17	106.38	101.70
4	A	312[B]	A1EQX	C02-C03-C04	4.02	122.40	112.29
4	A	312[A]	A1EQX	O01-C05-C04	3.85	123.22	119.12
4	A	312[A]	A1EQX	C35-C34-N03	-3.78	102.87	111.83
4	A	312[A]	A1EQX	O03-C25-C24	-3.62	106.12	110.99
4	A	312[B]	A1EQX	C28-C23-N02	3.60	105.74	101.70
4	A	312[A]	A1EQX	C02-C03-C04	3.40	120.84	112.29
4	A	312[B]	A1EQX	O03-C26-C27	-2.97	107.00	110.99
4	A	312[B]	A1EQX	O01-C05-C04	2.91	122.22	119.12
4	A	312[B]	A1EQX	C15-C14-C07	-2.86	114.13	119.21
4	A	312[B]	A1EQX	C35-C34-N03	-2.64	105.58	111.83
4	A	312[A]	A1EQX	C28-C23-C22	-2.53	109.31	111.64
4	A	312[A]	A1EQX	C34-N03-C33	-2.32	116.79	122.08
4	A	312[A]	A1EQX	C28-C23-N02	2.32	104.30	101.70
4	A	312[B]	A1EQX	C28-C23-C22	-2.17	109.64	111.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	312[A]	A1EQX	C29-C20-C21	-2.12	109.69	111.64
4	A	312[A]	A1EQX	O02-C21-C20	-2.11	108.15	110.99
4	A	312[B]	A1EQX	C15-C16-C33	-2.11	113.46	120.44
4	A	312[B]	A1EQX	O05-C32-C19	2.10	121.36	115.31
4	A	312[A]	A1EQX	O03-C26-C27	-2.09	108.19	110.99
4	A	312[A]	A1EQX	C17-C16-C15	2.03	121.64	119.24

There are no chirality outliers.

All (46) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	312[A]	A1EQX	C02-C01-N02-C20
4	A	312[A]	A1EQX	C14-C07-C08-C10
4	A	312[A]	A1EQX	C04-C07-C08-C10
4	A	312[B]	A1EQX	C02-C01-N02-C23
4	A	312[B]	A1EQX	C14-C07-C08-C10
4	A	312[B]	A1EQX	C04-C07-C08-C10
4	A	312[A]	A1EQX	C34-C35-O07-C36
4	A	312[B]	A1EQX	O08-C38-C39-C40
4	A	312[B]	A1EQX	C15-C16-C33-N03
4	A	312[B]	A1EQX	N03-C34-C35-O07
4	A	312[B]	A1EQX	C17-C16-C33-N03
4	A	312[B]	A1EQX	O07-C36-C37-O08
4	A	312[B]	A1EQX	C15-C16-C33-O06
4	A	312[B]	A1EQX	C11-C12-N01-C27
4	A	312[B]	A1EQX	C13-C12-N01-C27
4	A	312[B]	A1EQX	C17-C16-C33-O06
4	A	312[A]	A1EQX	N03-C34-C35-O07
4	A	312[A]	A1EQX	O08-C38-C39-C40
4	A	312[A]	A1EQX	O07-C36-C37-O08
4	A	312[B]	A1EQX	C39-C40-C41-C42
3	A	308	GLC	O5-C5-C6-O6
4	A	312[B]	A1EQX	C38-C39-C40-C41
4	A	312[A]	A1EQX	C15-C16-C33-N03
4	A	312[A]	A1EQX	C15-C16-C33-O06
3	A	302	GLC	O5-C5-C6-O6
4	A	312[B]	A1EQX	C40-C41-C42-C43
4	A	312[A]	A1EQX	C17-C16-C33-N03
4	A	312[A]	A1EQX	C17-C16-C33-O06
3	A	309	GLC	O5-C5-C6-O6
3	A	310	GLC	O5-C5-C6-O6
4	A	312[A]	A1EQX	C35-C34-N03-C33

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
4	A	312[B]	A1EQX	C37-C36-O07-C35
4	A	312[B]	A1EQX	C36-C37-O08-C38
3	A	303	GLC	O5-C5-C6-O6
4	A	312[B]	A1EQX	C35-C34-N03-C33
4	A	312[B]	A1EQX	C34-C35-O07-C36
3	A	311	GLC	O5-C5-C6-O6
3	A	313	GLC	O5-C5-C6-O6
4	A	312[A]	A1EQX	C18-C19-C32-O04
4	A	312[A]	A1EQX	C18-C19-C32-O05
3	A	305	GLC	O5-C5-C6-O6
3	A	306	GLC	O5-C5-C6-O6
3	A	307	GLC	O5-C5-C6-O6
4	A	312[A]	A1EQX	C36-C37-O08-C38
4	A	312[A]	A1EQX	C14-C19-C32-O04
4	A	312[A]	A1EQX	C14-C19-C32-O05




There are no ring outliers.




8 monomers are involved in 26 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	306	GLC	1	0
3	A	309	GLC	1	0
3	A	304	GLC	1	0
4	A	312[B]	A1EQX	8	0
4	A	312[A]	A1EQX	8	0
3	A	311	GLC	4	0
3	A	307	GLC	2	0
3	A	303	GLC	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	295/295 (100%)	0.38	16 (5%) 31 34	6, 16, 31, 51	1 (0%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	297	GLY	7.2
1	A	295	ILE	4.4
1	A	296	SER	4.2
1	A	3	GLY	3.9
1	A	178	VAL	3.2
1	A	160	LYS	2.8
1	A	253	ALA	2.7
1	A	155	THR	2.6
1	A	269	PRO	2.5
1	A	139	ASP	2.5
1	A	250	ALA	2.4
1	A	31	ASP	2.3
1	A	252	ALA	2.2
1	A	254	ARG	2.2
1	A	175[A]	MET	2.2
1	A	249	PRO	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GLC	A	306	4/12	0.54	0.23	47,47,49,49	0
3	GLC	A	310	4/12	0.58	0.24	34,36,36,38	0
3	GLC	A	309	4/12	0.64	0.20	31,31,32,32	0
3	GLC	A	313	4/12	0.65	0.19	37,37,38,41	0
3	GLC	A	311	4/12	0.72	0.20	33,33,34,35	0
3	GLC	A	305	4/12	0.73	0.16	40,42,42,44	0
4	A1EQX	A	312[A]	54/54	0.74	0.21	12,25,31,32	54
4	A1EQX	A	312[B]	54/54	0.74	0.21	14,26,31,34	54
3	GLC	A	307	4/12	0.75	0.18	30,32,33,36	0
3	GLC	A	302	4/12	0.79	0.19	18,23,26,30	0
3	GLC	A	303	4/12	0.82	0.17	28,33,36,39	0
3	GLC	A	308	4/12	0.85	0.14	23,30,32,35	0
3	GLC	A	304	4/12	0.87	0.13	33,34,35,36	0
2	CL	A	301	1/1	1.00	0.04	11,11,11,11	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around GLC A 310:



$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around GLC A 309:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

















6.5 Other polymers [i](#)

There are no such residues in this entry.