



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 14, 2026 – 02:00 PM JST

PDB ID : 24IR / pdb_000024ir
Title : alpha-1,2-glucosidase from Arthrobacter humicola A8F5
Authors : Yasukochi, R.; Fushinobu, S.
Deposited on : 2026-03-05
Resolution : 1.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1220 (1.88-1.88)
Clashscore	190562	1234 (1.88-1.88)
Ramachandran outliers	187476	1222 (1.88-1.88)
Sidechain outliers	187428	1222 (1.88-1.88)
RSRZ outliers	180081	1220 (1.88-1.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	639	6% 80% 14% ...
1	B	639	6% 80% 13% 5%

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 9508 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called alpha-1,2-glucosidase from *Arthrobacter humicola* A8F5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	619	Total	C	N	O	S	0	0	0
			4640	2925	845	857	13			
1	B	608	Total	C	N	O	S	0	0	0
			4555	2874	827	841	13			

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is S-1,2-PROPANEDIOL (CCD ID: PGO) (formula: $C_3H_8O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			5	3	2		

- Molecule 4 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	146	Total	O	0	0
			146	146		
5	B	134	Total	O	0	0
			134	134		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: alpha-1,2-glucosidase from *Arthrobacter humicola* A8F5



- Molecule 1: alpha-1,2-glucosidase from *Arthrobacter humicola* A8F5



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	55.88Å 109.94Å 105.23Å 90.00° 93.66° 90.00°	Depositor
Resolution (Å)	47.43 – 1.88 47.43 – 1.88	Depositor EDS
% Data completeness (in resolution range)	99.9 (47.43-1.88) 99.9 (47.43-1.88)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.96 (at 1.88Å)	Xtriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.207 , 0.257 0.220 , 0.265	Depositor DCC
R_{free} test set	5177 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	17.2	Xtriage
Anisotropy	0.089	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 35.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9508	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PGO, EDO, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.04	5/4760 (0.1%)	1.53	49/6493 (0.8%)
1	B	1.05	5/4671 (0.1%)	1.53	47/6371 (0.7%)
All	All	1.04	10/9431 (0.1%)	1.53	96/12864 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	8
1	B	0	9
All	All	0	17

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	236	ARG	NE-CZ	8.88	1.42	1.33
1	A	520	HIS	CE1-NE2	6.52	1.39	1.32
1	A	453	ALA	CA-CB	-5.96	1.43	1.53
1	B	573	HIS	CD2-NE2	-5.64	1.31	1.37
1	A	122	VAL	C-O	-5.49	1.18	1.24
1	A	261	ARG	NE-CZ	-5.45	1.27	1.33
1	A	520	HIS	ND1-CE1	5.25	1.37	1.32
1	B	287	ASP	C-O	5.20	1.30	1.24
1	B	473	PRO	CA-CB	5.11	1.61	1.53
1	B	635	ALA	CA-CB	-5.01	1.45	1.53

All (96) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	5	PRO	N-CA-CB	-16.58	85.85	103.25
1	A	231	ARG	CG-CD-NE	-10.75	88.35	112.00
1	B	155	MET	CG-SD-CE	-10.13	78.61	100.90
1	A	231	ARG	CB-CA-C	-10.07	94.91	110.02
1	A	67	ASP	CB-CA-C	-9.22	93.41	110.01
1	B	84	GLU	CB-CG-CD	8.10	126.37	112.60
1	A	215	GLU	N-CA-CB	-7.97	98.35	111.66
1	A	458	LEU	N-CA-CB	7.85	121.39	110.01
1	A	538	ARG	NE-CZ-NH2	-7.83	112.15	119.20
1	A	476	ARG	CG-CD-NE	-7.80	94.84	112.00
1	B	5	PRO	N-CD-CG	-7.70	91.65	103.20
1	B	84	GLU	CB-CA-C	7.69	121.82	109.51
1	B	89	GLU	CG-CD-OE2	-7.46	101.25	118.40
1	A	494	ASP	CA-CB-CG	7.42	120.02	112.60
1	B	236	ARG	NE-CZ-NH2	7.36	125.82	119.20
1	A	439	GLN	CB-CA-C	-7.25	97.29	109.53
1	B	391	ARG	NE-CZ-NH1	-7.22	114.28	121.50
1	B	173	ASP	CA-CB-CG	7.08	119.68	112.60
1	A	238	PRO	CA-C-O	-7.04	97.88	119.00
1	B	67	ASP	CB-CA-C	-6.96	97.48	110.01
1	A	261	ARG	CB-CA-C	6.95	121.00	109.89
1	B	1	MET	CA-C-O	-6.71	113.36	121.28
1	A	374	ARG	CD-NE-CZ	6.70	133.78	124.40
1	B	27	ARG	NE-CZ-NH2	6.64	125.18	119.20
1	B	336	GLU	N-CA-CB	6.60	122.95	111.13
1	B	27	ARG	NE-CZ-NH1	-6.60	114.90	121.50
1	A	458	LEU	CB-CA-C	-6.58	100.56	110.88
1	A	99	ARG	CB-CG-CD	-6.46	96.44	111.30
1	B	162	ARG	CG-CD-NE	6.42	126.13	112.00
1	B	436	ASP	CA-CB-CG	6.37	118.97	112.60
1	B	524	THR	N-CA-C	-6.35	104.58	112.90
1	A	580	ARG	CA-CB-CG	6.32	126.75	114.10
1	B	302	MET	CG-SD-CE	6.32	114.81	100.90
1	A	383	ARG	N-CA-CB	6.29	119.36	110.12
1	A	9	ARG	CG-CD-NE	-6.27	98.20	112.00
1	A	619	GLU	CB-CG-CD	6.20	123.14	112.60
1	A	452	TYR	CA-CB-CG	6.16	124.98	113.90
1	A	378	ASP	CB-CA-C	6.12	120.45	110.22
1	A	261	ARG	N-CA-CB	-6.09	100.78	109.85
1	B	439	GLN	CB-CA-C	-6.06	99.29	109.65
1	A	385	LEU	N-CA-CB	-5.97	101.65	110.49
1	B	181	GLU	CB-CA-C	5.92	119.64	111.23
1	B	360	ASP	CA-CB-CG	5.92	118.52	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	436	ASP	CA-CB-CG	5.90	118.50	112.60
1	A	191	PRO	N-CA-CB	5.90	108.42	103.17
1	B	434	PHE	N-CA-CB	-5.85	101.56	110.45
1	A	423	GLN	CB-CA-C	5.83	122.07	111.06
1	B	178	ARG	CD-NE-CZ	5.81	132.53	124.40
1	B	394	ASP	CA-CB-CG	5.79	118.39	112.60
1	B	84	GLU	CA-CB-CG	-5.76	102.57	114.10
1	B	596	ASP	CA-CB-CG	5.75	118.35	112.60
1	A	83	PRO	N-CA-CB	-5.71	98.02	103.33
1	B	648	MET	CG-SD-CE	-5.71	88.34	100.90
1	B	81	LEU	N-CA-CB	-5.68	101.36	111.08
1	B	537	ASP	CA-CB-CG	5.66	118.26	112.60
1	B	494	ASP	CA-CB-CG	5.64	118.24	112.60
1	B	543	GLU	N-CA-CB	-5.63	101.55	110.22
1	A	574	ASP	CA-CB-CG	5.61	118.21	112.60
1	A	538	ARG	CD-NE-CZ	5.61	132.25	124.40
1	A	173	ASP	CA-CB-CG	5.55	118.15	112.60
1	B	128	ARG	NE-CZ-NH1	-5.53	115.97	121.50
1	B	238	PRO	CA-C-O	-5.52	102.45	119.00
1	B	538	ARG	CB-CA-C	-5.49	101.52	110.85
1	A	587	PHE	N-CA-CB	-5.48	104.21	110.35
1	A	231	ARG	CD-NE-CZ	5.47	132.06	124.40
1	A	-3	HIS	CB-CA-C	5.47	120.49	110.10
1	A	477	ASP	CA-CB-CG	5.42	118.02	112.60
1	A	23	ASP	CA-CB-CG	5.39	117.99	112.60
1	A	448	GLU	N-CA-CB	5.38	118.12	110.16
1	A	386	LEU	O-C-N	-5.36	115.46	120.55
1	B	383	ARG	N-CA-CB	5.36	117.92	109.94
1	B	75	LEU	N-CA-CB	-5.34	101.35	110.16
1	B	221	THR	CA-CB-OG1	-5.30	101.65	109.60
1	A	159	ARG	CG-CD-NE	-5.28	100.39	112.00
1	A	402	GLY	CA-C-N	5.26	131.38	122.12
1	A	402	GLY	C-N-CA	5.26	131.38	122.12
1	B	548	TYR	N-CA-CB	-5.24	102.95	110.65
1	B	457	ALA	CA-C-O	-5.23	115.51	121.00
1	A	138	ASP	O-C-N	5.22	127.44	122.07
1	B	524	THR	N-CA-CB	5.21	118.15	110.33
1	B	509	VAL	N-CA-CB	-5.21	103.92	111.21
1	B	593	ASN	CB-CA-C	5.18	119.40	110.79
1	A	538	ARG	CG-CD-NE	-5.17	100.63	112.00
1	A	520	HIS	CA-CB-CG	5.14	118.94	113.80
1	B	83	PRO	N-CA-C	5.12	119.09	111.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	111	ASP	CA-CB-CG	5.12	117.72	112.60
1	A	261	ARG	CB-CG-CD	-5.12	99.53	111.30
1	A	155	MET	CG-SD-CE	-5.08	89.71	100.90
1	A	237	PRO	N-CA-C	5.08	116.90	110.70
1	B	426	LYS	N-CA-CB	5.07	118.00	110.49
1	A	99	ARG	CA-C-N	5.02	126.53	121.35
1	A	99	ARG	C-N-CA	5.02	126.53	121.35
1	A	169	PRO	N-CA-CB	-5.02	98.67	103.39
1	B	0	HIS	CB-CA-C	5.01	120.23	110.30
1	A	402	GLY	CA-C-O	-5.01	115.44	122.36
1	B	574	ASP	CA-CB-CG	5.00	117.60	112.60

There are no chirality outliers.

All (17) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	180	ARG	Sidechain
1	A	236	ARG	Sidechain
1	A	383	ARG	Sidechain
1	A	429	ARG	Sidechain
1	A	538	ARG	Sidechain
1	A	592	ARG	Sidechain
1	A	77	ARG	Sidechain
1	A	97	ARG	Sidechain
1	B	134	ARG	Sidechain
1	B	162	ARG	Sidechain
1	B	208	ARG	Sidechain
1	B	236	ARG	Sidechain
1	B	312	ARG	Sidechain
1	B	321	ARG	Sidechain
1	B	338	ARG	Sidechain
1	B	538	ARG	Sidechain
1	B	555	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4640	0	4525	58	0
1	B	4555	0	4450	31	0
2	A	20	0	30	5	0
2	B	4	0	6	0	0
3	A	5	0	8	0	0
4	A	4	0	3	0	0
5	A	146	0	0	6	0
5	B	134	0	0	2	0
All	All	9508	0	9022	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:422:ASN:O	1:B:423:GLN:HB3	1.71	0.88
1:A:321:ARG:NH1	2:A:706:EDO:O1	2.11	0.84
1:B:71:LEU:HD13	1:B:186:LEU:HD21	1.66	0.77
1:A:134:ARG:HH11	1:A:134:ARG:HG3	1.53	0.73
1:A:338:ARG:HH21	1:A:351:LEU:HD12	1.52	0.73
1:A:303:GLU:O	1:A:312:ARG:NH2	2.22	0.72
1:B:-1:HIS:HE1	5:B:850:HOH:O	1.72	0.72
1:A:300:THR:OG1	1:A:302:MET:HG2	1.93	0.68
1:A:532:ALA:HB2	2:A:703:EDO:H11	1.76	0.68
1:B:63:LEU:HD11	1:B:127:VAL:HG21	1.76	0.67
1:A:427:ASP:HB2	5:A:919:HOH:O	1.95	0.65
1:A:294:LEU:HD22	1:A:643:VAL:HG21	1.80	0.64
1:A:204:GLY:HA3	1:A:212:PHE:CE1	2.35	0.62
1:A:71:LEU:HD13	1:A:186:LEU:HD21	1.82	0.61
1:A:180:ARG:HG2	1:A:181:GLU:N	2.16	0.60
1:A:101:LEU:HD12	1:B:628:PRO:HG2	1.83	0.59
1:B:32:SER:HB3	1:B:73:ARG:HH22	1.67	0.59
1:A:101:LEU:HD13	1:A:112:PRO:CB	2.33	0.58
1:A:294:LEU:HD22	1:A:643:VAL:CG2	2.35	0.57
1:B:294:LEU:HD22	1:B:643:VAL:HG21	1.87	0.56
1:A:5:PRO:HG2	1:B:103:ARG:NH1	2.20	0.56
1:B:32:SER:HB3	1:B:73:ARG:NH2	2.21	0.56
1:A:68:THR:OG1	1:A:184:LYS:HE2	2.06	0.56
1:A:289:LEU:HD22	1:A:365:TRP:HA	1.87	0.55
1:B:64:LEU:HD22	1:B:155:MET:HE3	1.88	0.55
1:A:173:ASP:OD1	1:A:175:SER:N	2.33	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:134:ARG:HG3	1:A:134:ARG:NH1	2.19	0.54
1:A:427:ASP:CB	5:A:919:HOH:O	2.54	0.54
1:A:592:ARG:CG	1:A:592:ARG:HH21	2.20	0.54
1:A:23:ASP:HB2	1:A:24:PRO:CD	2.39	0.53
1:B:101:LEU:HD13	1:B:112:PRO:CG	2.40	0.52
1:A:-3:HIS:CD2	1:A:-3:HIS:N	2.77	0.52
1:B:598:LEU:HD13	1:B:644:ILE:HD11	1.92	0.52
1:B:303:GLU:HG3	1:B:381:VAL:HG22	1.92	0.51
1:A:402:GLY:HA3	2:A:701:EDO:H12	1.92	0.51
1:A:101:LEU:HD13	1:A:112:PRO:HB3	1.92	0.51
1:B:334:LEU:HD12	1:B:334:LEU:C	2.37	0.50
1:A:-3:HIS:CD2	1:A:-3:HIS:H1	2.29	0.50
1:A:101:LEU:CD1	1:B:628:PRO:HG2	2.42	0.50
1:A:13:SER:HB2	1:A:96:LEU:HG	1.95	0.49
1:B:294:LEU:HD22	1:B:643:VAL:CG2	2.42	0.49
1:B:67:ASP:O	1:B:155:MET:HG3	2.13	0.48
1:A:208:ARG:NH2	1:A:208:ARG:HB2	2.27	0.48
1:A:592:ARG:HH21	1:A:592:ARG:HG2	1.78	0.48
1:A:637:SER:O	1:A:640:SER:HB2	2.13	0.48
1:A:473:PRO:HD2	5:A:917:HOH:O	2.14	0.48
1:A:180:ARG:HG3	1:A:180:ARG:HH11	1.79	0.47
1:A:402:GLY:C	2:A:701:EDO:H11	2.39	0.47
1:A:303:GLU:HG3	1:A:381:VAL:HG22	1.96	0.47
1:A:596:ASP:OD1	1:A:648:MET:HE2	2.14	0.47
1:A:427:ASP:CA	5:A:919:HOH:O	2.62	0.47
1:B:73:ARG:O	1:B:148:LEU:HA	2.15	0.47
1:B:579:ILE:HG22	1:B:643:VAL:HG12	1.97	0.47
1:A:427:ASP:HA	5:A:919:HOH:O	2.15	0.46
1:A:334:LEU:C	1:A:334:LEU:HD12	2.40	0.46
1:B:588:ILE:HB	1:B:589:PRO:HD3	1.98	0.46
1:A:97:ARG:HE	1:A:97:ARG:HB2	1.70	0.46
1:A:421:SER:HA	5:A:919:HOH:O	2.14	0.45
1:A:402:GLY:HA3	2:A:701:EDO:C1	2.46	0.45
1:A:289:LEU:HD23	1:A:368:LEU:HD23	1.98	0.44
1:A:1:MET:O	1:A:161:SER:HB3	2.17	0.44
1:A:23:ASP:HB2	1:A:24:PRO:HD2	2.00	0.44
1:B:441:GLU:OE2	1:B:507:HIS:NE2	2.51	0.44
1:A:555:ARG:HA	1:A:560:PHE:CD2	2.53	0.43
1:B:68:THR:OG1	1:B:184:LYS:CE	2.66	0.43
1:A:533:ARG:O	1:A:533:ARG:HD3	2.17	0.43
1:A:23:ASP:CB	1:A:24:PRO:CD	2.96	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:509:VAL:HA	1:B:510:PRO:HD3	1.86	0.43
1:A:588:ILE:N	1:A:589:PRO:CD	2.82	0.43
1:A:96:LEU:HD23	1:A:96:LEU:HA	1.75	0.43
1:B:-1:HIS:CE1	5:B:850:HOH:O	2.57	0.42
1:A:101:LEU:HD13	1:A:112:PRO:CG	2.49	0.42
1:A:204:GLY:HA3	1:A:212:PHE:HE1	1.83	0.42
1:B:434:PHE:CE1	1:B:511:LEU:HD22	2.54	0.42
1:A:253:SER:HB3	1:A:638:SER:O	2.19	0.42
1:A:628:PRO:HG2	1:B:101:LEU:HD12	2.01	0.42
1:A:302:MET:HG3	1:A:304:THR:H	1.85	0.42
1:B:465:ASP:OD2	1:B:476:ARG:NH2	2.53	0.41
1:B:596:ASP:HA	1:B:648:MET:HE1	2.02	0.41
1:A:434:PHE:CZ	1:A:511:LEU:HD22	2.55	0.41
1:A:261:ARG:HG3	1:A:261:ARG:NH1	2.36	0.41
1:B:592:ARG:NH2	1:B:647:ALA:O	2.53	0.41
1:B:155:MET:HE2	1:B:279:TRP:CE3	2.56	0.40
1:B:68:THR:OG1	1:B:184:LYS:HE2	2.21	0.40
1:A:592:ARG:O	1:A:592:ARG:HD2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	613/639 (96%)	593 (97%)	18 (3%)	2 (0%)	36	26
1	B	600/639 (94%)	578 (96%)	18 (3%)	4 (1%)	18	7
All	All	1213/1278 (95%)	1171 (96%)	36 (3%)	6 (0%)	24	13

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	3	VAL
1	B	5	PRO
1	A	377	PRO
1	A	379	ASP
1	B	423	GLN
1	B	285	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	458/474 (97%)	440 (96%)	18 (4%)	28	12
1	B	450/474 (95%)	434 (96%)	16 (4%)	31	14
All	All	908/948 (96%)	874 (96%)	34 (4%)	30	14

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-3	HIS
1	A	4	GLN
1	A	97	ARG
1	A	134	ARG
1	A	155	MET
1	A	197	GLU
1	A	208	ARG
1	A	213	GLU
1	A	303	GLU
1	A	304	THR
1	A	329	GLU
1	A	423	GLN
1	A	425	TRP
1	A	538	ARG
1	A	552	THR
1	A	555	ARG
1	A	592	ARG
1	A	633	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1	MET
1	B	2	THR
1	B	3	VAL
1	B	4	GLN
1	B	5	PRO
1	B	28	LEU
1	B	32	SER
1	B	71	LEU
1	B	161	SER
1	B	202	TRP
1	B	250	LEU
1	B	543	GLU
1	B	552	THR
1	B	604	SER
1	B	612	VAL
1	B	648	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	-3	HIS
1	B	-1	HIS
1	B	422	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	A	701	-	3,3,3	0.53	0	2,2,2	0.14	0
2	EDO	A	706	-	3,3,3	0.21	0	2,2,2	0.67	0
2	EDO	A	704	-	3,3,3	0.60	0	2,2,2	0.85	0
3	PGO	A	705	-	3,4,4	1.44	0	1,4,4	0.99	0
4	ACT	A	707	-	3,3,3	1.06	0	3,3,3	0.67	0
2	EDO	A	703	-	3,3,3	0.43	0	2,2,2	0.89	0
2	EDO	A	702	-	3,3,3	0.27	0	2,2,2	0.81	0
2	EDO	B	701	-	3,3,3	0.58	0	2,2,2	1.36	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	701	-	-	1/1/1/1	-
2	EDO	A	706	-	-	1/1/1/1	-
2	EDO	A	704	-	-	1/1/1/1	-
3	PGO	A	705	-	-	2/2/2/2	-
2	EDO	A	703	-	-	1/1/1/1	-
2	EDO	A	702	-	-	0/1/1/1	-
2	EDO	B	701	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	703	EDO	O1-C1-C2-O2
2	A	704	EDO	O1-C1-C2-O2
2	A	701	EDO	O1-C1-C2-O2
3	A	705	PGO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	705	PGO	O1-C1-C2-C3
2	A	706	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	EDO	3	0
2	A	706	EDO	1	0
2	A	703	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	619/639 (96%)	0.41	37 (5%) 27 30	10, 20, 47, 86	0
1	B	608/639 (95%)	0.44	38 (6%) 26 28	11, 21, 45, 85	0
All	All	1227/1278 (96%)	0.43	75 (6%) 27 29	10, 20, 47, 86	0

All (75) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	3	VAL	7.9
1	A	3	VAL	6.6
1	B	2	THR	6.6
1	B	351	LEU	6.2
1	B	5	PRO	6.0
1	A	652	LEU	5.4
1	B	422	ASN	5.1
1	A	402	GLY	4.4
1	A	5	PRO	4.4
1	A	302	MET	4.3
1	B	1	MET	4.2
1	A	2	THR	4.2
1	A	420	LEU	4.1
1	B	338	ARG	4.0
1	A	1	MET	3.9
1	B	4	GLN	3.8
1	A	401	ALA	3.7
1	B	-2	HIS	3.7
1	B	302	MET	3.7
1	A	4	GLN	3.6
1	B	402	GLY	3.6
1	A	-3	HIS	3.4
1	B	103	ARG	3.4
1	B	106	PRO	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	266	GLN	3.2
1	A	413	ARG	3.2
1	B	353	PRO	3.1
1	B	301	GLY	3.1
1	A	377	PRO	3.0
1	A	378	ASP	3.0
1	B	34	GLY	3.0
1	B	180	ARG	2.9
1	B	651	GLY	2.9
1	A	375	ALA	2.9
1	A	351	LEU	2.9
1	A	33	GLY	2.9
1	A	304	THR	2.9
1	A	376	GLY	2.9
1	A	103	ARG	2.8
1	B	341	GLU	2.8
1	A	651	GLY	2.7
1	B	304	THR	2.6
1	A	172	ALA	2.6
1	B	210	ARG	2.5
1	B	352	PRO	2.5
1	B	303	GLU	2.5
1	B	652	LEU	2.5
1	A	174	GLN	2.5
1	A	303	GLU	2.5
1	B	650	VAL	2.4
1	B	340	LYS	2.4
1	B	208	ARG	2.4
1	B	403	ALA	2.4
1	A	400	GLY	2.4
1	B	160	LEU	2.3
1	A	403	ALA	2.3
1	A	208	ARG	2.3
1	B	378	ASP	2.3
1	B	104	GLY	2.3
1	A	300	THR	2.3
1	A	301	GLY	2.2
1	B	375	ALA	2.2
1	A	144	ILE	2.2
1	A	170	VAL	2.2
1	B	300	THR	2.2
1	B	429	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	266	GLN	2.2
1	A	108	PRO	2.2
1	B	377	PRO	2.2
1	A	312	ARG	2.2
1	B	373	TRP	2.1
1	B	32	SER	2.1
1	A	340	LYS	2.1
1	A	32	SER	2.0
1	A	650	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PGO	A	705	5/5	0.69	0.18	19,21,23,25	0
2	EDO	A	706	4/4	0.82	0.14	29,38,41,42	0
2	EDO	B	701	4/4	0.83	0.15	24,31,34,35	0
2	EDO	A	703	4/4	0.84	0.14	26,28,33,39	0
2	EDO	A	702	4/4	0.84	0.12	27,28,29,29	0
4	ACT	A	707	4/4	0.85	0.14	24,25,34,39	0
2	EDO	A	704	4/4	0.87	0.14	30,33,36,36	0
2	EDO	A	701	4/4	0.91	0.13	32,36,39,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.