Full wwPDB EM Validation Report ⓘ

Nov 16, 2026 – 08:16 PM JST

PDB ID	:	24ZT / pdb_000024zt
EMDB ID	:	EMD-69946
Title	:	Structure of MCD4 from Candida albicans with M743/YW3548
Authors	:	Li, Y.; Fan, S.; Li, D.
Deposited on	:	2026-03-25
Resolution	:	2.34 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:


EMDB validation analysis	:	0.0.1.dev133
Mogul	:	1.8.5 (274361), CSD as541be (2020)
MolProbity	:	4-5-2 with Phenix2.2
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics	:	202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51


1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	4520 (1.84 - 2.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1034	83% 8% 8%
2	B	2	100%
2	D	2	50% 100%
3	C	5	40% 40% 60%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	E	9	

2 Entry composition (i)

There are 12 unique types of molecules in this entry. The entry contains 8579 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GPI ethanolamine phosphate transferase 1.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	N	O	P	S		
1	A	951	7667	5069	1198	1375	1	24	0	0

There are 65 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	initiating methionine	UNP Q5A3M6
A	-17	GLY	-	expression tag	UNP Q5A3M6
A	-16	SER	-	expression tag	UNP Q5A3M6
A	-15	LEU	-	expression tag	UNP Q5A3M6
A	-14	TRP	-	expression tag	UNP Q5A3M6
A	-13	ASN	-	expression tag	UNP Q5A3M6
A	-12	TRP	-	expression tag	UNP Q5A3M6
A	-11	PHE	-	expression tag	UNP Q5A3M6
A	-10	ASP	-	expression tag	UNP Q5A3M6
A	-9	ILE	-	expression tag	UNP Q5A3M6
A	-8	THR	-	expression tag	UNP Q5A3M6
A	-7	ASN	-	expression tag	UNP Q5A3M6
A	-6	TRP	-	expression tag	UNP Q5A3M6
A	-5	LEU	-	expression tag	UNP Q5A3M6
A	-4	TRP	-	expression tag	UNP Q5A3M6
A	-3	TYR	-	expression tag	UNP Q5A3M6
A	-2	ILE	-	expression tag	UNP Q5A3M6
A	-1	LYS	-	expression tag	UNP Q5A3M6
A	0	SER	-	expression tag	UNP Q5A3M6
A	1	LEU	-	expression tag	UNP Q5A3M6
A	2	LEU	-	expression tag	UNP Q5A3M6
A	972	GLY	-	expression tag	UNP Q5A3M6
A	973	THR	-	expression tag	UNP Q5A3M6
A	974	LEU	-	expression tag	UNP Q5A3M6
A	975	GLU	-	expression tag	UNP Q5A3M6
A	976	VAL	-	expression tag	UNP Q5A3M6
A	977	LEU	-	expression tag	UNP Q5A3M6
A	978	PHE	-	expression tag	UNP Q5A3M6

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	979	GLN	-	expression tag	UNP Q5A3M6
A	980	GLY	-	expression tag	UNP Q5A3M6
A	981	PRO	-	expression tag	UNP Q5A3M6
A	982	LYS	-	expression tag	UNP Q5A3M6
A	983	LEU	-	expression tag	UNP Q5A3M6
A	984	GLU	-	expression tag	UNP Q5A3M6
A	985	PHE	-	expression tag	UNP Q5A3M6
A	986	SER	-	expression tag	UNP Q5A3M6
A	987	ALA	-	expression tag	UNP Q5A3M6
A	988	TRP	-	expression tag	UNP Q5A3M6
A	989	SER	-	expression tag	UNP Q5A3M6
A	990	HIS	-	expression tag	UNP Q5A3M6
A	991	PRO	-	expression tag	UNP Q5A3M6
A	992	GLN	-	expression tag	UNP Q5A3M6
A	993	PHE	-	expression tag	UNP Q5A3M6
A	994	GLU	-	expression tag	UNP Q5A3M6
A	995	LYS	-	expression tag	UNP Q5A3M6
A	996	GLY	-	expression tag	UNP Q5A3M6
A	997	GLY	-	expression tag	UNP Q5A3M6
A	998	GLY	-	expression tag	UNP Q5A3M6
A	999	SER	-	expression tag	UNP Q5A3M6
A	1000	GLY	-	expression tag	UNP Q5A3M6
A	1001	GLY	-	expression tag	UNP Q5A3M6
A	1002	GLY	-	expression tag	UNP Q5A3M6
A	1003	SER	-	expression tag	UNP Q5A3M6
A	1004	GLY	-	expression tag	UNP Q5A3M6
A	1005	GLY	-	expression tag	UNP Q5A3M6
A	1006	SER	-	expression tag	UNP Q5A3M6
A	1007	ALA	-	expression tag	UNP Q5A3M6
A	1008	TRP	-	expression tag	UNP Q5A3M6
A	1009	SER	-	expression tag	UNP Q5A3M6
A	1010	HIS	-	expression tag	UNP Q5A3M6
A	1011	PRO	-	expression tag	UNP Q5A3M6
A	1012	GLN	-	expression tag	UNP Q5A3M6
A	1013	PHE	-	expression tag	UNP Q5A3M6
A	1014	GLU	-	expression tag	UNP Q5A3M6
A	1015	LYS	-	expression tag	UNP Q5A3M6

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
2	B	2	Total	C	N	O	0	0
			28	16	2	10		
2	D	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
3	C	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
4	E	9	Total	C	N	O	0	0
			105	58	2	45		

- Molecule 5 is Lauryl Maltose Neopentyl Glycol (CCD ID: AV0) (formula: $C_{47}H_{88}O_{22}$).



Mol	Chain	Residues	Atoms	AltConf
5	A	1	Total C O 69 47 22	0

- Molecule 6 is TETRADECANE (CCD ID: C14) (formula: $C_{14}H_{30}$).




Mol	Chain	Residues	Atoms	AltConf
6	A	1	Total C 14 14	0
6	A	1	Total C 14 14	0
6	A	1	Total C 14 14	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	AltConf
6	A	1	Total C 14 14	0
6	A	1	Total C 14 14	0
6	A	1	Total C 14 14	0
6	A	1	Total C 14 14	0
6	A	1	Total C 14 14	0
6	A	1	Total C 14 14	0
6	A	1	Total C 14 14	0

- Molecule 7 is 1-palmitoyl-2-oleoyl-sn-glycero-3-phosphocholine (CCD ID: LBN) (formula: $C_{42}H_{82}NO_8P$).




Mol	Chain	Residues	Atoms	AltConf
7	A	1	Total C N O P 52 42 1 8 1	0
7	A	1	Total C N O P 52 42 1 8 1	0

- Molecule 8 is ({Z})-octadec-9-ene (CCD ID: A1E8F) (formula: $C_{18}H_{36}$).




Mol	Chain	Residues	Atoms	AltConf
8	A	1	Total C 18 18	0

- Molecule 9 is HEXADECANE (CCD ID: R16) (formula: $C_{16}H_{34}$).



Mol	Chain	Residues	Atoms	AltConf
9	A	1	Total C 16 16	0
9	A	1	Total C 16 16	0
9	A	1	Total C 16 16	0

- Molecule 10 is (1R,2R,3S,4R,7R,8R,11R,12S,14R,16S,17S,18R)-3,4-dihydroxy-2,7,11,14-tetramethyl-5-oxo-17-(propan-2-yl)-6-oxatetracyclo[10.7.0.03,8.014,18]nonadecan-16-yl (3S,5R)-3-hydroxy-3,5-dimethylheptanoate (CCD ID: A1FB4) (formula: $C_{34}H_{58}O_7$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	AltConf
10	A	1	Total C O 41 34 7	0

- Molecule 11 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
11	A	2	Total Zn 2 2	0

- Molecule 12 is water.


Mol	Chain	Residues	Atoms	AltConf
12	A	268	Total O 268 268	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: GPI ethanolamine phosphate transferase 1

Chain A:




• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B:



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:




• Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyra

nose


Chain C:





• Molecule 4: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:





4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	630280	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.933	Depositor
Minimum map value	-0.579	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.021	Depositor
Recommended contour level	0.0653	Depositor
Map size (Å)	239.104, 239.104, 239.104	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.934, 0.934, 0.934	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, AV0, LBN, C14, BMA, A1E8F, ZN, R16, MAN, 0K4, A1FB4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.14	0/7864	0.26	0/10690

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7667	0	7664	55	0
2	B	28	0	25	0	0
2	D	28	0	25	0	0
3	C	61	0	52	0	0
4	E	105	0	88	1	0
5	A	69	0	0	0	0
6	A	140	0	300	10	0
7	A	104	0	0	0	0
8	A	18	0	0	0	0
9	A	48	0	102	3	0
10	A	41	0	0	5	0
11	A	2	0	0	0	0
12	A	268	0	0	0	0
All	All	8579	0	8256	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:838:PHE:CZ	10:A:1118:A1FB4:C21	2.73	0.72
1:A:843:VAL:HG11	1:A:855:MET:HG2	1.75	0.68
1:A:838:PHE:CE2	10:A:1118:A1FB4:C21	2.78	0.67
1:A:835:ILE:O	10:A:1118:A1FB4:C15	2.45	0.64
1:A:377:PRO:HB3	1:A:446:GLU:HG3	1.81	0.63
1:A:546:PRO:HB2	6:A:1102:C14:H121	1.80	0.63
1:A:31:PRO:HG3	1:A:468:GLN:HB2	1.79	0.62
1:A:45:PRO:HG3	1:A:357:GLY:HA3	1.80	0.61
1:A:696:PHE:HB2	6:A:1110:C14:H111	1.82	0.60
1:A:488:VAL:HG22	6:A:1103:C14:H102	1.82	0.60
1:A:592:TYR:HD1	1:A:599:MET:HG3	1.67	0.60
1:A:635:MET:HG3	1:A:775:ILE:HD12	1.82	0.59
1:A:422:LYS:O	1:A:426:GLU:HG3	2.03	0.59
1:A:694:ILE:HB	1:A:722:THR:HG21	1.84	0.58
1:A:279:SER:HB2	1:A:838:PHE:CZ	2.38	0.58
1:A:167:VAL:HG11	1:A:169:MET:HE2	1.84	0.58
1:A:731:PRO:HB3	6:A:1111:C14:H041	1.85	0.57
1:A:656:THR:HG21	1:A:695:LEU:HD22	1.89	0.54
1:A:141:HIS:CD2	4:E:9:MAN:H5	2.46	0.51
1:A:192:LEU:HD22	1:A:218:LEU:HD21	1.93	0.49
1:A:391:ILE:HD12	1:A:457:MET:HG2	1.93	0.49
1:A:838:PHE:CE1	10:A:1118:A1FB4:C21	2.95	0.49
6:A:1109:C14:H071	9:A:1116:R16:H362	1.95	0.49
1:A:658:LEU:HD22	6:A:1108:C14:H131	1.94	0.48
1:A:678:PRO:O	1:A:682:GLN:HG3	2.14	0.48
1:A:145:PHE:HB2	1:A:188:VAL:HG13	1.98	0.46
1:A:20:LEU:HB2	1:A:927:ILE:HG21	1.96	0.46
1:A:749:ILE:HG13	1:A:872:THR:HG21	1.98	0.46
1:A:940:SER:HA	1:A:943:VAL:HB	1.97	0.46
1:A:749:ILE:HD13	6:A:1111:C14:H052	1.97	0.45
1:A:651:GLN:HE21	1:A:764:PHE:HB3	1.80	0.44
1:A:167:VAL:CG1	1:A:169:MET:HE2	2.48	0.44
1:A:657:ILE:HD11	9:A:1115:R16:H371	2.00	0.44
1:A:610:TYR:CD2	1:A:611:PRO:HD3	2.52	0.43
1:A:568:LEU:HD11	6:A:1104:C14:H072	2.00	0.43
1:A:433:GLN:O	1:A:437:SER:HB3	2.18	0.43
1:A:690:ILE:HG23	1:A:722:THR:HG23	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:321:GLU:H	1:A:321:GLU:CD	2.27	0.42
1:A:730:LEU:HD23	1:A:733:LEU:HD12	2.02	0.42
1:A:895:THR:HG22	6:A:1103:C14:H141	2.01	0.42
1:A:354:TYR:CE2	1:A:373:ILE:HG12	2.54	0.42
1:A:838:PHE:CD2	10:A:1118:A1FB4:C21	3.03	0.42
1:A:928:LEU:HD23	1:A:928:LEU:HA	1.89	0.41
1:A:649:LEU:HG	1:A:702:VAL:HG11	2.02	0.41
1:A:192:LEU:HG	1:A:196:MET:HE2	2.02	0.41
1:A:668:LYS:HG2	6:A:1107:C14:H131	2.02	0.41
1:A:370:LEU:HD11	1:A:384:LEU:HD22	2.01	0.41
1:A:274:MET:HE2	1:A:274:MET:HB2	1.78	0.41
1:A:24:PHE:O	1:A:29:VAL:HG23	2.21	0.41
1:A:864:ILE:HG13	1:A:864:ILE:O	2.19	0.41
1:A:649:LEU:HD23	1:A:649:LEU:HA	1.91	0.41
1:A:230:TYR:O	1:A:231:ARG:HB2	2.21	0.40
1:A:877:MET:HE2	1:A:877:MET:HB2	2.00	0.40
1:A:147:SER:HB2	1:A:221:LEU:HD22	2.04	0.40
1:A:850:PHE:HA	1:A:855:MET:HE1	2.03	0.40
1:A:87:LEU:HD23	1:A:338:LEU:HD11	2.04	0.40
9:A:1116:R16:H312	9:A:1116:R16:H351	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	948/1034 (92%)	939 (99%)	9 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	843/915 (92%)	828 (98%)	15 (2%)	51 64

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	161	VAL
1	A	167	VAL
1	A	240	ASN
1	A	413	SER
1	A	473	LEU
1	A	507	ILE
1	A	610	TYR
1	A	639	THR
1	A	690	ILE
1	A	713	LEU
1	A	717	ILE
1	A	737	ASN
1	A	761	THR
1	A	793	LEU
1	A	843	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	190	HIS
1	A	341	ASN
1	A	468	GLN
1	A	651	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
1	0K4	A	103	1,11	11,12,13	0.64	0	10,15,17	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	0K4	A	103	1,11	-	5/10/13/15	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	103	0K4	CB-OG-P1-O2
1	A	103	0K4	N-CA-CB-OG
1	A	103	0K4	CB-OG-P1-O1
1	A	103	0K4	CA-CB-OG-P1
1	A	103	0K4	C1-C2-O1-P1

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

18 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	NAG	B	1	2,1	14,14,15	0.28	0	17,19,21	0.46	0
2	NAG	B	2	2	14,14,15	0.25	0	17,19,21	0.40	0
3	NAG	C	1	3,1	14,14,15	0.25	0	17,19,21	0.50	0
3	NAG	C	2	3	14,14,15	0.26	0	17,19,21	0.39	0
3	BMA	C	3	3	11,11,12	1.23	3 (27%)	15,15,17	1.39	2 (13%)
3	MAN	C	4	3	11,11,12	0.66	0	15,15,17	1.07	2 (13%)
3	MAN	C	5	3	11,11,12	0.90	0	15,15,17	1.16	2 (13%)
2	NAG	D	1	2,1	14,14,15	0.25	0	17,19,21	0.48	0
2	NAG	D	2	2	14,14,15	0.24	0	17,19,21	0.42	0
4	NAG	E	1	1,4	14,14,15	0.34	0	17,19,21	0.59	0
4	NAG	E	2	4	14,14,15	0.20	0	17,19,21	0.44	0
4	BMA	E	3	4	11,11,12	0.70	0	15,15,17	1.05	1 (6%)
4	MAN	E	4	4	11,11,12	0.61	0	15,15,17	1.00	2 (13%)
4	MAN	E	5	4	11,11,12	0.62	0	15,15,17	0.90	2 (13%)
4	MAN	E	6	4	11,11,12	0.60	0	15,15,17	1.13	2 (13%)
4	MAN	E	7	4	11,11,12	0.67	0	15,15,17	1.12	2 (13%)
4	MAN	E	8	4	11,11,12	0.68	0	15,15,17	1.21	2 (13%)
4	MAN	E	9	4	11,11,12	0.80	1 (9%)	15,15,17	1.00	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	B	2	2	-	0/6/23/26	0/1/1/1
3	NAG	C	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	C	2	3	-	0/6/23/26	0/1/1/1
3	BMA	C	3	3	-	2/2/19/22	0/1/1/1
3	MAN	C	4	3	-	2/2/19/22	0/1/1/1
3	MAN	C	5	3	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
4	NAG	E	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	E	2	4	-	0/6/23/26	0/1/1/1
4	BMA	E	3	4	-	2/2/19/22	0/1/1/1
4	MAN	E	4	4	-	0/2/19/22	0/1/1/1
4	MAN	E	5	4	-	2/2/19/22	0/1/1/1
4	MAN	E	6	4	-	0/2/19/22	0/1/1/1
4	MAN	E	7	4	-	0/2/19/22	0/1/1/1
4	MAN	E	8	4	-	0/2/19/22	1/1/1/1
4	MAN	E	9	4	-	1/2/19/22	1/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	3	BMA	C4-C5	2.35	1.58	1.53
3	C	3	BMA	C4-C3	2.28	1.58	1.52
3	C	3	BMA	O5-C1	-2.13	1.40	1.43
4	E	9	MAN	C1-C2	2.10	1.57	1.52

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	E	8	MAN	C1-O5-C5	3.56	117.01	112.19
3	C	3	BMA	C3-C4-C5	3.19	115.94	110.24
4	E	6	MAN	C1-O5-C5	3.19	116.52	112.19
4	E	7	MAN	C1-O5-C5	2.87	116.08	112.19
3	C	3	BMA	C2-C3-C4	2.78	115.71	110.89
3	C	4	MAN	C1-O5-C5	2.69	115.84	112.19
3	C	5	MAN	C1-O5-C5	2.59	115.70	112.19
4	E	9	MAN	C1-O5-C5	2.57	115.68	112.19
4	E	4	MAN	C1-O5-C5	2.55	115.64	112.19
4	E	7	MAN	O2-C2-C3	-2.23	105.67	110.14
4	E	6	MAN	O2-C2-C3	-2.20	105.74	110.14
4	E	5	MAN	C1-O5-C5	2.19	115.16	112.19
3	C	4	MAN	O2-C2-C3	-2.19	105.75	110.14
3	C	5	MAN	O2-C2-C3	-2.18	105.77	110.14
4	E	5	MAN	O2-C2-C3	-2.13	105.87	110.14
4	E	9	MAN	O2-C2-C3	-2.12	105.90	110.14
4	E	3	BMA	C1-C2-C3	2.10	112.25	109.67
4	E	8	MAN	O2-C2-C3	-2.06	106.01	110.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	E	4	MAN	O2-C2-C3	-2.02	106.09	110.14

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	3	BMA	O5-C5-C6-O6
4	E	3	BMA	O5-C5-C6-O6
4	E	5	MAN	O5-C5-C6-O6
4	E	3	BMA	C4-C5-C6-O6
3	C	3	BMA	C4-C5-C6-O6
4	E	5	MAN	C4-C5-C6-O6
2	D	1	NAG	C8-C7-N2-C2
2	D	1	NAG	O7-C7-N2-C2
3	C	4	MAN	O5-C5-C6-O6
2	D	2	NAG	C4-C5-C6-O6
2	D	2	NAG	O5-C5-C6-O6
3	C	4	MAN	C4-C5-C6-O6
4	E	9	MAN	O5-C5-C6-O6

All (2) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	E	9	MAN	C1-C2-C3-C4-C5-O5
4	E	8	MAN	C1-C2-C3-C4-C5-O5

1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	9	MAN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


Oligosaccharide Chain B




Bond lengths



Bond angles




Torsions




Rings


Oligosaccharide Chain D




Bond lengths



Bond angles




Torsions




Rings


Oligosaccharide Chain C




Bond lengths




Bond angles



Torsions



Rings



5.6 Ligand geometry (i)

Of 20 ligands modelled in this entry, 2 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
6	C14	A	1103	-	13,13,13	0.15	0	12,12,12	0.13	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
6	C14	A	1113	-	13,13,13	0.17	0	12,12,12	0.14	0
5	AV0	A	1101	-	72,72,72	0.13	0	96,98,98	0.46	0
6	C14	A	1110	-	13,13,13	0.14	0	12,12,12	0.12	0
10	A1FB4	A	1118	-	40,44,44	0.27	0	47,70,70	1.17	5 (10%)
6	C14	A	1109	-	13,13,13	0.14	0	12,12,12	0.15	0
6	C14	A	1104	-	13,13,13	0.14	0	12,12,12	0.12	0
6	C14	A	1102	-	13,13,13	0.14	0	12,12,12	0.13	0
9	R16	A	1117	-	15,15,15	0.14	0	14,14,14	0.13	0
7	LBN	A	1106	-	51,51,51	1.04	3 (5%)	57,59,59	0.86	2 (3%)
9	R16	A	1115	-	15,15,15	0.17	0	14,14,14	0.11	0
6	C14	A	1112	-	13,13,13	0.14	0	12,12,12	0.12	0
8	A1E8F	A	1114	-	17,17,17	0.14	0	16,16,16	0.11	0
9	R16	A	1116	-	15,15,15	0.15	0	14,14,14	0.12	0
7	LBN	A	1105	-	51,51,51	1.04	3 (5%)	57,59,59	0.85	2 (3%)
6	C14	A	1111	-	13,13,13	0.14	0	12,12,12	0.10	0
6	C14	A	1108	-	13,13,13	0.14	0	12,12,12	0.14	0
6	C14	A	1107	-	13,13,13	0.14	0	12,12,12	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	C14	A	1103	-	-	1/11/11/11	-
6	C14	A	1113	-	-	2/11/11/11	-
5	AV0	A	1101	-	-	10/50/130/130	0/4/4/4
6	C14	A	1110	-	-	0/11/11/11	-
10	A1FB4	A	1118	-	-	11/20/95/95	0/4/4/4
6	C14	A	1109	-	-	0/11/11/11	-
6	C14	A	1104	-	-	1/11/11/11	-
6	C14	A	1102	-	-	2/11/11/11	-
9	R16	A	1117	-	-	1/13/13/13	-
7	LBN	A	1106	-	-	24/55/55/55	-
9	R16	A	1115	-	-	1/13/13/13	-
6	C14	A	1112	-	-	0/11/11/11	-
8	A1E8F	A	1114	-	-	2/15/15/15	-
9	R16	A	1116	-	-	2/13/13/13	-
7	LBN	A	1105	-	-	20/55/55/55	-
6	C14	A	1111	-	-	0/11/11/11	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	C14	A	1108	-	-	0/11/11/11	-
6	C14	A	1107	-	-	0/11/11/11	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	1106	LBN	O5-C25	2.92	1.41	1.33
7	A	1105	LBN	O5-C25	2.88	1.41	1.33
7	A	1105	LBN	O7-C2	-2.70	1.39	1.46
7	A	1106	LBN	O7-C2	-2.67	1.39	1.46
7	A	1105	LBN	O7-C34	2.29	1.40	1.34
7	A	1106	LBN	O7-C34	2.27	1.40	1.34

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
7	A	1105	LBN	O7-C34-C35	4.10	120.34	111.50
7	A	1106	LBN	O7-C34-C35	3.92	119.95	111.50
10	A	1118	A1FB4	C35-C27-C25	3.76	119.48	111.17
10	A	1118	A1FB4	C20-C22-C23	-3.18	103.19	113.61
10	A	1118	A1FB4	C27-C25-C24	2.80	119.62	113.24
7	A	1106	LBN	O5-C25-C26	2.72	120.45	111.91
7	A	1105	LBN	O5-C25-C26	2.47	119.66	111.91
10	A	1118	A1FB4	O28-C27-C25	-2.07	100.73	105.36
10	A	1118	A1FB4	C6-C5-C3	2.01	122.62	117.12

There are no chirality outliers.

All (77) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1101	AV0	CBL-CBR-CCM-CBQ
5	A	1101	AV0	CBL-CBR-CCM-CBS
5	A	1101	AV0	CBL-CBR-CCM-CBT
7	A	1105	LBN	C1-O1-P1-O3
7	A	1105	LBN	C9-O2-P1-O1
7	A	1105	LBN	C9-O2-P1-O3
7	A	1105	LBN	C9-O2-P1-O4
7	A	1105	LBN	C35-C34-O7-C2
7	A	1105	LBN	O8-C34-O7-C2
7	A	1106	LBN	C9-O2-P1-O1
7	A	1106	LBN	C9-O2-P1-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
10	A	1118	A1FB4	C3-C5-C6-C7
10	A	1118	A1FB4	C3-C5-C6-C9
10	A	1118	A1FB4	C7-C6-C9-C10
10	A	1118	A1FB4	O8-C6-C9-C10
10	A	1118	A1FB4	C12-C13-C14-C15
10	A	1118	A1FB4	C17-C13-C14-C15
5	A	1101	AV0	C3-C4-O4-CCR
7	A	1106	LBN	O8-C34-O7-C2
7	A	1106	LBN	C35-C34-O7-C2
7	A	1106	LBN	C35-C36-C37-C38
7	A	1106	LBN	O7-C2-C3-O5
5	A	1101	AV0	CCH-CCQ-OCB-CCS
7	A	1106	LBN	C26-C27-C28-C29
7	A	1105	LBN	C26-C25-O5-C3
5	A	1101	AV0	OBZ-CCS-OCB-CCQ
7	A	1106	LBN	C32-C33-C4-C7
5	A	1101	AV0	CCF-CCQ-OCB-CCS
7	A	1105	LBN	C1-O1-P1-O2
7	A	1106	LBN	C30-C31-C32-C33
7	A	1106	LBN	C31-C32-C33-C4
9	A	1117	R16	C30-C31-C32-C33
7	A	1105	LBN	O6-C25-O5-C3
6	A	1104	C14	C04-C05-C06-C07
7	A	1105	LBN	C36-C37-C38-C39
9	A	1116	R16	C36-C37-C38-C39
7	A	1105	LBN	C38-C39-C40-C41
7	A	1106	LBN	C14-C17-C20-C22
7	A	1106	LBN	C1-C2-C3-O5
7	A	1106	LBN	C7-C10-C13-C16
10	A	1118	A1FB4	C5-C6-C9-C10
7	A	1106	LBN	C33-C4-C7-C10
6	A	1113	C14	C09-C10-C11-C12
9	A	1116	R16	C31-C32-C33-C34
6	A	1103	C14	C03-C04-C05-C06
9	A	1115	R16	C27-C28-C29-C30
7	A	1105	LBN	O1-C1-C2-O7
7	A	1106	LBN	C28-C29-C30-C31
6	A	1102	C14	C06-C07-C08-C09
6	A	1113	C14	C06-C07-C08-C09
7	A	1106	LBN	C26-C25-O5-C3
10	A	1118	A1FB4	C3-C5-C6-O8
7	A	1105	LBN	C2-C3-O5-C25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	1106	LBN	O6-C25-O5-C3
7	A	1105	LBN	C1-O1-P1-O4
7	A	1106	LBN	C29-C30-C31-C32
7	A	1105	LBN	N1-C6-C9-O2
7	A	1106	LBN	N1-C6-C9-O2
7	A	1106	LBN	C13-C10-C7-C4
7	A	1105	LBN	C42-C5-C8-C11
7	A	1105	LBN	C2-C1-O1-P1
7	A	1106	LBN	C17-C20-C22-C23
10	A	1118	A1FB4	C4-C3-C5-C6
7	A	1105	LBN	C14-C17-C20-C22
5	A	1101	AV0	CBF-CBH-CBJ-CBL
8	A	1114	A1E8F	C9-C10-C11-C12
5	A	1101	AV0	C5-C4-O4-CCR
10	A	1118	A1FB4	C13-C12-O11-C10
10	A	1118	A1FB4	C17-C13-C14-C16
7	A	1105	LBN	C40-C41-C42-C5
7	A	1106	LBN	C42-C5-C8-C11
7	A	1106	LBN	C40-C41-C42-C5
7	A	1105	LBN	O1-C1-C2-C3
6	A	1102	C14	C05-C06-C07-C08
7	A	1106	LBN	C1-O1-P1-O4
5	A	1101	AV0	CBB-CBD-CBF-CBH
8	A	1114	A1E8F	C7-C8-C9-C10

There are no ring outliers.


11 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1103	C14	2	0
6	A	1110	C14	1	0
10	A	1118	A1FB4	5	0
6	A	1109	C14	1	0
6	A	1104	C14	1	0
6	A	1102	C14	1	0
9	A	1115	R16	1	0
9	A	1116	R16	2	0
6	A	1111	C14	2	0
6	A	1108	C14	1	0
6	A	1107	C14	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand AV0 A 1101




Ligand A1FB4 A 1118




Bond lengths



Bond angles




Torsions




Rings


Ligand LBN A 1106




Bond lengths



Bond angles




Torsions




Rings

Ligand A1E8F A 1114



Ligand LBN A 1105



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.


6 Map visualisation

This section contains visualisations of the EMDB entry EMD-69946. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)


6.3.1 Primary map



X Index: 128




Y Index: 141




Z Index: 101


6.3.2 Raw map



X Index: 132



Y Index: 138




Z Index: 138


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views (i)

6.5.1 Primary map



X Y Z

The images above show the 3D surface view of the map at the recommended contour level 0.0653. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X Y Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate



The volume at the recommended contour level is 57 nm^3; this corresponds to an approximate mass of 51 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)




*Reported resolution corresponds to spatial frequency of 0.427 Å^{-1}

8 Fourier-Shell correlation

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC



*Reported resolution corresponds to spatial frequency of 0.427 Å^{-1}

8.2 Resolution estimates (i)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.34	-	-
Author-provided FSC curve	2.34	2.66	2.40
Unmasked-calculated*	3.16	3.58	3.22

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.16 differs from the reported value 2.34 by more than 10 %


9 Map-model fit

This section contains information regarding the fit between EMDB map EMD-69946 and PDB model 24ZT. Per-residue inclusion information can be found in section 3 on page 11.


9.1 Map-model overlay



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0653 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.


9.2 Q-score mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


9.3 Atom inclusion mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0653).

9.4 Atom inclusion (i)



At the recommended contour level, 97% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.0653) and Q-score for the entire model and for each chain.



Chain	Atom inclusion	Q-score
All	0.9460	0.6470
A	0.9540	0.6510
B	0.8570	0.5910
C	0.6720	0.4910
D	0.5710	0.4450
E	0.6860	0.4980