



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 17, 2026 – 02:00 pm BST

PDB ID : 28JD / pdb_000028jd
Title : BKPvV VP1 IN COMPLEX WITH scFv 319C07
Authors : Ubeda Nicolau, C.; Akkermans, O.; Sienaert, S.; De Graef, S.; Munawar, A.;
Weeks, S.D.
Deposited on : 2026-02-03
Resolution : 3.73 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1182 (3.84-3.60)
Clashscore	190562	1222 (3.84-3.60)
Ramachandran outliers	187476	1178 (3.84-3.60)
Sidechain outliers	187428	1174 (3.84-3.60)
RSRZ outliers	180081	1181 (3.84-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	273	
1	B	273	
1	C	273	
1	D	273	
1	E	273	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	255	% 81% 7% • 10%
2	G	255	% 83% • • 11%
2	H	255	85% • • 11%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 15393 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein VP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	263	Total	C	N	O	S	0	0	0
			2026	1272	350	392	12			
1	B	261	Total	C	N	O	S	0	0	0
			2014	1267	347	388	12			
1	C	261	Total	C	N	O	S	0	0	0
			2009	1262	346	389	12			
1	D	263	Total	C	N	O	S	0	0	0
			2026	1272	350	392	12			
1	E	258	Total	C	N	O	S	0	0	0
			1999	1257	346	384	12			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	25	GLY	-	expression tag	UNP A0A3G2SFE7
A	104	SER	CYS	engineered mutation	UNP A0A3G2SFE7
B	25	GLY	-	expression tag	UNP A0A3G2SFE7
B	104	SER	CYS	engineered mutation	UNP A0A3G2SFE7
C	25	GLY	-	expression tag	UNP A0A3G2SFE7
C	104	SER	CYS	engineered mutation	UNP A0A3G2SFE7
D	25	GLY	-	expression tag	UNP A0A3G2SFE7
D	104	SER	CYS	engineered mutation	UNP A0A3G2SFE7
E	25	GLY	-	expression tag	UNP A0A3G2SFE7
E	104	SER	CYS	engineered mutation	UNP A0A3G2SFE7

- Molecule 2 is a protein called 319C07 scFv.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	F	229	Total	C	N	O	S	19	0	0
			1783	1136	303	340	4			
2	G	226	Total	C	N	O	S	28	0	0
			1760	1121	298	337	4			

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	228	Total	C	N	O	S	16	0	0
			1776	1131	301	340	4			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1



- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1

Chain E:  85% 9% 5%




- Molecule 2: 319C07 scFv

Chain F:  81% 7% 10%




- Molecule 2: 319C07 scFv

Chain G:  83% 11% 6%



- Molecule 2: 319C07 scFv

Chain H:  85% 11% 4%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	110.25Å 151.89Å 164.69Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	111.90 – 3.73 111.65 – 3.73	Depositor EDS
% Data completeness (in resolution range)	99.9 (111.90-3.73) 99.9 (111.65-3.73)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.40 (at 3.78Å)	Xtriage
Refinement program	REFMAC 5.8.0430 (refmacat 0.4.100)	Depositor
R, R_{free}	0.246 , 0.294 0.252 , 0.286	Depositor DCC
R_{free} test set	1475 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	101.1	Xtriage
Anisotropy	0.120	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 97.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	15393	wwPDB-VP
Average B, all atoms (Å ²)	122.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.54	0/2071	0.94	1/2815 (0.0%)
1	B	0.54	0/2059	0.97	2/2797 (0.1%)
1	C	0.53	0/2054	0.93	0/2793
1	D	0.54	0/2071	0.96	2/2815 (0.1%)
1	E	0.55	1/2043 (0.0%)	0.92	0/2773
2	F	0.92	3/1832 (0.2%)	1.12	11/2494 (0.4%)
2	G	0.81	2/1809 (0.1%)	1.41	8/2464 (0.3%)
2	H	1.65	2/1825 (0.1%)	1.07	5/2486 (0.2%)
All	All	0.83	8/15764 (0.1%)	1.04	29/21437 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
1	D	0	1
1	E	0	1
2	F	0	1
2	G	0	2
2	H	0	2
All	All	0	9

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	78	ARG	NE-CZ	61.30	2.00	1.33
2	F	156	ARG	CD-NE	-28.85	1.05	1.46
2	H	24	ARG	NE-CZ	26.13	1.61	1.33
2	G	156	ARG	CD-NE	22.91	1.78	1.46
2	G	243	GLN	CG-CD	9.77	1.76	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	194	ARG	CG-CD	-8.94	1.25	1.52
2	F	173	LYS	CG-CD	-8.05	1.28	1.52
1	E	136	HIS	CG-CD2	-5.58	1.29	1.35

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	78	ARG	NE-CZ-NH2	27.62	144.06	119.20
2	G	78	ARG	NE-CZ-NH1	-27.12	94.38	121.50
2	G	243	GLN	CG-CD-NE2	23.15	151.13	116.40
2	G	78	ARG	CD-NE-CZ	21.80	154.92	124.40
2	G	243	GLN	CG-CD-OE1	-18.45	83.90	120.80
2	H	78	ARG	CD-NE-CZ	-18.16	98.98	124.40
2	F	131	GLN	CB-CG-CD	-18.09	81.84	112.60
2	F	135	GLN	CB-CG-CD	15.75	139.37	112.60
2	H	24	ARG	CD-NE-CZ	-14.95	103.47	124.40
2	H	24	ARG	NE-CZ-NH2	-14.92	105.77	119.20
2	F	131	GLN	CG-CD-NE2	13.19	136.18	116.40
2	G	135	GLN	CB-CG-CD	12.14	133.24	112.60
2	H	24	ARG	NE-CZ-NH1	12.00	133.50	121.50
2	G	156	ARG	CD-NE-CZ	-11.57	108.21	124.40
2	F	205	LYS	CD-CE-NZ	10.56	145.69	111.90
2	H	78	ARG	NE-CZ-NH1	-10.29	111.21	121.50
2	F	131	GLN	CG-CD-OE1	-9.78	101.24	120.80
2	F	156	ARG	CD-NE-CZ	-9.60	110.96	124.40
2	F	135	GLN	CG-CD-NE2	-9.52	102.12	116.40
2	G	156	ARG	CG-CD-NE	-9.52	91.06	112.00
1	D	98	LEU	N-CA-CB	7.59	123.32	110.49
2	F	173	LYS	CG-CD-CE	6.08	125.29	111.30
2	F	135	GLN	CG-CD-OE1	5.92	132.64	120.80
2	F	194	ARG	CG-CD-NE	-5.69	99.49	112.00
2	F	219	ASP	CA-CB-CG	5.42	118.02	112.60
1	B	214	ARG	CG-CD-NE	5.19	123.43	112.00
1	A	82	ARG	CB-CG-CD	5.18	123.22	111.30
1	D	180	LYS	CB-CG-CD	5.09	123.00	111.30
1	B	82	ARG	CB-CG-CD	5.05	122.92	111.30

There are no chirality outliers.

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	214	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	C	214	ARG	Sidechain
1	D	214	ARG	Sidechain
1	E	82	ARG	Sidechain
2	F	30	VAL	Peptide
2	G	135	GLN	Sidechain
2	G	156	ARG	Sidechain
2	H	24	ARG	Sidechain
2	H	78	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2026	0	1970	13	0
1	B	2014	0	1969	22	1
1	C	2009	0	1951	20	0
1	D	2026	0	1970	20	0
1	E	1999	0	1952	17	0
2	F	1783	0	1725	21	0
2	G	1760	0	1697	13	0
2	H	1776	0	1714	13	1
All	All	15393	0	14948	125	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:165:THR:CG2	2:H:167:PHE:HE1	1.73	1.00
2:F:215:VAL:HG23	2:F:249:VAL:HG11	1.50	0.94
2:H:165:THR:HG21	2:H:167:PHE:HE1	1.41	0.83
2:H:165:THR:CG2	2:H:167:PHE:CE1	2.62	0.82
2:F:186:TYR:OH	2:G:58:GLY:HA2	1.84	0.78
2:H:165:THR:HG22	2:H:167:PHE:HE1	1.48	0.78
1:A:120:ILE:HD11	1:A:285:TYR:HB2	1.64	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:120:ILE:HD11	1:E:285:TYR:HB2	1.66	0.77
1:B:142:LYS:HE3	1:B:145:GLN:HE21	1.47	0.77
1:D:120:ILE:HD11	1:D:285:TYR:HB2	1.65	0.77
1:C:120:ILE:HD11	1:C:285:TYR:HB2	1.66	0.77
2:H:165:THR:HG22	2:H:167:PHE:CE1	2.19	0.77
1:B:120:ILE:HD11	1:B:285:TYR:HB2	1.65	0.76
1:D:33:GLU:OE2	1:D:296:LYS:HG3	1.85	0.74
2:F:146:GLU:O	2:F:215:VAL:HG13	1.87	0.74
2:F:204:SER:HA	2:G:156:ARG:CD	2.18	0.73
1:A:62:LEU:HD11	2:G:235:HIS:CG	2.25	0.72
1:C:259:LEU:HD21	1:C:288:ILE:HD13	1.72	0.72
1:D:259:LEU:HD21	1:D:288:ILE:HD13	1.74	0.70
1:C:47:VAL:CG1	1:C:93:ILE:HG21	2.21	0.69
2:G:198:SER:HB2	2:G:213:ARG:HH22	1.58	0.69
2:H:165:THR:HG21	2:H:167:PHE:CE1	2.25	0.69
1:C:47:VAL:HG11	1:C:93:ILE:HG21	1.75	0.68
1:D:33:GLU:CG	1:D:296:LYS:HB2	2.24	0.67
1:C:50:PHE:CE1	1:C:120:ILE:HD12	2.32	0.65
1:D:33:GLU:HG2	1:D:296:LYS:HB2	1.78	0.65
1:D:50:PHE:CE1	1:D:120:ILE:HD12	2.31	0.64
1:E:50:PHE:CE1	1:E:120:ILE:HD12	2.33	0.64
1:B:50:PHE:CE1	1:B:120:ILE:HD12	2.32	0.64
2:F:215:VAL:HG23	2:F:249:VAL:CG1	2.24	0.64
2:F:215:VAL:CG2	2:F:249:VAL:HG11	2.26	0.62
1:A:50:PHE:CE1	1:A:120:ILE:HD12	2.35	0.62
1:B:168:TYR:HD1	1:B:187:GLN:NE2	1.99	0.61
2:F:204:SER:HA	2:G:156:ARG:HD2	1.83	0.61
1:B:168:TYR:H	1:B:187:GLN:HE21	1.50	0.60
2:F:35:LEU:HD22	2:F:73:PHE:CG	2.35	0.60
2:H:166:TRP:C	2:H:167:PHE:HD1	2.10	0.60
1:A:58:PRO:HA	1:A:83:LYS:HD3	1.84	0.59
1:E:211:ASP:OD2	1:E:214:ARG:HD2	2.03	0.59
2:F:215:VAL:CG2	2:F:249:VAL:CG1	2.81	0.58
2:F:216:ASN:O	2:F:217:ALA:HB3	2.03	0.58
1:B:42:ASP:C	1:B:43:ALA:O	2.48	0.57
1:D:58:PRO:HA	1:D:83:LYS:HD3	1.86	0.57
1:B:37:VAL:O	1:B:292:LYS:O	2.22	0.57
1:E:58:PRO:HA	1:E:83:LYS:HD3	1.88	0.56
1:B:50:PHE:HE1	1:B:120:ILE:HD12	1.71	0.56
1:B:142:LYS:HE3	1:B:145:GLN:NE2	2.19	0.56
1:D:50:PHE:HE1	1:D:120:ILE:HD12	1.69	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:145:GLN:HE22	1:C:228:GLU:HG3	1.69	0.56
2:F:52:GLY:O	2:F:53:ALA:HB3	2.06	0.56
1:C:50:PHE:HE1	1:C:120:ILE:HD12	1.70	0.56
1:C:58:PRO:HA	1:C:83:LYS:HD3	1.88	0.55
1:E:50:PHE:HE1	1:E:120:ILE:HD12	1.72	0.55
1:B:58:PRO:HA	1:B:83:LYS:HD3	1.89	0.54
2:F:186:TYR:OH	2:G:58:GLY:CA	2.55	0.54
2:G:51:GLY:O	2:G:52:ALA:HB3	2.07	0.54
2:F:216:ASN:OD1	2:F:219:ASP:OD1	2.26	0.54
1:A:50:PHE:HE1	1:A:120:ILE:CD1	2.22	0.53
1:D:50:PHE:HE1	1:D:120:ILE:CD1	2.21	0.53
1:D:132:SER:HB3	1:D:270:PHE:CE1	2.42	0.53
1:E:50:PHE:HE1	1:E:120:ILE:CD1	2.22	0.53
1:C:132:SER:HB3	1:C:270:PHE:CE1	2.43	0.53
1:E:68:LYS:HE2	1:E:276:THR:HG21	1.91	0.53
1:E:132:SER:HB3	1:E:270:PHE:CE1	2.43	0.53
1:B:50:PHE:HE1	1:B:120:ILE:CD1	2.22	0.52
1:C:50:PHE:HE1	1:C:120:ILE:CD1	2.23	0.52
1:B:44:ILE:HA	1:B:290:LEU:O	2.10	0.52
1:A:50:PHE:HE1	1:A:120:ILE:HD12	1.74	0.51
1:B:168:TYR:HD1	1:B:187:GLN:HE21	1.57	0.51
1:A:88:TYR:CE1	1:A:205:VAL:HA	2.47	0.50
1:C:62:LEU:HD11	2:H:235:HIS:CG	2.47	0.50
2:F:217:ALA:HA	2:F:249:VAL:HB	1.94	0.49
1:C:120:ILE:HD11	1:C:285:TYR:CB	2.41	0.49
1:B:37:VAL:O	1:B:38:LYS:HB2	2.13	0.48
1:B:211:ASP:OD2	1:B:214:ARG:HD3	2.13	0.48
1:C:98:LEU:CD2	1:C:292:LYS:HE2	2.44	0.48
1:B:50:PHE:CD1	1:B:120:ILE:HD12	2.49	0.48
1:E:274:SER:OG	2:F:236:ASP:OD2	2.22	0.47
1:C:50:PHE:CD1	1:C:120:ILE:HD12	2.50	0.47
1:C:132:SER:HB3	1:C:270:PHE:HE1	1.80	0.47
1:D:132:SER:HB3	1:D:270:PHE:HE1	1.80	0.47
1:A:50:PHE:CE1	1:A:120:ILE:CD1	2.99	0.46
1:D:50:PHE:CD1	1:D:120:ILE:HD12	2.49	0.46
1:E:50:PHE:CD1	1:E:120:ILE:HD12	2.50	0.46
1:E:50:PHE:CE1	1:E:120:ILE:CD1	2.99	0.46
1:E:120:ILE:HD11	1:E:285:TYR:CB	2.41	0.45
1:E:132:SER:HB3	1:E:270:PHE:HE1	1.80	0.45
1:B:120:ILE:HD11	1:B:285:TYR:CB	2.40	0.45
1:C:60:GLU:OE2	2:H:31:SER:HA	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:47:VAL:HG13	1:C:93:ILE:HG21	1.94	0.45
2:F:22:LEU:HD23	2:F:104:THR:HB	1.99	0.45
1:A:50:PHE:CD1	1:A:120:ILE:HD12	2.52	0.45
1:D:33:GLU:HG3	1:D:296:LYS:HB2	1.97	0.44
1:A:120:ILE:HD11	1:A:285:TYR:CB	2.40	0.44
1:B:114:THR:HB	1:B:241:THR:CG2	2.48	0.44
1:D:120:ILE:HD11	1:D:285:TYR:CB	2.40	0.44
1:C:114:THR:HB	1:C:241:THR:CG2	2.49	0.43
1:B:38:LYS:C	1:B:40:GLY:H	2.26	0.43
2:H:167:PHE:HD1	2:H:167:PHE:N	2.17	0.43
1:A:98:LEU:CD2	1:A:292:LYS:HE2	2.49	0.43
2:H:167:PHE:N	2:H:167:PHE:CD1	2.87	0.43
2:F:204:SER:HB3	2:G:133:GLN:CD	2.43	0.43
1:D:33:GLU:OE2	1:D:296:LYS:CG	2.62	0.42
1:D:130:ALA:HB2	1:E:78:ASP:OD2	2.19	0.42
1:D:114:THR:HB	1:D:241:THR:CG2	2.49	0.42
1:E:114:THR:HB	1:E:241:THR:CG2	2.49	0.42
2:G:198:SER:HB2	2:G:213:ARG:NH2	2.30	0.42
2:F:35:LEU:HD22	2:F:73:PHE:CB	2.49	0.42
1:E:33:GLU:HB2	1:E:296:LYS:HB2	2.02	0.42
1:C:50:PHE:CE1	1:C:120:ILE:CD1	2.99	0.42
1:A:114:THR:HB	1:A:241:THR:CG2	2.49	0.42
2:F:204:SER:N	2:G:133:GLN:OE1	2.53	0.42
2:H:21:LEU:HD23	2:H:103:THR:HB	2.02	0.41
1:B:37:VAL:O	1:B:37:VAL:HG12	2.20	0.41
2:G:21:LEU:HD23	2:G:103:THR:HB	2.01	0.41
1:B:107:LEU:HD12	1:B:107:LEU:N	2.35	0.41
1:C:98:LEU:HD22	1:C:292:LYS:HE2	2.03	0.41
2:H:30:SER:OG	2:H:93:GLY:O	2.39	0.41
1:E:270:PHE:O	1:E:277:GLN:HA	2.21	0.41
1:A:62:LEU:HD11	2:G:235:HIS:CD2	2.55	0.41
1:D:50:PHE:CE1	1:D:120:ILE:CD1	2.98	0.40
1:D:98:LEU:CD2	1:D:292:LYS:HE2	2.51	0.40
1:D:270:PHE:O	1:D:277:GLN:HA	2.22	0.40
2:F:146:GLU:O	2:F:215:VAL:CG1	2.63	0.40
2:F:204:SER:CA	2:G:156:ARG:HD2	2.50	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:196:TYR:OH	2:H:205:LYS:NZ[3_544]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	259/273 (95%)	249 (96%)	9 (4%)	1 (0%)	30	60
1	B	257/273 (94%)	243 (95%)	11 (4%)	3 (1%)	10	39
1	C	257/273 (94%)	247 (96%)	9 (4%)	1 (0%)	30	60
1	D	259/273 (95%)	247 (95%)	9 (4%)	3 (1%)	10	39
1	E	252/273 (92%)	242 (96%)	9 (4%)	1 (0%)	30	60
2	F	225/255 (88%)	218 (97%)	7 (3%)	0	100	100
2	G	222/255 (87%)	216 (97%)	6 (3%)	0	100	100
2	H	224/255 (88%)	218 (97%)	6 (3%)	0	100	100
All	All	1955/2130 (92%)	1880 (96%)	66 (3%)	9 (0%)	24	56

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	43	ALA
1	B	44	ILE
1	D	97	ASN
1	D	98	LEU
1	A	188	VAL
1	B	188	VAL
1	C	188	VAL
1	D	188	VAL
1	E	188	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/234 (96%)	219 (98%)	5 (2%)	45	63
1	B	223/234 (95%)	215 (96%)	8 (4%)	31	54
1	C	222/234 (95%)	214 (96%)	8 (4%)	31	54
1	D	224/234 (96%)	217 (97%)	7 (3%)	35	56
1	E	222/234 (95%)	214 (96%)	8 (4%)	31	54
2	F	193/213 (91%)	188 (97%)	5 (3%)	40	60
2	G	191/213 (90%)	189 (99%)	2 (1%)	68	74
2	H	193/213 (91%)	192 (100%)	1 (0%)	81	80
All	All	1692/1809 (94%)	1648 (97%)	44 (3%)	40	60

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	CYS
1	A	77	SER
1	A	120	ILE
1	A	171	LYS
1	A	289	ARG
1	B	45	THR
1	B	49	CYS
1	B	60	GLU
1	B	77	SER
1	B	107	LEU
1	B	113	VAL
1	B	120	ILE
1	B	289	ARG
1	C	60	GLU
1	C	92	ARG
1	C	93	ILE
1	C	120	ILE
1	C	171	LYS
1	C	180	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	273	SER
1	C	289	ARG
1	D	49	CYS
1	D	60	GLU
1	D	77	SER
1	D	93	ILE
1	D	120	ILE
1	D	137	GLU
1	D	289	ARG
1	E	47	VAL
1	E	49	CYS
1	E	77	SER
1	E	113	VAL
1	E	120	ILE
1	E	136	HIS
1	E	289	ARG
1	E	297	ASN
2	F	28	GLN
2	F	35	LEU
2	F	173	LYS
2	F	215	VAL
2	F	219	ASP
2	G	11	LEU
2	G	243	GLN
2	H	167	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	97	ASN
1	A	116	GLN
1	A	272	ASN
1	B	97	ASN
1	B	145	GLN
1	B	187	GLN
1	B	272	ASN
1	D	97	ASN
2	F	133	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	263/273 (96%)	-0.05	3 (1%) 78 54	81, 110, 146, 177	0
1	B	261/273 (95%)	-0.18	1 (0%) 88 72	85, 113, 146, 178	0
1	C	261/273 (95%)	-0.09	7 (2%) 56 35	90, 118, 146, 169	0
1	D	263/273 (96%)	-0.11	4 (1%) 72 46	84, 110, 141, 187	0
1	E	258/273 (94%)	-0.06	4 (1%) 70 45	82, 109, 145, 179	0
2	F	229/255 (89%)	-0.25	2 (0%) 81 58	70, 120, 156, 179	6 (2%)
2	G	226/255 (88%)	-0.12	3 (1%) 75 50	66, 146, 184, 206	10 (4%)
2	H	228/255 (89%)	-0.16	1 (0%) 88 72	80, 143, 180, 206	6 (2%)
All	All	1989/2130 (93%)	-0.13	25 (1%) 75 50	66, 118, 165, 206	22 (1%)

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	147	SER	4.7
1	D	49	CYS	4.7
1	C	267	CYS	3.7
1	A	268	GLY	3.5
2	G	241	TRP	3.3
2	G	167	PHE	3.1
1	C	234	LEU	2.9
1	A	267	CYS	2.8
2	G	242	GLY	2.8
1	A	147	SER	2.6
1	D	30	GLY	2.6
1	E	147	SER	2.5
2	F	131	GLN	2.5
1	C	281	GLY	2.5
2	H	139	ALA	2.4
1	D	47	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	279	TRP	2.3
2	F	137	TRP	2.3
1	C	147	SER	2.2
1	D	93	ILE	2.2
1	E	148	ASN	2.2
1	C	277	GLN	2.1
1	E	223	THR	2.1
1	E	235	HIS	2.0
1	C	119	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.