



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 27, 2026 – 11:41 am BST

PDB ID : 28ZM / pdb_000028zm
Title : Crystal structure of human DHX8 in complex with compound 21 and ADP
Authors : Felisberto-Rodrigues, C.; Silva, S.T.N.; Le Bihan, Y.-V.; van Montfort, R.L.M.
Deposited on : 2026-03-03
Resolution : 2.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1407 (2.88-2.84)
Clashscore	190562	1446 (2.88-2.84)
Ramachandran outliers	187476	1406 (2.88-2.84)
Sidechain outliers	187428	1407 (2.88-2.84)
RSRZ outliers	180081	1408 (2.88-2.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	680	
1	B	680	
1	C	680	
1	D	680	

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 20494 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent RNA helicase DHX8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	631	Total	C	N	O	S	0	1	0
			4914	3146	819	914	35			
1	B	638	Total	C	N	O	S	0	1	1
			4907	3147	813	913	34			
1	C	633	Total	C	N	O	S	0	2	0
			4905	3142	808	921	34			
1	D	633	Total	C	N	O	S	0	1	0
			4873	3119	805	914	35			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	547	MET	-	initiating methionine	UNP Q14562
A	1221	HIS	-	expression tag	UNP Q14562
A	1222	HIS	-	expression tag	UNP Q14562
A	1223	HIS	-	expression tag	UNP Q14562
A	1224	HIS	-	expression tag	UNP Q14562
A	1225	HIS	-	expression tag	UNP Q14562
A	1226	HIS	-	expression tag	UNP Q14562
B	547	MET	-	initiating methionine	UNP Q14562
B	1221	HIS	-	expression tag	UNP Q14562
B	1222	HIS	-	expression tag	UNP Q14562
B	1223	HIS	-	expression tag	UNP Q14562
B	1224	HIS	-	expression tag	UNP Q14562
B	1225	HIS	-	expression tag	UNP Q14562
B	1226	HIS	-	expression tag	UNP Q14562
C	547	MET	-	initiating methionine	UNP Q14562
C	1221	HIS	-	expression tag	UNP Q14562
C	1222	HIS	-	expression tag	UNP Q14562
C	1223	HIS	-	expression tag	UNP Q14562
C	1224	HIS	-	expression tag	UNP Q14562
C	1225	HIS	-	expression tag	UNP Q14562
C	1226	HIS	-	expression tag	UNP Q14562

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	547	MET	-	initiating methionine	UNP Q14562
D	1221	HIS	-	expression tag	UNP Q14562
D	1222	HIS	-	expression tag	UNP Q14562
D	1223	HIS	-	expression tag	UNP Q14562
D	1224	HIS	-	expression tag	UNP Q14562
D	1225	HIS	-	expression tag	UNP Q14562
D	1226	HIS	-	expression tag	UNP Q14562

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	C	1	Total 4	C 2	O 2	0	0
5	C	1	Total 4	C 2	O 2	0	0
5	C	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0

- Molecule 6 is 2-naphthalen-2-ylsulfanylpuridine-3-carboxylic acid (CCD ID: A1J1F) (formula: C₁₆H₁₁NO₂S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C N O S 40 32 2 4 2	0	1
6	B	1	Total C N O S 20 16 1 2 1	0	0
6	C	1	Total C N O S 20 16 1 2 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	D	1	Total	C	N	O	S	0	1
			40	32	2	4	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	136	Total	O	0	1
			137	137		
7	B	129	Total	O	0	1
			130	130		
7	C	113	Total	O	0	1
			114	114		
7	D	90	Total	O	0	0
			90	90		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATP-dependent RNA helicase DHX8




- Molecule 1: ATP-dependent RNA helicase DHX8



- Molecule 1: ATP-dependent RNA helicase DHX8



• Molecule 1: ATP-dependent RNA helicase DHX8



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.66Å 167.18Å 137.12Å 90.00° 92.58° 90.00°	Depositor
Resolution (Å)	136.99 – 2.85 136.99 – 2.85	Depositor EDS
% Data completeness (in resolution range)	99.6 (136.99-2.85) 99.6 (136.99-2.85)	Depositor EDS
R_{merge}	0.35	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.75 (at 2.86Å)	Xtriage
Refinement program	BUSTER 2.10.4 (26-JUL-2023)	Depositor
R, R_{free}	0.210 , 0.249 0.206 , 0.242	Depositor DCC
R_{free} test set	3283 reflections (4.69%)	wwPDB-VP
Wilson B-factor (Å ²)	49.3	Xtriage
Anisotropy	0.547	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 73.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.109 for h,-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	20494	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, A1J1F, DMS, MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.68	0/5013	1.03	1/6805 (0.0%)
1	B	0.67	0/5004	1.02	1/6789 (0.0%)
1	C	0.66	0/5004	1.02	6/6794 (0.1%)
1	D	0.66	0/4971	1.02	2/6756 (0.0%)
All	All	0.67	0/19992	1.02	10/27144 (0.0%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1040	GLY	N-CA-C	7.48	121.59	110.97
1	D	1040	GLY	N-CA-C	7.39	121.47	110.97
1	C	1040	GLY	N-CA-C	7.38	121.45	110.97
1	B	1040	GLY	N-CA-C	7.27	121.30	110.97
1	C	1180	PHE	CA-CB-CG	6.64	120.44	113.80
1	C	591	GLY	CA-C-N	5.67	127.88	120.28
1	C	591	GLY	C-N-CA	5.67	127.88	120.28
1	D	1160	GLU	N-CA-C	-5.24	102.09	109.96
1	C	1169	ASP	N-CA-C	-5.21	103.21	109.72
1	C	663	ASP	CA-CB-CG	5.16	117.76	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4914	0	4838	53	1
1	B	4907	0	4765	50	1
1	C	4905	0	4776	37	0
1	D	4873	0	4726	42	0
2	A	27	0	12	0	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
2	D	27	0	12	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	24	0	36	1	0
4	B	16	0	24	0	0
4	C	12	0	18	3	0
4	D	8	0	12	0	0
5	A	44	0	66	5	0
5	B	44	0	66	4	0
5	C	24	0	36	1	0
5	D	20	0	30	0	0
6	A	40	0	0	2	0
6	B	20	0	0	0	0
6	C	20	0	0	0	0
6	D	40	0	0	0	0
7	A	137	0	0	3	0
7	B	130	0	0	3	0
7	C	114	0	0	1	0
7	D	90	0	0	1	0
All	All	20494	0	19441	180	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (180) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:924:ASN:HD21	1:B:960:GLN:HE22	1.07	0.91
1:D:873:GLN:NE2	1:D:1160:GLU:OE2	2.10	0.84
1:C:1136:HIS:CE1	4:C:1305:DMS:H22	2.12	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1141:LEU:HD12	1:A:1165:VAL:HG12	1.69	0.75
1:C:1141:LEU:HD12	1:C:1165:VAL:HG12	1.69	0.74
1:B:1141:LEU:HD12	1:B:1165:VAL:HG12	1.69	0.73
1:D:1141:LEU:HD12	1:D:1165:VAL:HG12	1.69	0.73
1:C:828:ALA:HB2	1:C:834:LYS:HG3	1.74	0.70
1:A:652:THR:HG21	1:A:659:LYS:HD2	1.74	0.68
1:D:828:ALA:HB2	1:D:834:LYS:HG3	1.75	0.68
1:B:652:THR:HG21	1:B:659:LYS:HD2	1.76	0.67
1:B:736:THR:H	5:B:1306:EDO:H12	1.60	0.67
1:C:652:THR:HG21	1:C:659:LYS:HD2	1.75	0.67
1:D:688:HIS:ND1	1:D:689:GLU:OE2	2.27	0.67
1:D:652:THR:HG21	1:D:659:LYS:HD2	1.76	0.67
1:B:688:HIS:ND1	1:B:689:GLU:OE2	2.27	0.66
1:C:1086:MET:HE3	1:C:1093:VAL:HG22	1.79	0.64
1:C:1136:HIS:ND1	4:C:1305:DMS:H22	2.13	0.64
1:A:1086:MET:HE3	1:A:1093:VAL:HG22	1.79	0.63
1:B:873:GLN:NE2	1:B:1160:GLU:OE2	2.32	0.62
1:B:1086:MET:HE3	1:B:1093:VAL:HG22	1.80	0.62
1:D:583:ILE:HD11	1:D:705:VAL:HG21	1.80	0.62
1:D:1086:MET:HE3	1:D:1093:VAL:HG22	1.81	0.62
1:A:663:ASP:HB3	1:A:693:HIS:HB3	1.82	0.62
1:B:1154:LEU:HD13	1:B:1160:GLU:HG2	1.82	0.60
1:B:1068:GLN:HA	5:B:1311:EDO:H11	1.82	0.60
1:A:952:GLU:O	1:A:956:THR:OG1	2.20	0.60
1:C:995:MET:HE3	1:C:998:HIS:HB2	1.83	0.59
1:B:686:GLU:HA	1:B:688:HIS:NE2	2.18	0.59
1:D:800:LEU:HB3	1:D:804:VAL:HG21	1.84	0.59
1:C:800:LEU:HB3	1:C:804:VAL:HG21	1.86	0.58
1:C:986:GLU:HG2	1:C:987:PRO:HD2	1.85	0.58
1:B:602:LEU:HD13	1:B:681:ILE:HD13	1.85	0.58
1:D:602:LEU:HD13	1:D:681:ILE:HD13	1.85	0.58
1:A:602:LEU:HD13	1:A:681:ILE:HD13	1.84	0.58
1:A:651:CYS:HA	5:A:1307:EDO:H12	1.85	0.58
1:B:800:LEU:HB3	1:B:804:VAL:HG21	1.85	0.57
1:A:800:LEU:HB3	1:A:804:VAL:HG21	1.86	0.57
1:D:995:MET:HE3	1:D:998:HIS:HB2	1.85	0.57
1:B:995:MET:HE3	1:B:998:HIS:HB2	1.84	0.57
1:C:602:LEU:HD13	1:C:681:ILE:HD13	1.85	0.57
1:C:757:LEU:HD11	1:C:789:ALA:HB2	1.86	0.57
1:D:1039:GLU:HB2	1:D:1043:LEU:HD12	1.86	0.57
1:B:595:THR:HG22	1:B:626:VAL:HG11	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1039:GLU:HB2	1:C:1043:LEU:HD12	1.86	0.56
1:B:1039:GLU:HB2	1:B:1043:LEU:HD12	1.87	0.56
1:D:821:GLN:O	1:D:824:ILE:HG12	2.06	0.55
1:A:579:HIS:HB2	7:A:1431:HOH:O	2.05	0.55
1:A:1039:GLU:HB2	1:A:1043:LEU:HD12	1.88	0.55
1:A:757:LEU:HD11	1:A:789:ALA:HB2	1.87	0.55
1:A:690:ARG:NH2	1:A:947:ASP:OD2	2.40	0.55
1:A:828:ALA:HB2	1:A:834:LYS:HG3	1.88	0.54
1:B:663:ASP:HB3	1:B:693:HIS:HB3	1.89	0.54
1:B:757:LEU:HD11	1:B:789:ALA:HB2	1.88	0.54
1:B:986:GLU:HG2	7:B:1485:HOH:O	2.07	0.54
1:A:600:GLN:NE2	1:A:633:GLU:OE2	2.40	0.53
1:C:777:LEU:HB2	1:C:851:ILE:HD13	1.91	0.53
1:A:1031:LYS:NZ	5:A:1313:EDO:H11	2.23	0.53
1:A:878:PRO:HG3	5:A:1311:EDO:H12	1.91	0.53
1:A:1056:LYS:HD3	1:B:677:THR:HG21	1.91	0.53
1:A:558:ILE:O	1:A:562:ARG:HG3	2.09	0.52
1:C:836:VAL:HG21	1:C:848:ILE:HD13	1.91	0.52
1:C:646:ILE:HG22	1:C:662:THR:HG23	1.92	0.52
1:A:686:GLU:HA	1:A:688:HIS:NE2	2.24	0.52
1:B:681:ILE:HG12	1:B:712:LYS:HB2	1.92	0.52
1:A:681:ILE:HG12	1:A:712:LYS:HB2	1.92	0.51
1:D:681:ILE:HG12	1:D:712:LYS:HB2	1.92	0.51
1:C:681:ILE:HG12	1:C:712:LYS:HB2	1.93	0.51
1:D:777:LEU:HB2	1:D:851:ILE:HD13	1.92	0.51
1:A:777:LEU:HB2	1:A:851:ILE:HD13	1.93	0.51
1:B:836:VAL:HG21	1:B:848:ILE:HD13	1.93	0.51
1:B:979:ARG:HD3	1:B:1091:LEU:HD21	1.93	0.51
1:B:777:LEU:HB2	1:B:851:ILE:HD13	1.93	0.51
1:A:1002:SER:HB2	1:A:1086:MET:HE1	1.92	0.51
1:B:583:ILE:HD11	1:B:705:VAL:HG21	1.93	0.51
1:D:964:LEU:HD22	1:D:991:LYS:HG3	1.94	0.50
1:D:566:PRO:HD2	1:D:592:SER:HA	1.93	0.50
1:B:663:ASP:HB3	1:B:693:HIS:CB	2.42	0.50
1:D:958:MET:HE3	1:D:967:LEU:HD13	1.94	0.50
1:B:701:LEU:HA	1:B:704:THR:HB	1.94	0.49
1:D:595:THR:HG22	1:D:626:VAL:HG11	1.95	0.49
1:C:1002:SER:OG	1:C:1093:VAL:HA	2.12	0.49
1:C:1136:HIS:CG	4:C:1305:DMS:H22	2.48	0.49
1:B:646:ILE:HG22	1:B:662:THR:HG23	1.94	0.48
1:C:583:ILE:HD11	1:C:705:VAL:HG21	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:686:GLU:HA	1:C:688:HIS:CE1	2.48	0.48
1:A:1183:VAL:HG12	1:A:1183:VAL:O	2.14	0.48
1:A:663:ASP:HB3	1:A:693:HIS:CB	2.44	0.48
1:A:1021:PRO:HG2	1:A:1024:LYS:HB2	1.95	0.48
1:A:986:GLU:HB2	7:A:1534:HOH:O	2.12	0.48
1:D:1002:SER:HB2	1:D:1086:MET:HE1	1.96	0.48
1:A:794:TYR:HB2	4:A:1319:DMS:H12	1.96	0.47
1:B:1044:THR:CG2	5:B:1310:EDO:H21	2.45	0.47
1:B:1002:SER:HB2	1:B:1086:MET:HE1	1.97	0.47
1:D:990:CYS:O	1:D:994:ILE:HG12	2.14	0.47
1:D:1005:MET:HE3	1:D:1106:ALA:HB3	1.97	0.47
1:D:562:ARG:HD2	1:D:633:GLU:HB3	1.97	0.46
1:A:647:ARG:NH2	6:A:1316[A]:A1J1F:C10	2.79	0.46
1:C:991:LYS:NZ	7:C:1401:HOH:O	2.48	0.46
1:D:860:VAL:HB	1:D:879:ILE:HG22	1.97	0.46
1:A:616:THR:O	1:A:685:ASP:HB3	2.16	0.46
1:A:1018:PHE:HE2	5:A:1305:EDO:H12	1.81	0.46
1:A:1052:TRP:CG	1:A:1072:LEU:HD13	2.50	0.45
1:C:562:ARG:HD2	1:C:633:GLU:HB3	1.98	0.45
1:B:562:ARG:HD2	1:B:633:GLU:HB3	1.97	0.45
1:B:724:LYS:HG2	1:B:946:MET:HE2	1.98	0.45
1:B:579:HIS:HB2	7:B:1429:HOH:O	2.17	0.45
1:C:1052:TRP:CG	1:C:1072:LEU:HD13	2.51	0.45
1:D:724:LYS:HG2	1:D:946:MET:HE2	1.99	0.45
1:A:1005:MET:HE3	1:A:1106:ALA:HB3	1.99	0.45
1:D:686:GLU:HA	1:D:688:HIS:CE1	2.51	0.45
1:A:583:ILE:HD11	1:A:705:VAL:HG21	1.98	0.45
1:A:857:PRO:HA	1:A:902:LEU:HB2	1.99	0.45
1:B:964:LEU:HD22	1:B:991:LYS:HG3	1.99	0.45
1:D:812:VAL:HG22	1:D:824:ILE:HG21	1.99	0.45
1:A:628:LYS:HE2	1:A:822:THR:HG22	1.99	0.45
1:A:736:THR:H	5:A:1310:EDO:H12	1.81	0.45
1:C:724:LYS:HG2	1:C:946:MET:HE2	1.97	0.45
1:D:857:PRO:HA	1:D:902:LEU:HB2	1.99	0.45
1:A:724:LYS:HG2	1:A:946:MET:HE2	1.99	0.44
1:C:1032:LYS:NZ	1:C:1036:HIS:NE2	2.57	0.44
1:D:1002:SER:OG	1:D:1093:VAL:HA	2.17	0.44
1:C:980:MET:HG2	1:C:990:CYS:HB3	2.00	0.44
1:A:595:THR:HG22	1:A:626:VAL:HG11	1.99	0.44
1:C:1002:SER:HB2	1:C:1086:MET:HE1	2.00	0.44
1:B:873:GLN:CD	1:B:1160:GLU:OE2	2.61	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:857:PRO:HA	1:C:902:LEU:HB2	1.98	0.44
1:D:980:MET:HG2	1:D:990:CYS:HB3	1.99	0.44
1:B:618:PRO:HD3	1:B:686:GLU:HG3	1.99	0.43
1:B:857:PRO:HA	1:B:902:LEU:HB2	1.99	0.43
1:D:1067:ILE:HG21	1:D:1072:LEU:HD11	2.01	0.43
1:C:865:TYR:HB2	1:C:923:THR:HA	2.00	0.43
1:B:812:VAL:HG22	1:B:824:ILE:HG21	2.00	0.43
1:B:924:ASN:HD21	1:B:960:GLN:NE2	1.92	0.43
1:D:574:LEU:HD21	1:D:598:ILE:HG12	2.01	0.43
1:D:786:ILE:HG12	1:D:837:ILE:HG22	1.99	0.43
1:A:812:VAL:HG22	1:A:824:ILE:HG21	2.01	0.43
1:B:1052:TRP:CG	1:B:1072:LEU:HD13	2.54	0.43
1:A:980:MET:HG2	1:A:990:CYS:HB3	2.00	0.43
1:C:1063:TYR:CE1	5:C:1306:EDO:H12	2.54	0.43
1:C:812:VAL:HG22	1:C:824:ILE:HG21	1.99	0.42
1:A:618:PRO:HD3	1:A:686:GLU:HG3	2.00	0.42
1:B:980:MET:HG2	1:B:990:CYS:HB3	2.01	0.42
1:D:761:LEU:HD22	1:D:793:LEU:HB2	2.02	0.42
1:B:1044:THR:HG21	5:B:1310:EDO:H21	2.00	0.42
1:A:1109:SER:HA	1:A:1176:PHE:HB3	2.01	0.42
1:A:584:LEU:HD11	1:A:735:PHE:HB2	2.02	0.42
1:D:918:PRO:HD2	1:D:921:GLN:OE1	2.19	0.41
1:A:761:LEU:HD22	1:A:793:LEU:HB2	2.02	0.41
1:A:1184:SER:HB2	7:A:1533:HOH:O	2.19	0.41
1:C:786:ILE:HG12	1:C:837:ILE:HG22	2.01	0.41
1:D:722:ALA:HB1	1:D:734:ILE:HD13	2.02	0.41
1:A:991:LYS:HE2	1:A:995:MET:HE2	2.03	0.41
1:B:617:GLN:HG3	1:B:623:ALA:HA	2.01	0.41
1:C:1021:PRO:HG2	1:C:1024:LYS:HB2	2.01	0.41
1:D:574:LEU:HD13	1:D:735:PHE:CD2	2.55	0.41
1:A:1087:ASP:HB3	1:B:1087:ASP:HB3	2.03	0.41
1:C:686:GLU:HA	1:C:688:HIS:NE2	2.35	0.41
1:D:810:LEU:HD13	1:D:824:ILE:HA	2.02	0.41
1:D:1113:ARG:HB2	7:D:1477:HOH:O	2.20	0.41
1:A:764:VAL:HG11	1:A:793:LEU:HD21	2.03	0.41
1:A:992:MET:HG3	1:A:1107:ILE:HA	2.03	0.41
1:B:728:TYR:HB2	1:B:946:MET:HE3	2.03	0.41
1:B:909:ARG:NH2	7:B:1405:HOH:O	2.54	0.41
1:D:818:SER:O	1:D:822:THR:HG23	2.20	0.41
1:B:664:GLY:O	1:B:668:ARG:HG2	2.21	0.41
1:B:688:HIS:CD2	1:B:688:HIS:H	2.40	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:570:LEU:HD11	1:D:738:PRO:HD3	2.03	0.41
1:A:647:ARG:NH2	6:A:1316[A]:A1J1F:C9	2.84	0.40
1:A:810:LEU:HD13	1:A:824:ILE:HA	2.03	0.40
1:B:684:LEU:HD11	1:B:701:LEU:HD13	2.03	0.40
1:B:1021:PRO:HG2	1:B:1024:LYS:HB2	2.02	0.40
1:C:663:ASP:HB3	1:C:693:HIS:HB3	2.02	0.40
1:D:1109:SER:HA	1:D:1176:PHE:HB3	2.03	0.40
1:C:570:LEU:HD11	1:C:738:PRO:HD3	2.03	0.40
1:C:1005:MET:HE3	1:C:1106:ALA:HB3	2.02	0.40
1:A:810:LEU:HD11	1:A:834:LYS:HD2	2.04	0.40
1:A:1149:VAL:HB	1:A:1165:VAL:HG13	2.03	0.40
1:B:873:GLN:OE1	1:B:1160:GLU:OE2	2.39	0.40
1:D:935:MET:HE2	1:D:935:MET:HB3	2.00	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1143:ASN:OD1	1:B:909:ARG:NH1[2_555]	2.09	0.11

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	630/680 (93%)	608 (96%)	21 (3%)	1 (0%)	43	62
1	B	635/680 (93%)	614 (97%)	20 (3%)	1 (0%)	43	62
1	C	633/680 (93%)	611 (96%)	21 (3%)	1 (0%)	43	62
1	D	632/680 (93%)	612 (97%)	19 (3%)	1 (0%)	43	62
All	All	2530/2720 (93%)	2445 (97%)	81 (3%)	4 (0%)	43	62

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	1016	ASN
1	A	1016	ASN
1	C	1016	ASN
1	D	1016	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	513/603 (85%)	499 (97%)	14 (3%)	39	63
1	B	495/603 (82%)	485 (98%)	10 (2%)	48	71
1	C	511/603 (85%)	501 (98%)	10 (2%)	48	71
1	D	495/603 (82%)	480 (97%)	15 (3%)	36	61
All	All	2014/2412 (84%)	1965 (98%)	49 (2%)	43	67

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	559	LEU
1	A	574	LEU
1	A	589	GLU
1	A	669	GLU
1	A	695	ASP
1	A	820	MET
1	A	946	MET
1	A	991	LYS
1	A	1086	MET
1	A	1090	LYS
1	A	1113	ARG
1	A	1130	GLN
1	A	1144	ARG
1	A	1166	THR
1	B	574	LEU
1	B	669	GLU
1	B	820	MET
1	B	867	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	946	MET
1	B	991	LYS
1	B	1086	MET
1	B	1090	LYS
1	B	1144	ARG
1	B	1166	THR
1	C	559	LEU
1	C	589	GLU
1	C	661	MET
1	C	669	GLU
1	C	820	MET
1	C	946	MET
1	C	991	LYS
1	C	1086	MET
1	C	1144	ARG
1	C	1166	THR
1	D	559	LEU
1	D	592	SER
1	D	661	MET
1	D	669	GLU
1	D	694	THR
1	D	873	GLN
1	D	946	MET
1	D	991	LYS
1	D	1086	MET
1	D	1090	LYS
1	D	1113	ARG
1	D	1130	GLN
1	D	1144	ARG
1	D	1166	THR
1	D	1187	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	706	GLN
1	A	886	GLN
1	A	924	ASN
1	A	938	ASN
1	A	960	GLN
1	B	886	GLN
1	B	924	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	960	GLN
1	B	1104	GLN
1	B	1143	ASN
1	B	1192	GLN
1	C	576	GLN
1	C	706	GLN
1	C	862	GLN
1	C	886	GLN
1	C	924	ASN
1	C	938	ASN
1	C	1065	ASN
1	D	706	GLN
1	D	938	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 62 ligands modelled in this entry, 4 are monoatomic - leaving 58 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	EDO	C	1311	-	3,3,3	0.20	0	2,2,2	0.41	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DMS	B	1314	-	3,3,3	0.72	0	3,3,3	0.44	0
5	EDO	A	1313	-	3,3,3	0.23	0	2,2,2	0.16	0
5	EDO	B	1305	-	3,3,3	0.24	0	2,2,2	0.36	0
5	EDO	D	1306	-	3,3,3	0.31	0	2,2,2	0.21	0
4	DMS	B	1312	-	3,3,3	0.64	0	3,3,3	0.28	0
5	EDO	D	1304	-	3,3,3	0.28	0	2,2,2	0.16	0
5	EDO	A	1306	-	3,3,3	0.53	0	2,2,2	0.14	0
5	EDO	B	1310	-	3,3,3	0.21	0	2,2,2	0.22	0
5	EDO	B	1311	-	3,3,3	0.35	0	2,2,2	0.04	0
5	EDO	D	1310	-	3,3,3	0.36	0	2,2,2	0.30	0
2	ADP	A	1301	3	27,29,29	0.95	3 (11%)	42,45,45	0.58	1 (2%)
6	A1J1F	C	1309	-	22,22,22	0.26	0	28,30,30	0.26	0
5	EDO	D	1305	-	3,3,3	0.18	0	2,2,2	0.34	0
5	EDO	B	1304	-	3,3,3	0.18	0	2,2,2	0.67	0
2	ADP	D	1301	3	27,29,29	0.96	3 (11%)	42,45,45	0.57	1 (2%)
4	DMS	C	1312	-	3,3,3	0.70	0	3,3,3	0.26	0
4	DMS	D	1309	-	3,3,3	0.62	0	3,3,3	0.15	0
5	EDO	A	1315	-	3,3,3	0.36	0	2,2,2	0.37	0
5	EDO	B	1317	-	3,3,3	0.36	0	2,2,2	0.11	0
5	EDO	B	1315	-	3,3,3	0.35	0	2,2,2	0.06	0
5	EDO	C	1303	-	3,3,3	0.23	0	2,2,2	0.10	0
6	A1J1F	A	1316[A]	-	22,22,22	0.21	0	28,30,30	0.33	0
5	EDO	A	1305	-	3,3,3	0.26	0	2,2,2	0.24	0
4	DMS	A	1319	-	3,3,3	0.65	0	3,3,3	0.36	0
4	DMS	A	1320	-	3,3,3	0.69	0	3,3,3	0.50	0
5	EDO	C	1304	-	3,3,3	0.10	0	2,2,2	0.50	0
5	EDO	A	1311	-	3,3,3	0.34	0	2,2,2	0.08	0
5	EDO	A	1314	-	3,3,3	0.32	0	2,2,2	0.25	0
6	A1J1F	B	1309	-	22,22,22	0.31	0	28,30,30	0.30	0
4	DMS	A	1318	-	3,3,3	0.59	0	3,3,3	0.52	0
4	DMS	D	1303	-	3,3,3	0.70	0	3,3,3	0.27	0
6	A1J1F	D	1308[A]	-	22,22,22	0.21	0	28,30,30	0.25	0
4	DMS	C	1305	-	3,3,3	0.62	0	3,3,3	0.39	0
4	DMS	B	1318	-	3,3,3	0.70	0	3,3,3	0.46	0
5	EDO	A	1307	-	3,3,3	0.16	0	2,2,2	0.08	0
5	EDO	A	1317	-	3,3,3	0.32	0	2,2,2	0.17	0
5	EDO	B	1306	-	3,3,3	0.16	0	2,2,2	0.46	0
5	EDO	C	1307	-	3,3,3	0.30	0	2,2,2	0.13	0
5	EDO	D	1307	-	3,3,3	0.32	0	2,2,2	0.20	0
2	ADP	C	1301	3	27,29,29	0.93	3 (11%)	42,45,45	0.59	1 (2%)
5	EDO	A	1309	-	3,3,3	0.39	0	2,2,2	0.06	0
4	DMS	A	1303	-	3,3,3	0.74	0	3,3,3	0.30	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	EDO	C	1308	-	3,3,3	0.21	0	2,2,2	0.38	0
5	EDO	A	1310	-	3,3,3	0.29	0	2,2,2	0.24	0
6	A1J1F	A	1316[B]	-	22,22,22	0.17	0	28,30,30	0.28	0
4	DMS	B	1313	-	3,3,3	0.66	0	3,3,3	0.39	0
4	DMS	C	1310	-	3,3,3	0.72	0	3,3,3	0.31	0
5	EDO	C	1306	-	3,3,3	0.38	0	2,2,2	0.21	0
5	EDO	B	1307	-	3,3,3	0.33	0	2,2,2	0.16	0
4	DMS	A	1304	-	3,3,3	0.65	0	3,3,3	0.33	0
5	EDO	B	1308	-	3,3,3	0.32	0	2,2,2	0.42	0
5	EDO	B	1303	-	3,3,3	0.23	0	2,2,2	0.28	0
6	A1J1F	D	1308[B]	-	22,22,22	0.15	0	28,30,30	0.28	0
5	EDO	B	1316	-	3,3,3	0.34	0	2,2,2	0.13	0
5	EDO	A	1312	-	3,3,3	0.33	0	2,2,2	0.20	0
4	DMS	A	1308	-	3,3,3	0.76	0	3,3,3	0.40	0
2	ADP	B	1301	3	27,29,29	0.83	1 (3%)	42,45,45	0.61	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	C	1311	-	-	1/1/1/1	-
5	EDO	A	1313	-	-	0/1/1/1	-
5	EDO	B	1305	-	-	1/1/1/1	-
5	EDO	D	1306	-	-	0/1/1/1	-
5	EDO	D	1304	-	-	0/1/1/1	-
5	EDO	A	1306	-	-	0/1/1/1	-
5	EDO	B	1310	-	-	0/1/1/1	-
5	EDO	B	1311	-	-	1/1/1/1	-
5	EDO	D	1310	-	-	0/1/1/1	-
2	ADP	A	1301	3	-	6/16/32/32	0/3/3/3
6	A1J1F	C	1309	-	-	5/8/8/8	0/3/3/3
5	EDO	D	1305	-	-	1/1/1/1	-
5	EDO	B	1304	-	-	1/1/1/1	-
2	ADP	D	1301	3	-	5/16/32/32	0/3/3/3
5	EDO	A	1315	-	-	0/1/1/1	-
5	EDO	B	1317	-	-	0/1/1/1	-
5	EDO	B	1315	-	-	1/1/1/1	-
5	EDO	C	1303	-	-	0/1/1/1	-
6	A1J1F	A	1316[A]	-	-	5/8/8/8	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	1305	-	-	0/1/1/1	-
5	EDO	C	1304	-	-	0/1/1/1	-
5	EDO	A	1314	-	-	1/1/1/1	-
5	EDO	A	1311	-	-	1/1/1/1	-
6	A1J1F	B	1309	-	-	6/8/8/8	0/3/3/3
6	A1J1F	D	1308[A]	-	-	4/8/8/8	0/3/3/3
5	EDO	A	1307	-	-	1/1/1/1	-
5	EDO	A	1317	-	-	1/1/1/1	-
5	EDO	B	1306	-	-	0/1/1/1	-
5	EDO	C	1307	-	-	0/1/1/1	-
5	EDO	D	1307	-	-	0/1/1/1	-
2	ADP	C	1301	3	-	7/16/32/32	0/3/3/3
5	EDO	A	1309	-	-	0/1/1/1	-
5	EDO	C	1308	-	-	1/1/1/1	-
5	EDO	A	1310	-	-	1/1/1/1	-
6	A1J1F	A	1316[B]	-	-	6/8/8/8	0/3/3/3
5	EDO	C	1306	-	-	1/1/1/1	-
5	EDO	B	1307	-	-	0/1/1/1	-
5	EDO	B	1303	-	-	1/1/1/1	-
6	A1J1F	D	1308[B]	-	-	3/8/8/8	0/3/3/3
5	EDO	B	1316	-	-	0/1/1/1	-
5	EDO	A	1312	-	-	1/1/1/1	-
5	EDO	B	1308	-	-	0/1/1/1	-
2	ADP	B	1301	3	-	7/16/32/32	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1301	ADP	PB-O3B	-2.66	1.44	1.54
2	A	1301	ADP	PB-O1B	-2.49	1.42	1.50
2	D	1301	ADP	PB-O1B	-2.48	1.42	1.50
2	A	1301	ADP	PB-O3B	-2.48	1.45	1.54
2	C	1301	ADP	PB-O3B	-2.47	1.45	1.54
2	A	1301	ADP	PB-O2B	-2.36	1.45	1.54
2	B	1301	ADP	PB-O2B	-2.35	1.45	1.54
2	C	1301	ADP	PB-O1B	-2.34	1.43	1.50
2	C	1301	ADP	PB-O2B	-2.23	1.46	1.54
2	D	1301	ADP	PB-O2B	-2.16	1.46	1.54

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1301	ADP	C4'-O4'-C1'	-2.68	103.56	109.47
2	A	1301	ADP	C4'-O4'-C1'	-2.50	103.96	109.47
2	C	1301	ADP	C4'-O4'-C1'	-2.45	104.07	109.47
2	D	1301	ADP	C4'-O4'-C1'	-2.26	104.48	109.47

There are no chirality outliers.

All (69) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1301	ADP	C5'-O5'-PA-O1A
2	B	1301	ADP	C5'-O5'-PA-O1A
2	B	1301	ADP	C5'-O5'-PA-O2A
2	C	1301	ADP	C5'-O5'-PA-O1A
2	C	1301	ADP	C5'-O5'-PA-O2A
2	D	1301	ADP	C5'-O5'-PA-O1A
2	D	1301	ADP	C5'-O5'-PA-O2A
6	A	1316[A]	A1J1F	N-C5-S-C6
6	A	1316[B]	A1J1F	N-C5-S-C6
6	B	1309	A1J1F	N-C5-S-C6
6	C	1309	A1J1F	N-C5-S-C6
6	D	1308[A]	A1J1F	N-C5-S-C6
6	D	1308[B]	A1J1F	N-C5-S-C6
2	C	1301	ADP	O4'-C4'-C5'-O5'
2	C	1301	ADP	C3'-C4'-C5'-O5'
5	B	1303	EDO	O1-C1-C2-O2
2	B	1301	ADP	C3'-C4'-C5'-O5'
2	B	1301	ADP	O4'-C4'-C5'-O5'
2	D	1301	ADP	O4'-C4'-C5'-O5'
2	D	1301	ADP	C3'-C4'-C5'-O5'
5	B	1305	EDO	O1-C1-C2-O2
5	B	1311	EDO	O1-C1-C2-O2
5	D	1305	EDO	O1-C1-C2-O2
2	A	1301	ADP	O4'-C4'-C5'-O5'
5	A	1314	EDO	O1-C1-C2-O2
5	A	1307	EDO	O1-C1-C2-O2
5	A	1312	EDO	O1-C1-C2-O2
5	C	1311	EDO	O1-C1-C2-O2
6	A	1316[A]	A1J1F	O-C-C1-C5
6	A	1316[B]	A1J1F	O-C-C1-C5
6	A	1316[B]	A1J1F	O1-C-C1-C5
6	C	1309	A1J1F	O-C-C1-C5
2	A	1301	ADP	C3'-C4'-C5'-O5'
2	C	1301	ADP	O4'-C1'-N9-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	1301	ADP	C5'-O5'-PA-O2A
5	A	1310	EDO	O1-C1-C2-O2
2	B	1301	ADP	O4'-C1'-N9-C4
6	B	1309	A1J1F	O-C-C1-C2
6	B	1309	A1J1F	O1-C-C1-C2
2	B	1301	ADP	O4'-C1'-N9-C8
5	A	1317	EDO	O1-C1-C2-O2
6	A	1316[A]	A1J1F	O1-C-C1-C2
6	C	1309	A1J1F	O1-C-C1-C2
6	C	1309	A1J1F	O-C-C1-C2
6	A	1316[B]	A1J1F	O1-C-C1-C2
6	A	1316[A]	A1J1F	O1-C-C1-C5
6	B	1309	A1J1F	O-C-C1-C5
6	B	1309	A1J1F	O1-C-C1-C5
6	C	1309	A1J1F	O1-C-C1-C5
6	A	1316[A]	A1J1F	O-C-C1-C2
6	A	1316[B]	A1J1F	O-C-C1-C2
5	A	1311	EDO	O1-C1-C2-O2
5	B	1315	EDO	O1-C1-C2-O2
2	A	1301	ADP	O4'-C1'-N9-C8
2	C	1301	ADP	O4'-C1'-N9-C8
5	B	1304	EDO	O1-C1-C2-O2
5	C	1306	EDO	O1-C1-C2-O2
5	C	1308	EDO	O1-C1-C2-O2
2	A	1301	ADP	C5'-O5'-PA-O3A
2	B	1301	ADP	C5'-O5'-PA-O3A
2	C	1301	ADP	C5'-O5'-PA-O3A
2	D	1301	ADP	C5'-O5'-PA-O3A
6	D	1308[A]	A1J1F	O1-C-C1-C5
6	D	1308[A]	A1J1F	O1-C-C1-C2
6	A	1316[B]	A1J1F	C1-C5-S-C6
6	B	1309	A1J1F	C1-C5-S-C6
6	D	1308[A]	A1J1F	C1-C5-S-C6
6	D	1308[B]	A1J1F	O1-C-C1-C2
6	D	1308[B]	A1J1F	C7-C6-S-C5

There are no ring outliers.

12 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1313	EDO	1	0
5	B	1310	EDO	2	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	1311	EDO	1	0
6	A	1316[A]	A1J1F	2	0
5	A	1305	EDO	1	0
4	A	1319	DMS	1	0
5	A	1311	EDO	1	0
4	C	1305	DMS	3	0
5	A	1307	EDO	1	0
5	B	1306	EDO	1	0
5	A	1310	EDO	1	0
5	C	1306	EDO	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand ADP A 1301




Ligand A1J1F C 1309









Ligand A1J1F B 1309



Ligand A1J1F D 1308 (A)







5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	631/680 (92%)	0.11	10 (1%) 70 64	20, 50, 71, 95	1 (0%)
1	B	638/680 (93%)	0.20	15 (2%) 59 51	21, 55, 73, 79	1 (0%)
1	C	633/680 (93%)	0.19	13 (2%) 63 55	29, 55, 77, 88	2 (0%)
1	D	633/680 (93%)	0.23	6 (0%) 81 76	32, 58, 80, 94	1 (0%)
All	All	2535/2720 (93%)	0.18	44 (1%) 69 63	20, 54, 76, 95	5 (0%)

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1186	PRO	5.9
1	A	687	ALA	5.2
1	B	556	MET	4.8
1	B	687	ALA	3.8
1	C	687	ALA	3.5
1	C	689	GLU	3.4
1	B	1191	LYS	3.2
1	C	870	GLY	3.2
1	A	688	HIS	3.1
1	C	865	TYR	3.0
1	A	867	SER	2.7
1	A	1184	SER	2.7
1	C	686	GLU	2.7
1	B	686	GLU	2.7
1	B	1193	LYS	2.6
1	B	970	GLU	2.6
1	A	1185	ASP	2.6
1	C	1181	PHE	2.6
1	C	910	ASP	2.6
1	B	973	LEU	2.5
1	D	687	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	688	HIS	2.5
1	B	709	GLN	2.5
1	C	688	HIS	2.5
1	C	867	SER	2.4
1	B	870	GLY	2.4
1	B	1183	VAL	2.4
1	C	812	VAL	2.3
1	A	849	ASP	2.3
1	B	1198	LEU	2.3
1	B	689	GLU	2.3
1	D	970	GLU	2.3
1	C	869	THR	2.3
1	A	1183	VAL	2.3
1	B	572	GLU	2.2
1	B	1185	ASP	2.2
1	D	753	GLU	2.2
1	D	870	GLY	2.2
1	C	868	LYS	2.1
1	A	1182	LYS	2.1
1	D	910	ASP	2.1
1	A	689	GLU	2.1
1	D	556	MET	2.0
1	C	1187	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	DMS	B	1314	4/4	0.69	0.26	97,97,97,97	0
5	EDO	A	1317	4/4	0.69	0.21	78,78,78,78	0
4	DMS	A	1308	4/4	0.73	0.22	77,77,77,77	0
5	EDO	C	1306	4/4	0.73	0.18	73,73,74,74	0
4	DMS	C	1312	4/4	0.74	0.30	109,109,110,110	0
4	DMS	D	1303	4/4	0.74	0.26	122,122,122,122	0
3	MG	A	1302	1/1	0.74	0.14	44,44,44,44	0
4	DMS	B	1318	4/4	0.74	0.30	102,103,103,103	0
4	DMS	A	1303	4/4	0.77	0.25	87,87,87,87	0
3	MG	C	1302	1/1	0.78	0.12	50,50,50,50	0
5	EDO	C	1311	4/4	0.78	0.23	72,72,72,72	0
3	MG	D	1302	1/1	0.79	0.10	48,48,48,48	0
3	MG	B	1302	1/1	0.79	0.12	45,45,45,45	0
5	EDO	D	1307	4/4	0.79	0.17	60,60,60,60	0
5	EDO	B	1306	4/4	0.80	0.13	64,64,65,65	0
5	EDO	A	1311	4/4	0.80	0.18	73,73,73,74	0
4	DMS	B	1313	4/4	0.81	0.26	110,110,110,110	0
5	EDO	C	1308	4/4	0.81	0.24	100,100,100,100	0
5	EDO	B	1317	4/4	0.82	0.20	71,71,71,71	0
4	DMS	B	1312	4/4	0.82	0.21	95,95,95,95	0
5	EDO	A	1314	4/4	0.82	0.17	71,72,72,72	0
4	DMS	A	1319	4/4	0.82	0.24	82,82,83,83	4
5	EDO	A	1306	4/4	0.82	0.17	49,49,50,50	0
5	EDO	A	1312	4/4	0.83	0.19	63,63,63,63	0
5	EDO	A	1313	4/4	0.84	0.17	81,81,81,81	0
5	EDO	A	1309	4/4	0.85	0.15	51,51,51,51	0
4	DMS	A	1320	4/4	0.86	0.21	93,93,93,93	0
5	EDO	D	1310	4/4	0.86	0.18	70,70,70,70	0
5	EDO	B	1307	4/4	0.87	0.14	63,63,63,63	0
5	EDO	B	1316	4/4	0.87	0.11	65,65,66,66	0
4	DMS	A	1304	4/4	0.88	0.19	78,78,78,78	4
5	EDO	B	1311	4/4	0.88	0.13	66,66,67,67	0
4	DMS	C	1310	4/4	0.88	0.31	96,96,96,96	0
4	DMS	A	1318	4/4	0.89	0.23	70,70,70,70	4
5	EDO	B	1308	4/4	0.90	0.12	57,57,57,57	0
5	EDO	C	1307	4/4	0.90	0.12	59,59,59,59	0
4	DMS	C	1305	4/4	0.90	0.17	102,102,102,102	0
4	DMS	D	1309	4/4	0.90	0.24	100,100,100,100	0
5	EDO	A	1315	4/4	0.90	0.16	58,59,59,59	0
5	EDO	C	1303	4/4	0.90	0.12	63,63,63,64	0
5	EDO	A	1305	4/4	0.91	0.11	51,51,51,51	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	EDO	A	1310	4/4	0.91	0.10	53,53,53,53	0
5	EDO	A	1307	4/4	0.91	0.13	56,56,57,57	0
5	EDO	B	1304	4/4	0.92	0.13	66,67,67,67	0
5	EDO	B	1305	4/4	0.92	0.11	56,56,56,57	0
2	ADP	A	1301	27/27	0.92	0.12	40,44,46,46	27
5	EDO	D	1304	4/4	0.92	0.14	66,66,66,66	0
2	ADP	B	1301	27/27	0.92	0.12	46,51,52,52	0
2	ADP	C	1301	27/27	0.92	0.11	51,54,55,56	0
6	A1J1F	D	1308[A]	20/20	0.92	0.14	57,58,58,58	20
6	A1J1F	D	1308[B]	20/20	0.92	0.14	38,38,38,38	20
5	EDO	B	1315	4/4	0.93	0.12	65,65,65,65	0
5	EDO	D	1305	4/4	0.93	0.10	57,57,57,57	0
2	ADP	D	1301	27/27	0.93	0.10	50,57,58,58	0
6	A1J1F	C	1309	20/20	0.94	0.09	42,43,44,44	0
5	EDO	C	1304	4/4	0.94	0.11	54,54,54,55	0
5	EDO	D	1306	4/4	0.94	0.11	70,70,70,70	0
6	A1J1F	A	1316[B]	20/20	0.95	0.10	38,38,39,39	20
5	EDO	B	1310	4/4	0.95	0.10	68,68,68,68	0
5	EDO	B	1303	4/4	0.95	0.10	56,56,56,56	0
6	A1J1F	A	1316[A]	20/20	0.95	0.10	34,35,36,36	20
6	A1J1F	B	1309	20/20	0.96	0.08	31,33,33,33	20




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ADP A 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP B 1301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP C 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1J1F D 1308 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1J1F D 1308 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP D 1301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1J1F C 1309:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1J1F A 1316 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1J1F A 1316 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around A1J1F B 1309:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.