



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 20, 2026 – 04:28 pm BST

PDB ID : 29VY / pdb_000029vy
Title : Structure of Tetrahydrocannabinolic acid synthase(THCAS) in complex with FAD
Authors : Domenech, J.; Cartwright, J.; Grogan, G.
Deposited on : 2026-04-10
Resolution : 2.33 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.33 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3031 (2.36-2.32)
Clashscore	190562	3127 (2.36-2.32)
Ramachandran outliers	187476	3095 (2.36-2.32)
Sidechain outliers	187428	3095 (2.36-2.32)
RSRZ outliers	180081	3033 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	545	32% 75% 14% 10%
1	B	545	8% 74% 16% 8%
1	C	545	15% 76% 12% 10%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 11865 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tetrahydrocannabinolic acid synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	489	Total	C	N	O	S	0	1	0
			3655	2350	615	675	15			
1	B	499	Total	C	N	O	S	0	1	0
			3889	2511	647	715	16			
1	C	492	Total	C	N	O	S	0	0	0
			3787	2439	627	705	16			

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
3	B	1	Total 53	C 27	N 9	O 15	P 2	0	0
3	C	1	Total 53	C 27	N 9	O 15	P 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	67	Total	O	0	0
			67	67		
4	B	120	Total	O	0	0
			120	120		
4	C	104	Total	O	0	0
			104	104		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Tetrahydrocannabinolic acid synthase





• Molecule 1: Tetrahydrocannabinolic acid synthase





- Molecule 1: Tetrahydrocannabinolic acid synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	58.13Å 134.93Å 196.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	55.81 – 2.33 55.81 – 2.33	Depositor EDS
% Data completeness (in resolution range)	100.0 (55.81-2.33) 100.0 (55.81-2.33)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.56 (at 2.34Å)	Xtriage
Refinement program	REFMAC 5.8.0430	Depositor
R, R_{free}	0.250 , 0.303 0.255 , 0.302	Depositor DCC
R_{free} test set	3293 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	38.4	Xtriage
Anisotropy	1.098	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 41.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	11865	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.13 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.1169e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/3751	1.08	9/5116 (0.2%)
1	B	0.63	0/3993	1.12	9/5429 (0.2%)
1	C	0.59	0/3883	1.09	11/5285 (0.2%)
All	All	0.61	0/11627	1.10	29/15830 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
1	C	0	2
All	All	0	6

There are no bond length outliers.

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	222	MET	CB-CA-C	-6.93	99.06	110.85
1	C	108	ARG	NE-CZ-NH1	6.91	128.41	121.50
1	C	133	ARG	CG-CD-NE	6.74	126.82	112.00
1	C	108	ARG	CB-CG-CD	6.71	126.74	111.30
1	C	108	ARG	NE-CZ-NH2	-6.42	113.42	119.20
1	B	143	HIS	CA-CB-CG	-6.41	107.39	113.80
1	C	306	LYS	CB-CA-C	6.35	121.28	109.86
1	A	292	HIS	CA-CB-CG	6.26	120.06	113.80
1	B	292	HIS	CA-CB-CG	6.12	119.92	113.80
1	A	286	ASP	CA-CB-CG	5.95	118.55	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	222	MET	CB-CA-C	-5.84	100.02	110.70
1	C	222	MET	CB-CA-C	-5.77	100.15	110.70
1	A	417	TYR	CB-CA-C	5.72	117.14	109.42
1	A	419	TYR	CB-CA-C	-5.66	101.63	110.74
1	A	80	LYS	CB-CA-C	5.66	117.38	108.84
1	B	195	ARG	NE-CZ-NH2	5.63	124.27	119.20
1	B	286	ASP	CA-CB-CG	5.59	118.19	112.60
1	C	202	ASP	CA-CB-CG	5.54	118.14	112.60
1	A	126	PRO	CB-CA-C	5.53	118.66	111.64
1	B	417	TYR	CB-CA-C	5.51	116.85	109.42
1	A	300	ASP	CA-CB-CG	5.39	117.99	112.60
1	B	300	ASP	CA-CB-CG	5.37	117.97	112.60
1	C	286	ASP	CA-CB-CG	5.36	117.96	112.60
1	A	165	LYS	CB-CA-C	-5.28	101.92	110.79
1	C	292	HIS	CA-CB-CG	5.25	119.05	113.80
1	C	300	ASP	CA-CB-CG	5.23	117.83	112.60
1	B	165	LYS	CB-CA-C	-5.19	102.07	110.79
1	C	424	GLU	N-CA-CB	-5.16	102.36	110.46
1	B	225	ASP	CA-CB-CG	5.05	117.65	112.60

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	108	ARG	Sidechain
1	A	485	ARG	Sidechain
1	B	108	ARG	Sidechain
1	B	485	ARG	Sidechain
1	C	108	ARG	Sidechain
1	C	133	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3655	0	3306	42	0
1	B	3889	0	3704	54	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	3787	0	3532	47	1
2	A	28	0	26	0	0
2	B	42	0	39	1	0
2	C	14	0	13	1	0
3	A	53	0	29	1	0
3	B	53	0	29	7	0
3	C	53	0	29	2	0
4	A	67	0	0	4	0
4	B	120	0	0	6	0
4	C	104	0	0	2	0
All	All	11865	0	10707	144	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:536:SER:HB2	4:C:722:HOH:O	1.00	1.17
1:A:40:LYS:HG2	1:A:41[A]:HIS:CD2	2.00	0.95
1:B:176:CYS:HB3	4:B:773:HOH:O	1.68	0.93
1:A:40:LYS:HG2	1:A:41[A]:HIS:HD2	1.33	0.89
1:C:355:SER:OG	1:C:357:VAL:HG22	1.77	0.82
1:C:263:ASN:HD22	1:C:310:HIS:CE1	2.01	0.78
1:A:263:ASN:HD22	1:A:310:HIS:CE1	2.04	0.76
1:A:540:LEU:CB	1:A:541:PRO:CD	2.68	0.71
1:C:78:THR:HG22	1:C:122:ILE:HD12	1.71	0.71
1:B:50:LYS:C	1:B:51:LEU:HD12	2.17	0.69
1:A:44:ASN:CB	4:A:760:HOH:O	2.43	0.67
1:C:58:GLN:HE21	1:C:58:GLN:HA	1.59	0.67
1:B:49:PRO:O	1:B:51:LEU:HD13	1.96	0.66
1:A:257:ILE:HD11	1:A:350:THR:HG23	1.78	0.65
1:A:318:HIS:HD2	4:A:748:HOH:O	1.78	0.65
1:C:69:GLN:HG3	1:C:114:HIS:CD2	2.33	0.64
1:A:282:LYS:CB	4:A:733:HOH:O	2.44	0.64
1:A:204:ILE:HD13	1:A:244:TRP:CE3	2.33	0.63
1:B:49:PRO:O	1:B:51:LEU:CD1	2.46	0.63
1:C:50:LYS:C	1:C:51:LEU:HD12	2.23	0.62
1:A:69:GLN:HG3	1:A:114:HIS:CD2	2.35	0.62
1:B:69:GLN:HG3	1:B:114:HIS:CD2	2.35	0.62
1:A:540:LEU:CB	1:A:541:PRO:HD2	2.31	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:298:ILE:O	1:B:305:ASN:O	2.18	0.61
1:C:428:GLU:HG3	1:C:434:PRO:O	2.02	0.60
1:C:224:GLU:O	1:C:225:ASP:HB2	2.00	0.60
1:B:50:LYS:NZ	1:B:52:VAL:O	2.32	0.59
1:B:75:SER:HB3	1:B:78:THR:OG1	2.03	0.58
1:A:265:GLU:OE2	1:A:267:HIS:O	2.22	0.57
1:C:121:TYR:O	1:C:122:ILE:HD13	2.04	0.57
1:B:483:ASN:O	3:B:604:FAD:H2'	2.05	0.57
1:B:215:LYS:HD3	1:B:217:LEU:HD21	1.88	0.56
1:A:33:ASN:HB3	1:A:103:VAL:HG22	1.87	0.56
1:A:291:THR:HG23	1:A:416:LEU:HB2	1.88	0.55
1:B:291:THR:HG23	1:B:416:LEU:HB2	1.88	0.55
1:B:395:THR:HG22	4:B:812:HOH:O	2.05	0.55
1:A:96:THR:HG21	1:A:130:VAL:HG22	1.89	0.55
1:C:78:THR:CG2	1:C:122:ILE:HD12	2.37	0.55
1:C:257:ILE:C	1:C:257:ILE:HD12	2.32	0.54
1:C:328:MET:HG3	1:C:337:ILE:HG12	1.88	0.54
1:A:295:THR:HG23	1:A:404:LEU:HB3	1.90	0.54
1:C:51:LEU:HD12	1:C:51:LEU:N	2.23	0.54
1:C:96:THR:HG21	1:C:130:VAL:HG22	1.90	0.54
1:B:485:ARG:HD3	4:B:710:HOH:O	2.07	0.54
1:C:44:ASN:ND2	4:C:706:HOH:O	2.39	0.53
1:C:415:VAL:C	1:C:416:LEU:HD12	2.34	0.52
1:A:275:LYS:O	1:A:279:ILE:HG22	2.10	0.52
1:C:291:THR:HG23	1:C:416:LEU:HB2	1.92	0.52
1:B:190:TYR:C	1:B:190:TYR:CD1	2.88	0.52
1:B:291:THR:HA	1:B:312:TYR:O	2.10	0.52
1:C:291:THR:HA	1:C:312:TYR:O	2.10	0.52
1:A:291:THR:HA	1:A:312:TYR:O	2.09	0.51
1:A:41[B]:HIS:CD2	1:A:95:ALA:HA	2.46	0.51
1:A:41[B]:HIS:NE2	1:A:98:LEU:HD12	2.26	0.51
1:C:305:ASN:OD1	1:C:305:ASN:C	2.55	0.50
1:A:352:ILE:HD11	1:A:367:LYS:HA	1.94	0.50
1:C:162:ILE:HG21	1:C:170:SER:HA	1.93	0.50
1:C:207:ALA:O	1:C:218:ASP:HA	2.11	0.50
1:B:96:THR:HG21	1:B:130:VAL:HG22	1.93	0.49
1:B:114:HIS:CE1	3:B:604:FAD:HM72	2.47	0.49
1:B:498:ASN:HA	1:B:538:PRO:HB3	1.93	0.49
3:B:604:FAD:C5'	3:B:604:FAD:O2'	2.61	0.49
1:B:81:PRO:HB3	1:B:127:PHE:CE2	2.47	0.49
1:B:415:VAL:C	1:B:416:LEU:HD12	2.37	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:498:ASN:HA	1:B:538:PRO:CB	2.42	0.49
1:A:415:VAL:C	1:A:416:LEU:HD12	2.38	0.49
1:B:51:LEU:HD12	1:B:51:LEU:N	2.27	0.49
1:C:190:TYR:C	1:C:190:TYR:CD1	2.89	0.49
1:B:207:ALA:O	1:B:218:ASP:HA	2.12	0.49
1:B:37:CYS:SG	1:B:99:CYS:CB	3.01	0.48
1:B:297:ASN:ND2	4:B:709:HOH:O	2.45	0.48
1:B:481:TYR:CZ	1:B:483:ASN:HB2	2.48	0.48
1:A:123:SER:HB3	1:A:127:PHE:CG	2.48	0.48
1:B:49:PRO:HA	4:B:736:HOH:O	2.14	0.48
1:B:257:ILE:C	1:B:257:ILE:HD12	2.38	0.48
1:B:171:PHE:CD1	1:B:172:PRO:HD2	2.49	0.48
1:C:81:PRO:HB3	1:C:127:PHE:CE2	2.49	0.48
1:A:81:PRO:HB3	1:A:127:PHE:CE2	2.49	0.47
1:A:435:HIS:HE1	1:A:480:ALA:O	1.97	0.47
1:B:204:ILE:HD13	1:B:246:ILE:HG22	1.97	0.47
1:A:40:LYS:HE3	1:A:40:LYS:HB2	1.27	0.46
1:A:295:THR:CG2	1:A:404:LEU:HB3	2.45	0.46
1:A:207:ALA:O	1:A:218:ASP:HA	2.15	0.46
1:B:295:THR:HG23	1:B:404:LEU:HB3	1.97	0.46
1:A:41[B]:HIS:HD2	1:A:95:ALA:HA	1.80	0.46
1:A:397:MET:O	1:A:401:LEU:HG	2.15	0.46
1:B:113:GLY:H	3:B:604:FAD:PA	2.39	0.46
1:C:171:PHE:CD1	1:C:172:PRO:HD2	2.51	0.46
1:C:352:ILE:HD11	1:C:367:LYS:HA	1.98	0.45
1:C:385:LEU:HD12	1:C:444:TRP:CD1	2.51	0.45
1:C:481:TYR:CZ	1:C:483:ASN:HB2	2.50	0.45
1:B:61:MET:HB3	2:B:601:NAG:H62	1.98	0.45
1:B:208:HIS:NE2	4:B:705:HOH:O	2.36	0.45
1:B:162:ILE:HG21	1:B:170:SER:HA	1.99	0.45
1:A:481:TYR:CZ	1:A:483:ASN:HB2	2.51	0.45
1:B:114:HIS:CE1	3:B:604:FAD:C7M	3.00	0.45
1:C:502:GLN:O	1:C:503:ALA:HB3	2.16	0.45
1:B:115:ASP:HB2	3:B:604:FAD:H52A	1.98	0.45
1:A:41[B]:HIS:CE1	4:A:730:HOH:O	2.69	0.45
1:C:37:CYS:SG	1:C:99:CYS:CB	3.04	0.44
1:C:68:ILE:HG21	1:C:74:ILE:HG23	2.00	0.44
1:B:369:ILE:HD12	1:B:369:ILE:HA	1.80	0.44
1:C:87:PRO:HB3	1:C:92:HIS:HB2	1.99	0.44
1:C:71:LEU:O	1:C:74:ILE:HG13	2.18	0.44
1:C:74:ILE:HG13	1:C:74:ILE:H	1.76	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:288:VAL:O	1:C:315:SER:HA	2.18	0.43
1:B:276:TRP:CH2	1:B:416:LEU:HB3	2.53	0.43
1:B:504:ARG:HG3	1:B:508:GLU:HG3	2.00	0.43
1:B:263:ASN:ND2	1:B:310:HIS:CE1	2.87	0.43
1:C:78:THR:CG2	1:C:122:ILE:CD1	2.97	0.43
1:C:529:ASN:O	1:C:532:ARG:CD	2.66	0.43
1:A:431:ILE:HB	1:A:432:PRO:HD2	2.00	0.42
1:B:385:LEU:HD12	1:B:444:TRP:CD1	2.53	0.42
1:C:103:VAL:HG12	1:C:103:VAL:O	2.19	0.42
1:A:34:PHE:HZ	1:A:96:THR:HG23	1.85	0.42
1:B:199:LEU:HD11	1:B:433:PHE:CD1	2.55	0.42
1:B:288:VAL:O	1:B:315:SER:HA	2.19	0.42
1:B:431:ILE:HB	1:B:432:PRO:HD2	2.01	0.42
1:C:204:ILE:HD13	1:C:246:ILE:HG22	2.00	0.42
1:A:171:PHE:CD1	1:A:172:PRO:HD2	2.54	0.42
1:A:288:VAL:O	1:A:315:SER:HA	2.19	0.42
1:C:115:ASP:HB2	3:C:602:FAD:H52A	2.00	0.42
1:B:71:LEU:HD11	1:B:378:LYS:HG3	2.01	0.42
1:C:263:ASN:HD22	1:C:310:HIS:HE1	1.62	0.42
1:B:71:LEU:HD21	1:B:378:LYS:CD	2.50	0.42
1:B:382:SER:O	1:B:446:THR:HA	2.20	0.42
1:A:340:THR:HG21	1:B:437:ALA:HB1	2.02	0.42
1:B:184:HIS:HA	3:B:604:FAD:H4'	2.02	0.42
1:C:416:LEU:HD12	1:C:416:LEU:N	2.35	0.42
1:B:119:MET:SD	1:B:485:ARG:HG2	2.60	0.41
1:C:163:ASN:ND2	1:C:167:GLU:HA	2.35	0.41
1:C:74:ILE:HD13	2:C:601:NAG:H81	2.01	0.41
1:A:185:PHE:HB3	1:A:204:ILE:HD11	2.01	0.41
1:B:51:LEU:CD1	1:B:51:LEU:N	2.84	0.41
1:A:119:MET:SD	1:A:485:ARG:HG2	2.60	0.41
1:B:478:ARG:O	1:B:509:LYS:HG2	2.21	0.41
1:A:103:VAL:O	1:A:103:VAL:HG12	2.20	0.41
1:A:416:LEU:HD12	1:A:416:LEU:N	2.36	0.41
1:C:51:LEU:N	1:C:51:LEU:CD1	2.84	0.41
3:A:603:FAD:H9	3:A:603:FAD:H1'2	1.92	0.41
1:B:352:ILE:HD11	1:B:367:LYS:HA	2.03	0.41
1:C:78:THR:HG22	1:C:122:ILE:CD1	2.45	0.41
1:A:321:VAL:HG11	1:A:339:LYS:HG3	2.03	0.40
1:C:113:GLY:H	3:C:602:FAD:PA	2.44	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:368:GLU:OE2	1:C:39:SER:OG[3_545]	2.07	0.13

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	480/545 (88%)	453 (94%)	22 (5%)	5 (1%)	12	11
1	B	489/545 (90%)	460 (94%)	23 (5%)	6 (1%)	10	8
1	C	482/545 (88%)	451 (94%)	29 (6%)	2 (0%)	30	32
All	All	1451/1635 (89%)	1364 (94%)	74 (5%)	13 (1%)	14	13

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	540	LEU
1	C	225	ASP
1	B	76	ASP
1	A	264	MET
1	A	420	GLY
1	A	539	PRO
1	B	305	ASN
1	B	498	ASN
1	C	43	PRO
1	B	43	PRO
1	B	499	ASN
1	B	497	PRO
1	A	43	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	351/478 (73%)	339 (97%)	12 (3%)	32	42
1	B	404/478 (84%)	392 (97%)	12 (3%)	36	47
1	C	385/478 (80%)	369 (96%)	16 (4%)	26	34
All	All	1140/1434 (80%)	1100 (96%)	40 (4%)	32	41

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	LYS
1	A	40	LYS
1	A	50	LYS
1	A	74	ILE
1	A	78	THR
1	A	125	VAL
1	A	205	ILE
1	A	296	LYS
1	A	404	LEU
1	A	445	TYR
1	A	448	SER
1	A	474	SER
1	B	39	SER
1	B	50	LYS
1	B	142	VAL
1	B	167	GLU
1	B	257	ILE
1	B	265	GLU
1	B	277	GLN
1	B	329	ASN
1	B	367	LYS
1	B	369	ILE
1	B	444	TRP
1	B	448	SER
1	C	29	ASN
1	C	39	SER
1	C	51	LEU
1	C	58	GLN
1	C	74	ILE
1	C	133	ARG
1	C	137	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	225	ASP
1	C	257	ILE
1	C	285	LYS
1	C	305	ASN
1	C	337	ILE
1	C	338	LYS
1	C	403	LYS
1	C	428	GLU
1	C	444	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	56	HIS
1	A	136	HIS
1	A	310	HIS
1	A	318	HIS
1	B	136	HIS
1	B	196	ASN
1	B	263	ASN
1	B	267	HIS
1	B	274	ASN
1	B	310	HIS
1	B	516	ASN
1	C	58	GLN
1	C	136	HIS
1	C	163	ASN
1	C	274	ASN
1	C	310	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	FAD	C	602	1	56,58,58	0.56	0	81,89,89	0.86	4 (4%)
2	NAG	B	602	1	14,14,15	0.47	0	17,19,21	1.29	3 (17%)
2	NAG	A	602	1	14,14,15	0.44	0	17,19,21	0.79	1 (5%)
2	NAG	B	603	1	14,14,15	0.40	0	17,19,21	0.42	0
3	FAD	A	603	1	56,58,58	0.53	0	81,89,89	0.88	3 (3%)
3	FAD	B	604	1	56,58,58	0.85	3 (5%)	81,89,89	1.93	8 (9%)
2	NAG	A	601	1	14,14,15	0.44	0	17,19,21	0.93	1 (5%)
2	NAG	C	601	1	14,14,15	0.42	0	17,19,21	0.46	0
2	NAG	B	601	1	14,14,15	0.42	0	17,19,21	1.00	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	C	602	1	-	4/34/50/50	0/6/6/6
2	NAG	B	602	1	-	2/6/23/26	0/1/1/1
2	NAG	A	602	1	-	2/6/23/26	0/1/1/1
2	NAG	B	603	1	-	3/6/23/26	0/1/1/1
3	FAD	A	603	1	-	3/34/50/50	0/6/6/6
3	FAD	B	604	1	-	9/34/50/50	0/6/6/6
2	NAG	A	601	1	-	4/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	601	1	-	2/6/23/26	0/1/1/1
2	NAG	B	601	1	-	2/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	604	FAD	C10-N10	2.92	1.43	1.37
3	B	604	FAD	C1'-C2'	2.43	1.56	1.52
3	B	604	FAD	C2'-C3'	-2.19	1.49	1.53

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	604	FAD	O3'-C3'-C4'	9.51	131.78	108.81
3	B	604	FAD	O4'-C4'-C3'	6.61	125.16	109.10
3	B	604	FAD	O2'-C2'-C1'	6.60	125.75	109.80
3	B	604	FAD	O3'-C3'-C2'	-5.07	96.56	108.81
3	B	604	FAD	O4'-C4'-C5'	-3.81	101.36	109.92
3	B	604	FAD	C4'-C3'-C2'	-3.57	105.94	113.36
3	A	603	FAD	C4'-C3'-C2'	-3.50	106.08	113.36
2	B	601	NAG	O5-C1-C2	3.43	116.71	111.29
2	A	601	NAG	O5-C1-C2	3.33	116.55	111.29
3	B	604	FAD	C5'-C4'-C3'	-3.22	105.98	112.20
3	C	602	FAD	O5'-C5'-C4'	3.10	117.63	109.36
2	B	602	NAG	O5-C1-C2	2.87	115.83	111.29
3	B	604	FAD	O5'-P-O1P	-2.82	98.04	109.07
2	B	602	NAG	C1-C2-N2	2.64	115.00	110.49
3	A	603	FAD	O3'-C3'-C2'	2.57	115.02	108.81
2	A	602	NAG	O5-C1-C2	2.40	115.08	111.29
3	A	603	FAD	C5'-C4'-C3'	-2.38	107.61	112.20
3	C	602	FAD	C1B-N9A-C8A	2.31	132.34	127.14
2	B	602	NAG	C1-O5-C5	2.30	115.31	112.19
3	C	602	FAD	O2A-PA-O1A	2.28	123.49	112.24
3	C	602	FAD	C4A-N9A-C1B	-2.22	121.30	126.59

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	NAG	C8-C7-N2-C2
2	A	601	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	603	NAG	C8-C7-N2-C2
2	B	603	NAG	O7-C7-N2-C2
3	B	604	FAD	N10-C1'-C2'-O2'
3	B	604	FAD	C3'-C4'-C5'-O5'
2	B	602	NAG	C8-C7-N2-C2
2	C	601	NAG	C8-C7-N2-C2
2	C	601	NAG	O7-C7-N2-C2
2	A	601	NAG	C4-C5-C6-O6
2	A	602	NAG	C8-C7-N2-C2
2	A	602	NAG	O7-C7-N2-C2
2	B	601	NAG	C8-C7-N2-C2
2	B	601	NAG	O7-C7-N2-C2
2	B	602	NAG	O7-C7-N2-C2
2	A	601	NAG	O5-C5-C6-O6
3	B	604	FAD	O4'-C4'-C5'-O5'
3	A	603	FAD	C2'-C3'-C4'-O4'
3	C	602	FAD	C2'-C3'-C4'-O4'
2	B	603	NAG	O5-C5-C6-O6
3	A	603	FAD	C2'-C3'-C4'-C5'
3	C	602	FAD	C2'-C3'-C4'-C5'
3	B	604	FAD	O4B-C4B-C5B-O5B
3	C	602	FAD	O3'-C3'-C4'-O4'
3	A	603	FAD	O3'-C3'-C4'-O4'
3	B	604	FAD	C2'-C3'-C4'-O4'
3	B	604	FAD	C3B-C4B-C5B-O5B
3	C	602	FAD	O4B-C4B-C5B-O5B
3	B	604	FAD	PA-O3P-P-O2P
3	B	604	FAD	C2'-C3'-C4'-C5'
3	B	604	FAD	N10-C1'-C2'-C3'


There are no ring outliers.


5 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	602	FAD	2	0
3	A	603	FAD	1	0
3	B	604	FAD	7	0
2	C	601	NAG	1	0
2	B	601	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	489/545 (89%)	1.74	172 (35%) 1 0	29, 59, 95, 120	1 (0%)
1	B	499/545 (91%)	0.67	41 (8%) 17 21	22, 43, 70, 124	1 (0%)
1	C	492/545 (90%)	1.11	81 (16%) 4 5	27, 47, 77, 109	0
All	All	1480/1635 (90%)	1.17	294 (19%) 3 3	22, 48, 87, 124	2 (0%)

All (294) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	29	ASN	6.0
1	C	190	TYR	5.8
1	A	477	PRO	5.5
1	A	298	ILE	5.5
1	A	484	TYR	5.4
1	C	484	TYR	5.4
1	C	189	GLY	5.4
1	A	489	LEU	5.3
1	A	120	SER	5.2
1	B	444	TRP	5.1
1	B	497	PRO	5.0
1	A	444	TRP	4.9
1	A	396	ALA	4.9
1	A	507	GLY	4.8
1	C	243	ALA	4.7
1	A	468	PHE	4.6
1	B	292	HIS	4.6
1	A	411	ALA	4.5
1	B	47	ALA	4.5
1	A	476	ASN	4.5
1	C	365	PHE	4.4
1	A	461	TRP	4.4
1	C	158	VAL	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	292	HIS	4.3
1	A	511	PHE	4.3
1	A	365	PHE	4.3
1	A	56	HIS	4.3
1	C	503	ALA	4.3
1	A	510	TYR	4.2
1	A	480	ALA	4.2
1	A	424	GLU	4.1
1	C	491	LYS	4.1
1	A	500	TYR	4.1
1	B	190	TYR	4.0
1	A	97	ILE	4.0
1	A	472	TYR	4.0
1	C	434	PRO	4.0
1	B	365	PHE	4.0
1	A	269	LEU	3.9
1	C	504	ARG	3.9
1	A	400	ILE	3.9
1	C	183	GLY	3.9
1	A	276	TRP	3.8
1	A	445	TYR	3.8
1	C	251	VAL	3.8
1	C	525	VAL	3.8
1	B	495	ALA	3.7
1	C	374	SER	3.7
1	A	485	ARG	3.7
1	A	419	TYR	3.7
1	B	301	ASN	3.7
1	C	217	LEU	3.7
1	C	426	ILE	3.7
1	B	498	ASN	3.7
1	A	437	ALA	3.7
1	A	230	ILE	3.6
1	C	351	THR	3.6
1	C	191	GLY	3.6
1	A	460	ASN	3.6
1	B	501	THR	3.6
1	C	292	HIS	3.5
1	A	257	ILE	3.5
1	A	441	TYR	3.5
1	C	138	ILE	3.5
1	A	385	LEU	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	462	VAL	3.4
1	B	143	HIS	3.4
1	C	187	GLY	3.4
1	A	508	GLU	3.4
1	A	279	ILE	3.4
1	A	540	LEU	3.4
1	A	393	PRO	3.4
1	A	433	PHE	3.4
1	B	276	TRP	3.3
1	A	387	TYR	3.3
1	C	360	PHE	3.3
1	A	123	SER	3.3
1	B	142	VAL	3.3
1	C	207	ALA	3.3
1	A	392	ILE	3.3
1	A	391	PRO	3.3
1	A	383	ILE	3.3
1	B	294	ILE	3.3
1	B	492	THR	3.3
1	A	479	LEU	3.2
1	C	74	ILE	3.2
1	A	515	PHE	3.2
1	A	119	MET	3.2
1	A	388	VAL	3.2
1	C	44	ASN	3.2
1	A	443	LEU	3.2
1	A	512	GLY	3.2
1	A	285	LYS	3.1
1	A	301	ASN	3.1
1	C	370	LEU	3.1
1	A	307	THR	3.1
1	A	531	PHE	3.1
1	A	410	GLY	3.1
1	A	193	LEU	3.1
1	A	312	TYR	3.1
1	B	484	TYR	3.1
1	A	290	MET	3.1
1	C	378	LYS	3.1
1	A	284	ASP	3.0
1	A	516	ASN	3.0
1	C	216	VAL	3.0
1	C	144	SER	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	188	GLY	3.0
1	A	200	ALA	3.0
1	A	74	ILE	3.0
1	A	506	TRP	3.0
1	A	352	ILE	3.0
1	C	146	THR	3.0
1	A	148	TRP	3.0
1	A	289	LEU	2.9
1	C	165	LYS	2.9
1	A	414	TYR	2.9
1	A	541	PRO	2.9
1	B	302	HIS	2.9
1	C	357	VAL	2.9
1	A	299	THR	2.9
1	C	116	ALA	2.9
1	A	466	TYR	2.9
1	A	71	LEU	2.9
1	A	503	ALA	2.9
1	C	229	ALA	2.9
1	A	44	ASN	2.9
1	C	364	ASN	2.9
1	B	260	VAL	2.8
1	B	257	ILE	2.8
1	C	50	LYS	2.8
1	C	371	LEU	2.8
1	A	421	GLY	2.8
1	A	405	TYR	2.8
1	A	465	VAL	2.8
1	B	415	VAL	2.8
1	A	205	ILE	2.8
1	A	453	GLU	2.8
1	C	201	ALA	2.8
1	A	398	VAL	2.8
1	C	519	VAL	2.8
1	A	459	ILE	2.7
1	B	319	GLY	2.7
1	C	223	GLY	2.7
1	C	505	ILE	2.7
1	A	225	ASP	2.7
1	A	409	VAL	2.7
1	C	210	VAL	2.7
1	A	438	GLY	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	374	SER	2.7
1	A	435	HIS	2.6
1	C	325	VAL	2.6
1	C	161	TRP	2.6
1	A	113	GLY	2.6
1	A	397	MET	2.6
1	C	538	PRO	2.6
1	B	355	SER	2.6
1	A	487	LEU	2.6
1	C	416	LEU	2.6
1	A	456	GLU	2.6
1	C	90	ASN	2.6
1	C	166	ASN	2.6
1	C	359	ASN	2.6
1	A	353	PHE	2.6
1	C	313	PHE	2.6
1	C	431	ILE	2.6
1	C	444	TRP	2.6
1	C	372	ASP	2.6
1	B	303	GLY	2.6
1	A	122	ILE	2.6
1	A	386	ASP	2.5
1	A	327	LEU	2.5
1	A	335	LEU	2.5
1	A	416	LEU	2.5
1	A	77	THR	2.5
1	B	318	HIS	2.5
1	A	129	VAL	2.5
1	A	266	ILE	2.5
1	B	44	ASN	2.5
1	A	406	GLU	2.5
1	C	230	ILE	2.5
1	C	521	VAL	2.5
1	C	248	LEU	2.5
1	A	432	PRO	2.5
1	C	358	VAL	2.4
1	A	53	TYR	2.4
1	C	226	LEU	2.4
1	A	118	GLY	2.4
1	B	299	THR	2.4
1	A	270	VAL	2.4
1	C	249	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	470	THR	2.4
1	B	446	THR	2.4
1	C	221	SER	2.4
1	A	36	LYS	2.4
1	C	369	ILE	2.4
1	A	272	LEU	2.4
1	A	483	ASN	2.4
1	A	201	ALA	2.4
1	C	501	THR	2.4
1	B	353	PHE	2.4
1	A	404	LEU	2.4
1	A	121	TYR	2.3
1	B	48	ASN	2.3
1	B	541	PRO	2.3
1	A	204	ILE	2.3
1	A	537	ILE	2.3
1	B	383	ILE	2.3
1	A	209	LEU	2.3
1	A	401	LEU	2.3
1	A	442	GLU	2.3
1	A	33	ASN	2.3
1	A	244	TRP	2.3
1	A	87	PRO	2.3
1	A	171	PHE	2.3
1	A	226	LEU	2.3
1	A	112	GLY	2.3
1	B	496	SER	2.3
1	C	302	HIS	2.3
1	C	145	GLN	2.3
1	A	332	PHE	2.3
1	A	98	LEU	2.3
1	C	367	LYS	2.3
1	A	174	GLY	2.3
1	A	340	THR	2.3
1	B	469	THR	2.3
1	A	473	VAL	2.3
1	C	515	PHE	2.2
1	A	57	ASP	2.2
1	A	81	PRO	2.2
1	A	380	ALA	2.2
1	B	374	SER	2.2
1	A	294	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	217	LEU	2.2
1	A	530	PHE	2.2
1	A	30	PRO	2.2
1	A	194	MET	2.2
1	C	214	GLY	2.2
1	A	58	GLN	2.2
1	A	250	ALA	2.2
1	A	389	LYS	2.2
1	A	395	THR	2.2
1	C	350	THR	2.2
1	A	144	SER	2.2
1	B	175	TYR	2.2
1	C	257	ILE	2.2
1	A	35	LEU	2.2
1	A	141	ASP	2.2
1	A	420	GLY	2.2
1	A	41[A]	HIS	2.2
1	A	475	GLN	2.2
1	A	427	SER	2.2
1	A	281	TYR	2.2
1	C	502	GLN	2.2
1	A	504	ARG	2.1
1	A	115	ASP	2.1
1	A	249	VAL	2.1
1	A	288	VAL	2.1
1	C	424	GLU	2.1
1	A	143	HIS	2.1
1	A	188	GLY	2.1
1	A	222	MET	2.1
1	C	175	TYR	2.1
1	C	377	LYS	2.1
1	B	305	ASN	2.1
1	A	525	VAL	2.1
1	C	208	HIS	2.1
1	A	196	ASN	2.1
1	A	283	TYR	2.1
1	A	486	ASP	2.1
1	A	103	VAL	2.1
1	B	252	PRO	2.1
1	C	353	PHE	2.1
1	A	221	SER	2.1
1	A	259	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	343	LYS	2.1
1	C	430	ALA	2.1
1	C	305	ASN	2.1
1	A	49	PRO	2.1
1	A	197	TYR	2.1
1	C	103	VAL	2.1
1	A	187	GLY	2.1
1	B	373	ARG	2.1
1	B	342	CYS	2.0
1	A	277	GLN	2.0
1	A	70	ASN	2.0
1	A	237	ASN	2.0
1	A	514	ASN	2.0
1	A	172	PRO	2.0
1	B	49	PRO	2.0
1	C	468	PHE	2.0
1	C	143	HIS	2.0
1	A	133	ARG	2.0
1	A	241	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	A	602	14/15	0.59	0.15	56,71,81,86	0
2	NAG	B	602	14/15	0.66	0.15	75,94,96,96	0
2	NAG	B	603	14/15	0.69	0.15	78,99,110,115	0
2	NAG	A	601	14/15	0.71	0.16	79,91,107,109	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	C	601	14/15	0.71	0.15	56,71,81,86	0
2	NAG	B	601	14/15	0.79	0.17	56,71,81,86	0
3	FAD	A	603	53/53	0.89	0.11	27,41,48,57	0
3	FAD	C	602	53/53	0.93	0.08	26,39,50,59	0
3	FAD	B	604	53/53	0.94	0.08	27,32,40,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FAD A 603:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD C 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD B 604:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.