



Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2025 – 04:48 AM EDT

PDB ID : 2E0W / pdb_00002e0w
Title : T391A precursor mutant protein of gamma-Glutamyltranspeptidase from Escherichia coli
Authors : Okada, T.; Wada, K.; Fukuyama, K.
Deposited on : 2006-10-16
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Xtriage (Phenix) : 2.0rc1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.006 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.43.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1004 (2.54-2.54)
Clashscore	180529	1055 (2.54-2.54)
Ramachandran outliers	177936	1048 (2.54-2.54)
Sidechain outliers	177891	1048 (2.54-2.54)
RSRZ outliers	164620	1004 (2.54-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	556	 0% 67% 19% 11%
1	B	556	 2% 67% 20% 10%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7468 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gamma-glutamyltranspeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	496	Total	C	N	O	S	0	0	0
			3697	2333	620	730	14			
1	B	500	Total	C	N	O	S	0	0	0
			3718	2344	627	732	15			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	391	ALA	THR	engineered mutation	UNP P18956
B	391	ALA	THR	engineered mutation	UNP P18956

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	28	Total	O	0	0
			28	28		
2	B	25	Total	O	0	0
			25	25		

- Molecule 1: Gamma-glutamyltranspeptidase



PRO	ASN	LYS	R459	P460	L461	S462	K471	I488	L492	L503	Q517	W518	L523	K527	P531	L534	L546	K547	E548	W557	P560	E563	G566	A567	S568	V573	T577	Y580
-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	134.60Å 134.60Å 118.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.55 30.00 – 2.55	Depositor EDS
% Data completeness (in resolution range)	92.0 (30.00-2.55) 85.3 (30.00-2.55)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.23 (at 2.54Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.217 , 0.270 0.211 , 0.261	Depositor DCC
R_{free} test set	1519 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	46.0	Xtriage
Anisotropy	0.277	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 31.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7468	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.60	0/3767	0.91	1/5112 (0.0%)
1	B	0.59	0/3789	0.95	9/5143 (0.2%)
All	All	0.60	0/7556	0.93	10/10255 (0.1%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	349	VAL	CA-C-N	9.05	131.15	119.84
1	B	349	VAL	C-N-CA	9.05	131.15	119.84
1	A	410	LEU	N-CA-C	-7.89	98.78	110.46
1	B	295	SER	N-CA-C	-5.48	106.38	112.57
1	B	171	GLN	CA-C-N	-5.41	113.05	119.05
1	B	171	GLN	C-N-CA	-5.41	113.05	119.05
1	B	356	ASN	OD1-CG-ND2	5.09	127.69	122.60
1	B	560	PRO	N-CA-C	-5.07	107.80	114.03
1	B	517	GLN	N-CA-C	-5.03	101.51	109.76
1	B	91	GLY	N-CA-C	-5.03	105.48	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3697	0	3627	69	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3718	0	3639	79	0
2	A	28	0	0	0	0
2	B	25	0	0	0	0
All	All	7468	0	7266	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:416:THR:HB	1:B:418:ILE:HD12	1.43	1.00
1:B:74:ASP:HB3	1:B:164:MET:HE2	1.42	0.99
1:B:379:ARG:HB3	1:B:380:PRO:CD	2.06	0.86
1:B:303:ILE:HG21	1:B:492:LEU:HD11	1.57	0.85
1:A:303:ILE:HD11	1:A:333:ALA:HB3	1.57	0.84
1:A:278:ILE:HD13	1:A:291:PRO:HA	1.61	0.82
1:A:486:ARG:HH11	1:A:517:GLN:HE22	1.41	0.69
1:B:428:ASN:HD22	1:B:430:GLN:HB2	1.59	0.68
1:A:351:TRP:O	1:A:354:LEU:HD22	1.94	0.68
1:A:58:ALA:HB2	1:A:83:LEU:HD13	1.77	0.67
1:A:325:ILE:HD11	1:A:369:ILE:HD12	1.75	0.67
1:B:65:ILE:HG23	1:B:164:MET:HE1	1.76	0.67
1:A:351:TRP:O	1:A:354:LEU:CD2	2.43	0.67
1:A:340:TYR:O	1:A:341:LEU:HB2	1.95	0.67
1:B:74:ASP:HB3	1:B:164:MET:CE	2.23	0.66
1:A:58:ALA:CB	1:A:83:LEU:HD13	2.24	0.66
1:B:428:ASN:ND2	1:B:430:GLN:HB2	2.11	0.66
1:A:299:HIS:HE2	1:A:351:TRP:HE1	1.44	0.66
1:A:66:LEU:HD13	1:A:75:ALA:HB2	1.77	0.65
1:B:307:LEU:HG	1:B:312:MET:HE3	1.78	0.65
1:A:554:GLN:NE2	1:A:568:SER:OG	2.29	0.65
1:B:74:ASP:CB	1:B:164:MET:HE2	2.25	0.65
1:B:416:THR:HB	1:B:418:ILE:CD1	2.22	0.64
1:A:303:ILE:HD11	1:A:333:ALA:CB	2.25	0.64
1:A:314:LYS:O	1:A:315:TYR:CG	2.52	0.62
1:A:195:GLY:O	1:A:200:PRO:HD3	2.00	0.62
1:B:379:ARG:CB	1:B:380:PRO:CD	2.78	0.60
1:A:115:GLU:H	1:A:115:GLU:CD	2.09	0.60
1:A:354:LEU:HD22	1:A:354:LEU:H	1.67	0.59
1:A:302:GLN:O	1:A:306:ILE:HG13	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:118:PRO:HG3	1:B:262:ILE:HG23	1.84	0.59
1:B:237:ASN:HB2	1:B:241:GLU:HB2	1.85	0.57
1:A:145:SER:HB3	1:A:428:ASN:O	2.04	0.57
1:B:72:ALA:HB1	1:B:404:VAL:HG23	1.84	0.57
1:A:118:PRO:HB3	1:A:262:ILE:HG22	1.87	0.57
1:B:391:ALA:CB	1:B:409:THR:HB	2.35	0.57
1:B:416:THR:CB	1:B:418:ILE:HD12	2.28	0.56
1:B:379:ARG:HB3	1:B:380:PRO:HD3	1.88	0.56
1:B:145:SER:O	1:B:428:ASN:ND2	2.39	0.56
1:A:166:LEU:O	1:A:170:VAL:HG23	2.05	0.55
1:B:369:ILE:HG23	1:B:370:ASN:HD22	1.71	0.55
1:B:379:ARG:HB3	1:B:380:PRO:HD2	1.87	0.55
1:B:247:ILE:HA	1:B:250:GLN:HE21	1.70	0.55
1:B:303:ILE:CG2	1:B:492:LEU:HD11	2.34	0.55
1:B:351:TRP:O	1:B:352:GLN:CB	2.53	0.55
1:A:409:THR:OG1	1:A:410:LEU:O	2.16	0.55
1:A:114:ARG:NH2	1:A:430:GLN:HE22	2.05	0.55
1:A:282:TYR:CZ	1:A:283:ARG:NH1	2.75	0.54
1:B:379:ARG:CB	1:B:380:PRO:HD3	2.38	0.54
1:B:488:ILE:O	1:B:492:LEU:HB2	2.08	0.54
1:A:566:GLY:HA3	1:A:577:THR:HG21	1.90	0.53
1:A:160:LYS:HE2	1:A:274:GLU:OE1	2.09	0.53
1:B:103:SER:HA	1:B:402:ASN:HD22	1.73	0.53
1:A:303:ILE:HG21	1:A:492:LEU:HD21	1.90	0.53
1:B:379:ARG:CG	1:B:380:PRO:HD3	2.39	0.52
1:B:305:ASN:HB3	1:B:360:ALA:CB	2.39	0.52
1:A:229:LYS:O	1:A:233:MET:HG2	2.10	0.51
1:B:51:VAL:HG22	1:B:396:VAL:HG22	1.92	0.51
1:B:89:GLN:HB3	1:B:413:THR:HG23	1.91	0.51
1:A:299:HIS:ND1	1:A:302:GLN:NE2	2.59	0.51
1:B:104:LYS:H	1:B:402:ASN:ND2	2.09	0.51
1:B:90:ALA:HB2	1:B:390:GLN:HE21	1.75	0.51
1:A:303:ILE:CD1	1:A:333:ALA:CB	2.90	0.50
1:A:391:ALA:HB3	1:A:482:PRO:HB3	1.93	0.50
1:B:379:ARG:HG2	1:B:380:PRO:HD3	1.93	0.50
1:B:566:GLY:HA3	1:B:577:THR:HG21	1.93	0.50
1:B:34:TYR:CD2	1:B:557:MET:HE2	2.47	0.50
1:A:354:LEU:CD2	1:A:354:LEU:H	2.24	0.50
1:B:164:MET:HE3	1:B:169:VAL:HG13	1.94	0.50
1:B:255:MET:HE1	1:B:262:ILE:HG13	1.92	0.50
1:A:505:VAL:HB	1:A:557:MET:HE2	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:MET:HB3	1:A:241:GLU:HG3	1.94	0.49
1:A:290:MET:O	1:A:297:GLY:HA3	2.12	0.49
1:B:164:MET:HE3	1:B:169:VAL:CG1	2.42	0.49
1:A:554:GLN:HE22	1:A:568:SER:CB	2.25	0.49
1:B:243:TYR:O	1:B:264:LYS:NZ	2.46	0.49
1:A:315:TYR:HD1	1:A:322:ALA:HB2	1.77	0.48
1:B:255:MET:HE1	1:B:262:ILE:N	2.29	0.48
1:B:324:GLN:HG2	1:B:369:ILE:O	2.13	0.48
1:B:145:SER:HB2	1:B:262:ILE:HD11	1.96	0.47
1:B:197:GLU:HB3	1:B:198:VAL:HG13	1.95	0.47
1:A:393:HIS:CE1	1:A:480:GLY:HA3	2.49	0.47
1:B:99:MET:HG3	1:B:406:VAL:HG22	1.95	0.47
1:B:391:ALA:HB2	1:B:409:THR:HB	1.96	0.47
1:A:99:MET:HG3	1:A:406:VAL:HG22	1.96	0.47
1:A:247:ILE:HA	1:A:250:GLN:HE21	1.79	0.47
1:A:303:ILE:CD1	1:A:330:GLU:HA	2.45	0.47
1:A:209:PHE:O	1:A:216:LEU:HG	2.15	0.46
1:A:299:HIS:O	1:A:303:ILE:HG12	2.15	0.46
1:A:66:LEU:HD13	1:A:75:ALA:CB	2.45	0.46
1:B:86:THR:HA	1:B:181:PHE:CZ	2.51	0.46
1:B:72:ALA:CB	1:B:404:VAL:HG23	2.45	0.46
1:B:174:PHE:CE1	1:B:232:GLU:HB2	2.51	0.46
1:A:319:SER:HB3	1:B:531:PRO:HG2	1.97	0.45
1:A:504:ASN:OD1	1:A:504:ASN:C	2.59	0.45
1:A:48:GLN:O	1:A:399:LYS:HA	2.17	0.45
1:B:369:ILE:HG23	1:B:370:ASN:ND2	2.31	0.45
1:B:99:MET:SD	1:B:101:ILE:HD11	2.57	0.44
1:A:161:TYR:OH	1:A:274:GLU:OE2	2.29	0.44
1:B:348:LYS:HA	1:B:349:VAL:HA	1.61	0.44
1:B:115:GLU:OE1	1:B:430:GLN:NE2	2.51	0.44
1:A:411:ASN:HB3	1:A:429:ASN:OD1	2.18	0.44
1:A:255:MET:HE3	1:A:262:ILE:HG13	2.00	0.44
1:A:145:SER:CB	1:A:428:ASN:O	2.66	0.43
1:B:334:TYR:OH	1:B:488:ILE:HB	2.18	0.43
1:A:474:LYS:HB2	1:A:474:LYS:NZ	2.33	0.43
1:A:142:HIS:HA	1:A:259:GLY:HA3	2.01	0.43
1:A:315:TYR:CD1	1:A:322:ALA:HB2	2.54	0.43
1:B:105:ASN:H	1:B:105:ASN:HD22	1.66	0.43
1:A:371:LYS:HE3	1:A:540:LYS:O	2.18	0.43
1:B:75:ALA:HB3	1:B:396:VAL:HG11	2.01	0.43
1:B:183:VAL:HG13	1:B:187:LEU:HB3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:114:ARG:CZ	1:B:462:SER:HB2	2.49	0.42
1:B:390:GLN:OE1	1:B:390:GLN:HA	2.19	0.42
1:B:325:ILE:HD11	1:B:369:ILE:HG12	2.01	0.42
1:A:42:HIS:HA	1:A:43:PRO:HD3	1.88	0.42
1:B:308:GLU:OE1	1:B:357:LYS:HE2	2.19	0.42
1:B:47:LYS:HG2	1:B:563:GLU:OE1	2.19	0.42
1:A:303:ILE:HD12	1:A:330:GLU:HA	2.02	0.42
1:A:353:ALA:O	1:A:356:ASN:HB2	2.20	0.42
1:A:251:ILE:HA	1:A:420:ALA:HB1	2.02	0.41
1:A:571:ARG:O	1:B:42:HIS:HE1	2.03	0.41
1:B:285:TYR:CE1	1:B:471:LYS:HB2	2.55	0.41
1:B:263:THR:O	1:B:266:ASP:HB2	2.20	0.41
1:B:413:THR:HG22	1:B:414:PHE:CD2	2.55	0.41
1:B:276:THR:O	1:B:291:PRO:HG3	2.21	0.41
1:A:416:THR:HB	1:A:418:ILE:HD13	2.02	0.41
1:A:171:GLN:HB3	1:A:172:PRO:HD3	2.02	0.41
1:A:465:SER:O	1:A:466:PRO:C	2.63	0.41
1:B:310:PHE:CD1	1:B:325:ILE:HD13	2.54	0.41
1:A:77:VAL:HG13	1:A:154:PHE:HB3	2.02	0.41
1:A:328:GLU:OE1	1:A:373:LYS:HG2	2.21	0.41
1:A:373:LYS:HG2	1:A:373:LYS:H	1.76	0.41
1:B:206:LYS:O	1:B:210:TRP:HB2	2.21	0.41
1:B:380:PRO:HD2	1:B:518:TRP:HH2	1.86	0.41
1:B:65:ILE:CG2	1:B:164:MET:HE1	2.49	0.41
1:B:112:ASP:OD1	1:B:112:ASP:C	2.63	0.41
1:B:431:MET:HA	1:B:431:MET:HE2	2.02	0.41
1:A:368:ASP:H	1:A:373:LYS:NZ	2.19	0.40
1:B:291:PRO:O	1:B:294:SER:HB3	2.20	0.40
1:B:351:TRP:O	1:B:352:GLN:HB2	2.20	0.40
1:B:144:ALA:HB1	1:B:431:MET:HB2	2.03	0.40
1:B:224:GLN:HB3	1:B:227:LEU:HB3	2.03	0.40
1:B:227:LEU:HD13	1:B:425:ILE:HD13	2.03	0.40
1:A:147:THR:HA	1:A:148:PRO:HD3	1.90	0.40
1:A:270:TYR:CD2	1:A:270:TYR:C	2.98	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	486/556 (87%)	454 (93%)	27 (6%)	5 (1%)	13	18
1	B	492/556 (88%)	457 (93%)	30 (6%)	5 (1%)	13	18
All	All	978/1112 (88%)	911 (93%)	57 (6%)	10 (1%)	13	18

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	379	ARG
1	B	380	PRO
1	A	259	GLY
1	A	380	PRO
1	B	350	PRO
1	A	315	TYR
1	A	411	ASN
1	B	255	MET
1	B	352	GLN
1	A	260	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	385/440 (88%)	353 (92%)	32 (8%)	9	12
1	B	384/440 (87%)	348 (91%)	36 (9%)	7	8
All	All	769/880 (87%)	701 (91%)	68 (9%)	8	10

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60	GLN
1	A	66	LEU
1	A	67	LYS
1	A	83	LEU
1	A	116	MET
1	A	167	ASN
1	A	187	LEU
1	A	197	GLU
1	A	199	LEU
1	A	203	GLU
1	A	211	LYS
1	A	217	LYS
1	A	271	LYS
1	A	278	ILE
1	A	314	LYS
1	A	324	GLN
1	A	354	LEU
1	A	355	THR
1	A	363	ILE
1	A	369	ILE
1	A	371	LYS
1	A	373	LYS
1	A	378	ILE
1	A	388	SER
1	A	389	ASN
1	A	408	TYR
1	A	474	LYS
1	A	503	LEU
1	A	519	LEU
1	A	537	LEU
1	A	538	GLU
1	A	576	LEU
1	B	32	VAL
1	B	60	GLN
1	B	68	GLU
1	B	105	ASN
1	B	168	LYS
1	B	187	LEU
1	B	217	LYS
1	B	246	THR
1	B	255	MET
1	B	262	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	264	LYS
1	B	275	ARG
1	B	307	LEU
1	B	314	LYS
1	B	341	LEU
1	B	361	LYS
1	B	363	ILE
1	B	367	ILE
1	B	368	ASP
1	B	369	ILE
1	B	370	ASN
1	B	373	LYS
1	B	399	LYS
1	B	408	TYR
1	B	459	ARG
1	B	461	LEU
1	B	471	LYS
1	B	492	LEU
1	B	503	LEU
1	B	523	LEU
1	B	527	LYS
1	B	534	LEU
1	B	546	LEU
1	B	548	GLU
1	B	568	SER
1	B	573	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	250	GLN
1	A	302	GLN
1	A	324	GLN
1	A	352	GLN
1	A	370	ASN
1	A	389	ASN
1	A	430	GLN
1	A	517	GLN
1	A	542	GLN
1	A	554	GLN
1	B	42	HIS
1	B	87	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	105	ASN
1	B	107	ASN
1	B	171	GLN
1	B	224	GLN
1	B	250	GLN
1	B	324	GLN
1	B	366	GLN
1	B	370	ASN
1	B	390	GLN
1	B	402	ASN
1	B	428	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	496/556 (89%)	-0.01	5 (1%) 79 82	29, 42, 55, 60	0
1	B	500/556 (89%)	0.18	12 (2%) 59 64	30, 43, 62, 67	0
All	All	996/1112 (89%)	0.09	17 (1%) 69 72	29, 42, 58, 67	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	141	SER	3.5
1	B	303	ILE	3.2
1	B	145	SER	2.9
1	B	317	PHE	2.9
1	B	254	GLU	2.6
1	B	251	ILE	2.5
1	B	368	ASP	2.5
1	A	143	LEU	2.4
1	B	367	ILE	2.3
1	B	392	THR	2.3
1	A	381	GLY	2.2
1	A	518	TRP	2.2
1	B	347	VAL	2.2
1	B	167	ASN	2.2
1	B	363	ILE	2.1
1	A	384	ALA	2.0
1	B	360	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.