Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 01:52 AM UTC

PDB ID	:	2JKP / pdb_00002jkp
Title	:	Structure of a family 97 alpha-glucosidase from Bacteroides thetaiotaomicron in complex with castanospermine
Authors	:	Gloster, T.M.; Turkenburg, J.P.; Potts, J.R.; Henrissat, B.; Davies, G.J.
Deposited on	:	2008-08-29
Resolution	:	1.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	727	79% 15% • 6%
1	B	727	79% 14% • 6%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12478 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALPHA-GLUCOSIDASE (ALPHA-GLUCOSIDASE SUSB).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	687	Total	C	N	O	S	0	21	0
			5634	3593	937	1075	29			
1	B	687	Total	C	N	O	S	0	8	0
			5545	3530	921	1064	30			

- Molecule 2 is CASTANOSPERMINE (CCD ID: CTS) (formula: $C_8H_{15}NO_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			13	8	1	4		
2	B	1	Total	C	N	O	0	0
			13	8	1	4		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Ca 1 1	0	0
3	B	1	Total Ca 1 1	0	0

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	656	Total O 656 656	0	0
5	B	599	Total O 599 599	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ALPHA-GLUCOSIDASE (ALPHA-GLUCOSIDASE SUSB)

Chain A:





• Molecule 1: ALPHA-GLUCOSIDASE (ALPHA-GLUCOSIDASE SUSB)

Chain B:





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	74.57Å 111.99Å 104.13Å 90.00° 100.89° 90.00°	Depositor
Resolution (Å)	102.06 – 1.99 102.06 – 1.99	Depositor EDS
% Data completeness (in resolution range)	94.7 (102.06-1.99) 94.7 (102.06-1.99)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.31 (at 1.99Å)	Xtriage
Refinement program	REFMAC 5.4.0077	Depositor
R, R_{free}	0.173 , 0.227 0.173 , 0.227	Depositor DCC
R_{free} test set	5452 reflections (4.78%)	wwPDB-VP
Wilson B-factor (Å^2)	27.3	Xtriage
Anisotropy	0.382	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 57.4	EDS
L-test for twinning[2]	$< \|L\| > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.96	EDS
Total number of atoms	12478	wwPDB-VP
Average B, all atoms (Å^2)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.88% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, CA, CTS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	0.86	4/5847 (0.1%)	0.96	4/7932 (0.1%)
1	B	0.87	0/5716	0.96	5/7763 (0.1%)
All	All	0.87	4/11563 (0.0%)	0.96	9/15695 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	475	ILE	CA-CB	6.73	1.60	1.54
1	A	482	TYR	N-CA	5.38	1.52	1.46
1	A	466	VAL	C-O	5.26	1.29	1.24
1	A	560	THR	CA-CB	5.04	1.57	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	186	ILE	CA-C-N	6.32	126.65	119.83
1	B	186	ILE	C-N-CA	6.32	126.65	119.83
1	A	669	PHE	N-CA-C	-6.29	105.60	113.28
1	A	186	ILE	CA-C-N	5.54	125.81	119.83
1	A	186	ILE	C-N-CA	5.54	125.81	119.83
1	A	534	GLU	N-CA-C	-5.54	105.78	112.54
1	B	596	PRO	N-CA-C	-5.18	107.27	114.27
1	B	451	MET	N-CA-C	5.10	116.65	111.14
1	B	367	SER	N-CA-C	5.06	117.69	111.82

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5634	0	5447	83	0
1	B	5545	0	5280	85	0
2	A	13	0	14	1	0
2	B	13	0	14	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	8	0	12	0	0
4	B	8	0	12	1	0
5	A	656	0	0	8	0
5	B	599	0	0	6	0
All	All	12478	0	10779	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:648:ASP:HB2	5:A:2626:HOH:O	1.57	1.05
1:A:109[A]:THR:CG2	1:A:119:GLU:HG2	1.97	0.93
1:B:229[A]:THR:CG2	1:B:244:HIS:ND1	2.32	0.92
1:A:211:GLU:HG3	5:A:2199:HOH:O	1.68	0.92
1:B:229[A]:THR:HG23	1:B:244:HIS:ND1	1.85	0.91
1:A:181:HIS:HD2	1:A:233[B]:MET:HE2	1.40	0.87
1:A:585:ARG:HG3	1:A:585:ARG:O	1.73	0.86
1:B:366:HIS:HD2	1:B:417:ASP:OD2	1.58	0.85
1:A:109[A]:THR:HG21	1:A:119:GLU:HG2	1.61	0.83
1:A:662[B]:THR:HG22	1:A:712:HIS:HD2	1.45	0.81
1:A:315:ILE:HD12	1:A:520:PRO:HD2	1.63	0.81
1:B:37[B]:GLN:NE2	1:B:37[B]:GLN:HA	1.96	0.80
1:B:434[A]:MET:HA	1:B:434[A]:MET:HE2	1.69	0.75
1:A:181:HIS:CD2	1:A:233[B]:MET:HE2	2.21	0.75
1:A:674:LYS:HD3	1:A:725:GLU:CD	2.13	0.74
1:B:470:TYR:O	1:B:481:HIS:HE1	1.72	0.73
1:A:667:PHE:O	1:A:705:ASN:HA	1.88	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:37[B]:GLN:HA	1:B:37[B]:GLN:HE21	1.54	0.72
1:A:45:THR:HG21	5:A:2017:HOH:O	1.89	0.71
1:A:177:MET:SD	1:A:233[B]:MET:HE1	2.32	0.70
1:B:562:GLY:H	1:B:586:GLN:NE2	1.90	0.69
1:B:315:ILE:HD12	1:B:520:PRO:HD2	1.74	0.69
1:B:470:TYR:OH	1:B:489:HIS:HE1	1.75	0.68
1:A:366:HIS:HD2	1:A:417:ASP:OD2	1.76	0.68
1:A:110:TRP:HE1	1:A:308:ASN:ND2	1.92	0.67
1:A:623:ASP:OD2	1:A:645[A]:LYS:HE3	1.95	0.66
1:B:562:GLY:H	1:B:586:GLN:HE21	1.44	0.65
1:A:162:SER:HB2	5:A:2119:HOH:O	1.97	0.65
1:A:191:ASP:OD1	1:A:481:HIS:HD2	1.80	0.65
1:A:37:GLN:HG3	5:A:2015:HOH:O	1.97	0.65
1:A:109[A]:THR:HG22	1:A:119:GLU:HG2	1.78	0.64
1:B:110:TRP:HE1	1:B:308:ASN:ND2	1.94	0.64
1:A:534:GLU:HA	1:A:538:GLY:HA2	1.79	0.64
1:A:448:GLU:OE2	1:A:489:HIS:HD2	1.81	0.64
1:A:109[A]:THR:HG23	1:A:120:ILE:O	1.98	0.63
1:B:37[B]:GLN:HE21	1:B:37[B]:GLN:CA	2.13	0.62
1:B:107:ASP:O	1:B:108:GLU:OE2	2.18	0.61
1:B:99:LYS:O	1:B:100:ASP:HB3	2.00	0.61
1:B:37[B]:GLN:HE21	1:B:38:VAL:H	1.48	0.60
1:B:507:HIS:HD2	2:B:1727:CTS:O2	1.84	0.60
1:B:229[A]:THR:HG23	1:B:244:HIS:HA	1.83	0.60
1:B:366:HIS:HE1	1:B:392:GLY:O	1.84	0.59
1:A:643:LYS:HE3	1:A:648:ASP:OD1	2.03	0.59
1:A:470:TYR:OH	1:A:489:HIS:HE1	1.86	0.59
1:B:448:GLU:OE2	1:B:489:HIS:HD2	1.86	0.59
1:B:674:LYS:CD	1:B:725:GLU:OE1	2.50	0.58
1:A:470:TYR:O	1:A:481:HIS:HE1	1.87	0.58
1:B:37[B]:GLN:HE21	1:B:38:VAL:N	2.01	0.58
1:A:662[B]:THR:HG22	1:A:712:HIS:CD2	2.33	0.58
1:A:38:VAL:CG1	1:A:42:GLY:HA2	2.34	0.58
1:A:101:THR:C	1:A:102:GLN:HG3	2.29	0.58
1:B:366:HIS:CD2	1:B:417:ASP:OD2	2.49	0.57
1:A:491:LEU:HG	1:A:495:LYS:HD2	1.87	0.57
1:A:662[B]:THR:CG2	1:A:712:HIS:HD2	2.16	0.57
1:A:331:TRP:CE2	1:A:335:ILE:HG13	2.40	0.56
1:A:507:HIS:HD2	2:A:1727:CTS:O2	1.88	0.56
1:A:181:HIS:CE1	1:A:235:THR:HG22	2.40	0.56
1:B:51:LYS:NZ	1:B:295:ASP:OD2	2.31	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:169:LYS:O	1:A:170[A]:GLU:HG2	2.06	0.56
1:B:391:GLU:HG2	1:B:437:HIS:CD2	2.41	0.56
1:B:562:GLY:N	1:B:586:GLN:HE21	2.03	0.56
1:B:37[B]:GLN:NE2	1:B:37[B]:GLN:CA	2.66	0.55
1:A:181:HIS:HD2	1:A:233[B]:MET:CE	2.18	0.55
1:A:435:MET:HE3	1:A:467[B]:LYS:HB2	1.88	0.54
1:B:229[A]:THR:CG2	1:B:244:HIS:HA	2.37	0.54
1:A:534:GLU:HB3	1:A:579:VAL:HG22	1.90	0.54
1:B:230:ALA:HB2	1:B:244:HIS:CG	2.42	0.54
1:B:101:THR:O	1:B:102:GLN:HG3	2.07	0.54
1:B:234:LYS:NZ	5:B:2191:HOH:O	2.35	0.53
1:A:105:THR:HG23	1:A:125:ASN:OD1	2.09	0.52
1:A:539:ASN:O	1:A:580[B]:ARG:HG3	2.10	0.52
1:B:631:GLU:OE2	1:B:661:HIS:NE2	2.31	0.51
1:B:685:LYS:O	1:B:686:ASP:HB2	2.09	0.51
1:A:331:TRP:CZ2	1:A:335:ILE:HG13	2.44	0.51
1:A:89:LYS:HD3	5:A:2118:HOH:O	2.08	0.51
1:B:191:ASP:OD1	1:B:481:HIS:HD2	1.93	0.51
1:B:534:GLU:HA	1:B:538:GLY:HA2	1.91	0.51
1:B:49:THR:HA	1:B:53:LYS:O	2.11	0.51
1:A:45:THR:HG22	1:A:60:THR:HG22	1.92	0.51
1:B:298:ARG:HD2	1:B:629:TYR:O	2.10	0.50
1:A:435:MET:HE3	1:A:467[A]:LYS:HB2	1.92	0.50
1:B:242:ASN:HB3	1:B:292:ILE:HB	1.92	0.50
1:A:232:MET:HE1	1:A:300:ILE:HG13	1.94	0.50
1:A:548:PRO:HA	1:A:552[A]:LEU:HB2	1.94	0.50
1:A:311:GLU:HA	1:A:311:GLU:OE1	2.11	0.49
1:B:434[A]:MET:HE2	1:B:434[A]:MET:CA	2.40	0.49
1:B:229[A]:THR:HG22	1:B:244:HIS:ND1	2.26	0.49
1:B:437:HIS:HD2	5:B:2326:HOH:O	1.95	0.49
1:A:62:GLY:C	1:A:63[A]:LEU:HD23	2.37	0.49
1:A:101:THR:O	1:A:102:GLN:HG3	2.13	0.49
1:A:678:ALA:HA	1:A:722:SER:O	2.12	0.49
1:B:229[B]:THR:HB	1:B:230:ALA:HA	1.94	0.48
1:B:563:ILE:H	1:B:586:GLN:HE21	1.61	0.48
1:A:109[A]:THR:CG2	1:A:119:GLU:CG	2.82	0.48
1:B:692:ASN:HD21	1:B:695:ALA:HB2	1.78	0.48
1:A:244:HIS:HE1	1:A:553:VAL:O	1.97	0.48
1:B:388:VAL:HB	1:B:434[A]:MET:HE1	1.95	0.48
1:B:57:LYS:O	1:B:58:PRO:C	2.57	0.47
1:A:109[A]:THR:HG22	1:A:119:GLU:CG	2.45	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:369:ASN:ND2	1:B:372:ASN:H	2.13	0.47
1:B:229[A]:THR:HG23	1:B:230:ALA:HA	1.97	0.47
1:A:110:TRP:HE1	1:A:308:ASN:HD21	1.63	0.47
1:B:391:GLU:HG2	1:B:437:HIS:CG	2.50	0.46
1:A:91:ASN:OD1	1:A:91:ASN:C	2.58	0.46
1:B:314:LYS:HE2	1:B:518:THR:CG2	2.45	0.46
1:B:51:LYS:O	1:B:52:ASN:HB2	2.15	0.46
1:A:683:ASP:HB3	1:A:687:ALA:HB3	1.97	0.46
1:B:110:TRP:HE1	1:B:308:ASN:HD21	1.62	0.45
1:B:725:GLU:HG3	1:B:726:VAL:N	2.32	0.45
1:A:229:THR:OG1	1:A:244:HIS:HD2	1.99	0.45
1:A:244:HIS:CE1	1:A:553:VAL:O	2.69	0.45
1:B:365:LYS:HE2	5:B:2301:HOH:O	2.16	0.45
1:A:62:GLY:C	1:A:63[A]:LEU:CD2	2.90	0.45
1:A:581:SER:HB2	5:A:2563:HOH:O	2.16	0.45
1:A:565:GLU:OE1	1:A:609[B]:ARG:NH2	2.50	0.45
1:B:670:LEU:HB3	1:B:676:TYR:CE2	2.51	0.45
1:B:29:ASP:OD1	1:B:29:ASP:C	2.60	0.44
1:B:654:CYS:O	1:B:718:GLY:HA3	2.18	0.44
1:A:366:HIS:HE1	1:A:392:GLY:O	2.01	0.44
1:B:330:VAL:O	1:B:334:MET:HE1	2.18	0.44
1:B:366:HIS:CE1	1:B:392:GLY:O	2.66	0.44
1:B:563:ILE:O	1:B:586:GLN:HG3	2.18	0.44
1:A:43:ALA:O	1:A:45:THR:HG23	2.18	0.44
1:B:94:ASP:C	1:B:94:ASP:OD1	2.61	0.43
1:A:703:LEU:HD22	1:A:707:SER:CB	2.48	0.43
1:A:68:GLU:OE1	1:A:89:LYS:NZ	2.51	0.43
1:B:566:THR:HB	1:B:579:VAL:HB	2.00	0.43
1:B:571:MET:HG2	5:B:2487:HOH:O	2.18	0.43
1:A:469:GLY:C	1:A:470:TYR:CD2	2.97	0.43
1:B:668:ASP:OD1	1:B:668:ASP:N	2.52	0.43
1:B:180:ASP:OD2	1:B:203:SER:OG	2.36	0.42
1:B:549:PHE:CZ	1:B:634:PRO:HD3	2.53	0.42
1:B:562:GLY:N	1:B:586:GLN:NE2	2.61	0.42
1:A:177:MET:HG3	1:A:233[B]:MET:HE1	2.01	0.42
1:B:188:GLY:HA3	1:B:222:PHE:CE2	2.55	0.42
1:B:542:TYR:CD1	1:B:542:TYR:C	2.98	0.42
1:A:109[A]:THR:HG21	1:A:119:GLU:CG	2.40	0.42
1:B:24:LYS:CG	1:B:35:THR:HG22	2.50	0.42
1:A:188:GLY:HA3	1:A:222:PHE:CE2	2.54	0.42
1:A:537:GLY:O	1:A:580[B]:ARG:NH2	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:149:ASP:OD1	1:B:149:ASP:N	2.53	0.42
1:B:274:LYS:HD3	5:B:2230:HOH:O	2.18	0.42
1:B:539:ASN:O	1:B:580:ARG:HG2	2.20	0.42
1:B:111:GLN:HA	1:B:112:PRO:HD2	1.93	0.42
1:B:520:PRO:HB3	4:B:1729:EDO:H11	2.01	0.42
1:B:244:HIS:CG	1:B:245:GLU:H	2.37	0.41
1:B:645:LYS:NZ	5:B:2550:HOH:O	2.52	0.41
1:A:211:GLU:CG	5:A:2199:HOH:O	2.44	0.41
1:B:453:LYS:HB3	1:B:453:LYS:HE2	1.52	0.41
1:A:612:ASP:OD1	1:A:613:ALA:N	2.53	0.41
1:B:507:HIS:CG	1:B:526:GLU:HB2	2.56	0.41
1:A:244:HIS:CD2	1:A:245:GLU:H	2.38	0.41
1:A:563:ILE:O	1:A:586:GLN:HG3	2.20	0.41
1:A:671:THR:HG21	1:A:674:LYS:HE3	2.03	0.41
1:B:470:TYR:OH	1:B:489:HIS:CE1	2.64	0.41
1:B:692:ASN:ND2	1:B:695:ALA:HB2	2.36	0.41
1:A:569:ASN:HA	1:A:572:ASN:O	2.21	0.41
1:A:654:CYS:HB2	1:A:719:TYR:CZ	2.56	0.41
1:B:251:TYR:CG	1:B:287:PRO:HD3	2.56	0.41
1:A:170[C]:GLU:HG3	1:A:171:GLU:O	2.21	0.41
1:B:124:TYR:CE1	1:B:145:ARG:HD3	2.56	0.41
1:B:422:GLU:OE1	1:B:425:ARG:NH1	2.54	0.41
1:A:43:ALA:HA	1:A:44:PRO:HD3	1.95	0.40
1:A:298:ARG:HD2	1:A:629:TYR:O	2.21	0.40
1:B:532:GLU:O	1:B:535[B]:SER:OG	2.36	0.40
1:A:623:ASP:OD2	1:A:645[A]:LYS:CE	2.68	0.40
1:A:327:TYR:CZ	1:A:599:MET:HB2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	705/727 (97%)	676 (96%)	29 (4%)	0	100	100
1	B	691/727 (95%)	661 (96%)	29 (4%)	1 (0%)	48	46
All	All	1396/1454 (96%)	1337 (96%)	58 (4%)	1 (0%)	48	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	331	TRP

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	608/627 (97%)	593 (98%)	15 (2%)	42	45
1	B	589/627 (94%)	569 (97%)	20 (3%)	32	33
All	All	1197/1254 (96%)	1162 (97%)	35 (3%)	40	40

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57[A]	LYS
1	A	57[B]	LYS
1	A	63[A]	LEU
1	A	63[B]	LEU
1	A	87	ASP
1	A	210	LYS
1	A	229	THR
1	A	262	ASN
1	A	542	TYR
1	A	552[A]	LEU
1	A	552[B]	LEU
1	A	585	ARG
1	A	631	GLU
1	A	686	ASP
1	A	726	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	26	THR
1	B	37[A]	GLN
1	B	37[B]	GLN
1	B	68	GLU
1	B	102	GLN
1	B	105	THR
1	B	162	SER
1	B	210	LYS
1	B	229[A]	THR
1	B	229[B]	THR
1	B	365	LYS
1	B	430	LYS
1	B	542	TYR
1	B	560	THR
1	B	565	GLU
1	B	666	VAL
1	B	668	ASP
1	B	709	LEU
1	B	725	GLU
1	B	726	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (36) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	136	ASN
1	A	159	GLN
1	A	219	GLN
1	A	244	HIS
1	A	262	ASN
1	A	308	ASN
1	A	366	HIS
1	A	403	ASN
1	A	473	ASN
1	A	481	HIS
1	A	489	HIS
1	A	507	HIS
1	A	525	ASN
1	A	712	HIS
1	B	31	ASN
1	B	122	ASN
1	B	133	GLN
1	B	136	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	164	ASN
1	B	219	GLN
1	B	255	HIS
1	B	308	ASN
1	B	310	ASN
1	B	366	HIS
1	B	369	ASN
1	B	437	HIS
1	B	456	GLN
1	B	461	ASN
1	B	473	ASN
1	B	481	HIS
1	B	489	HIS
1	B	507	HIS
1	B	567	HIS
1	B	586	GLN
1	B	692	ASN
1	B	715	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
4	EDO	A	1729	-	3,3,3	0.36	0	2,2,2	0.51	0
4	EDO	B	1730	-	3,3,3	0.48	0	2,2,2	0.52	0
4	EDO	B	1729	-	3,3,3	0.56	0	2,2,2	0.48	0
4	EDO	A	1730	-	3,3,3	0.51	0	2,2,2	0.16	0
2	CTS	B	1727	3	14,14,14	0.59	0	17,21,21	2.63	5 (29%)
2	CTS	A	1727	3	14,14,14	1.05	1 (7%)	17,21,21	2.45	6 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	1729	-	-	0/1/1/1	-
4	EDO	B	1730	-	-	0/1/1/1	-
4	EDO	B	1729	-	-	1/1/1/1	-
4	EDO	A	1730	-	-	0/1/1/1	-
2	CTS	B	1727	3	-	-	0/2/2/2
2	CTS	A	1727	3	-	-	0/2/2/2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1727	CTS	C6-C5	-2.54	1.51	1.54

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	B	1727	CTS	C1-N-C5	7.88	124.53	110.62
2	A	1727	CTS	C1-N-C5	6.85	122.71	110.62
2	B	1727	CTS	C7-C6-C5	-4.24	97.49	102.80
2	A	1727	CTS	C8-N-C1	3.33	124.58	113.50
2	B	1727	CTS	C8-N-C1	3.20	124.14	113.50
2	B	1727	CTS	C2-C3-C4	-3.02	105.56	110.86
2	A	1727	CTS	O2-C2-C1	-2.81	104.29	109.66
2	A	1727	CTS	C2-C3-C4	-2.39	106.67	110.86
2	A	1727	CTS	O2-C2-C3	2.37	115.07	110.15
2	B	1727	CTS	C1-C2-C3	-2.21	107.53	110.17
2	A	1727	CTS	C8-N-C5	2.20	112.28	106.17

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	1729	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1729	EDO	1	0
2	B	1727	CTS	1	0
2	A	1727	CTS	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	687/727 (94%)	-0.32	0	100	100	9, 30, 43, 52	21 (3%)
1	B	687/727 (94%)	-0.23	0	100	100	16, 31, 48, 58	8 (1%)
All	All	1374/1454 (94%)	-0.27	0	100	100	9, 30, 45, 58	29 (2%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	CTS	A	1727	13/13	0.95	0.07	28,31,33,34	0
4	EDO	B	1729	4/4	0.96	0.07	31,32,33,36	0
4	EDO	A	1730	4/4	0.97	0.06	32,33,34,35	0
2	CTS	B	1727	13/13	0.97	0.05	25,28,31,31	0
4	EDO	B	1730	4/4	0.97	0.06	30,30,32,32	0
4	EDO	A	1729	4/4	0.98	0.05	26,33,33,34	0
3	CA	A	1728	1/1	0.99	0.02	26,26,26,26	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	CA	B	1728	1/1	0.99	0.01	24,24,24,24	0

6.5 Other polymers (i)

There are no such residues in this entry.