



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:36 AM UTC

PDB ID : 2WXR / pdb_00002wxr
Title : The crystal structure of the murine class IA PI 3-kinase p110delta.
Authors : Berndt, A.; Miller, S.; Williams, O.; Lee, D.D.; Houseman, B.T.; Pacold, J.I.; Gorrec, F.; Hon, W.-C.; Liu, Y.; Rommel, C.; Gaillard, P.; Ruckle, T.; Schwarz, M.K.; Shokat, K.M.; Shaw, J.P.; Williams, R.L.
Deposited on : 2009-11-09
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	940	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6702 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE 3-KINASE CATALYTIC SUBUNIT DELTA ISOFORM.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	822	6633	4254	1126	1199	54	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	105	GLY	-	expression tag	UNP Q3UDT3


- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
2	A	69	69	69	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE 3-KINASE CATALYTIC SUBUNIT DELTA ISOFORM





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	143.31Å 64.50Å 117.13Å 90.00° 103.94° 90.00°	Depositor
Resolution (Å)	66.96 – 2.50 66.96 – 2.50	Depositor EDS
% Data completeness (in resolution range)	95.7 (66.96-2.50) 95.6 (66.96-2.50)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.04 (at 2.51Å)	Xtrriage
Refinement program	REFMAC 5.5.0046	Depositor
R, R_{free}	0.221 , 0.279 0.230 , 0.288	Depositor DCC
R_{free} test set	1077 reflections (2.99%)	wwPDB-VP
Wilson B-factor (Å ²)	50.1	Xtrriage
Anisotropy	0.214	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 70.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	6702	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.86	3/6776 (0.0%)	1.03	8/9142 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	379	ILE	CA-CB	5.89	1.62	1.54
1	A	373	GLN	CD-NE2	-5.88	1.21	1.33
1	A	326	GLU	CD-OE2	5.34	1.35	1.25

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	373	GLN	OE1-CD-NE2	-7.79	114.81	122.60
1	A	334	ASN	N-CA-C	6.43	124.50	110.80
1	A	351	ASN	N-CA-C	6.08	117.58	111.07
1	A	673	ARG	N-CA-C	-5.69	105.22	111.82
1	A	444	SER	N-CA-C	5.49	118.59	110.46
1	A	814	GLY	N-CA-C	5.38	118.85	111.54
1	A	270	LEU	N-CA-C	5.21	117.26	110.43
1	A	912	PHE	CB-CA-C	-5.18	101.80	110.19

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6633	0	6615	220	4
2	A	69	0	0	5	0
All	All	6702	0	6615	220	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (220) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:367:SER:HB3	1:A:368:GLU:C	1.57	1.29
1:A:386:ARG:HG3	1:A:387:MET:HE2	1.31	1.12
1:A:549:LEU:HG	1:A:564:MET:HE1	1.24	1.12
1:A:962:ARG:HH11	1:A:962:ARG:HG2	1.22	1.01
1:A:367:SER:HB3	1:A:369:PRO:N	1.76	0.99
1:A:841:LYS:HB2	1:A:844:MET:HE1	1.45	0.98
1:A:549:LEU:CG	1:A:564:MET:HE1	1.95	0.95
1:A:652:ARG:HD3	1:A:668:MET:HE1	1.52	0.92
1:A:648:PHE:CE1	1:A:668:MET:HE3	2.07	0.89
1:A:435:GLY:HA2	1:A:475:LEU:O	1.75	0.85
1:A:944:GLN:HE21	1:A:949:ASN:HD21	1.22	0.83
1:A:837:ILE:HD13	1:A:901:ILE:HD11	1.60	0.81
1:A:549:LEU:HG	1:A:564:MET:CE	2.06	0.81
1:A:895:HIS:H	1:A:898:ASN:HD21	1.26	0.80
1:A:191:LEU:O	1:A:272:PRO:HD2	1.82	0.79
1:A:331:ARG:HA	1:A:368:GLU:HA	1.62	0.79
1:A:837:ILE:CD1	1:A:901:ILE:HD11	2.12	0.78
1:A:245:GLY:HA3	1:A:768:ALA:HB2	1.65	0.78
1:A:553:THR:HG21	1:A:564:MET:HE3	1.65	0.78
1:A:833:THR:HG23	1:A:900:MET:HE3	1.66	0.77
1:A:334:ASN:CG	1:A:335:ALA:H	1.93	0.77
1:A:982:ARG:NH2	1:A:991:CYS:HA	2.00	0.77
1:A:553:THR:CG2	1:A:564:MET:HE3	2.14	0.77
1:A:786:GLN:HG2	1:A:913:GLY:HA2	1.68	0.75
1:A:962:ARG:HG2	1:A:962:ARG:NH1	1.96	0.72
1:A:832:ASP:HB3	1:A:837:ILE:HD11	1.70	0.71
1:A:832:ASP:C	1:A:900:MET:HE2	2.15	0.70
1:A:335:ALA:C	1:A:365:VAL:HG21	2.16	0.70
1:A:367:SER:HB3	1:A:368:GLU:CA	2.21	0.69
1:A:621:TYR:CZ	1:A:983:ALA:HB2	2.28	0.69
1:A:334:ASN:CG	1:A:335:ALA:N	2.48	0.69
1:A:944:GLN:HE21	1:A:949:ASN:ND2	1.89	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:367:SER:CB	1:A:369:PRO:N	2.56	0.68
1:A:843:ASN:O	1:A:844:MET:HG3	1.94	0.68
1:A:648:PHE:CE1	1:A:668:MET:CE	2.77	0.67
1:A:110:LYS:HZ3	1:A:144:ARG:HH12	1.43	0.67
1:A:188:ARG:HD2	1:A:189:ALA:O	1.96	0.66
1:A:348:PHE:HE2	1:A:453:LEU:HD23	1.61	0.66
1:A:549:LEU:O	1:A:553:THR:HG22	1.96	0.66
1:A:271:THR:O	1:A:273:HIS:HD2	1.79	0.65
1:A:386:ARG:HG3	1:A:387:MET:CE	2.19	0.65
1:A:437:ARG:O	1:A:472:VAL:HA	1.96	0.65
1:A:341:LEU:CD1	1:A:365:VAL:HA	2.28	0.64
1:A:194:VAL:HG21	1:A:216:LEU:HD21	1.79	0.64
1:A:984:ALA:CB	1:A:986:LEU:HD13	2.27	0.63
1:A:329:GLU:HB2	1:A:369:PRO:O	1.98	0.63
1:A:366:CYS:O	1:A:367:SER:HB2	1.98	0.63
1:A:532:TRP:HZ3	1:A:564:MET:HE2	1.63	0.62
1:A:895:HIS:H	1:A:898:ASN:ND2	1.96	0.62
1:A:513:GLU:O	1:A:517:ARG:NH2	2.31	0.62
1:A:190:LEU:HD22	1:A:209:THR:HG22	1.82	0.61
1:A:614:GLN:HG3	1:A:981:MET:HG2	1.81	0.61
1:A:935:THR:O	1:A:939:VAL:HG23	2.01	0.61
1:A:116:GLN:HB3	1:A:683:MET:SD	2.40	0.61
1:A:324:SER:HB2	1:A:375:LEU:O	2.01	0.60
1:A:512:ARG:HG3	1:A:534:MET:HE2	1.83	0.60
1:A:793:MET:O	1:A:797:MET:HG3	2.01	0.60
1:A:192:VAL:HG13	1:A:272:PRO:HB2	1.83	0.60
1:A:110:LYS:NZ	1:A:144:ARG:HH12	1.99	0.59
1:A:341:LEU:HD12	1:A:365:VAL:HA	1.85	0.59
1:A:339:MET:O	1:A:365:VAL:HG23	2.02	0.59
1:A:832:ASP:HB3	1:A:837:ILE:CD1	2.33	0.59
1:A:435:GLY:O	1:A:475:LEU:N	2.36	0.58
1:A:984:ALA:HB3	1:A:986:LEU:HD13	1.86	0.58
1:A:1021:GLU:O	1:A:1024:ARG:HG2	2.03	0.58
1:A:328:ILE:HG22	1:A:329:GLU:HG2	1.84	0.58
1:A:344:GLN:HB2	1:A:395:TYR:OH	2.03	0.58
1:A:433:LYS:CB	1:A:475:LEU:HD23	2.34	0.57
1:A:553:THR:HG21	1:A:564:MET:HG2	1.85	0.57
1:A:488:LEU:HD12	1:A:491:ILE:HB	1.86	0.57
1:A:365:VAL:HG12	1:A:365:VAL:O	2.04	0.57
1:A:324:SER:HA	1:A:377:PHE:HD2	1.70	0.56
1:A:368:GLU:O	1:A:368:GLU:HG3	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:512:ARG:HE	1:A:512:ARG:C	2.14	0.55
1:A:387:MET:HE3	1:A:590:CYS:SG	2.46	0.55
1:A:420:TRP:CH2	1:A:457:GLY:HA3	2.41	0.55
1:A:553:THR:HG22	1:A:564:MET:HE3	1.89	0.55
1:A:334:ASN:ND2	1:A:335:ALA:H	2.04	0.54
1:A:752:MET:HE2	1:A:760:TRP:HE3	1.72	0.54
1:A:383:ASP:HA	1:A:558:HIS:HB3	1.88	0.54
1:A:439:LEU:N	1:A:471:LEU:O	2.40	0.54
1:A:618:VAL:HG12	1:A:629:LEU:CD2	2.38	0.54
1:A:278:HIS:HD2	1:A:280:SER:OG	1.91	0.53
1:A:700:LYS:HE3	1:A:756:MET:O	2.09	0.53
1:A:768:ALA:HB3	1:A:772:GLY:HA3	1.91	0.53
1:A:1006:LYS:HD3	1:A:1010:GLU:HB3	1.90	0.53
1:A:558:HIS:CD2	1:A:559:GLU:N	2.77	0.53
1:A:395:TYR:HB3	1:A:417:PRO:HA	1.90	0.53
1:A:833:THR:CG2	1:A:900:MET:HE3	2.38	0.53
1:A:328:ILE:HB	1:A:472:VAL:HG23	1.90	0.53
1:A:343:VAL:H	1:A:360:SER:HB2	1.74	0.52
1:A:154:ARG:HG2	1:A:154:ARG:HH11	1.74	0.52
1:A:984:ALA:HB1	1:A:986:LEU:HD13	1.92	0.52
1:A:588:PRO:HD2	2:A:2009:HOH:O	2.08	0.52
1:A:365:VAL:O	1:A:365:VAL:CG1	2.58	0.52
1:A:617:GLN:NE2	1:A:984:ALA:HA	2.24	0.51
1:A:335:ALA:N	1:A:365:VAL:HG11	2.25	0.51
1:A:550:LEU:HA	1:A:553:THR:CG2	2.40	0.51
1:A:648:PHE:CD1	1:A:668:MET:HE3	2.45	0.51
1:A:380:SER:O	1:A:383:ASP:HB2	2.09	0.51
1:A:953:PHE:O	1:A:956:PHE:HB3	2.10	0.51
1:A:364:ASN:C	1:A:366:CYS:H	2.19	0.51
1:A:713:GLU:O	1:A:717:MET:HG3	2.11	0.51
1:A:752:MET:HE2	1:A:760:TRP:CE3	2.46	0.51
1:A:190:LEU:HD22	1:A:209:THR:CG2	2.41	0.51
1:A:427:ASP:CG	1:A:429:LYS:H	2.18	0.51
1:A:213:PRO:HD3	1:A:254:TYR:O	2.11	0.50
1:A:843:ASN:C	1:A:844:MET:HG3	2.35	0.50
1:A:602:LYS:O	1:A:603:LEU:C	2.54	0.50
1:A:244:ASN:ND2	1:A:273:HIS:HB3	2.26	0.50
1:A:549:LEU:HA	1:A:552:VAL:HG22	1.93	0.50
1:A:367:SER:CB	1:A:368:GLU:C	2.54	0.50
1:A:247:HIS:HB2	1:A:738:SER:HA	1.93	0.50
1:A:432:LEU:HG	1:A:433:LYS:N	2.27	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:553:THR:HG21	1:A:564:MET:CE	2.39	0.50
1:A:433:LYS:HB3	1:A:475:LEU:HD23	1.94	0.50
1:A:121:ILE:HG22	1:A:668:MET:HE2	1.92	0.49
1:A:537:GLU:HA	1:A:540:GLU:HB2	1.93	0.49
1:A:135:GLU:HG3	1:A:428:TYR:CG	2.47	0.49
1:A:256:LEU:O	1:A:262:ILE:HB	2.12	0.49
1:A:620:LYS:HE2	1:A:660:VAL:HG11	1.93	0.49
1:A:135:GLU:HG3	1:A:428:TYR:CD1	2.47	0.49
1:A:433:LYS:HB2	1:A:475:LEU:HD23	1.94	0.49
1:A:319:LEU:O	1:A:382:CYS:HB3	2.12	0.49
1:A:437:ARG:HD3	1:A:475:LEU:HD22	1.94	0.49
1:A:517:ARG:C	1:A:548:ARG:HH22	2.20	0.49
1:A:617:GLN:HE22	1:A:620:LYS:NZ	2.11	0.49
1:A:1012:LEU:O	1:A:1016:ARG:HG3	2.12	0.49
1:A:330:GLY:C	1:A:369:PRO:HD2	2.38	0.48
1:A:915:PHE:C	1:A:915:PHE:CD2	2.91	0.48
1:A:875:PHE:O	1:A:879:CYS:HB2	2.13	0.48
1:A:145:GLN:O	1:A:149:GLU:HG3	2.12	0.48
1:A:285:MET:O	1:A:288:GLU:HG2	2.13	0.48
1:A:699:VAL:HG21	1:A:715:MET:HE2	1.96	0.48
1:A:237:GLU:OE1	1:A:237:GLU:N	2.40	0.47
1:A:353:MET:SD	1:A:357:THR:HG23	2.55	0.47
1:A:636:ARG:HD3	2:A:2022:HOH:O	2.14	0.47
1:A:205:PHE:CZ	1:A:223:LYS:HG3	2.49	0.47
1:A:723:THR:HG23	2:A:2032:HOH:O	2.15	0.47
1:A:698:PHE:CZ	1:A:714:MET:HE2	2.49	0.47
1:A:809:ARG:HE	1:A:874:GLU:CD	2.23	0.47
1:A:154:ARG:NH2	1:A:674:GLY:O	2.48	0.47
1:A:332:LYS:HB2	1:A:332:LYS:NZ	2.30	0.47
1:A:255:PRO:HD2	1:A:258:HIS:CG	2.50	0.46
1:A:583:LEU:HD11	1:A:600:LEU:HD11	1.97	0.46
1:A:786:GLN:HB3	2:A:2038:HOH:O	2.14	0.46
1:A:143:MET:HE2	1:A:626:ASP:OD1	2.15	0.46
1:A:549:LEU:CD1	1:A:564:MET:HE1	2.44	0.46
1:A:918:ASN:CB	1:A:988:GLU:HG2	2.45	0.46
1:A:429:LYS:C	1:A:431:GLN:H	2.23	0.46
1:A:700:LYS:CE	1:A:756:MET:O	2.64	0.46
1:A:962:ARG:NH1	1:A:962:ARG:CG	2.75	0.46
1:A:389:ARG:NH1	1:A:455:PRO:O	2.36	0.46
1:A:698:PHE:HZ	1:A:714:MET:HE2	1.80	0.46
1:A:121:ILE:HG22	1:A:668:MET:HB3	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:549:LEU:O	1:A:552:VAL:HG22	2.16	0.45
1:A:970:HIS:O	1:A:971:GLY:C	2.56	0.45
1:A:278:HIS:CD2	1:A:280:SER:H	2.34	0.45
1:A:527:GLU:O	1:A:531:VAL:HG23	2.17	0.45
1:A:834:ILE:HD13	1:A:834:ILE:N	2.32	0.45
1:A:364:ASN:O	1:A:366:CYS:N	2.50	0.45
1:A:516:GLU:C	1:A:517:ARG:HE	2.25	0.45
1:A:324:SER:HB3	1:A:376:GLU:HA	1.99	0.45
1:A:420:TRP:CE3	1:A:421:ALA:HA	2.53	0.44
1:A:532:TRP:HZ2	1:A:563:GLN:NE2	2.15	0.44
1:A:533:LYS:C	1:A:535:ARG:H	2.26	0.44
1:A:796:LEU:O	1:A:800:LEU:HG	2.18	0.44
1:A:987:PRO:O	1:A:990:SER:OG	2.35	0.44
1:A:134:PRO:O	1:A:137:ASN:HB2	2.17	0.44
1:A:348:PHE:CE2	1:A:453:LEU:HD23	2.47	0.44
1:A:208:SER:OG	1:A:210:LYS:NZ	2.50	0.44
1:A:875:PHE:CD2	1:A:875:PHE:C	2.96	0.44
1:A:316:LEU:HD12	1:A:318:SER:H	1.82	0.44
1:A:754:SER:C	1:A:755:LYS:HE2	2.42	0.44
1:A:551:LEU:HD21	1:A:586:SER:HB3	1.99	0.44
1:A:720:ARG:HH22	1:A:747:GLU:HG2	1.82	0.44
1:A:378:ASP:CG	1:A:378:ASP:O	2.61	0.43
1:A:794:ILE:O	1:A:797:MET:HB2	2.18	0.43
1:A:617:GLN:HE21	1:A:984:ALA:HA	1.82	0.43
1:A:246:ARG:NH1	1:A:248:GLU:OE1	2.51	0.43
1:A:439:LEU:O	1:A:470:ALA:HA	2.18	0.43
1:A:324:SER:HA	1:A:377:PHE:CD2	2.53	0.43
1:A:587:PHE:HB3	1:A:592:VAL:HG11	2.00	0.42
1:A:895:HIS:O	1:A:898:ASN:ND2	2.51	0.42
1:A:841:LYS:HB2	1:A:844:MET:CE	2.32	0.42
1:A:616:VAL:O	1:A:619:LEU:HB2	2.19	0.42
1:A:700:LYS:NZ	1:A:780:ASN:O	2.47	0.42
1:A:211:ASP:O	1:A:256:LEU:HG	2.20	0.42
1:A:322:PRO:HA	1:A:379:ILE:O	2.19	0.42
1:A:131:LEU:O	1:A:132:ARG:C	2.62	0.42
1:A:833:THR:O	1:A:837:ILE:HD12	2.20	0.42
1:A:894:ARG:HD3	1:A:909:HIS:CE1	2.55	0.42
1:A:953:PHE:CZ	1:A:1023:LEU:HD22	2.54	0.42
1:A:754:SER:O	1:A:755:LYS:HB2	2.20	0.41
1:A:807:ASP:OD1	1:A:807:ASP:C	2.63	0.41
1:A:332:LYS:CD	1:A:369:PRO:HD3	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:617:GLN:O	1:A:620:LYS:HB2	2.20	0.41
1:A:289:GLN:HG2	1:A:677:HIS:CD2	2.55	0.41
1:A:194:VAL:HA	1:A:274:LEU:O	2.20	0.41
1:A:224:LYS:O	1:A:228:PHE:HB2	2.21	0.41
1:A:735:LEU:HD12	1:A:776:ILE:HG22	2.02	0.41
1:A:367:SER:CB	1:A:369:PRO:CA	2.99	0.41
1:A:139:PHE:CE2	1:A:666:LEU:HB3	2.55	0.41
1:A:579:ALA:HB1	1:A:600:LEU:HG	2.02	0.41
1:A:172:GLU:HG3	1:A:263:CYS:SG	2.61	0.41
1:A:808:LEU:O	1:A:878:SER:HA	2.20	0.41
1:A:915:PHE:O	1:A:916:LEU:C	2.64	0.41
1:A:256:LEU:HB3	1:A:262:ILE:HG13	2.02	0.41
1:A:419:ALA:HB3	1:A:441:MET:HE3	2.03	0.41
1:A:489:GLU:HG3	1:A:490:LYS:H	1.85	0.41
1:A:716:HIS:HE1	1:A:749:CYS:O	2.04	0.41
1:A:331:ARG:HB3	1:A:368:GLU:CD	2.46	0.41
1:A:487:ALA:O	1:A:491:ILE:HG12	2.21	0.41
1:A:770:SER:O	1:A:773:ASN:HB2	2.21	0.41
1:A:162:TRP:CE3	1:A:286:ARG:HG3	2.56	0.40
1:A:194:VAL:HG12	1:A:195:LYS:N	2.36	0.40
1:A:214:LEU:HD11	1:A:236:PRO:HB2	2.04	0.40
1:A:647:LEU:O	1:A:651:LEU:HG	2.21	0.40
1:A:681:VAL:O	1:A:684:LYS:HB3	2.22	0.40
1:A:663:ARG:NH1	2:A:2028:HOH:O	2.43	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:714:MET:CE	1:A:714:MET:CE[2_555]	0.92	1.28
1:A:714:MET:SD	1:A:714:MET:CE[2_555]	1.23	0.97
1:A:714:MET:SD	1:A:714:MET:SD[2_555]	2.06	0.14
1:A:714:MET:CG	1:A:714:MET:CE[2_555]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	800/940 (85%)	738 (92%)	53 (7%)	9 (1%)	11 22

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	333	VAL
1	A	365	VAL
1	A	372	LYS
1	A	198	GLY
1	A	367	SER
1	A	918	ASN
1	A	755	LYS
1	A	368	GLU
1	A	328	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	728/827 (88%)	655 (90%)	73 (10%)	7 15

All (73) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	109	VAL
1	A	119	LEU
1	A	135	GLU
1	A	142	LYS
1	A	163	LEU
1	A	166	SER
1	A	191	LEU
1	A	207	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	222	ARG
1	A	230	GLN
1	A	263	CYS
1	A	271	THR
1	A	317	TRP
1	A	319	LEU
1	A	325	ILE
1	A	331	ARG
1	A	332	LYS
1	A	333	VAL
1	A	340	LYS
1	A	342	VAL
1	A	356	LYS
1	A	378	ASP
1	A	390	LEU
1	A	394	LEU
1	A	397	VAL
1	A	423	LEU
1	A	429	LYS
1	A	434	THR
1	A	466	GLU
1	A	475	LEU
1	A	477	GLU
1	A	478	VAL
1	A	492	LEU
1	A	512	ARG
1	A	515	LEU
1	A	517	ARG
1	A	522	GLU
1	A	530	LEU
1	A	534	MET
1	A	553	THR
1	A	554	LYS
1	A	559	GLU
1	A	570	SER
1	A	578	SER
1	A	604	THR
1	A	618	VAL
1	A	631	LYS
1	A	634	LEU
1	A	642	LYS
1	A	658	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	743	GLU
1	A	744	VAL
1	A	753	ASP
1	A	755	LYS
1	A	759	LEU
1	A	779	LYS
1	A	795	GLN
1	A	804	GLU
1	A	831	SER
1	A	836	ASN
1	A	837	ILE
1	A	844	MET
1	A	847	THR
1	A	891	ILE
1	A	898	ASN
1	A	901	ILE
1	A	912	PHE
1	A	915	PHE
1	A	930	VAL
1	A	950	SER
1	A	951	GLU
1	A	962	ARG
1	A	1004	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	116	GLN
1	A	156	GLN
1	A	193	ASN
1	A	206	GLN
1	A	247	HIS
1	A	273	HIS
1	A	278	HIS
1	A	291	ASN
1	A	334	ASN
1	A	344	GLN
1	A	526	HIS
1	A	563	GLN
1	A	617	GLN
1	A	716	HIS
1	A	721	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	780	ASN
1	A	792	GLN
1	A	838	GLN
1	A	863	ASN
1	A	898	ASN
1	A	914	HIS
1	A	918	ASN
1	A	944	GLN
1	A	970	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	822/940 (87%)	0.23	47 (5%) 29 26	5, 27, 45, 75	0

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	494	LEU	6.2
1	A	479	ALA	6.1
1	A	511	LEU	5.2
1	A	341	LEU	5.0
1	A	482	PRO	4.3
1	A	428	TYR	4.1
1	A	478	VAL	4.1
1	A	487	ALA	3.8
1	A	334	ASN	3.8
1	A	486	PRO	3.7
1	A	840	ASN	3.6
1	A	335	ALA	3.6
1	A	491	ILE	3.6
1	A	317	TRP	3.6
1	A	323	PHE	3.5
1	A	319	LEU	3.2
1	A	714	MET	3.1
1	A	484	TYR	3.1
1	A	846	ALA	2.9
1	A	386	ARG	2.8
1	A	387	MET	2.7
1	A	318	SER	2.6
1	A	327	LEU	2.5
1	A	445	VAL	2.5
1	A	379	ILE	2.5
1	A	489	GLU	2.5
1	A	384	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	430	ASP	2.4
1	A	153	HIS	2.4
1	A	333	VAL	2.3
1	A	1027	TRP	2.3
1	A	432	LEU	2.3
1	A	381	VAL	2.3
1	A	624	TYR	2.3
1	A	492	LEU	2.2
1	A	476	PRO	2.2
1	A	440	TYR	2.2
1	A	398	VAL	2.2
1	A	359	SER	2.1
1	A	355	CYS	2.1
1	A	468	ALA	2.1
1	A	397	VAL	2.1
1	A	471	LEU	2.0
1	A	477	GLU	2.0
1	A	173	PRO	2.0
1	A	485	PHE	2.0
1	A	385	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.