



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 20, 2026 – 05:21 pm BST

PDB ID : 30LF / pdb_000030lf
Title : 2.3 Å structure of the NBTI B1 with S. aureus DNA gyrase and double-nicked DNA
Authors : Cleenewerk, L.; Feng, L.; Eltschkner, S.; Maxwell, A.; Luirink, J.
Deposited on : 2026-05-01
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.2
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	692	82%14%..
1	B	692	83%13%..
2	E	8	50%50%
2	G	8	25%75%
3	F	12	42%42%17%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	H	12	 50% 33% 17%

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 11604 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA gyrase subunit B,DNA gyrase subunit A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	670	Total	C	N	O	S	0	2	0
			5234	3261	933	1015	25			
1	B	670	Total	C	N	O	S	0	2	0
			5216	3256	929	1006	25			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	409	MET	-	initiating methionine	UNP P66937
A	544	THR	-	linker	UNP P66937
A	545	GLY	-	linker	UNP P66937
A	1457	ALA	THR	conflict	UNP Q99XG5
B	409	MET	-	initiating methionine	UNP P66937
B	544	THR	-	linker	UNP P66937
B	545	GLY	-	linker	UNP P66937
B	1457	ALA	THR	conflict	UNP Q99XG5

- Molecule 2 is a DNA chain called DNA (5'-D(*AP*GP*CP*CP*GP*TP*AP*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	8	Total	C	N	O	P	0	0	0
			163	78	33	45	7			
2	G	8	Total	C	N	O	P	0	0	0
			161	77	33	44	7			

- Molecule 3 is a DNA chain called DNA (5'-D(P*GP*TP*AP*CP*CP*TP*AP*CP*GP*GP*CP*T)-3').


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	F	12	Total	C	N	O	P	0	0	0
			245	116	43	74	12			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	12	Total	C	N	O	P	0	0	0
			229	106	41	70	12			

- Molecule 4 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 5 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mn	0	0
			1	1		
5	B	1	Total	Mn	0	0
			1	1		

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			4	2	2		
7	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 8 is 6-[[[1-[[[(2 {S})-5,7-bis(fluoranyl)-11-oxidanylidene-1-azatricyclo[6.3.1.0^{4,12}]dodeca-4(12),5,7,9-tetraen-2-yl)methyl]piperidin-4-yl]amino]methyl]-4 {H}-pyrido[3,2-b][1,4]oxazin-3-one (CCD ID: A1J73) (formula: C₂₅H₂₅F₂N₅O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	F	1	Total	C	F	N	O	0	0
			35	25	2	5	3		

- Molecule 9 is 6-[[[1-[[[(2 {R})-5,7-bis(fluoranyl)-11-oxidanylidene-1-azatricyclo[6.3.1.0^{4,12}]dodeca-4,6,8(12),9-tetraen-2-yl)methyl]piperidin-4-yl]amino]methyl]-4 {H}-pyrido[3,2-b][1,4]oxazin-3-one (CCD ID: A1J72) (formula: C₂₅H₂₅F₂N₅O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	H	1	Total	C	F	N	O	0	0
			35	25	2	5	3		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	103	Total	O	0	1
			104	104		
10	B	113	Total	O	0	0
			113	113		
10	E	6	Total	O	0	0
			6	6		
10	G	3	Total	O	0	0
			3	3		
10	F	6	Total	O	0	0
			6	6		
10	H	5	Total	O	0	1
			6	6		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA gyrase subunit B,DNA gyrase subunit A



- Molecule 1: DNA gyrase subunit B,DNA gyrase subunit A




- Molecule 2: DNA (5'-D(*AP*GP*CP*CP*GP*TP*AP*G)-3')





- Molecule 2: DNA (5'-D(*AP*GP*CP*CP*GP*TP*AP*G)-3')



- Molecule 3: DNA (5'-D(P*GP*TP*AP*CP*CP*TP*AP*CP*GP*GP*CP*T)-3')



- Molecule 3: DNA (5'-D(P*GP*TP*AP*CP*CP*TP*AP*CP*GP*GP*CP*T)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	92.71Å 92.71Å 401.77Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	80.29 – 2.30 80.29 – 2.30	Depositor EDS
% Data completeness (in resolution range)	100.0 (80.29-2.30) 100.0 (80.29-2.30)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.34 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.8.0431 (refmacat 0.4.128)	Depositor
R, R_{free}	0.213 , 0.252 0.213 , 0.252	Depositor DCC
R_{free} test set	4382 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	40.2	Xtriage
Anisotropy	0.263	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 15.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	0.250 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11604	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A1J72, MES, MN, A1J73, EDO, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.59	0/5305	1.31	20/7166 (0.3%)
1	B	0.59	0/5288	1.30	26/7145 (0.4%)
2	E	0.92	0/183	1.29	1/281 (0.4%)
2	G	0.89	0/181	1.49	2/278 (0.7%)
3	F	0.92	1/273 (0.4%)	1.44	6/417 (1.4%)
3	H	0.88	0/255	1.46	6/390 (1.5%)
All	All	0.62	1/11485 (0.0%)	1.31	61/15677 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6
1	B	0	3
All	All	0	9

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	9	DG	P-O5'	5.46	1.65	1.59

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1248	VAL	N-CA-CB	-10.61	92.74	112.36
1	B	437	ASP	CB-CA-C	9.92	129.70	109.95
1	B	437	ASP	CA-CB-CG	8.88	121.48	112.60
3	H	17	DG	O4'-C1'-N9	-8.48	102.06	108.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1447	GLU	CB-CG-CD	8.16	126.47	112.60
1	A	624	ASP	CB-CA-C	-7.92	97.64	110.79
1	B	1015	THR	CA-CB-OG1	-7.39	98.52	109.60
3	F	17	DG	O4'-C1'-N9	-7.34	102.86	108.00
1	B	1235	GLU	CB-CG-CD	6.76	124.10	112.60
1	B	1423	GLN	N-CA-CB	6.73	120.01	110.12
1	A	1015	THR	CA-CB-OG1	-6.48	99.88	109.60
1	B	1055	GLU	CB-CG-CD	6.40	123.47	112.60
1	A	1397	THR	CA-CB-OG1	-6.32	100.11	109.60
1	A	623	GLY	CA-C-N	6.30	128.72	120.28
1	A	623	GLY	C-N-CA	6.30	128.72	120.28
1	A	599	GLU	CB-CA-C	-6.25	101.07	110.88
1	B	510	ASP	CB-CA-C	-6.12	97.24	109.79
1	B	1310	LYS	CA-C-N	-6.11	113.03	122.49
1	B	1310	LYS	C-N-CA	-6.11	113.03	122.49
3	F	16	DC	C1'-O4'-C4'	-6.00	104.10	110.10
1	B	1208	GLU	CB-CG-CD	5.97	122.75	112.60
1	A	1181	THR	CA-CB-OG1	-5.94	100.70	109.60
1	B	1311	ASP	CB-CA-C	5.93	120.20	110.17
2	G	7	DA	O4'-C4'-C3'	-5.92	102.45	106.00
1	B	1462	GLU	CB-CG-CD	5.88	122.59	112.60
3	H	16	DC	O4'-C4'-C3'	-5.86	102.49	106.00
1	B	1340	ASN	CB-CA-C	-5.79	103.35	111.80
1	B	1474	THR	CA-CB-OG1	-5.74	100.99	109.60
3	H	14	DT	C4'-C3'-C2'	-5.73	97.94	103.10
1	B	508	ASP	CA-CB-CG	5.68	118.28	112.60
1	B	1250	GLU	CB-CA-C	-5.66	97.55	109.38
1	B	1116	ASP	CA-CB-CG	5.62	118.22	112.60
3	H	16	DC	C1'-O4'-C4'	-5.61	104.49	110.10
3	F	14	DT	O4'-C4'-C3'	-5.61	102.64	106.00
1	B	1361	THR	CA-CB-OG1	-5.59	101.21	109.60
1	A	428	GLU	N-CA-CB	-5.57	102.46	110.65
1	B	1105	ASP	CA-CB-CG	5.55	118.15	112.60
1	A	1275	GLU	CB-CG-CD	5.55	122.03	112.60
1	B	523	PHE	CB-CA-C	5.50	119.51	110.88
1	B	1181	THR	CA-CB-OG1	-5.50	101.36	109.60
1	A	1055	GLU	CB-CA-C	-5.49	100.14	110.67
1	A	508	ASP	CA-CB-CG	5.47	118.07	112.60
2	G	5	DG	O5'-C5'-C4'	-5.46	105.03	109.40
1	B	1404	ASP	CA-CB-CG	5.45	118.05	112.60
1	A	589	ASP	CA-CB-CG	5.44	118.04	112.60
1	A	1400	GLU	CB-CG-CD	5.43	121.83	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	523	PHE	CB-CA-C	5.42	119.39	110.88
3	H	12	DC	O4'-C1'-N1	5.41	111.79	108.00
1	B	435	GLU	N-CA-CB	5.33	118.47	109.94
3	F	19	DC	O4'-C1'-N1	5.31	111.72	108.00
1	A	624	ASP	CA-CB-CG	5.29	117.89	112.60
1	A	1350	GLU	CB-CG-CD	5.25	121.53	112.60
1	A	1340	ASN	CB-CA-C	-5.25	104.14	111.80
2	E	8	DG	O4'-C1'-N9	5.24	111.67	108.00
1	B	1055	GLU	N-CA-CB	5.16	118.82	110.40
3	H	9	DG	C4'-C3'-C2'	-5.14	98.47	103.10
1	B	599	GLU	CB-CA-C	5.14	118.95	110.88
3	F	14	DT	C4'-C3'-C2'	-5.13	98.48	103.10
3	F	12	DC	O4'-C1'-N1	5.11	111.58	108.00
1	A	1045	VAL	N-CA-CB	5.10	117.47	110.54
1	B	1045	VAL	N-CA-CB	5.04	117.39	110.54

There are no chirality outliers.

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1163	ARG	Sidechain
1	A	1377	ARG	Sidechain
1	A	1399	ARG	Sidechain
1	A	1429	ARG	Sidechain
1	A	1432	ARG	Sidechain
1	A	529	ARG	Sidechain
1	B	1163	ARG	Sidechain
1	B	1414	ARG	Sidechain
1	B	1429	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5234	0	5178	64	0
1	B	5216	0	5159	59	0
2	E	163	0	91	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	G	161	0	87	5	0
3	F	245	0	136	3	0
3	H	229	0	123	3	0
4	A	12	0	13	1	0
4	B	12	0	13	1	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	5	0	0	0	0
6	B	5	0	0	1	0
7	B	12	0	18	1	0
8	F	35	0	0	3	0
9	H	35	0	0	0	0
10	A	104	0	0	2	0
10	B	113	0	0	0	0
10	E	6	0	0	0	0
10	F	6	0	0	1	0
10	G	3	0	0	0	0
10	H	6	0	0	0	0
All	All	11604	0	10818	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1058:MET:HE2	1:B:1065:LYS:CB	2.09	0.83
1:B:1431:ARG:HD3	1:B:1432:ARG:HH11	1.43	0.82
1:A:432:PHE:HD2	1:A:506:MET:HE3	1.45	0.81
1:A:1073:ASP:HB2	1:B:1069[B]:ARG:HH12	1.45	0.81
1:A:443:THR:HG22	1:A:591:LEU:HD13	1.65	0.79
1:B:502:LYS:HG2	1:B:538:TYR:CE1	2.19	0.78
1:A:1427:ASP:OD1	1:B:1431:ARG:NH1	2.17	0.78
1:A:432:PHE:CD2	1:A:506:MET:HE3	2.20	0.76
1:B:1429:ARG:HE	7:B:2105:EDO:H12	1.51	0.74
1:A:1075:MET:HE1	1:B:1068:ALA:HB2	1.69	0.72
3:F:9:DG:N7	10:F:201:HOH:O	2.25	0.70
1:B:443:THR:HG22	1:B:591:LEU:HD13	1.73	0.69
1:B:1075:MET:HE1	8:F:101:A1J73:C20	2.22	0.69
2:G:8:DG:H2'	3:H:9:DG:H5'	1.75	0.67
1:A:1073:ASP:HB2	1:B:1069[B]:ARG:NH1	2.09	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1225:LEU:HD21	1:A:1244:ARG:HD2	1.76	0.67
1:A:502:LYS:HG2	1:A:538:TYR:CE1	2.32	0.65
1:A:1363:VAL:HG12	1:A:1465:LEU:CD1	2.27	0.65
1:A:1075:MET:CE	1:B:1068:ALA:CB	2.75	0.64
1:B:1272:ARG:CZ	2:G:3:DC:H5''	2.27	0.64
1:A:1432:ARG:HH11	1:A:1432:ARG:HG3	1.62	0.63
1:B:1142:ASP:HB2	4:B:2101:MES:H21	1.80	0.63
1:A:1075:MET:CE	1:B:1068:ALA:HB2	2.31	0.60
1:A:1075:MET:HE2	1:B:1068:ALA:CB	2.32	0.60
1:A:1432:ARG:HG3	10:A:2258:HOH:O	2.00	0.60
1:A:443:THR:CG2	1:A:591:LEU:HD13	2.32	0.59
1:A:1034:ALA:O	1:A:1043:LYS:HE2	2.03	0.58
1:B:1363:VAL:HG12	1:B:1465:LEU:CD1	2.33	0.58
1:A:506:MET:HE1	1:A:596:MET:HG2	1.86	0.58
1:B:1431:ARG:HD3	1:B:1432:ARG:NH1	2.17	0.58
1:A:1363:VAL:HG12	1:A:1465:LEU:HD12	1.88	0.56
1:B:1144:ILE:HD12	1:B:1144:ILE:O	2.07	0.55
1:A:1144:ILE:C	1:A:1144:ILE:HD12	2.31	0.55
2:E:1:DA:H5'	2:E:1:DA:N3	2.21	0.55
3:F:19:DC:H2''	3:F:20:DT:H71	1.87	0.55
1:B:639:TYR:CE1	1:B:1027:MET:HE1	2.41	0.54
1:B:1144:ILE:HD12	1:B:1144:ILE:C	2.32	0.54
1:A:1443:ALA:O	1:A:1447:GLU:HG2	2.07	0.54
1:A:1140:ASN:HA	4:A:2101:MES:H22	1.89	0.54
1:A:1046:HIS:HB3	1:A:1093:MET:HE1	1.91	0.53
1:A:1046:HIS:HB3	1:A:1093:MET:CE	2.38	0.53
1:A:1144:ILE:HD12	1:A:1144:ILE:O	2.09	0.52
1:A:1272:ARG:NE	2:E:3:DC:H5''	2.25	0.52
1:A:1280:LEU:HD23	1:A:1285:LYS:HB2	1.91	0.52
2:G:1:DA:H2'	2:G:2:DG:C8	2.45	0.51
1:A:1387:ALA:HA	1:A:1394:ILE:HG13	1.92	0.51
1:B:1083:ASP:CG	8:F:101:A1J73:C21	2.84	0.51
1:B:455:LEU:HD11	1:B:480:GLN:HG2	1.92	0.51
1:A:587:ASN:ND2	1:B:1108:GLY:H	2.08	0.51
1:A:1075:MET:HE1	1:B:1068:ALA:CB	2.38	0.50
1:B:528:MET:O	1:B:531:LEU:HB2	2.12	0.50
1:A:528:MET:O	1:A:531:LEU:HB2	2.12	0.49
1:B:1373[A]:LYS:N	1:B:1373[A]:LYS:HD2	2.26	0.49
1:A:1064:TYR:HB3	1:A:1125:GLU:HB3	1.94	0.49
1:A:1224:ILE:HG21	1:A:1230:ILE:HD11	1.94	0.49
1:A:1431:ARG:NH1	1:B:1427:ASP:OD1	2.46	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1064:TYR:HB3	1:B:1125:GLU:HB3	1.95	0.49
1:A:1174:GLY:HA2	10:A:2260:HOH:O	2.13	0.48
1:A:1280:LEU:CD2	1:A:1285:LYS:HB2	2.43	0.48
1:B:1363:VAL:HG12	1:B:1465:LEU:HD12	1.95	0.48
1:A:432:PHE:CD2	1:A:506:MET:CE	2.94	0.48
1:A:1232:ARG:HE	1:A:1232:ARG:HB2	1.34	0.48
1:A:585:GLU:O	1:A:585:GLU:HG2	2.14	0.47
1:B:1046:HIS:HB3	1:B:1093:MET:CE	2.45	0.47
1:B:1387:ALA:HA	1:B:1394:ILE:HG13	1.96	0.47
1:A:1093:MET:HE2	1:A:1103:LEU:HD12	1.97	0.47
1:B:1272:ARG:NE	2:G:3:DC:H5"	2.30	0.46
1:A:1298:LEU:HD11	1:B:446:GLY:HA2	1.98	0.46
1:A:604:LEU:HA	1:A:1010:ASN:O	2.16	0.46
1:A:1404:ASP:OD2	1:B:1431:ARG:NH2	2.43	0.46
1:B:1069[B]:ARG:HE	1:B:1073:ASP:HB2	1.81	0.46
1:B:1093:MET:HE2	1:B:1103:LEU:HD12	1.98	0.46
2:E:1:DA:H2"	2:E:2:DG:C8	2.51	0.46
1:B:591:LEU:HD23	1:B:591:LEU:HA	1.84	0.45
1:B:1140:ASN:HB2	6:B:2106:SO4:O3	2.16	0.45
1:A:1075:MET:HE2	1:B:1068:ALA:HB3	1.99	0.45
1:B:1382:GLU:OE1	1:B:1445:TYR:OH	2.29	0.45
1:B:1332:GLY:HA3	3:F:19:DC:H5"	1.97	0.45
1:A:493:PHE:CE2	1:A:530:PRO:HB2	2.51	0.45
1:B:1083:ASP:OD1	8:F:101:A1J73:C21	2.65	0.45
1:A:580:TYR:C	1:A:582:GLY:H	2.25	0.45
1:A:1349:LYS:O	1:A:1353:VAL:HG23	2.17	0.45
1:B:436:GLY:N	1:B:457:LEU:O	2.50	0.44
1:B:1070:ILE:O	1:B:1074:VAL:HG23	2.17	0.44
1:B:1054:ASN:HA	1:B:1128:MET:HE1	1.99	0.44
1:B:1058:MET:CE	1:B:1065:LYS:CB	2.89	0.44
2:G:2:DG:H2"	2:G:3:DC:C6	2.52	0.44
1:A:1363:VAL:HG12	1:A:1465:LEU:HD11	1.99	0.44
1:B:1224:ILE:HG21	1:B:1230:ILE:HD11	2.00	0.44
1:B:477:GLU:H	1:B:477:GLU:HG2	1.59	0.43
1:B:1234:TYR:O	1:B:1347:ASN:HB2	2.17	0.43
1:A:1283:ASP:O	1:A:1284:LYS:C	2.61	0.43
1:B:1391:ILE:O	1:B:1395:ILE:HG12	2.18	0.43
1:B:468:ARG:O	1:B:472:ILE:HG13	2.18	0.43
1:A:1137:ARG:O	1:A:1138:ASP:HB2	2.19	0.43
1:A:1409:GLU:O	1:A:1413:GLN:HG3	2.19	0.43
1:B:493:PHE:CE2	1:B:530:PRO:HB2	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:468:ARG:O	1:A:472:ILE:HG13	2.20	0.42
1:A:1234:TYR:O	1:A:1347:ASN:HB2	2.20	0.42
1:B:437:ASP:OD1	3:H:10:DT:H5''	2.19	0.42
1:B:1363:VAL:HG12	1:B:1465:LEU:HD11	2.02	0.42
1:A:626:VAL:HG11	3:H:17:DG:H3'	2.02	0.42
1:B:1100:ARG:HG3	1:B:1101:TYR:CE2	2.55	0.42
1:B:1215:GLY:HA2	1:B:1234:TYR:OH	2.19	0.42
1:A:1253:GLY:O	1:A:1255:GLY:N	2.51	0.42
1:A:1346:ILE:HD12	1:A:1351:ALA:HB2	2.00	0.42
1:A:468:ARG:HG2	1:A:468:ARG:HH21	1.84	0.41
1:A:1180:ALA:O	1:A:1336:ILE:HD12	2.21	0.41
1:B:1221:ALA:HB2	1:B:1485:ARG:HB3	2.01	0.41
1:A:1100:ARG:HG3	1:A:1101:TYR:CE2	2.56	0.41
1:B:1431:ARG:CD	1:B:1432:ARG:HH11	2.25	0.41
1:A:1215:GLY:HA2	1:A:1234:TYR:OH	2.21	0.41
1:A:1054:ASN:HA	1:A:1128:MET:HE1	2.04	0.40
1:A:1131:ILE:HG12	1:A:1164:PHE:CE2	2.56	0.40
1:A:1272:ARG:CZ	2:E:3:DC:H5''	2.50	0.40
1:A:461:ILE:HD12	1:A:462:LEU:O	2.21	0.40
1:B:1408:MET:HE3	1:B:1408:MET:HB3	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	668/692 (96%)	652 (98%)	13 (2%)	3 (0%)	30	38
1	B	668/692 (96%)	649 (97%)	18 (3%)	1 (0%)	48	60
All	All	1336/1384 (96%)	1301 (97%)	31 (2%)	4 (0%)	36	46

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1254	GLY
1	A	610	ASP
1	A	1138	ASP
1	B	1138	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	554/590 (94%)	543 (98%)	11 (2%)	48	67
1	B	549/590 (93%)	536 (98%)	13 (2%)	43	62
All	All	1103/1180 (94%)	1079 (98%)	24 (2%)	47	65

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	615	ASP
1	A	1010	ASN
1	A	1015	THR
1	A	1232	ARG
1	A	1248	VAL
1	A	1276	LYS
1	A	1310	LYS
1	A	1311	ASP
1	A	1404	ASP
1	A	1416	LYS
1	A	1450	ASN
1	B	434	VAL
1	B	450	ARG
1	B	480	GLN
1	B	529	ARG
1	B	638	VAL
1	B	1015	THR
1	B	1227	LYS
1	B	1373[A]	LYS
1	B	1373[B]	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1396	SER
1	B	1408	MET
1	B	1414	ARG
1	B	1440	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	587	ASN
1	A	1010	ASN
1	A	1056	GLN
1	A	1368	GLN
1	B	1153	ASN
1	B	1368	GLN
1	B	1370	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 2 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	EDO	B	2103	-	3,3,3	0.07	0	2,2,2	0.18	0
8	A1J73	F	101	9	38,40,40	1.81	6 (15%)	43,59,59	2.53	12 (27%)
6	SO4	B	2106	-	4,4,4	0.35	0	6,6,6	0.11	0
9	A1J72	H	101	8	38,40,40	1.96	9 (23%)	43,59,59	2.47	12 (27%)
4	MES	B	2101	-	12,12,12	0.72	0	14,16,16	0.80	0
4	MES	A	2101	-	12,12,12	0.87	0	14,16,16	0.47	0
7	EDO	B	2104	-	3,3,3	0.19	0	2,2,2	0.27	0
7	EDO	B	2105	-	3,3,3	0.21	0	2,2,2	0.71	0
6	SO4	A	2103	-	4,4,4	0.37	0	6,6,6	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EDO	B	2103	-	-	1/1/1/1	-
8	A1J73	F	101	9	-	0/9/36/36	0/6/6/6
9	A1J72	H	101	8	-	1/9/36/36	0/6/6/6
4	MES	B	2101	-	-	1/6/14/14	0/1/1/1
4	MES	A	2101	-	-	0/6/14/14	0/1/1/1
7	EDO	B	2104	-	-	0/1/1/1	-
7	EDO	B	2105	-	-	1/1/1/1	-

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	H	101	A1J72	O1-C17	-8.24	1.28	1.37
8	F	101	A1J73	O1-C17	-7.04	1.30	1.37
8	F	101	A1J73	C6-C5	3.94	1.41	1.34
9	H	101	A1J72	C6-C5	3.69	1.41	1.34
9	H	101	A1J72	O2-C19	2.91	1.29	1.23
9	H	101	A1J72	C4-C3	-2.64	1.38	1.42
9	H	101	A1J72	C3-N1	-2.61	1.35	1.41
8	F	101	A1J73	O3-C7	2.58	1.29	1.23
8	F	101	A1J73	O2-C19	2.46	1.28	1.23
9	H	101	A1J72	C4-C5	-2.36	1.39	1.44
9	H	101	A1J72	C19-N5	2.33	1.37	1.35
9	H	101	A1J72	C25-C24	2.31	1.41	1.37
8	F	101	A1J73	C4-C3	-2.12	1.38	1.42
8	F	101	A1J73	C3-N1	-2.12	1.36	1.41
9	H	101	A1J72	O3-C7	2.01	1.27	1.23

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	F	101	A1J73	C25-C1-C2	-10.04	117.55	124.59
9	H	101	A1J72	C25-C1-C2	-9.59	117.86	124.59
9	H	101	A1J72	C8-C10-N2	-6.21	105.40	113.40
8	F	101	A1J73	C3-N1-C7	-6.16	118.28	123.39
8	F	101	A1J73	O2-C19-N5	-5.52	116.56	121.43
9	H	101	A1J72	C3-N1-C7	-5.32	118.97	123.39
8	F	101	A1J73	C16-N5-C19	-4.21	120.16	124.24
9	H	101	A1J72	C16-N5-C19	-3.90	120.46	124.24
8	F	101	A1J73	F1-C1-C2	3.07	121.29	117.63
9	H	101	A1J72	C14-C15-N4	3.01	121.90	116.61
9	H	101	A1J72	N5-C16-N4	2.99	120.48	116.53
8	F	101	A1J73	F2-C24-C4	2.92	122.60	118.06
9	H	101	A1J72	C4-C5-C6	-2.92	117.56	121.09
8	F	101	A1J73	C8-C10-N2	2.86	117.09	113.40
9	H	101	A1J72	C25-C24-C4	-2.69	119.42	124.23
9	H	101	A1J72	C18-O1-C17	2.68	123.81	115.61
8	F	101	A1J73	C24-C25-C1	2.46	121.46	117.10
9	H	101	A1J72	C24-C25-C1	2.42	121.38	117.10
9	H	101	A1J72	C14-N3-C13	-2.34	110.80	114.14
8	F	101	A1J73	C21-C15-N4	-2.28	119.52	122.41
8	F	101	A1J73	C25-C24-C4	-2.16	120.37	124.23
9	H	101	A1J72	F1-C1-C2	2.06	120.08	117.63
8	F	101	A1J73	C18-O1-C17	2.05	121.90	115.61
8	F	101	A1J73	C22-C23-N2	-2.04	107.95	111.11

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	2101	MES	N4-C7-C8-S
7	B	2103	EDO	O1-C1-C2-O2
7	B	2105	EDO	O1-C1-C2-O2
9	H	101	A1J72	N3-C14-C15-N4

There are no ring outliers.

5 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	F	101	A1J73	3	0
6	B	2106	SO4	1	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	2101	MES	1	0
4	A	2101	MES	1	0
7	B	2105	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	670/692 (96%)	-1.24	0 100 100	19, 40, 60, 84	2 (0%)
1	B	670/692 (96%)	-1.19	0 100 100	19, 41, 75, 127	2 (0%)
2	E	8/8 (100%)	-1.84	0 100 100	31, 34, 43, 50	0
2	G	8/8 (100%)	-1.61	0 100 100	31, 36, 61, 76	0
3	F	12/12 (100%)	-1.63	0 100 100	35, 46, 73, 79	0
3	H	12/12 (100%)	-1.68	0 100 100	30, 45, 69, 72	0
All	All	1380/1424 (96%)	-1.23	0 100 100	19, 40, 68, 127	4 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	EDO	B	2103	4/4	0.96	0.10	60,61,63,71	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	EDO	B	2105	4/4	0.96	0.10	42,44,47,53	0
9	A1J72	H	101	35/35	0.97	0.09	40,51,59,63	35
8	A1J73	F	101	35/35	0.98	0.06	30,51,58,63	35
7	EDO	B	2104	4/4	0.98	0.06	41,43,43,44	0
4	MES	B	2101	12/12	0.99	0.05	58,65,68,69	0
6	SO4	A	2103	5/5	0.99	0.04	55,58,73,89	0
6	SO4	B	2106	5/5	0.99	0.04	76,78,100,101	0
4	MES	A	2101	12/12	0.99	0.04	53,58,68,69	0
5	MN	B	2102	1/1	1.00	0.01	46,46,46,46	0
5	MN	A	2102	1/1	1.00	0.02	35,35,35,35	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around A1J72 H 101:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around A1J73 F 101:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.