



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 18, 2026 – 01:27 pm BST

PDB ID : 30VH / pdb_000030vh
Title : TabS from Pseudomonas syringae: apo form
Authors : Ascham, A.; Grogan, G.
Deposited on : 2026-05-14
Resolution : 2.17 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.17 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8975 (2.20-2.16)
Clashscore	190562	9786 (2.20-2.16)
Ramachandran outliers	187476	9664 (2.20-2.16)
Sidechain outliers	187428	9664 (2.20-2.16)
RSRZ outliers	180081	8979 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	419	5% 73% 21% ...
1	B	419	4% 75% 18% ...

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6265 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-amino acid ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	411	Total	C	N	O	S	0	0	0
			3058	1946	525	579	8			
1	B	411	Total	C	N	O	S	0	0	0
			3090	1963	533	586	8			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	62	Total	O	0	0
			62	62		
2	B	55	Total	O	0	0
			55	55		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: L-amino acid ligase



- Molecule 1: L-amino acid ligase



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 3	Depositor
Cell constants a, b, c, α , β , γ	185.20Å 185.20Å 185.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	58.57 – 2.17 58.57 – 2.17	Depositor EDS
% Data completeness (in resolution range)	100.0 (58.57-2.17) 100.0 (58.57-2.17)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.38 (at 2.16Å)	Xtriage
Refinement program	REFMAC 5.8.0431	Depositor
R, R_{free}	0.192 , 0.239 0.192 , 0.239	Depositor DCC
R_{free} test set	2711 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	45.0	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 44.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.021 for -l,-k,-h	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6265	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.00	0/3135	1.81	81/4289 (1.9%)
1	B	1.00	2/3165 (0.1%)	1.79	70/4322 (1.6%)
All	All	1.00	2/6300 (0.0%)	1.80	151/8611 (1.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	3
All	All	0	7

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	287	SER	CA-CB	5.15	1.60	1.53
1	B	208	GLY	C-O	5.12	1.30	1.23

All (151) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	25	MET	CG-SD-CE	-16.01	65.69	100.90
1	B	145	ARG	CD-NE-CZ	13.19	142.87	124.40
1	B	408	GLU	CB-CG-CD	12.07	133.13	112.60
1	A	98	GLN	CB-CA-C	-11.50	95.40	111.73
1	A	209	VAL	N-CA-CB	-11.36	95.42	112.35
1	A	314	VAL	N-CA-CB	11.14	123.59	110.55
1	A	5	LYS	CB-CA-C	11.05	123.41	109.16
1	B	237	ARG	CG-CD-NE	-10.97	87.87	112.00
1	B	405	THR	CA-CB-OG1	-10.89	93.27	109.60
1	B	161	ASP	CA-CB-CG	10.58	123.18	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	113	LYS	CG-CD-CE	-10.44	87.29	111.30
1	A	375	THR	CA-CB-OG1	-10.37	94.05	109.60
1	B	47	ARG	CA-CB-CG	10.33	134.77	114.10
1	A	6	GLU	CB-CA-C	10.28	128.37	109.46
1	B	23	THR	CA-CB-OG1	-10.21	94.28	109.60
1	A	231	GLY	CA-C-N	-10.20	103.33	121.48
1	A	231	GLY	C-N-CA	-10.20	103.33	121.48
1	A	193	VAL	N-CA-CB	-9.96	97.70	111.25
1	A	234	ILE	CA-CB-CG2	9.40	126.48	110.50
1	B	165	PHE	CA-CB-CG	-9.36	104.44	113.80
1	B	126	ARG	CD-NE-CZ	8.94	136.91	124.40
1	B	191	ASN	CB-CA-C	-8.82	92.39	109.95
1	A	411	ARG	NE-CZ-NH1	-8.72	112.78	121.50
1	A	299	ASN	CA-CB-CG	-8.72	103.88	112.60
1	A	371	LYS	N-CA-CB	-8.56	98.21	111.05
1	A	371	LYS	CB-CA-C	8.49	126.21	110.24
1	A	23	THR	CA-CB-OG1	-8.36	97.06	109.60
1	B	145	ARG	CG-CD-NE	-8.35	93.64	112.00
1	B	135	ASP	CA-CB-CG	8.24	120.84	112.60
1	B	169	GLN	N-CA-CB	-8.21	98.11	110.01
1	A	128	MET	CG-SD-CE	8.08	118.67	100.90
1	A	171	GLU	CB-CG-CD	-8.07	98.88	112.60
1	B	46	LEU	N-CA-CB	8.05	121.94	109.94
1	A	272	GLU	CB-CG-CD	8.03	126.26	112.60
1	A	197	ARG	CA-CB-CG	8.03	130.16	114.10
1	A	411	ARG	N-CA-C	-8.00	102.15	112.23
1	B	214	LYS	CB-CA-C	7.97	123.51	109.72
1	A	134	VAL	N-CA-C	-7.86	105.20	112.43
1	B	237	ARG	CB-CG-CD	7.79	129.22	111.30
1	B	169	GLN	CB-CA-C	7.78	123.09	110.88
1	A	404	ARG	CB-CA-C	7.68	123.90	110.85
1	A	75	HIS	O-C-N	-7.58	118.04	121.53
1	A	332	ARG	CB-CA-C	7.56	122.04	109.56
1	B	382	LEU	N-CA-CB	7.51	121.93	110.28
1	B	43	GLU	N-CA-CB	7.49	121.75	110.22
1	B	287	SER	N-CA-CB	-7.49	99.08	110.91
1	A	135	ASP	CA-CB-CG	7.47	120.08	112.60
1	B	374	ASP	CA-C-N	7.47	131.41	120.95
1	B	374	ASP	C-N-CA	7.47	131.41	120.95
1	A	136	ARG	N-CA-CB	-7.43	99.30	110.07
1	B	113	LYS	CA-CB-CG	-7.39	99.32	114.10
1	A	231	GLY	O-C-N	-7.11	114.89	122.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	111	ARG	CG-CD-NE	-7.11	96.37	112.00
1	B	243	PRO	CB-CA-C	-7.02	100.84	111.44
1	B	237	ARG	NE-CZ-NH1	-6.99	114.51	121.50
1	A	47	ARG	N-CA-CB	6.98	122.29	110.49
1	B	355	GLU	CB-CA-C	6.96	122.69	110.85
1	A	227	PRO	CB-CA-C	-6.92	102.91	111.64
1	B	52	ASP	CB-CA-C	6.88	123.19	110.11
1	A	232	GLY	O-C-N	-6.75	117.44	122.71
1	B	370	PRO	CB-CA-C	-6.75	102.14	110.98
1	A	191	ASN	CB-CA-C	6.64	123.43	110.67
1	A	232	GLY	N-CA-C	6.63	122.80	111.98
1	A	386	PRO	CB-CA-C	-6.62	101.44	111.44
1	B	272	GLU	CB-CG-CD	6.61	123.84	112.60
1	A	46	LEU	N-CA-CB	6.58	119.80	110.12
1	B	47	ARG	N-CA-CB	6.56	121.58	110.49
1	A	106	THR	CA-CB-OG1	-6.54	99.79	109.60
1	A	312	LYS	CB-CA-C	6.54	121.14	110.88
1	A	411	ARG	CA-CB-CG	6.48	127.05	114.10
1	A	209	VAL	CG1-CB-CG2	6.32	124.71	110.80
1	B	294	HIS	CA-CB-CG	-6.31	107.49	113.80
1	A	154	PRO	CB-CA-C	6.30	119.23	110.98
1	B	33	VAL	N-CA-CB	-6.27	101.16	111.44
1	A	126	ARG	N-CA-CB	-6.24	100.42	109.83
1	A	207	ASN	CA-CB-CG	-6.10	106.50	112.60
1	A	367	GLN	N-CA-C	-6.05	104.04	112.45
1	A	354	ASP	CA-CB-CG	6.03	118.62	112.60
1	A	223	ALA	CA-C-O	-5.98	114.32	120.54
1	B	404	ARG	CA-CB-CG	-5.97	102.15	114.10
1	A	355	GLU	N-CA-CB	5.97	118.89	110.12
1	B	401	ASP	N-CA-CB	5.95	118.97	110.16
1	A	236	ASP	CA-CB-CG	5.95	118.55	112.60
1	A	411	ARG	NE-CZ-NH2	5.92	124.52	119.20
1	A	169	GLN	N-CA-CB	5.91	118.58	110.01
1	A	91	ASP	CA-CB-CG	5.86	118.46	112.60
1	B	314	VAL	N-CA-CB	5.83	118.04	110.57
1	B	414	ARG	NE-CZ-NH1	-5.81	115.69	121.50
1	A	161	ASP	CB-CA-C	5.78	121.92	110.42
1	B	404	ARG	N-CA-CB	5.78	118.62	110.12
1	B	315	ARG	CD-NE-CZ	-5.78	116.31	124.40
1	B	323	ASP	CB-CA-C	5.77	120.05	110.81
1	B	259	LEU	N-CA-CB	5.76	118.53	109.94
1	B	173	LEU	CB-CA-C	5.75	120.34	110.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	98	GLN	N-CA-CB	5.74	120.80	112.13
1	A	43	GLU	N-CA-CB	5.71	119.00	110.22
1	B	83	THR	CA-CB-OG1	-5.70	101.05	109.60
1	A	179	LEU	N-CA-CB	5.69	119.32	110.44
1	A	27	GLU	CB-CG-CD	5.69	122.27	112.60
1	A	33	VAL	N-CA-CB	-5.63	101.52	111.93
1	B	193	VAL	N-CA-CB	-5.63	101.60	111.39
1	A	395	ASP	CA-CB-CG	5.61	118.21	112.60
1	B	408	GLU	CB-CA-C	5.58	120.34	110.85
1	B	188	GLU	CB-CA-C	5.54	120.62	110.10
1	B	229	PRO	CB-CA-C	5.53	120.68	111.56
1	A	59	GLU	CB-CA-C	5.47	119.25	110.16
1	A	318	GLU	CB-CG-CD	5.47	121.89	112.60
1	A	411	ARG	CG-CD-NE	-5.46	99.99	112.00
1	A	397	ASN	CA-CB-CG	-5.45	107.15	112.60
1	A	6	GLU	O-C-N	-5.44	116.81	122.96
1	A	40	ASN	CB-CA-C	5.42	119.43	110.87
1	A	416	PHE	N-CA-CB	-5.42	103.16	111.56
1	A	411	ARG	CD-NE-CZ	5.41	131.97	124.40
1	A	370	PRO	CB-CA-C	5.40	118.06	110.98
1	B	103	ASP	CA-CB-CG	5.40	118.00	112.60
1	B	414	ARG	NE-CZ-NH2	5.39	124.05	119.20
1	A	307	LEU	CB-CG-CD1	5.38	126.85	110.70
1	B	33	VAL	CA-CB-CG1	5.38	119.55	110.40
1	B	253	ARG	CB-CA-C	-5.38	102.44	110.88
1	B	236	ASP	CA-CB-CG	5.34	117.94	112.60
1	A	33	VAL	CA-CB-CG1	5.33	119.46	110.40
1	A	374	ASP	CA-CB-CG	5.33	117.93	112.60
1	B	207	ASN	CA-CB-CG	-5.32	107.28	112.60
1	B	350	ARG	CD-NE-CZ	5.32	131.84	124.40
1	B	168	ASP	CA-CB-CG	5.30	117.91	112.60
1	A	174	GLU	N-CA-CB	5.30	118.10	110.20
1	B	265	ARG	N-CA-C	-5.30	108.58	114.62
1	B	165	PHE	N-CA-CB	-5.30	101.27	110.17
1	A	243	PRO	CB-CA-C	-5.27	103.48	111.44
1	A	366	LEU	N-CA-CB	-5.25	101.31	109.87
1	B	108	LEU	N-CA-CB	5.25	118.31	110.22
1	A	169	GLN	CA-C-N	5.24	125.91	119.99
1	A	169	GLN	C-N-CA	5.24	125.91	119.99
1	B	339	GLN	CG-CD-NE2	-5.18	108.63	116.40
1	A	75	HIS	CA-C-O	5.15	124.38	120.26
1	A	234	ILE	N-CA-CB	-5.13	102.43	111.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	189	ARG	N-CA-CB	5.13	117.19	109.34
1	B	169	GLN	CA-C-N	5.12	125.78	119.99
1	B	169	GLN	C-N-CA	5.12	125.78	119.99
1	A	129	ASP	CB-CA-C	5.12	119.25	110.81
1	A	368	ARG	NE-CZ-NH2	-5.12	114.60	119.20
1	B	381	ASP	CA-C-O	-5.11	115.68	121.25
1	B	145	ARG	NE-CZ-NH1	-5.11	116.39	121.50
1	A	164	THR	CA-CB-OG1	-5.10	101.95	109.60
1	A	180	PHE	CB-CA-C	5.09	119.65	111.05
1	B	40	ASN	CA-CB-CG	5.08	117.67	112.60
1	A	230	ASP	CB-CA-C	5.06	119.16	111.02
1	B	276	THR	CA-CB-OG1	-5.06	102.02	109.60
1	B	51	LYS	N-CA-CB	5.04	118.10	110.14
1	B	179	LEU	N-CA-CB	-5.02	102.41	110.19
1	B	395	ASP	CA-CB-CG	5.00	117.60	112.60

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	232	GLY	Peptide
1	A	295	ARG	Sidechain
1	A	411	ARG	Sidechain
1	A	414	ARG	Sidechain
1	B	126	ARG	Sidechain
1	B	315	ARG	Sidechain
1	B	411	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3058	0	2846	34	0
1	B	3090	0	2898	43	0
2	A	62	0	0	3	0
2	B	55	0	0	1	0
All	All	6265	0	5744	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:152:ILE:CD1	1:B:172:LEU:HD12	1.91	0.98
1:B:152:ILE:HD11	1:B:172:LEU:CD1	2.00	0.91
1:B:152:ILE:HD11	1:B:172:LEU:HD12	1.55	0.87
1:A:8:ILE:HD11	1:A:55:ILE:HD11	1.57	0.85
1:B:235:TYR:HB3	1:B:339:GLN:HG3	1.60	0.83
1:B:152:ILE:HD12	1:B:172:LEU:HD12	1.64	0.80
1:A:235:TYR:HB3	1:A:339:GLN:HG3	1.63	0.80
1:B:25:MET:CE	1:B:314:VAL:HG11	2.12	0.79
1:A:8:ILE:CD1	1:A:55:ILE:HD11	2.14	0.77
1:A:414:ARG:HH21	1:A:414:ARG:HG2	1.51	0.74
1:B:355:GLU:O	1:B:359:THR:HG23	1.88	0.73
1:B:152:ILE:HD11	1:B:172:LEU:HD11	1.73	0.71
1:A:355:GLU:O	1:A:359:THR:HG23	1.92	0.69
1:B:161:ASP:HB3	1:B:383:PHE:HE2	1.57	0.69
1:B:235:TYR:CB	1:B:339:GLN:HG3	2.22	0.69
1:A:411:ARG:HD3	1:B:403:TYR:OH	1.95	0.67
1:B:25:MET:HE2	1:B:314:VAL:HG11	1.80	0.64
1:B:25:MET:HE1	1:B:314:VAL:CG1	2.28	0.63
1:B:33:VAL:HG22	1:B:56:ALA:HB3	1.80	0.63
1:B:408:GLU:HA	1:B:411:ARG:HH11	1.64	0.63
1:A:353:TYR:HB3	1:A:366:LEU:HD21	1.80	0.62
1:B:356:LEU:HD22	1:B:415:LEU:HD21	1.80	0.62
1:A:51:LYS:O	1:A:57:HIS:HE1	1.82	0.61
1:A:353:TYR:CE2	1:A:415:LEU:HD13	2.36	0.61
1:B:152:ILE:CD1	1:B:172:LEU:CD1	2.65	0.59
1:A:234:ILE:HD11	1:A:379:THR:O	2.04	0.57
1:B:25:MET:CE	1:B:314:VAL:CG1	2.81	0.56
1:B:274:ILE:HG13	1:B:283:ILE:HD11	1.87	0.56
1:B:353:TYR:HB3	1:B:366:LEU:HD21	1.88	0.56
1:B:360:LEU:HD13	1:B:391:MET:HE2	1.89	0.54
1:A:234:ILE:HD11	1:A:380:VAL:HA	1.90	0.53
1:B:46:LEU:O	1:B:47:ARG:C	2.52	0.53
1:B:212:HIS:CD2	1:B:318:GLU:HG2	2.44	0.53
1:A:411:ARG:CD	1:B:403:TYR:OH	2.58	0.52
1:B:339:GLN:HG2	2:B:536:HOH:O	2.09	0.52
1:A:274:ILE:HG13	1:A:283:ILE:HD11	1.93	0.50
1:B:353:TYR:CE2	1:B:415:LEU:HD13	2.46	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:46:LEU:O	1:A:47:ARG:C	2.54	0.49
1:B:301:ALA:HB3	1:B:335:LEU:HD22	1.95	0.48
1:A:266:TYR:HD1	1:A:318:GLU:HG3	1.79	0.47
1:A:355:GLU:O	1:A:359:THR:CG2	2.63	0.47
1:A:294:HIS:CE1	1:A:365:TRP:HB3	2.49	0.47
1:A:362:SER:HB2	1:A:393:HIS:HB2	1.97	0.47
1:B:161:ASP:HB3	1:B:383:PHE:CE2	2.45	0.47
1:B:288:ARG:HD2	1:B:288:ARG:C	2.40	0.46
1:A:33:VAL:HG22	1:A:56:ALA:HB3	1.97	0.45
1:B:404:ARG:HD2	1:B:404:ARG:HA	1.62	0.45
1:B:415:LEU:HD23	1:B:415:LEU:HA	1.80	0.45
1:A:234:ILE:HG12	1:A:379:THR:HG22	1.99	0.44
1:A:234:ILE:HD11	1:A:380:VAL:CA	2.48	0.44
1:A:65:GLN:NE2	2:A:514:HOH:O	2.51	0.44
1:A:234:ILE:HD13	1:A:234:ILE:HG21	1.79	0.44
1:A:415:LEU:HD23	1:A:415:LEU:HA	1.84	0.44
1:A:41:PRO:HG2	1:A:46:LEU:HG	1.99	0.43
1:B:145:ARG:HD3	1:B:145:ARG:HA	1.77	0.43
1:B:179:LEU:O	1:B:180:PHE:C	2.59	0.43
1:B:21:LEU:N	1:B:22:PRO:CD	2.82	0.43
1:B:8:ILE:HA	1:B:31:LYS:O	2.18	0.43
1:A:273:LEU:C	1:A:273:LEU:HD12	2.44	0.43
1:A:234:ILE:HD11	1:A:379:THR:C	2.44	0.42
1:B:362:SER:HB2	1:B:393:HIS:HB2	2.00	0.42
1:A:368:ARG:O	1:A:387:GLY:HA3	2.19	0.42
1:A:353:TYR:CZ	1:A:415:LEU:HD13	2.55	0.41
1:B:294:HIS:CE1	1:B:365:TRP:HB3	2.55	0.41
1:B:25:MET:HE1	1:B:314:VAL:HG12	1.99	0.41
1:B:273:LEU:HD12	1:B:273:LEU:C	2.45	0.41
1:B:9:LEU:HD22	1:B:25:MET:HE2	2.02	0.41
1:B:183:VAL:HA	1:B:189:ARG:HA	2.03	0.41
1:A:311:GLY:HA3	2:A:556:HOH:O	2.21	0.40
1:A:128:MET:HG2	1:A:196:GLN:HG2	2.03	0.40
1:A:133:ALA:HA	2:A:536:HOH:O	2.22	0.40
1:B:46:LEU:O	1:B:48:THR:N	2.55	0.40
1:B:360:LEU:CD1	1:B:391:MET:HE2	2.51	0.40
1:A:45:TYR:HE2	1:A:159:GLY:HA3	1.86	0.40
1:A:258:VAL:O	1:A:262:LEU:HG	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	407/419 (97%)	385 (95%)	19 (5%)	3 (1%)	18	17
1	B	403/419 (96%)	387 (96%)	12 (3%)	4 (1%)	12	10
All	All	810/838 (97%)	772 (95%)	31 (4%)	7 (1%)	14	12

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	160	THR
1	B	413	SER
1	A	47	ARG
1	B	47	ARG
1	A	4	ALA
1	B	412	THR
1	B	396	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	299/346 (86%)	279 (93%)	20 (7%)	15	15
1	B	308/346 (89%)	292 (95%)	16 (5%)	21	24
All	All	607/692 (88%)	571 (94%)	36 (6%)	18	19

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ILE
1	A	33	VAL
1	A	61	GLN
1	A	198	LEU
1	A	209	VAL
1	A	234	ILE
1	A	237	ARG
1	A	299	ASN
1	A	307	LEU
1	A	310	VAL
1	A	315	ARG
1	A	343	ASN
1	A	359	THR
1	A	361	LYS
1	A	366	LEU
1	A	375	THR
1	A	377	VAL
1	A	411	ARG
1	A	413	SER
1	A	414	ARG
1	B	31	LYS
1	B	33	VAL
1	B	161	ASP
1	B	162	SER
1	B	175	SER
1	B	179	LEU
1	B	237	ARG
1	B	274	ILE
1	B	302	VAL
1	B	310	VAL
1	B	357	LEU
1	B	359	THR
1	B	366	LEU
1	B	411	ARG
1	B	413	SER
1	B	414	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	57	HIS
1	A	65	GLN
1	A	269	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	294	HIS
1	A	419	GLN
1	B	75	HIS
1	B	294	HIS
1	B	331	HIS
1	B	337	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	411/419 (98%)	0.08	23 (5%) 30 29	32, 47, 85, 156	0
1	B	411/419 (98%)	0.09	16 (3%) 43 42	31, 50, 86, 106	0
All	All	822/838 (98%)	0.09	39 (4%) 36 35	31, 49, 86, 156	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	4	ALA	7.7
1	B	232	GLY	6.8
1	B	4	ALA	6.5
1	A	161	ASP	6.5
1	A	181	GLY	6.4
1	B	160	THR	5.5
1	A	190	ASN	5.4
1	A	160	THR	5.3
1	B	230	ASP	4.9
1	A	162	SER	4.8
1	A	188	GLU	4.7
1	B	188	GLU	4.5
1	A	189	ARG	4.5
1	A	165	PHE	3.8
1	A	5	LYS	3.8
1	B	184	ASN	3.7
1	B	183	VAL	3.7
1	A	191	ASN	3.6
1	A	179	LEU	3.4
1	A	3	GLN	3.3
1	B	158	ALA	3.2
1	B	235	TYR	3.1
1	B	412	THR	3.1
1	A	180	PHE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	157	SER	2.9
1	B	382	LEU	2.8
1	A	159	GLY	2.5
1	B	189	ARG	2.5
1	A	40	ASN	2.5
1	B	418	VAL	2.4
1	A	149	PRO	2.3
1	A	158	ALA	2.3
1	B	375	THR	2.2
1	A	148	TRP	2.2
1	A	154	PRO	2.2
1	A	144	GLU	2.2
1	B	167	ALA	2.2
1	B	181	GLY	2.1
1	A	6	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.