



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 10, 2026 – 10:10 am BST

PDB ID : 31BP / pdb_000031bp
Title : Akkermansia muciniphila GH95 (1120; AmGH95B)
Authors : Jensen, M.; Abou Hachem, M.; Morth, J.P.
Deposited on : 2026-05-22
Resolution : 2.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.2
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 2.2
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.51


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7164 (2.40-2.36)
Clashscore	190562	7722 (2.40-2.36)
Ramachandran outliers	187476	7626 (2.40-2.36)
Sidechain outliers	187428	7627 (2.40-2.36)
RSRZ outliers	180081	7170 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	796	5% 74% 19% 6%
1	B	796	3% 78% 14% 6%
2	C	3	100%
2	D	3	100%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 23214 atoms, of which 11474 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glycosyl hydrolase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	B	746	Total	C	H	N	O	S	0	0	0
			11510	3688	5698	1020	1077	27			
1	A	746	Total	C	H	N	O	S	0	0	0
			11510	3688	5698	1020	1077	27			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	387	SER	ASN	engineered mutation	UNP B2UR61
B	541	GLN	GLU	engineered mutation	UNP B2UR61
A	387	SER	ASN	engineered mutation	UNP B2UR61
A	541	GLN	GLU	engineered mutation	UNP B2UR61

- Molecule 2 is an oligosaccharide called alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	3	Total	C	H	N	O	0	0	0
			69	20	33	1	15			
2	D	3	Total	C	H	N	O	0	0	0
			69	20	33	1	15			

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	H	O	0	0
			10	2	6	2		
3	B	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 4 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	K	0	0
			1	1		

- Molecule 5 is BROMIDE ION (CCD ID: BR) (formula: Br).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Br	0	0
			1	1		
5	A	1	Total	Br	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	25	Total	O	0	0
			25	25		
6	A	8	Total	O	0	0
			8	8		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Glycosyl hydrolase



• Molecule 1: Glycosyl hydrolase





● Molecule 2: alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



● Molecule 2: alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	299.38Å 108.60Å 66.22Å 90.00° 101.91° 90.00°	Depositor
Resolution (Å)	48.82 – 2.37 48.82 – 2.37	Depositor EDS
% Data completeness (in resolution range)	78.8 (48.82-2.37) 79.2 (48.82-2.37)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.38 (at 2.37Å)	Xtriage
Refinement program	PHENIX 1.21.1_5286	Depositor
R, R_{free}	0.269 , 0.294 0.271 , 0.297	Depositor DCC
R_{free} test set	2006 reflections (3.01%)	wwPDB-VP
Wilson B-factor (Å ²)	73.7	Xtriage
Anisotropy	0.491	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 84.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.000 for -h-2*k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	23214	wwPDB-VP
Average B, all atoms (Å ²)	144.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, EDO, BR, NAG, K, GAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	1/5967 (0.0%)	0.55	0/8079
1	B	0.43	0/5967	0.62	1/8079 (0.0%)
All	All	0.39	1/11934 (0.0%)	0.59	1/16158 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	101	ASN	C-O	-7.97	1.20	1.23

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	621	PHE	CB-CA-C	5.01	116.99	109.63

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5812	5698	5698	111	0
1	B	5812	5698	5698	100	1
2	C	36	33	33	0	0
2	D	36	33	33	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	8	12	12	0	0
4	B	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	1	0
6	A	8	0	0	0	0
6	B	25	0	0	3	0
All	All	11740	11474	11474	210	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (210) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:142:GLU:N	1:A:160:LYS:O	2.13	0.80
1:B:613:HIS:O	1:B:645:ARG:NH1	2.16	0.79
1:B:158:ASN:ND2	1:B:167:ASP:OD1	2.23	0.71
1:A:442:ARG:NE	1:A:452:GLY:O	2.19	0.70
1:A:141:VAL:HG12	1:A:161:ALA:HB2	1.75	0.69
1:B:390:MET:HE1	1:B:655:TRP:O	1.93	0.68
1:A:712:LEU:HD13	1:A:735:VAL:HG21	1.77	0.67
1:B:108:TYR:CD2	1:B:379:ALA:HB2	2.29	0.67
1:A:590:ASN:HB3	1:A:598:LEU:HD11	1.77	0.66
1:A:494:PHE:CD1	1:A:494:PHE:C	2.75	0.65
1:A:642:LEU:HD11	1:A:660:ARG:HD3	1.78	0.65
1:A:735:VAL:HG23	1:A:750:TRP:HZ3	1.61	0.64
1:B:693:HIS:ND1	1:B:694:PRO:HD2	2.12	0.64
1:A:211:VAL:HG22	1:A:229:LEU:HG	1.80	0.62
1:A:693:HIS:CG	1:A:694:PRO:HD2	2.35	0.62
1:B:494:PHE:C	1:B:494:PHE:CD1	2.77	0.61
1:A:536:ASN:HB3	1:A:545:ARG:HD2	1.82	0.61
1:A:290:ASP:OD1	1:A:291:TYR:N	2.34	0.60
1:A:598:LEU:N	1:A:637:ALA:HB1	2.17	0.59
1:A:412:GLU:OE1	1:A:483:GLN:NE2	2.33	0.59
1:A:83:PRO:HB3	1:A:141:VAL:HG11	1.85	0.58
1:B:681:LEU:HD23	1:B:685:THR:HG21	1.85	0.58
1:A:332:TYR:HD1	1:A:332:TYR:O	1.87	0.58
1:A:316:THR:OG1	1:A:338:ASP:OD1	2.12	0.58
1:A:621:PHE:CD1	1:A:621:PHE:C	2.80	0.58
1:A:494:PHE:C	1:A:494:PHE:HD1	2.12	0.57
1:B:123:PHE:HD1	1:B:123:PHE:O	1.88	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:117:PHE:CD1	1:A:117:PHE:C	2.82	0.56
1:A:735:VAL:HG23	1:A:750:TRP:CZ3	2.41	0.56
1:B:767:VAL:HG22	1:B:780:LYS:HG2	1.86	0.56
1:A:621:PHE:C	1:A:621:PHE:HD1	2.14	0.56
1:A:621:PHE:HB2	1:A:666:ARG:HD2	1.88	0.56
1:A:117:PHE:C	1:A:117:PHE:HD1	2.15	0.55
1:B:568:ARG:NH1	6:B:901:HOH:O	2.17	0.55
1:B:266:TYR:CD2	1:B:416:PRO:HB2	2.42	0.55
1:A:119:ASN:HD22	1:A:376:PRO:CD	2.20	0.55
1:B:494:PHE:C	1:B:494:PHE:HD1	2.14	0.55
1:A:247:LYS:C	1:A:248:ASN:OD1	2.50	0.54
1:B:541:GLN:O	1:B:611:HIS:NE2	2.42	0.53
1:B:642:LEU:HD11	1:B:660:ARG:HG2	1.90	0.53
1:A:619:ALA:HB1	1:A:625:GLN:HB3	1.90	0.53
1:B:170:ALA:O	1:B:171:PHE:HB3	2.08	0.53
1:A:546:GLU:OE2	1:A:605:ARG:NH1	2.36	0.53
1:A:597:ASN:HB3	1:A:644:TRP:CZ3	2.43	0.53
1:A:80:PHE:CD1	1:A:80:PHE:N	2.76	0.52
1:B:520:GLU:OE2	1:B:605:ARG:NH2	2.43	0.52
1:B:621:PHE:CD1	1:B:621:PHE:C	2.88	0.52
1:A:540:PRO:HD2	1:A:615:SER:CB	2.40	0.52
1:A:84:GLY:O	1:A:130:PHE:N	2.36	0.52
1:A:410:TYR:O	1:A:414:MET:HG2	2.10	0.52
1:B:266:TYR:CD1	1:B:266:TYR:C	2.88	0.52
1:B:184:LYS:HE3	6:B:916:HOH:O	2.09	0.51
1:B:266:TYR:HB2	1:B:270:TRP:CZ2	2.45	0.51
1:B:744:VAL:HG21	1:B:768:LEU:HD11	1.92	0.51
1:B:437:ARG:O	1:B:494:PHE:HB2	2.11	0.51
1:B:694:PRO:HB2	1:B:695:PRO:HD3	1.92	0.51
1:A:693:HIS:ND1	1:A:694:PRO:HD2	2.26	0.51
1:A:125:ASP:HB2	1:A:198:ASN:HB3	1.93	0.51
1:B:536:ASN:OD1	1:B:545:ARG:HG3	2.10	0.51
1:B:735:VAL:HG23	1:B:750:TRP:HZ3	1.75	0.51
1:B:621:PHE:CD1	1:B:622:PRO:HA	2.46	0.50
1:A:158:ASN:OD1	1:A:158:ASN:O	2.28	0.50
1:A:514:LYS:HG2	1:A:515:ASP:N	2.26	0.50
1:B:119:ASN:HD22	1:B:376:PRO:HD2	1.75	0.50
1:A:31:LEU:HD11	1:A:147:SER:HB2	1.94	0.50
1:B:119:ASN:HD22	1:B:376:PRO:CD	2.24	0.50
1:B:171:PHE:CD1	1:B:171:PHE:C	2.89	0.50
1:B:666:ARG:HG2	1:B:714:GLN:NE2	2.27	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:198:ASN:OD1	1:B:199:SER:N	2.45	0.50
1:A:608:LYS:O	1:A:609:THR:HB	2.11	0.49
1:B:171:PHE:C	1:B:171:PHE:HD1	2.19	0.49
1:A:694:PRO:HB2	1:A:695:PRO:HD3	1.95	0.49
1:A:694:PRO:HB2	1:A:695:PRO:CD	2.42	0.49
1:B:171:PHE:CE1	1:B:180:VAL:HB	2.48	0.49
1:B:694:PRO:HB2	1:B:695:PRO:CD	2.43	0.49
1:A:541:GLN:HG3	1:A:613:HIS:NE2	2.28	0.49
1:B:621:PHE:CD1	1:B:622:PRO:CA	2.95	0.49
1:A:744:VAL:HG21	1:A:768:LEU:HD11	1.93	0.49
1:A:332:TYR:O	1:A:332:TYR:CD1	2.66	0.49
1:A:496:GLU:OE2	1:A:576:TRP:NE1	2.45	0.49
1:A:500:LYS:HB2	1:A:535:PRO:HG3	1.95	0.49
1:B:39:VAL:HG13	1:A:481:GLU:OE1	2.13	0.49
1:A:123:PHE:HD1	1:A:123:PHE:O	1.95	0.49
1:B:480:LEU:HA	1:B:484:ALA:HB3	1.96	0.48
1:B:366:LEU:HB3	1:B:697:GLN:OE1	2.12	0.48
1:B:80:PHE:CD1	1:B:80:PHE:N	2.81	0.48
1:B:125:ASP:HB2	1:B:198:ASN:HB3	1.95	0.48
1:B:693:HIS:O	1:B:694:PRO:C	2.56	0.48
1:B:430:THR:CG2	1:B:497:ASP:HB3	2.44	0.48
1:B:712:LEU:HD13	1:B:735:VAL:HG21	1.96	0.48
1:A:204:ASP:O	1:A:214:TRP:HA	2.14	0.48
1:A:437:ARG:O	1:A:494:PHE:HB2	2.14	0.48
1:B:87:ARG:HG3	1:B:127:PHE:CZ	2.48	0.48
1:B:621:PHE:HB2	1:B:666:ARG:HD2	1.95	0.48
1:A:101:ASN:OD1	1:A:117:PHE:HB2	2.14	0.48
1:A:621:PHE:CD1	1:A:622:PRO:N	2.82	0.47
1:A:621:PHE:CD2	1:A:662:ALA:HB1	2.49	0.47
1:B:266:TYR:C	1:B:266:TYR:HD1	2.22	0.47
1:A:174:THR:HB	1:A:175:PRO:HD3	1.96	0.47
1:A:390:MET:HE1	1:A:655:TRP:O	2.15	0.47
1:A:693:HIS:HB3	1:A:695:PRO:O	2.15	0.47
1:B:215:LYS:HG3	1:B:224:TYR:O	2.14	0.47
1:B:367:GLN:NE2	6:B:907:HOH:O	2.46	0.47
1:A:608:LYS:HE2	1:A:644:TRP:CE3	2.49	0.47
1:B:389:GLN:O	1:B:391:ALA:O	2.32	0.47
1:B:498:HIS:CE1	1:B:535:PRO:HG2	2.50	0.47
1:B:693:HIS:CD2	1:B:697:GLN:HG3	2.50	0.47
1:A:652:ARG:HG2	1:A:657:TRP:CZ2	2.50	0.47
1:A:157:VAL:HB	1:A:168:ARG:HB2	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:385:ASN:O	1:B:386:ILE:HB	2.15	0.46
1:B:313:PHE:HB3	1:B:730:TRP:CD1	2.50	0.46
1:B:722:ILE:HG21	1:B:755:VAL:HG11	1.97	0.46
1:A:214:TRP:HZ3	1:A:228:VAL:HG23	1.80	0.46
1:A:332:TYR:CD1	1:A:332:TYR:C	2.94	0.46
1:A:605:ARG:O	1:A:606:ILE:C	2.58	0.46
1:B:594:LYS:N	1:B:604:ASP:OD2	2.40	0.46
1:B:621:PHE:C	1:B:621:PHE:HD1	2.23	0.46
1:B:174:THR:HB	1:B:175:PRO:HD3	1.97	0.46
1:B:621:PHE:CD1	1:B:622:PRO:N	2.84	0.46
1:B:633:LYS:HB2	5:B:804:BR:BR	2.71	0.46
1:A:332:TYR:CD1	1:A:336:PRO:HA	2.51	0.46
1:A:312:ASN:HA	1:A:343:GLU:OE2	2.16	0.45
1:B:621:PHE:CE2	1:B:710:GLU:HG3	2.50	0.45
1:A:130:PHE:N	1:A:130:PHE:CD1	2.84	0.45
1:B:693:HIS:HB2	1:B:694:PRO:HD2	1.98	0.45
1:A:264:MET:HE2	1:A:362:LEU:HD23	1.99	0.45
1:A:599:GLN:HE21	1:A:603:ILE:C	2.24	0.45
1:B:653:ARG:HD3	1:B:693:HIS:HB2	1.98	0.45
1:B:693:HIS:CB	1:B:694:PRO:HD2	2.47	0.45
1:A:32:ILE:HG23	1:A:325:THR:HG21	1.98	0.45
1:A:762:SER:OG	1:A:764:GLN:O	2.31	0.45
1:A:128:VAL:HG22	1:A:195:PHE:CD1	2.52	0.45
1:A:391:ALA:HA	1:A:702:PHE:CB	2.46	0.45
1:A:391:ALA:HA	1:A:702:PHE:HB3	1.99	0.45
1:B:761:TYR:N	1:B:761:TYR:CD1	2.84	0.45
1:A:63:TRP:CE2	1:A:372:ASP:HB2	2.50	0.45
1:A:332:TYR:HD1	1:A:332:TYR:C	2.24	0.45
1:A:523:ASP:O	1:A:591:LYS:NZ	2.39	0.45
1:B:384:ASN:HA	1:B:388:VAL:HG12	1.98	0.45
1:A:92:GLU:HB2	1:A:123:PHE:CD2	2.52	0.45
1:B:677:VAL:HG22	1:B:704:ILE:HD11	1.98	0.44
1:B:693:HIS:CG	1:B:694:PRO:HD2	2.52	0.44
1:B:91:ASN:OD1	1:B:370:TRP:HA	2.17	0.44
1:A:618:PHE:O	1:A:623:GLY:N	2.46	0.44
1:B:166:TYR:CD1	1:B:166:TYR:N	2.85	0.44
1:B:384:ASN:ND2	1:B:441:VAL:HG21	2.32	0.44
1:A:152:ASP:OD2	1:A:154:ILE:HD12	2.17	0.44
1:A:600:GLU:HG3	1:A:616:HIS:HB3	1.99	0.44
1:B:389:GLN:HG2	1:B:462:TRP:CE2	2.52	0.44
1:B:264:MET:HE2	1:B:362:LEU:CD2	2.48	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:108:TYR:HD1	1:B:108:TYR:C	2.25	0.44
1:B:157:VAL:HB	1:B:168:ARG:HB2	2.00	0.44
1:B:171:PHE:HD1	1:B:171:PHE:O	2.01	0.44
1:B:621:PHE:HE2	1:B:710:GLU:HG3	1.81	0.44
1:A:611:HIS:O	1:A:645:ARG:NH1	2.48	0.44
1:A:686:LEU:HB3	1:A:687:PRO:HD2	2.00	0.44
1:A:282:TYR:O	1:A:284:ALA:N	2.49	0.44
1:A:693:HIS:O	1:A:694:PRO:C	2.57	0.44
1:B:108:TYR:C	1:B:108:TYR:CD1	2.96	0.44
1:A:239:ALA:HA	1:A:244:ILE:HD13	2.00	0.44
1:A:584:LEU:HD12	1:A:587:LEU:HD12	2.00	0.43
1:B:366:LEU:HD21	1:B:383:HIS:HB2	1.99	0.43
1:B:686:LEU:HB3	1:B:687:PRO:HD2	2.00	0.43
1:B:457:ILE:HG22	1:B:495:TRP:CH2	2.54	0.43
1:B:378:TRP:CH2	1:B:693:HIS:CE1	3.07	0.43
1:B:537:GLY:N	1:B:546:GLU:O	2.49	0.43
1:B:760:LEU:HD13	1:B:768:LEU:HD12	2.01	0.43
1:A:33:TRP:N	1:A:325:THR:OG1	2.42	0.43
1:A:653:ARG:HD2	1:A:693:HIS:CD2	2.54	0.43
1:B:428:PHE:HA	1:B:498:HIS:CD2	2.54	0.42
1:A:564:ILE:HD13	1:A:581:GLU:HB2	2.01	0.42
1:A:597:ASN:C	1:A:637:ALA:HB1	2.45	0.42
1:A:392:TYR:CD1	1:A:392:TYR:N	2.87	0.42
1:A:457:ILE:HG22	1:A:495:TRP:CH2	2.54	0.42
1:A:550:MET:HG3	1:A:599:GLN:O	2.19	0.42
1:B:606:ILE:O	1:B:606:ILE:HG22	2.20	0.42
1:B:550:MET:HG3	1:B:599:GLN:O	2.20	0.42
1:A:619:ALA:HB3	1:A:626:ILE:HD12	2.02	0.42
1:A:767:VAL:HG22	1:A:780:LYS:HG3	2.02	0.42
1:A:385:ASN:O	1:A:386:ILE:HB	2.19	0.42
1:B:539:SER:O	1:B:540:PRO:C	2.63	0.42
1:A:99:GLY:HA3	1:A:114:THR:HA	2.01	0.42
1:B:196:SER:HB3	1:B:243:LYS:HG2	2.02	0.42
1:B:358:ARG:O	1:B:406:ALA:HB2	2.20	0.41
1:A:608:LYS:HE2	1:A:644:TRP:CZ3	2.55	0.41
1:A:621:PHE:HD1	1:A:622:PRO:N	2.18	0.41
1:B:212:ILE:HG13	1:B:244:ILE:HD12	2.03	0.41
1:B:264:MET:HE2	1:B:362:LEU:HD23	2.02	0.41
1:B:354:LEU:C	1:B:354:LEU:HD12	2.44	0.41
1:B:495:TRP:CH2	1:B:556:ILE:HD11	2.56	0.41
1:B:720:LEU:HD23	1:B:770:VAL:HG22	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:389:GLN:HG2	1:A:462:TRP:CD1	2.55	0.41
1:B:693:HIS:NE2	1:B:697:GLN:HG3	2.36	0.41
1:B:394:GLY:O	1:B:398:ALA:HB3	2.21	0.41
1:A:632:PRO:O	1:A:636:GLU:HG3	2.20	0.41
1:B:442:ARG:HD2	1:B:451:ASN:C	2.45	0.41
1:A:152:ASP:OD1	1:A:152:ASP:O	2.39	0.41
1:A:471:TYR:CZ	1:A:480:LEU:HD22	2.56	0.41
1:A:196:SER:HB3	1:A:243:LYS:HG2	2.03	0.41
1:B:543:GLY:HA3	1:B:601:TRP:CZ2	2.56	0.40
1:A:332:TYR:HA	1:A:335:ASN:O	2.21	0.40
1:A:653:ARG:HD2	1:A:693:HIS:NE2	2.36	0.40
1:A:759:LYS:HD2	1:A:782:LEU:HD11	2.03	0.40
1:A:539:SER:O	1:A:540:PRO:C	2.63	0.40
1:B:621:PHE:HD1	1:B:622:PRO:N	2.20	0.40
1:B:680:LEU:O	1:B:685:THR:HG23	2.22	0.40
1:A:60:ALA:HB1	1:A:373:TYR:CE1	2.57	0.40
1:A:80:PHE:N	1:A:80:PHE:HD1	2.19	0.40
1:A:81:SER:HA	1:A:86:GLU:HG3	2.02	0.40
1:A:319:ASP:O	1:A:323:LEU:HG	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:769:PRO:O	1:B:778:ARG:NH2[2_555]	1.96	0.24

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	742/796 (93%)	701 (94%)	38 (5%)	3 (0%)	30 40

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	742/796 (93%)	709 (96%)	30 (4%)	3 (0%)	30	40
All	All	1484/1592 (93%)	1410 (95%)	68 (5%)	6 (0%)	30	40

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	386	ILE
1	B	693	HIS
1	B	695	PRO
1	A	386	ILE
1	A	454	GLN
1	A	540	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	605/642 (94%)	595 (98%)	10 (2%)	53	72
1	B	605/642 (94%)	594 (98%)	11 (2%)	51	71
All	All	1210/1284 (94%)	1189 (98%)	21 (2%)	53	72

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	80	PHE
1	B	87	ARG
1	B	108	TYR
1	B	166	TYR
1	B	171	PHE
1	B	266	TYR
1	B	373	TYR
1	B	494	PHE
1	B	621	PHE
1	B	694	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	761	TYR
1	A	80	PHE
1	A	87	ARG
1	A	117	PHE
1	A	130	PHE
1	A	166	TYR
1	A	332	TYR
1	A	392	TYR
1	A	494	PHE
1	A	621	PHE
1	A	761	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	158	ASN
1	B	367	GLN
1	B	483	GLN
1	B	498	HIS
1	B	674	HIS
1	A	367	GLN
1	A	542	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	1	2	15,15,15	0.56	0	21,21,21	1.18	3 (14%)
2	GAL	C	2	2	11,11,12	0.69	0	15,15,17	1.44	3 (20%)
2	FUC	C	3	2	10,10,11	0.63	0	14,14,16	1.90	4 (28%)
2	NAG	D	1	2	15,15,15	0.66	0	21,21,21	2.22	7 (33%)
2	GAL	D	2	2	11,11,12	0.86	0	15,15,17	1.10	2 (13%)
2	FUC	D	3	2	10,10,11	0.72	0	14,14,16	1.80	5 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2	-	1/6/26/26	0/1/1/1
2	GAL	C	2	2	-	0/2/19/22	0/1/1/1
2	FUC	C	3	2	-	-	0/1/1/1
2	NAG	D	1	2	-	2/6/26/26	0/1/1/1
2	GAL	D	2	2	-	1/2/19/22	0/1/1/1
2	FUC	D	3	2	-	-	0/1/1/1

There are no bond length outliers.

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1	NAG	C1-C2-N2	-5.95	103.83	110.73
2	C	3	FUC	O3-C3-C2	-4.38	101.60	109.99
2	D	1	NAG	C4-C3-C2	4.28	116.61	110.34
2	D	3	FUC	C1-O5-C5	3.55	120.82	112.78
2	C	2	GAL	O2-C2-C3	3.48	117.12	110.14
2	D	1	NAG	C2-N2-C7	3.31	131.23	123.18
2	C	3	FUC	C1-O5-C5	3.00	119.57	112.78
2	D	3	FUC	C3-C4-C5	-2.69	105.59	109.77
2	D	1	NAG	O5-C1-C2	2.65	112.18	109.52
2	C	3	FUC	O3-C3-C4	2.61	116.38	110.35
2	C	3	FUC	C3-C4-C5	-2.59	105.74	109.77
2	C	2	GAL	O2-C2-C1	-2.59	103.86	109.15
2	C	1	NAG	C1-C2-N2	2.43	113.54	110.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1	NAG	O7-C7-N2	2.42	126.40	121.95
2	D	2	GAL	C1-C2-C3	-2.39	106.72	109.67
2	C	1	NAG	C1-C2-C3	-2.31	107.39	110.54
2	C	1	NAG	O4-C4-C3	-2.30	105.03	110.35
2	D	3	FUC	O5-C5-C4	2.23	113.52	109.52
2	D	1	NAG	O4-C4-C3	-2.17	105.33	110.35
2	D	1	NAG	C1-C2-C3	2.09	113.40	110.54
2	D	2	GAL	O2-C2-C3	2.08	114.30	110.14
2	C	2	GAL	C1-C2-C3	-2.04	107.15	109.67
2	D	3	FUC	O3-C3-C4	2.04	115.06	110.35
2	D	3	FUC	C1-C2-C3	2.02	112.15	109.67

There are no chirality outliers.


All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	D	1	NAG	C3-C2-N2-C7
2	C	1	NAG	O5-C5-C6-O6
2	D	1	NAG	C1-C2-N2-C7
2	D	2	GAL	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry ⓘ

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	B	802	-	3,3,3	0.33	0	2,2,2	0.20	0
3	EDO	B	801	-	3,3,3	0.56	0	2,2,2	0.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	802	-	-	0/1/1/1	-
3	EDO	B	801	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	801	EDO	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	746/796 (93%)	0.32	40 (5%) 31 31	109, 160, 222, 273	0
1	B	746/796 (93%)	0.29	27 (3%) 46 46	91, 121, 155, 206	0
All	All	1492/1592 (93%)	0.31	67 (4%) 38 37	91, 137, 207, 273	0

All (67) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	256	ILE	5.4
1	A	179	LEU	5.1
1	A	720	LEU	3.8
1	A	370	TRP	3.8
1	B	126	LEU	3.8
1	A	768	LEU	3.5
1	A	180	VAL	3.5
1	A	457	ILE	3.5
1	A	614	THR	3.4
1	A	228	VAL	3.4
1	B	717	ALA	3.4
1	A	255	VAL	3.3
1	A	502	LEU	3.3
1	B	708	ILE	3.2
1	A	746	VAL	3.2
1	A	195	PHE	3.1
1	A	26	PRO	3.1
1	B	457	ILE	3.0
1	A	181	LEU	3.0
1	B	768	LEU	3.0
1	A	738	LEU	3.0
1	B	329	LEU	2.9
1	A	642	LEU	2.9
1	A	148	LEU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	90	LEU	2.8
1	A	394	GLY	2.8
1	B	178	VAL	2.8
1	A	393	TRP	2.7
1	B	617	LEU	2.7
1	B	408	VAL	2.7
1	B	26	PRO	2.7
1	A	70	ILE	2.6
1	B	197	VAL	2.5
1	B	374	VAL	2.5
1	A	411	VAL	2.5
1	A	59	PRO	2.4
1	B	465	LEU	2.4
1	B	311	VAL	2.4
1	B	663	LEU	2.4
1	B	62	VAL	2.4
1	A	617	LEU	2.4
1	A	534	ALA	2.3
1	A	230	ILE	2.3
1	B	720	LEU	2.3
1	A	660	ARG	2.3
1	B	555	LEU	2.2
1	A	689	MET	2.2
1	A	463	TYR	2.2
1	A	32	ILE	2.2
1	A	201	LEU	2.2
1	B	313	PHE	2.2
1	A	428	PHE	2.2
1	B	620	VAL	2.2
1	B	540	PRO	2.2
1	A	392	TYR	2.2
1	A	366	LEU	2.2
1	B	495	TRP	2.1
1	A	385	ASN	2.1
1	A	464	ALA	2.1
1	B	393	TRP	2.1
1	B	648	THR	2.1
1	A	244	ILE	2.1
1	A	391	ALA	2.0
1	B	69	PRO	2.0
1	B	719	GLY	2.0
1	B	346	PHE	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	785	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	D	1	15/15	0.69	0.12	124,130,156,157	0
2	NAG	C	1	15/15	0.85	0.09	108,130,158,158	0
2	FUC	D	3	10/11	0.89	0.13	123,134,160,161	0
2	GAL	D	2	11/12	0.90	0.07	121,128,153,154	0
2	GAL	C	2	11/12	0.90	0.07	104,107,127,128	0
2	FUC	C	3	10/11	0.96	0.08	103,107,127,129	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	K	B	803	1/1	0.86	0.13	112,112,112,112	0
3	EDO	B	801	4/4	0.90	0.19	86,103,107,108	0
3	EDO	B	802	4/4	0.93	0.15	98,118,125,133	0
5	BR	B	804	1/1	0.96	0.05	125,125,125,125	0
5	BR	A	801	1/1	0.96	0.08	134,134,134,134	0

6.5 Other polymers [i](#)

There are no such residues in this entry.