



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 15, 2026 – 04:57 pm BST

PDB ID : 32UY / pdb_000032uy
Title : Protein with 8.3 knot
Authors : Mozajew, M.; Kluza, A.; Sulkowska, J.I.
Deposited on : 2026-07-27
Resolution : 2.54 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.2
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1091 (2.54-2.54)
Clashscore	190562	1120 (2.54-2.54)
Ramachandran outliers	187476	1106 (2.54-2.54)
Sidechain outliers	187428	1106 (2.54-2.54)
RSRZ outliers	180081	1091 (2.54-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	472	6% 84% 14%
1	B	472	8% 83% 11% 6%

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 13639 atoms, of which 6580 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein with 8.3 knot.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	461	Total	C	H	N	O	S	0	1	0
			6915	2247	3388	560	700	20			
1	B	445	Total	C	H	N	O	S	0	2	0
			6536	2140	3170	535	671	20			

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	H	O	0	0
			10	2	6	2		
2	A	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	H	O	0	0
			17	4	10	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	66	Total	O	0	0
			66	66		
5	B	55	Total	O	0	0
			55	55		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Protein with 8.3 knot



- Molecule 1: Protein with 8.3 knot



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	69.38Å 92.54Å 118.54Å 90.00° 91.06° 90.00°	Depositor
Resolution (Å)	46.27 – 2.54 46.27 – 2.54	Depositor EDS
% Data completeness (in resolution range)	98.8 (46.27-2.54) 98.8 (46.27-2.54)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.70 (at 2.54Å)	Xtriage
Refinement program	PHENIX 1.21.1_5286	Depositor
R, R_{free}	0.219 , 0.255 0.220 , 0.257	Depositor DCC
R_{free} test set	2101 reflections (4.28%)	wwPDB-VP
Wilson B-factor (Å ²)	65.8	Xtriage
Anisotropy	0.252	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 59.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.036 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13639	wwPDB-VP
Average B, all atoms (Å ²)	88.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, SO4, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/3583	0.62	0/4848
1	B	0.38	0/3415	0.57	0/4627
All	All	0.39	0/6998	0.59	0/9475

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3527	3388	3385	42	0
1	B	3366	3170	3167	37	0
2	A	8	12	12	1	0
3	A	20	0	0	0	0
3	B	10	0	0	1	0
4	B	7	10	10	0	0
5	A	66	0	0	0	0
5	B	55	0	0	3	0
All	All	7059	6580	6574	80	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:168:MET:HE1	1:A:421:LEU:HD11	1.28	1.10
1:A:1:MET:HE3	1:A:328:THR:HG21	1.50	0.94
1:A:3:ASN:OD1	1:A:6:ARG:NH2	2.07	0.87
3:B:502:SO4:O1	5:B:601:HOH:O	1.92	0.86
1:B:27:PHE:HB3	1:B:280:ILE:HD11	1.67	0.76
1:B:250:GLU:OE1	5:B:602:HOH:O	2.09	0.70
1:A:180:THR:O	1:A:183:ILE:HG12	1.93	0.69
1:B:410:VAL:HG23	5:B:637:HOH:O	1.92	0.68
1:A:4:GLU:O	1:A:8:LEU:HD13	1.95	0.65
1:B:47:THR:HG21	1:B:261:MET:HE3	1.79	0.65
1:B:263:GLU:OE2	1:B:267:ASN:ND2	2.31	0.63
1:A:62:GLU:OE2	1:A:259:TYR:OH	2.15	0.61
1:A:119:LEU:HD21	1:A:241:TYR:CB	2.29	0.61
1:A:168:MET:CE	1:A:421:LEU:HD11	2.19	0.60
1:A:228:ALA:HB3	1:A:230:LEU:HD11	1.83	0.59
1:A:168:MET:HE3	1:A:417:MET:HE2	1.86	0.58
1:B:131:VAL:HG23	1:B:452:LEU:HD23	1.86	0.58
1:B:218:LEU:HD11	1:B:251:ILE:CG2	2.33	0.58
1:A:119:LEU:HD21	1:A:241:TYR:HB2	1.88	0.55
1:A:221:MET:HE1	1:A:251:ILE:HD12	1.89	0.54
1:A:182:MET:HE1	1:A:185:LYS:NZ	2.25	0.52
1:A:131:VAL:HG23	1:A:452:LEU:HD23	1.91	0.52
1:B:95:ARG:HB2	1:B:266:ILE:HG21	1.91	0.52
1:B:192:VAL:HG21	1:B:390:ILE:HD11	1.90	0.52
1:A:119:LEU:HD21	1:A:241:TYR:HB3	1.91	0.51
1:A:102:MET:HE1	1:A:259:TYR:HB3	1.93	0.51
1:B:0:THR:HG22	1:B:1:MET:N	2.25	0.51
1:B:131:VAL:HG11	1:B:455:VAL:HG21	1.91	0.51
1:A:337:PHE:O	1:A:341:THR:HG23	2.09	0.51
1:B:102:MET:HE1	1:B:259:TYR:HB3	1.92	0.51
1:A:410:VAL:HG22	1:A:413:ARG:NH2	2.28	0.49
1:B:215:PHE:HZ	1:B:259:TYR:HE2	1.61	0.49
1:B:458:ILE:HG22	1:B:462:MET:HE2	1.95	0.48
1:A:137:ALA:HA	1:A:140:MET:CE	2.44	0.48
1:A:77:ALA:HA	1:A:82:GLU:O	2.14	0.48
1:A:182:MET:HE1	1:A:185:LYS:HZ3	1.78	0.48
1:A:18:LEU:HD12	1:A:343:TYR:CE1	2.48	0.47
1:B:184:TYR:CB	1:B:192:VAL:HG22	2.44	0.47
1:A:1:MET:H	2:A:501:EDO:H22	1.80	0.47
1:A:79:PHE:HE2	1:A:299:VAL:HG21	1.79	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:184:TYR:HB3	1:B:192:VAL:HG22	1.97	0.47
1:A:235:LYS:O	1:A:239:LEU:HD23	2.15	0.46
1:B:74:ILE:O	1:B:75:GLU:C	2.59	0.46
1:B:27:PHE:CB	1:B:280:ILE:HD11	2.41	0.46
1:A:9:ILE:O	1:A:13:LYS:HG2	2.16	0.45
1:A:137:ALA:HA	1:A:140:MET:HE3	1.98	0.45
1:A:45:TYR:CD2	1:A:298:CYS:HB3	2.52	0.45
1:A:114:LEU:HD21	1:A:416:VAL:HG22	1.99	0.45
1:B:184:TYR:HB3	1:B:192:VAL:CG2	2.46	0.45
1:A:347:ILE:HG23	1:A:352:MET:HB2	1.98	0.45
1:A:48:MET:HB2	1:A:265:ILE:CD1	2.47	0.45
1:A:36:TYR:OH	1:A:40:ARG:NH2	2.51	0.44
1:A:110:ASP:O	1:A:114:LEU:HD13	2.17	0.44
1:B:77:ALA:HA	1:B:82:GLU:O	2.17	0.44
1:B:115:PHE:HZ	1:B:226:SER:HB3	1.83	0.43
1:A:197:GLU:O	1:A:201:THR:HG23	2.18	0.43
1:B:43:MET:O	1:B:46:PHE:CE1	2.71	0.43
1:B:218:LEU:HD11	1:B:251:ILE:HG22	1.99	0.43
1:B:412:LEU:O	1:B:416:VAL:HG23	2.18	0.43
1:B:102:MET:HE1	1:B:259:TYR:CB	2.49	0.43
1:B:17:ASP:HB3	1:B:20:GLU:HB3	2.01	0.42
1:B:136:VAL:O	1:B:140:MET:HG3	2.18	0.42
1:A:95:ARG:HB2	1:A:266:ILE:HG21	2.01	0.42
1:B:40:ARG:NH2	1:B:268:ASP:OD1	2.53	0.42
1:A:159:SER:HB3	1:A:461:MET:HE1	2.01	0.42
1:B:4:GLU:O	1:B:8:LEU:HD13	2.20	0.42
1:B:417:MET:O	1:B:421:LEU:HG	2.20	0.42
1:A:65:ASP:HB3	1:A:94:ARG:NH2	2.35	0.42
1:A:188:GLU:OE1	1:A:383:ASP:HA	2.20	0.42
1:A:159:SER:HB3	1:A:461:MET:CE	2.50	0.41
1:B:45:TYR:CE2	1:B:298:CYS:HB3	2.56	0.41
1:B:412:LEU:HD23	1:B:412:LEU:HA	1.92	0.41
1:B:218:LEU:CD1	1:B:251:ILE:HG21	2.51	0.41
1:A:133:LYS:HE2	1:A:451:LEU:HD21	2.02	0.41
1:A:430:ASN:OD1	1:A:430:ASN:C	2.64	0.40
1:B:45:TYR:CD2	1:B:298:CYS:HB3	2.56	0.40
1:B:165:PRO:HG2	1:B:441:ALA:O	2.21	0.40
1:B:284:MET:O	1:B:284:MET:HG3	2.22	0.40
1:A:82:GLU:HB3	1:A:84:PHE:CE1	2.56	0.40
1:B:144:VAL:HG23	1:B:145:PHE:CD2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	458/472 (97%)	450 (98%)	8 (2%)	0	100	100
1	B	441/472 (93%)	433 (98%)	8 (2%)	0	100	100
All	All	899/944 (95%)	883 (98%)	16 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	367/422 (87%)	367 (100%)	0	100	100
1	B	340/422 (81%)	340 (100%)	0	100	100
All	All	707/844 (84%)	707 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	96	GLN
1	B	193	ASN
1	B	322	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	B	502	-	4,4,4	0.63	0	6,6,6	0.39	0
3	SO4	A	503	-	4,4,4	0.80	0	6,6,6	0.37	0
3	SO4	A	506	-	4,4,4	0.71	0	6,6,6	0.18	0
3	SO4	B	503	-	4,4,4	0.65	0	6,6,6	0.09	0
2	EDO	A	501	-	3,3,3	0.30	0	2,2,2	0.31	0
2	EDO	A	502	-	3,3,3	0.25	0	2,2,2	1.03	0
3	SO4	A	505	-	4,4,4	0.67	0	6,6,6	0.19	0
3	SO4	A	504	-	4,4,4	0.76	0	6,6,6	0.40	0
4	PEG	B	501	-	6,6,6	0.24	0	5,5,5	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	502	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	B	501	-	-	3/4/4/4	-
2	EDO	A	501	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	501	PEG	C4-C3-O2-C2
4	B	501	PEG	O1-C1-C2-O2
4	B	501	PEG	O2-C3-C4-O4
2	A	501	EDO	O1-C1-C2-O2
2	A	502	EDO	O1-C1-C2-O2

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	502	SO4	1	0
2	A	501	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	461/472 (97%)	0.34	27 (5%) 28 27	54, 79, 130, 184	0
1	B	445/472 (94%)	0.63	39 (8%) 15 15	54, 89, 149, 196	1 (0%)
All	All	906/944 (95%)	0.48	66 (7%) 21 20	54, 84, 142, 196	1 (0%)

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	306	SER	8.0
1	B	307	LEU	6.4
1	B	368	THR	6.4
1	B	297	GLU	6.2
1	A	375	ASP	4.9
1	A	304	ILE	4.8
1	B	282	ASP	4.8
1	B	312	GLU	4.7
1	B	308	THR	4.7
1	A	302	ASP	4.6
1	B	313	ASP	4.5
1	B	310	LYS	4.5
1	B	288	TYR	4.5
1	A	370	LEU	4.3
1	B	311	THR	4.3
1	B	309	ASP	4.2
1	B	57	ASP	4.2
1	A	128	VAL	4.1
1	A	371	PHE	3.8
1	B	148	ASN	3.8
1	B	300	ALA	3.6
1	A	-1	PHE	3.5
1	B	290	SER	3.4
1	A	305	TYR	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	382	ASN	3.2
1	B	318	LEU	3.2
1	B	188[A]	GLU	3.2
1	B	9	ILE	3.2
1	A	303	SER	3.2
1	B	316	ILE	3.1
1	B	299	VAL	3.0
1	A	369	SER	2.9
1	A	-3	ASP	2.9
1	A	57	ASP	2.8
1	A	308	THR	2.8
1	B	291	ALA	2.8
1	B	283	LYS	2.8
1	A	314	PHE	2.8
1	A	148	ASN	2.7
1	B	323	GLU	2.7
1	A	301	ALA	2.6
1	B	441	ALA	2.6
1	B	383	ASP	2.5
1	A	56	ASP	2.5
1	A	373	ASP	2.5
1	B	287	SER	2.4
1	B	19	LYS	2.4
1	A	-2	PRO	2.4
1	B	442	LEU	2.4
1	B	320	GLY	2.3
1	B	59	ARG	2.3
1	A	307	LEU	2.3
1	B	295	LEU	2.3
1	A	231	LYS	2.3
1	B	61	LYS	2.2
1	B	314	PHE	2.2
1	A	230	LEU	2.1
1	B	209	GLU	2.1
1	B	1	MET	2.1
1	B	453	ALA	2.1
1	A	129	HIS	2.1
1	A	384	ALA	2.1
1	B	289	ALA	2.0
1	A	60	LYS	2.0
1	A	232	LYS	2.0
1	B	0	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	B	503	5/5	0.66	0.08	150,151,159,169	0
3	SO4	A	505	5/5	0.69	0.09	124,133,136,138	0
3	SO4	A	503	5/5	0.73	0.11	95,102,106,118	0
2	EDO	A	502	4/4	0.83	0.20	70,86,103,103	0
3	SO4	A	504	5/5	0.86	0.14	75,81,101,103	0
4	PEG	B	501	7/7	0.87	0.14	86,103,116,116	0
3	SO4	A	506	5/5	0.91	0.14	78,80,93,94	0
3	SO4	B	502	5/5	0.92	0.09	83,86,91,91	0
2	EDO	A	501	4/4	0.93	0.14	71,86,87,88	0

6.5 Other polymers [i](#)

There are no such residues in this entry.