



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 9, 2026 – 06:11 PM EDT

PDB ID : 36ZF / pdb_000036zf
Title : Crystal structure of a Phosphoribosylaminoimidazole carboxylase from Burkholderia xenovorans (Apo, Orthorhombic P form)
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2026-07-07
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	397	
1	B	397	
1	C	397	
1	D	397	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12413 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called N5-carboxyaminoimidazole ribonucleotide synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	391	Total	C	N	O	S	0	9	0
			2960	1860	538	542	20			
1	B	392	Total	C	N	O	S	0	9	0
			2981	1873	544	543	21			
1	C	389	Total	C	N	O	S	0	5	0
			2896	1819	523	533	21			
1	D	386	Total	C	N	O	S	0	5	0
			2839	1785	522	513	19			

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP Q13UJ9
A	2	ALA	-	expression tag	UNP Q13UJ9
A	3	HIS	-	expression tag	UNP Q13UJ9
A	4	HIS	-	expression tag	UNP Q13UJ9
A	5	HIS	-	expression tag	UNP Q13UJ9
A	6	HIS	-	expression tag	UNP Q13UJ9
A	7	HIS	-	expression tag	UNP Q13UJ9
A	8	HIS	-	expression tag	UNP Q13UJ9
B	1	MET	-	expression tag	UNP Q13UJ9
B	2	ALA	-	expression tag	UNP Q13UJ9
B	3	HIS	-	expression tag	UNP Q13UJ9
B	4	HIS	-	expression tag	UNP Q13UJ9
B	5	HIS	-	expression tag	UNP Q13UJ9
B	6	HIS	-	expression tag	UNP Q13UJ9
B	7	HIS	-	expression tag	UNP Q13UJ9
B	8	HIS	-	expression tag	UNP Q13UJ9
C	1	MET	-	expression tag	UNP Q13UJ9
C	2	ALA	-	expression tag	UNP Q13UJ9
C	3	HIS	-	expression tag	UNP Q13UJ9
C	4	HIS	-	expression tag	UNP Q13UJ9
C	5	HIS	-	expression tag	UNP Q13UJ9

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	6	HIS	-	expression tag	UNP Q13UJ9
C	7	HIS	-	expression tag	UNP Q13UJ9
C	8	HIS	-	expression tag	UNP Q13UJ9
D	1	MET	-	expression tag	UNP Q13UJ9
D	2	ALA	-	expression tag	UNP Q13UJ9
D	3	HIS	-	expression tag	UNP Q13UJ9
D	4	HIS	-	expression tag	UNP Q13UJ9
D	5	HIS	-	expression tag	UNP Q13UJ9
D	6	HIS	-	expression tag	UNP Q13UJ9
D	7	HIS	-	expression tag	UNP Q13UJ9
D	8	HIS	-	expression tag	UNP Q13UJ9

- Molecule 2 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Na 2 2	0	0
2	B	1	Total Na 1 1	0	0

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Cl 1 1	0	0
4	C	1	Total Cl 1 1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	208	Total O 208 208	0	0
5	B	271	Total O 271 271	0	0
5	C	143	Total O 143 143	0	0
5	D	94	Total O 94 94	0	0

- Molecule 1: N5-carboxyaminoimidazole ribonucleotide synthase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	101.62Å 103.56Å 151.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.99 – 2.05 48.99 – 2.05	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.99-2.05) 100.0 (48.99-2.05)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.91 (at 2.05Å)	Xtriage
Refinement program	PHENIX (dev_6111: ???)	Depositor
R, R_{free}	0.183 , 0.228 0.187 , 0.231	Depositor DCC
R_{free} test set	5134 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å ²)	36.5	Xtriage
Anisotropy	0.244	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 43.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.010 for k,h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12413	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, EDO, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.20	0/3046	0.36	0/4141
1	B	0.21	0/3070	0.38	0/4175
1	C	0.18	0/2970	0.34	0/4044
1	D	0.17	0/2912	0.32	0/3972
All	All	0.19	0/11998	0.35	0/16332

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2960	0	2987	23	0
1	B	2981	0	2998	14	0
1	C	2896	0	2885	16	0
1	D	2839	0	2794	21	0
2	A	2	0	0	0	0
2	B	1	0	0	0	0
3	A	8	0	12	3	0
3	B	4	0	6	1	0
3	C	4	0	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	1	0	0	0	0
4	C	1	0	0	0	0
5	A	208	0	0	2	0
5	B	271	0	0	2	0
5	C	143	0	0	1	0
5	D	94	0	0	0	0
All	All	12413	0	11688	74	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:223:ARG:NH1	1:C:396:ILE:HB	2.04	0.73
1:C:223:ARG:HH12	1:C:396:ILE:CG2	2.10	0.65
1:A:30[B]:CYS:SG	1:A:40:VAL:HG11	2.40	0.62
1:A:143:ASP:OD1	1:A:144:ASP:N	2.33	0.62
1:D:262:LEU:HD11	1:D:279:MET:HE3	1.84	0.60
1:D:118:ARG:NH2	1:D:132:VAL:HG11	2.18	0.59
1:D:44:ASP:OD2	1:D:49:SER:HB2	2.04	0.58
1:B:97:THR:HG21	5:B:630:HOH:O	2.04	0.58
1:B:352:ALA:HB2	3:B:403:EDO:H12	1.86	0.57
1:D:117:LYS:HG3	1:D:127:VAL:HG11	1.87	0.57
1:C:223:ARG:NH1	1:C:396:ILE:CB	2.68	0.57
1:A:350:MET:HE1	1:A:389:CYS:HB2	1.87	0.57
1:C:223:ARG:NH1	1:C:396:ILE:CG2	2.68	0.56
1:C:28[A]:MET:HE3	5:C:563:HOH:O	2.04	0.56
1:A:47:GLU:HB3	1:A:60:ARG:CZ	2.37	0.53
1:A:221[B]:THR:HG23	5:A:617:HOH:O	2.09	0.53
1:B:19:MET:CE	1:B:82[B]:GLU:HG2	2.38	0.52
1:C:223:ARG:NH1	1:C:396:ILE:HG22	2.24	0.52
1:B:350[A]:MET:HE1	1:B:385:ALA:O	2.10	0.51
1:D:285:ASN:O	1:D:322:MET:HE1	2.10	0.51
1:D:30[B]:CYS:SG	1:D:40:VAL:HG11	2.52	0.49
1:A:333:ASP:HB3	1:A:337:ARG:HD2	1.95	0.49
1:D:103:ALA:O	1:D:107:VAL:HG23	2.12	0.49
1:D:107:VAL:O	1:D:111:GLN:HG2	2.14	0.48
1:A:347:VAL:HA	1:A:350:MET:CE	2.44	0.48
1:B:361:GLU:HB3	1:B:369:MET:HE1	1.95	0.48
1:A:204:ILE:C	1:A:204:ILE:HD12	2.39	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:82:GLU:HB2	3:A:404:EDO:H11	1.97	0.47
1:D:204:ILE:C	1:D:204:ILE:HD12	2.38	0.47
1:A:329:VAL:HG12	1:A:342:PRO:HG3	1.97	0.47
1:A:22[B]:GLY:HA2	1:A:51:ALA:HB3	1.96	0.47
1:B:343:PRO:HG2	1:B:392:LEU:HD11	1.97	0.47
1:A:22[A]:GLY:HA2	1:A:51:ALA:HB3	1.96	0.46
1:A:347:VAL:HA	1:A:350:MET:HE3	1.96	0.46
1:B:26:GLY:HA2	1:B:82[B]:GLU:HG3	1.98	0.46
1:A:218:ALA:HB1	1:A:230:THR:HG23	1.98	0.46
1:C:243:GLN:OE1	1:C:247:GLN:CG	2.64	0.45
1:C:244:GLN:HG2	1:C:274:LEU:HD22	1.98	0.45
1:A:223:ARG:NH2	1:A:396:ILE:HG21	2.32	0.45
1:D:25:LEU:HB2	1:D:82:GLU:OE1	2.16	0.45
1:D:302:GLN:O	1:D:306:MET:HG2	2.16	0.45
1:A:9:SER:CB	1:A:10:PRO:HD3	2.46	0.45
1:D:117:LYS:NZ	1:D:191:GLU:OE1	2.51	0.44
1:A:23:GLY:H	3:A:404:EDO:H12	1.82	0.44
1:A:28[A]:MET:HE3	5:A:555:HOH:O	2.17	0.44
1:D:132:VAL:O	1:D:132:VAL:HG13	2.17	0.44
1:D:262:LEU:HD11	1:D:279:MET:CE	2.47	0.44
1:B:22:GLY:HA3	1:B:44:ASP:OD2	2.18	0.43
1:B:112:ASP:HB2	1:B:159:ARG:HE	1.84	0.43
1:A:84:GLU:HG3	1:A:282:ARG:HE	1.83	0.43
1:C:223:ARG:HD2	1:C:397:THR:HA	1.99	0.43
1:C:345:GLN:CD	1:C:345:GLN:H	2.27	0.43
1:B:97:THR:O	1:B:97:THR:HG22	2.19	0.43
1:D:222:HIS:O	1:D:223:ARG:HD3	2.19	0.42
1:A:82:GLU:HB2	3:A:404:EDO:C1	2.49	0.42
1:C:160:MET:O	1:C:160:MET:HG3	2.20	0.42
1:C:241:LEU:HD11	1:C:274:LEU:HD13	2.02	0.42
1:A:229:HIS:CE1	1:A:397:THR:HG22	2.54	0.42
1:D:218:ALA:HB1	1:D:230:THR:HG23	2.02	0.42
1:C:204:ILE:HD12	1:C:204:ILE:C	2.45	0.42
1:B:221:THR:HG23	5:B:591:HOH:O	2.20	0.41
1:B:322:MET:HG3	1:B:373:ASN:OD1	2.20	0.41
1:C:268:ILE:HD13	1:C:274:LEU:HD12	2.02	0.41
1:A:105:ARG:CD	1:A:105:ARG:C	2.93	0.41
1:A:119:PHE:CE1	1:A:256[B]:LEU:HG	2.56	0.41
1:C:19:MET:SD	1:C:82:GLU:HG2	2.61	0.41
1:B:151:LEU:HA	1:B:152:PRO:C	2.46	0.41
1:D:246:GLN:O	1:D:250:LEU:HG	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:328:ASP:OD2	1:C:328:ASP:N	2.54	0.40
1:D:147:LEU:O	1:D:151:LEU:HD13	2.21	0.40
1:D:223:ARG:HD3	1:D:223:ARG:HA	1.84	0.40
1:D:43:LEU:C	1:D:43:LEU:HD13	2.46	0.40
1:D:223:ARG:HG3	1:D:223:ARG:HH11	1.87	0.40
1:B:162:TYR:O	1:B:165:LYS:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	398/397 (100%)	389 (98%)	9 (2%)	0	100	100
1	B	399/397 (100%)	394 (99%)	5 (1%)	0	100	100
1	C	390/397 (98%)	382 (98%)	7 (2%)	1 (0%)	36	30
1	D	387/397 (98%)	381 (98%)	6 (2%)	0	100	100
All	All	1574/1588 (99%)	1546 (98%)	27 (2%)	1 (0%)	48	43

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	361	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	305/305 (100%)	304 (100%)	1 (0%)	86	90
1	B	308/305 (101%)	306 (99%)	2 (1%)	78	83
1	C	296/305 (97%)	295 (100%)	1 (0%)	86	90
1	D	279/305 (92%)	279 (100%)	0	100	100
All	All	1188/1220 (97%)	1184 (100%)	4 (0%)	86	90

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	101	SER
1	B	82[A]	GLU
1	B	82[B]	GLU
1	C	101	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	ASN
1	A	111	GLN
1	A	167	GLN
1	A	220	ASN
1	A	251	GLN
1	A	288	HIS
1	B	180	HIS
1	B	243	GLN
1	C	85	ASN
1	C	251	GLN
1	C	302	GLN
1	D	7	HIS
1	D	64	ASN
1	D	251	GLN
1	D	345	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 5 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EDO	C	402	-	3,3,3	0.24	0	2,2,2	0.31	0
3	EDO	B	403	-	3,3,3	0.27	0	2,2,2	0.06	0
3	EDO	A	403	-	3,3,3	0.25	0	2,2,2	0.27	0
3	EDO	A	404	-	3,3,3	0.24	0	2,2,2	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	C	402	-	-	1/1/1/1	-
3	EDO	B	403	-	-	1/1/1/1	-
3	EDO	A	403	-	-	1/1/1/1	-
3	EDO	A	404	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	403	EDO	O1-C1-C2-O2
3	C	402	EDO	O1-C1-C2-O2
3	A	403	EDO	O1-C1-C2-O2
3	A	404	EDO	O1-C1-C2-O2

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	403	EDO	1	0
3	A	404	EDO	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	391/397 (98%)	0.10	15 (3%) 44 44	21, 43, 81, 126	9 (2%)
1	B	392/397 (98%)	-0.06	13 (3%) 49 49	19, 38, 65, 133	9 (2%)
1	C	389/397 (97%)	0.25	14 (3%) 46 46	23, 48, 97, 145	5 (1%)
1	D	386/397 (97%)	0.86	44 (11%) 10 9	33, 68, 122, 139	5 (1%)
All	All	1558/1588 (98%)	0.29	86 (5%) 30 30	19, 46, 99, 145	28 (1%)

All (86) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	396	ILE	5.0
1	C	83	PHE	4.6
1	C	164	GLY	4.0
1	D	84	GLU	3.9
1	A	160	MET	3.9
1	A	83	PHE	3.8
1	D	335	PRO	3.8
1	D	184	ALA	3.7
1	A	7	HIS	3.7
1	C	8	HIS	3.7
1	D	168	ILE	3.5
1	D	83	PHE	3.5
1	C	160	MET	3.5
1	D	147	LEU	3.5
1	A	162	TYR	3.4
1	A	85	ASN	3.4
1	D	160	MET	3.3
1	D	114	ILE	3.3
1	A	159	ARG	3.3
1	B	8	HIS	3.2
1	B	162	TYR	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	71	GLU	3.1
1	C	7	HIS	3.1
1	D	138	ALA	2.9
1	D	188	CYS	2.9
1	D	338	PRO	2.9
1	D	135	SER	2.9
1	B	359	GLY	2.9
1	D	181	ALA	2.9
1	D	185	GLY	2.9
1	D	361	GLU	2.8
1	B	83	PHE	2.8
1	A	86	VAL	2.8
1	B	396	ILE	2.8
1	D	133	ILE	2.7
1	D	255	LYS	2.7
1	D	59	LEU	2.7
1	C	396	ILE	2.7
1	A	161	GLY	2.7
1	C	86	VAL	2.6
1	D	186	VAL	2.6
1	D	359	GLY	2.6
1	B	6	HIS	2.6
1	A	8	HIS	2.6
1	D	360	LYS	2.6
1	B	7	HIS	2.5
1	D	170	VAL	2.5
1	A	84	GLU	2.5
1	B	86	VAL	2.5
1	B	9	SER	2.5
1	D	332	PRO	2.5
1	B	164	GLY	2.5
1	A	163	ASP	2.4
1	C	397	THR	2.4
1	D	173	ALA	2.4
1	D	176	VAL	2.4
1	A	397	THR	2.4
1	D	96[A]	ARG	2.4
1	D	336	LYS	2.4
1	D	149	ALA	2.4
1	B	5	HIS	2.4
1	C	84	GLU	2.3
1	A	164	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	9	SER	2.3
1	D	131	VAL	2.3
1	C	338	PRO	2.3
1	D	63	TYR	2.2
1	D	67	ALA	2.2
1	D	136	SER	2.2
1	B	160	MET	2.2
1	D	109	VAL	2.2
1	C	168	ILE	2.1
1	C	166	GLY	2.1
1	D	183	LEU	2.1
1	B	163	ASP	2.1
1	D	334	GLY	2.1
1	C	184	ALA	2.1
1	D	256	LEU	2.1
1	D	104	GLY	2.1
1	A	107	VAL	2.1
1	D	43	LEU	2.1
1	C	174	GLU	2.0
1	D	121	ALA	2.1
1	D	252	ILE	2.0
1	D	48	ASN	2.0
1	D	137	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NA	A	401	1/1	0.42	0.25	76,76,76,76	0
4	CL	B	402	1/1	0.75	0.17	88,88,88,88	0
4	CL	C	401	1/1	0.78	0.18	75,75,75,75	0
3	EDO	C	402	4/4	0.83	0.16	56,60,64,66	0
3	EDO	B	403	4/4	0.84	0.19	40,41,50,54	0
2	NA	B	401	1/1	0.84	0.11	53,53,53,53	0
3	EDO	A	404	4/4	0.90	0.10	50,53,54,55	0
3	EDO	A	403	4/4	0.91	0.10	44,51,54,62	0
2	NA	A	402	1/1	0.96	0.08	52,52,52,52	0

6.5 Other polymers [i](#)

There are no such residues in this entry.