



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 20, 2026 – 02:09 PM EDT

PDB ID : 37EU / pdb_000037eu
Title : Crystal Structure of Histone-lysine N-methyltransferase from Leishmania major in complex with S-ADENOSYL-L-HOMOCYSTEINE (P21 form)
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2026-07-17
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	258	7% 95% ..
1	B	258	22% 93% 5% .
1	C	258	8% 94% ..
1	D	258	23% 92% 5% .

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 8848 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone-lysine N-methyltransferase, H3 lysine-79 specific.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	252	Total	C	N	O	S	0	4	0
			2018	1284	347	370	17			
1	B	252	Total	C	N	O	S	0	3	0
			2019	1285	345	372	17			
1	C	252	Total	C	N	O	S	0	6	0
			2037	1296	348	376	17			
1	D	252	Total	C	N	O	S	0	1	0
			2016	1284	350	365	17			

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	42	MET	-	initiating methionine	UNP Q4QIU2
A	43	ALA	-	expression tag	UNP Q4QIU2
A	44	HIS	-	expression tag	UNP Q4QIU2
A	45	HIS	-	expression tag	UNP Q4QIU2
A	46	HIS	-	expression tag	UNP Q4QIU2
A	47	HIS	-	expression tag	UNP Q4QIU2
A	48	HIS	-	expression tag	UNP Q4QIU2
A	49	HIS	-	expression tag	UNP Q4QIU2
B	42	MET	-	initiating methionine	UNP Q4QIU2
B	43	ALA	-	expression tag	UNP Q4QIU2
B	44	HIS	-	expression tag	UNP Q4QIU2
B	45	HIS	-	expression tag	UNP Q4QIU2
B	46	HIS	-	expression tag	UNP Q4QIU2
B	47	HIS	-	expression tag	UNP Q4QIU2
B	48	HIS	-	expression tag	UNP Q4QIU2
B	49	HIS	-	expression tag	UNP Q4QIU2
C	42	MET	-	initiating methionine	UNP Q4QIU2
C	43	ALA	-	expression tag	UNP Q4QIU2
C	44	HIS	-	expression tag	UNP Q4QIU2
C	45	HIS	-	expression tag	UNP Q4QIU2
C	46	HIS	-	expression tag	UNP Q4QIU2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	47	HIS	-	expression tag	UNP Q4QIU2
C	48	HIS	-	expression tag	UNP Q4QIU2
C	49	HIS	-	expression tag	UNP Q4QIU2
D	42	MET	-	initiating methionine	UNP Q4QIU2
D	43	ALA	-	expression tag	UNP Q4QIU2
D	44	HIS	-	expression tag	UNP Q4QIU2
D	45	HIS	-	expression tag	UNP Q4QIU2
D	46	HIS	-	expression tag	UNP Q4QIU2
D	47	HIS	-	expression tag	UNP Q4QIU2
D	48	HIS	-	expression tag	UNP Q4QIU2
D	49	HIS	-	expression tag	UNP Q4QIU2

- Molecule 2 is S-ADENOSYL-L-HOMOCYSTEINE (CCD ID: SAH) (formula: $C_{14}H_{20}N_6O_5S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
2	B	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
2	C	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
2	D	1	Total	C	N	O	S	0	0
			26	14	6	5	1		

- Molecule 3 is 2-[BIS-(2-HYDROXY-ETHYL)-AMINO]-2-HYDROXYMETHYL-PROPAN E-1,3-DIOL (CCD ID: BTB) (formula: $C_8H_{19}NO_5$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Zn	0	0
			1	1		
4	B	1	Total	Zn	0	0
			1	1		
4	C	1	Total	Zn	0	0
			1	1		
4	D	1	Total	Zn	0	0
			1	1		

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Cl	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	2	Total	Cl	0	0
			2	2		
5	C	1	Total	Cl	0	0
			1	1		

- Molecule 6 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Ca	0	0
			1	1		

- Molecule 7 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	195	Total	O	0	0
			195	195		
8	B	106	Total	O	0	0
			106	106		
8	C	192	Total	O	0	0
			192	192		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	D	90	Total	O	0	0
			90	90		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Histone-lysine N-methyltransferase, H3 lysine-79 specific





- Molecule 1: Histone-lysine N-methyltransferase, H3 lysine-79 specific



- Molecule 1: Histone-lysine N-methyltransferase, H3 lysine-79 specific



- Molecule 1: Histone-lysine N-methyltransferase, H3 lysine-79 specific



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	69.95Å 91.85Å 82.27Å 90.00° 102.96° 90.00°	Depositor
Resolution (Å)	46.99 – 2.10 46.99 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.7 (46.99-2.10) 99.9 (46.99-2.10)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.82 (at 2.10Å)	Xtriage
Refinement program	PHENIX 2.0_5936	Depositor
R, R_{free}	0.244 , 0.269 0.246 , 0.273	Depositor DCC
R_{free} test set	2913 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	19.8	Xtriage
Anisotropy	0.937	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	8848	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.74 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.5256e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CA, SAH, ZN, CL, BTB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.23	0/2080	0.38	0/2816
1	B	0.15	0/2078	0.30	0/2813
1	C	0.20	0/2104	0.33	0/2847
1	D	0.15	0/2070	0.29	0/2802
All	All	0.18	0/8332	0.33	0/11278

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2018	0	1974	4	0
1	B	2019	0	1972	7	0
1	C	2037	0	2003	5	0
1	D	2016	0	1978	8	0
2	A	26	0	19	0	0
2	B	26	0	19	0	0
2	C	26	0	19	1	0
2	D	26	0	19	0	0
3	A	14	0	19	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	14	0	19	0	0
3	C	14	0	19	0	0
3	D	14	0	19	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	1	0	0	0	0
5	B	2	0	0	0	0
5	C	1	0	0	0	0
6	B	1	0	0	0	0
7	D	6	0	8	0	0
8	A	195	0	0	0	0
8	B	106	0	0	1	0
8	C	192	0	0	0	0
8	D	90	0	0	0	0
All	All	8848	0	8087	23	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (23) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:112:CYS:HB3	1:C:225:LEU:HD12	1.85	0.58
1:B:112:CYS:HB3	1:B:225:LEU:HD12	1.92	0.51
1:C:147:LEU:HD11	1:C:160:GLY:HA3	1.93	0.50
1:B:221:ILE:HG22	1:B:223:ASN:HB3	1.92	0.50
1:C:221:ILE:HG22	1:C:223:ASN:HB3	1.94	0.50
8:B:504:HOH:O	1:D:282:MET:HE1	2.12	0.50
1:A:147:LEU:HD11	1:A:160:GLY:HA3	1.96	0.46
1:B:147:LEU:HD11	1:B:160:GLY:HA3	1.96	0.46
1:A:107:GLY:HA3	1:B:154:THR:O	2.15	0.46
1:C:112:CYS:CB	1:C:225:LEU:HD12	2.47	0.45
1:D:112:CYS:HB3	1:D:225:LEU:HD12	1.98	0.45
1:D:137:TYR:HA	1:D:159:VAL:O	2.16	0.45
1:A:124:LEU:C	1:A:124:LEU:HD23	2.42	0.44
1:C:110:GLN:O	2:C:301:SAH:H8	2.17	0.44
1:B:118:THR:OG1	1:B:119:PRO:HD3	2.19	0.43
1:B:124:LEU:C	1:B:124:LEU:HD23	2.44	0.42
1:D:147:LEU:HD11	1:D:160:GLY:HA3	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:192:ARG:HD3	1:B:194:GLU:OE2	2.20	0.42
1:D:51:LEU:O	1:D:60:ILE:HA	2.20	0.42
1:D:124:LEU:HD23	1:D:124:LEU:C	2.45	0.42
1:D:131:THR:O	1:D:156:ALA:HB2	2.20	0.41
1:A:118:THR:OG1	1:A:119:PRO:HD3	2.22	0.40
1:D:151:ALA:HB1	1:D:191:PRO:HG2	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	254/258 (98%)	251 (99%)	3 (1%)	0	100	100
1	B	253/258 (98%)	249 (98%)	4 (2%)	0	100	100
1	C	256/258 (99%)	252 (98%)	4 (2%)	0	100	100
1	D	251/258 (97%)	248 (99%)	3 (1%)	0	100	100
All	All	1014/1032 (98%)	1000 (99%)	14 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	222/228 (97%)	222 (100%)	0	100	100
1	B	222/228 (97%)	221 (100%)	1 (0%)	81	88
1	C	226/228 (99%)	222 (98%)	4 (2%)	51	60
1	D	221/228 (97%)	221 (100%)	0	100	100
All	All	891/912 (98%)	886 (99%)	5 (1%)	81	86

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	133	LYS
1	C	206	THR
1	C	222[A]	SER
1	C	222[B]	SER
1	C	264	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	180	GLN
1	B	57	HIS
1	C	129	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 9 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SAH	D	301	-	27,28,28	0.64	1 (3%)	36,40,40	0.68	0
2	SAH	B	301	-	27,28,28	0.61	0	36,40,40	0.66	0
3	BTB	C	302	-	13,13,13	0.98	0	7,16,16	0.73	0
7	GOL	D	303	-	5,5,5	0.32	0	5,5,5	0.32	0
3	BTB	B	302	-	13,13,13	1.02	1 (7%)	7,16,16	0.74	0
3	BTB	A	302	-	13,13,13	0.94	0	7,16,16	0.94	0
3	BTB	D	302	-	13,13,13	0.89	0	7,16,16	0.67	0
2	SAH	C	301	-	27,28,28	0.62	0	36,40,40	0.66	0
2	SAH	A	301	-	27,28,28	0.60	0	36,40,40	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAH	D	301	-	-	2/15/31/31	0/3/3/3
2	SAH	B	301	-	-	2/15/31/31	0/3/3/3
3	BTB	C	302	-	-	3/21/21/21	-
7	GOL	D	303	-	-	2/4/4/4	-
3	BTB	B	302	-	-	7/21/21/21	-
3	BTB	A	302	-	-	4/21/21/21	-
3	BTB	D	302	-	-	5/21/21/21	-
2	SAH	C	301	-	-	1/15/31/31	0/3/3/3
2	SAH	A	301	-	-	1/15/31/31	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	302	BTB	C3-C2	2.29	1.56	1.53
2	D	301	SAH	OXT-C	-2.07	1.24	1.30

There are no bond angle outliers.

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	302	BTB	C1-C2-N-C5
3	A	302	BTB	C3-C2-N-C5
3	A	302	BTB	C4-C2-N-C5
3	B	302	BTB	O1-C1-C2-C3
3	B	302	BTB	O1-C1-C2-C4
3	B	302	BTB	O1-C1-C2-N
3	B	302	BTB	C1-C2-N-C5
3	B	302	BTB	C3-C2-N-C5
3	B	302	BTB	C4-C2-N-C5
3	C	302	BTB	C1-C2-N-C5
3	C	302	BTB	C3-C2-N-C5
3	C	302	BTB	C4-C2-N-C5
3	D	302	BTB	O1-C1-C2-C3
3	D	302	BTB	C1-C2-N-C5
3	D	302	BTB	C3-C2-N-C5
3	D	302	BTB	C4-C2-N-C5
7	D	303	GOL	O1-C1-C2-C3
7	D	303	GOL	O1-C1-C2-O2
3	A	302	BTB	C8-C7-N-C5
2	C	301	SAH	CB-CG-SD-C5'
2	A	301	SAH	CB-CG-SD-C5'
2	B	301	SAH	CB-CG-SD-C5'
2	D	301	SAH	CB-CG-SD-C5'
2	D	301	SAH	C-CA-CB-CG
3	B	302	BTB	C8-C7-N-C5
2	B	301	SAH	OXT-C-CA-N
3	D	302	BTB	O1-C1-C2-N


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	301	SAH	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	252/258 (97%)	0.72	19 (7%)	20 21	13, 22, 40, 81	4 (1%)
1	B	252/258 (97%)	1.48	57 (22%)	2 2	18, 32, 53, 70	3 (1%)
1	C	252/258 (97%)	0.74	21 (8%)	17 18	12, 22, 40, 71	6 (2%)
1	D	252/258 (97%)	1.48	60 (23%)	2 2	22, 33, 49, 61	1 (0%)
All	All	1008/1032 (97%)	1.10	157 (15%)	5 5	12, 28, 48, 81	14 (1%)

All (157) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	48	HIS	5.6
1	B	103[A]	VAL	5.2
1	B	201	ALA	4.7
1	B	295	ILE	4.6
1	A	48	HIS	4.5
1	B	109	ARG	4.5
1	B	265	ASP	4.5
1	B	74	TYR	4.2
1	D	201	ALA	4.0
1	D	206	THR	3.8
1	B	225	LEU	3.8
1	D	103[A]	VAL	3.8
1	C	268	ALA	3.7
1	D	104	GLU	3.7
1	D	67	THR	3.7
1	D	240	SER	3.6
1	D	106	SER	3.5
1	B	48	HIS	3.5
1	B	66	ARG	3.5
1	D	232	HIS	3.5
1	D	257	ALA	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	271	LEU	3.4
1	C	74	TYR	3.4
1	D	48	HIS	3.4
1	B	240	SER	3.3
1	D	230	LEU	3.2
1	B	181	VAL	3.2
1	B	266	PRO	3.2
1	D	74	TYR	3.1
1	A	106	SER	3.1
1	A	289	MET	3.1
1	B	200	LEU	3.1
1	D	191	PRO	3.0
1	B	268	ALA	3.0
1	D	225	LEU	3.0
1	B	106	SER	3.0
1	D	264	ARG	3.0
1	B	180	GLN	3.0
1	D	266	PRO	3.0
1	D	289	MET	3.0
1	C	202[A]	GLU	2.9
1	D	180	GLN	2.9
1	C	66	ARG	2.9
1	B	207	PRO	2.9
1	A	74	TYR	2.9
1	B	110	GLN	2.8
1	B	67	THR	2.8
1	B	273	GLU	2.8
1	D	89	ILE	2.8
1	B	261	ALA	2.8
1	D	241	ALA	2.8
1	D	208	THR	2.8
1	C	266	PRO	2.8
1	D	96	ARG	2.8
1	D	184	LYS	2.8
1	B	68	PRO	2.8
1	B	88	LYS	2.7
1	C	77	THR	2.7
1	B	105	VAL	2.7
1	B	260	VAL	2.7
1	A	89	ILE	2.7
1	B	57	HIS	2.7
1	B	182	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	109	ARG	2.7
1	B	284	VAL	2.7
1	D	102	MET	2.7
1	B	177	LEU	2.7
1	D	207	PRO	2.7
1	B	132	GLU	2.6
1	A	77	THR	2.6
1	B	233	PHE	2.6
1	D	231	THR	2.6
1	D	205	SER	2.6
1	B	267	GLY	2.6
1	D	155	GLY	2.6
1	B	64	LEU	2.6
1	B	264	ARG	2.6
1	D	209	TYR	2.6
1	C	107	GLY	2.6
1	B	108	ALA	2.6
1	C	264	ARG	2.6
1	B	232	HIS	2.6
1	D	199	ASP	2.6
1	D	253	LEU	2.6
1	D	109	ARG	2.5
1	D	268	ALA	2.5
1	A	132	GLU	2.5
1	C	270	GLU	2.5
1	D	156	ALA	2.5
1	D	91	SER	2.5
1	A	68	PRO	2.5
1	D	64	LEU	2.5
1	C	79	GLU	2.4
1	C	206	THR	2.4
1	D	68	PRO	2.4
1	B	102	MET	2.4
1	D	282	MET	2.4
1	B	185	LYS	2.4
1	B	258	ARG	2.4
1	D	254	TYR	2.4
1	C	201	ALA	2.4
1	D	187	ASP	2.4
1	B	239	ARG	2.4
1	D	49	HIS	2.4
1	D	160	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	278	PHE	2.3
1	D	66	ARG	2.3
1	D	295	ILE	2.3
1	A	266	PRO	2.3
1	B	77	THR	2.3
1	D	297	THR	2.3
1	B	270	GLU	2.3
1	A	180	GLN	2.3
1	D	238	LEU	2.3
1	C	295	ILE	2.3
1	C	80	GLU	2.3
1	D	186	TYR	2.3
1	B	299	LYS	2.3
1	D	251	ASP	2.3
1	C	49	HIS	2.2
1	B	247	ILE	2.2
1	D	97	VAL	2.2
1	D	159	VAL	2.2
1	A	109	ARG	2.2
1	A	187	ASP	2.2
1	D	108	ALA	2.2
1	D	140	GLY	2.2
1	C	110	GLN	2.2
1	C	233	PHE	2.2
1	B	229	PRO	2.2
1	B	202[A]	GLU	2.2
1	B	49	HIS	2.2
1	D	218	ALA	2.2
1	A	66	ARG	2.2
1	B	254	TYR	2.2
1	D	277	TYR	2.2
1	D	226	PHE	2.1
1	D	107	GLY	2.1
1	A	64	LEU	2.1
1	B	82	CYS	2.1
1	B	80	GLU	2.1
1	B	269	PHE	2.1
1	D	105	VAL	2.1
1	B	235	SER	2.1
1	A	57	HIS	2.1
1	A	67	THR	2.1
1	D	124	LEU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	187	ASP	2.0
1	B	65	ARG	2.0
1	A	191	PRO	2.0
1	B	133	LYS	2.0
1	B	209	TYR	2.0
1	D	215	GLY	2.0
1	C	289	MET	2.0
1	A	261	ALA	2.0
1	C	265	ASP	2.0
1	A	185	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	BTB	B	302	14/14	0.66	0.17	29,31,36,39	0
3	BTB	D	302	14/14	0.74	0.15	30,31,35,37	0
3	BTB	C	302	14/14	0.80	0.13	19,20,24,25	0
7	GOL	D	303	6/6	0.80	0.18	38,39,41,41	0
2	SAH	D	301	26/26	0.86	0.12	28,35,38,42	0
3	BTB	A	302	14/14	0.86	0.11	17,20,23,25	0
5	CL	B	304	1/1	0.88	0.13	46,46,46,46	0
2	SAH	B	301	26/26	0.88	0.11	26,31,33,34	0
2	SAH	A	301	26/26	0.90	0.10	16,19,20,23	0
5	CL	C	304	1/1	0.91	0.11	36,36,36,36	0
5	CL	B	305	1/1	0.93	0.10	50,50,50,50	0
6	CA	B	306	1/1	0.94	0.09	47,47,47,47	0
2	SAH	C	301	26/26	0.94	0.08	16,19,22,23	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	CL	A	304	1/1	0.98	0.14	25,25,25,25	0
4	ZN	C	303	1/1	0.99	0.03	18,18,18,18	0
4	ZN	D	304	1/1	0.99	0.04	26,26,26,26	0
4	ZN	A	303	1/1	0.99	0.05	18,18,18,18	0
4	ZN	B	303	1/1	0.99	0.03	26,26,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around SAH B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SAH A 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SAH C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN C 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN D 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZN B 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.