



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 2, 2026 – 06:09 PM JST

PDB ID : 44XF / pdb_000044xf
Title : Crystal structure of pyrophosphate-dependent phosphofructokinase from Promethearchaeum syntrophicum with phosphoenolpyruvate and Mg²⁺
Authors : Compton, J.A.; Yosaatmadja, Y.; Bashiri, G.; Patrick, W.M.
Deposited on : 2026-08-16
Resolution : 2.57 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4770 (2.60-2.56)
Clashscore	190562	5124 (2.60-2.56)
Ramachandran outliers	187476	5046 (2.60-2.56)
Sidechain outliers	187428	5046 (2.60-2.56)
RSRZ outliers	180081	4770 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	424	2% 81% 12% • 7%
1	B	424	9% 80% 14% • 5%
1	C	424	3% 80% 11% 8%
1	D	424	5% 78% 13% • 8%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11453 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 6-phosphofructokinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	396	Total	C	N	O	S	0	0	0
			2882	1817	496	557	12			
1	B	402	Total	C	N	O	S	0	0	0
			2846	1797	495	541	13			
1	C	389	Total	C	N	O	S	0	0	0
			2784	1756	480	536	12			
1	D	390	Total	C	N	O	S	0	0	0
			2810	1775	484	538	13			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP A0A5B9D762
A	-18	GLY	-	expression tag	UNP A0A5B9D762
A	-17	SER	-	expression tag	UNP A0A5B9D762
A	-16	SER	-	expression tag	UNP A0A5B9D762
A	-15	HIS	-	expression tag	UNP A0A5B9D762
A	-14	HIS	-	expression tag	UNP A0A5B9D762
A	-13	HIS	-	expression tag	UNP A0A5B9D762
A	-12	HIS	-	expression tag	UNP A0A5B9D762
A	-11	HIS	-	expression tag	UNP A0A5B9D762
A	-10	HIS	-	expression tag	UNP A0A5B9D762
A	-9	SER	-	expression tag	UNP A0A5B9D762
A	-8	SER	-	expression tag	UNP A0A5B9D762
A	-7	GLY	-	expression tag	UNP A0A5B9D762
A	-6	LEU	-	expression tag	UNP A0A5B9D762
A	-5	VAL	-	expression tag	UNP A0A5B9D762
A	-4	PRO	-	expression tag	UNP A0A5B9D762
A	-3	ARG	-	expression tag	UNP A0A5B9D762
A	-2	GLY	-	expression tag	UNP A0A5B9D762
A	-1	SER	-	expression tag	UNP A0A5B9D762
A	0	HIS	-	expression tag	UNP A0A5B9D762
B	-19	MET	-	initiating methionine	UNP A0A5B9D762

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	expression tag	UNP A0A5B9D762
B	-17	SER	-	expression tag	UNP A0A5B9D762
B	-16	SER	-	expression tag	UNP A0A5B9D762
B	-15	HIS	-	expression tag	UNP A0A5B9D762
B	-14	HIS	-	expression tag	UNP A0A5B9D762
B	-13	HIS	-	expression tag	UNP A0A5B9D762
B	-12	HIS	-	expression tag	UNP A0A5B9D762
B	-11	HIS	-	expression tag	UNP A0A5B9D762
B	-10	HIS	-	expression tag	UNP A0A5B9D762
B	-9	SER	-	expression tag	UNP A0A5B9D762
B	-8	SER	-	expression tag	UNP A0A5B9D762
B	-7	GLY	-	expression tag	UNP A0A5B9D762
B	-6	LEU	-	expression tag	UNP A0A5B9D762
B	-5	VAL	-	expression tag	UNP A0A5B9D762
B	-4	PRO	-	expression tag	UNP A0A5B9D762
B	-3	ARG	-	expression tag	UNP A0A5B9D762
B	-2	GLY	-	expression tag	UNP A0A5B9D762
B	-1	SER	-	expression tag	UNP A0A5B9D762
B	0	HIS	-	expression tag	UNP A0A5B9D762
C	-19	MET	-	initiating methionine	UNP A0A5B9D762
C	-18	GLY	-	expression tag	UNP A0A5B9D762
C	-17	SER	-	expression tag	UNP A0A5B9D762
C	-16	SER	-	expression tag	UNP A0A5B9D762
C	-15	HIS	-	expression tag	UNP A0A5B9D762
C	-14	HIS	-	expression tag	UNP A0A5B9D762
C	-13	HIS	-	expression tag	UNP A0A5B9D762
C	-12	HIS	-	expression tag	UNP A0A5B9D762
C	-11	HIS	-	expression tag	UNP A0A5B9D762
C	-10	HIS	-	expression tag	UNP A0A5B9D762
C	-9	SER	-	expression tag	UNP A0A5B9D762
C	-8	SER	-	expression tag	UNP A0A5B9D762
C	-7	GLY	-	expression tag	UNP A0A5B9D762
C	-6	LEU	-	expression tag	UNP A0A5B9D762
C	-5	VAL	-	expression tag	UNP A0A5B9D762
C	-4	PRO	-	expression tag	UNP A0A5B9D762
C	-3	ARG	-	expression tag	UNP A0A5B9D762
C	-2	GLY	-	expression tag	UNP A0A5B9D762
C	-1	SER	-	expression tag	UNP A0A5B9D762
C	0	HIS	-	expression tag	UNP A0A5B9D762
D	-19	MET	-	initiating methionine	UNP A0A5B9D762
D	-18	GLY	-	expression tag	UNP A0A5B9D762
D	-17	SER	-	expression tag	UNP A0A5B9D762

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	expression tag	UNP A0A5B9D762
D	-15	HIS	-	expression tag	UNP A0A5B9D762
D	-14	HIS	-	expression tag	UNP A0A5B9D762
D	-13	HIS	-	expression tag	UNP A0A5B9D762
D	-12	HIS	-	expression tag	UNP A0A5B9D762
D	-11	HIS	-	expression tag	UNP A0A5B9D762
D	-10	HIS	-	expression tag	UNP A0A5B9D762
D	-9	SER	-	expression tag	UNP A0A5B9D762
D	-8	SER	-	expression tag	UNP A0A5B9D762
D	-7	GLY	-	expression tag	UNP A0A5B9D762
D	-6	LEU	-	expression tag	UNP A0A5B9D762
D	-5	VAL	-	expression tag	UNP A0A5B9D762
D	-4	PRO	-	expression tag	UNP A0A5B9D762
D	-3	ARG	-	expression tag	UNP A0A5B9D762
D	-2	GLY	-	expression tag	UNP A0A5B9D762
D	-1	SER	-	expression tag	UNP A0A5B9D762
D	0	HIS	-	expression tag	UNP A0A5B9D762

- Molecule 2 is PHOSPHOENOLPYRUVATE (CCD ID: PEP) (formula: $C_3H_5O_6P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			10	3	6	1		
2	A	1	Total	C	O	P	0	0
			10	3	6	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	O	P	0	0
			10	3	6	1		
2	B	1	Total	C	O	P	0	0
			10	3	6	1		
2	B	1	Total	C	O	P	0	0
			10	3	6	1		
2	C	1	Total	C	O	P	0	0
			10	3	6	1		
2	D	1	Total	C	O	P	0	0
			10	3	6	1		
2	D	1	Total	C	O	P	0	0
			10	3	6	1		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	8	Total	O	0	0
			8	8		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	12	Total 12	O 12	0	0
4	C	10	Total 10	O 10	0	0
4	D	9	Total 9	O 9	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 6-phosphofructokinase




- Molecule 1: 6-phosphofructokinase





- Molecule 1: 6-phosphofructokinase





● Molecule 1: 6-phosphofructokinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	85.58Å 72.00Å 136.75Å 90.00° 90.71° 90.00°	Depositor
Resolution (Å)	45.58 – 2.57 45.58 – 2.57	Depositor EDS
% Data completeness (in resolution range)	99.3 (45.58-2.57) 99.3 (45.58-2.57)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.53 (at 2.58Å)	Xtriage
Refinement program	REFMAC 5.8.0430	Depositor
R, R_{free}	0.228 , 0.268 0.224 , 0.263	Depositor DCC
R_{free} test set	2628 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	54.0	Xtriage
Anisotropy	0.023	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 44.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.014 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11453	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEP, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.85	0/2935	1.29	3/3995 (0.1%)
1	B	0.66	0/2898	0.97	4/3952 (0.1%)
1	C	0.57	0/2835	0.91	4/3868 (0.1%)
1	D	0.62	0/2861	0.93	4/3897 (0.1%)
All	All	0.69	0/11529	1.04	15/15712 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	1
1	C	0	1
1	D	0	1
All	All	0	6

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	150	LYS	N-CA-C	6.76	122.20	113.88
1	B	67	GLU	N-CA-C	-5.48	106.45	114.39
1	C	151	THR	CA-CB-OG1	-5.46	101.41	109.60
1	C	152	ILE	N-CA-C	-5.43	104.95	112.50
1	B	55	ASP	N-CA-C	-5.39	105.81	112.38
1	D	152	ILE	N-CA-C	-5.37	105.77	113.07
1	D	103	THR	N-CA-C	-5.29	106.59	114.64
1	A	396	HIS	CA-CB-CG	5.29	119.08	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	163	PHE	CA-CB-CG	5.15	118.95	113.80
1	B	53	PRO	CA-C-O	-5.09	115.57	122.08
1	C	83	ARG	N-CA-C	-5.07	106.94	112.72
1	A	155	ASP	CA-CB-CG	5.07	117.67	112.60
1	B	152	ILE	N-CA-C	-5.06	106.14	113.07
1	D	155	ASP	CA-CB-CG	5.03	117.63	112.60
1	D	83	ARG	N-CA-C	-5.02	107.00	113.02

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	25	ARG	Sidechain
1	A	339	ARG	Sidechain
1	A	388	ARG	Sidechain
1	B	25	ARG	Sidechain
1	C	83	ARG	Sidechain
1	D	316	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2882	0	2664	24	0
1	B	2846	0	2575	34	0
1	C	2784	0	2534	35	0
1	D	2810	0	2591	38	0
2	A	20	0	4	0	0
2	B	30	0	6	0	0
2	C	10	0	2	0	0
2	D	20	0	4	0	0
3	A	6	0	8	1	0
3	C	6	0	8	3	0
4	A	8	0	0	0	0
4	B	12	0	0	0	0
4	C	10	0	0	0	0
4	D	9	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	11453	0	10396	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:15:LEU:HD13	1:D:77:THR:CG2	1.73	1.18
1:C:7:THR:OG1	1:C:77:THR:HG21	1.58	1.02
1:D:15:LEU:HD13	1:D:77:THR:HG21	1.42	1.01
1:D:15:LEU:CD1	1:D:77:THR:CG2	2.45	0.94
1:D:15:LEU:HB3	1:D:77:THR:HG22	1.66	0.78
1:B:310:HIS:HA	3:C:501:GOL:H32	1.66	0.78
1:D:15:LEU:CD1	1:D:77:THR:HG23	2.13	0.77
1:D:15:LEU:CB	1:D:77:THR:HG22	2.15	0.76
1:C:15:LEU:HD13	1:C:77:THR:OG1	1.89	0.71
1:C:12:CYS:SG	1:C:164:GLY:HA3	2.31	0.70
1:C:19:ILE:HG21	1:C:78:MET:HE2	1.73	0.69
1:A:188:ARG:HG2	1:A:314:GLU:HB3	1.76	0.67
1:C:41:LYS:HZ3	3:C:501:GOL:H31	1.58	0.66
1:C:77:THR:HG22	1:C:79:LEU:H	1.60	0.66
1:D:229:VAL:HG12	1:D:233:MET:HE2	1.77	0.65
1:B:20:TYR:HA	1:B:23:LEU:HD12	1.80	0.64
1:B:16:ASN:HB3	1:B:71:LEU:HG	1.79	0.63
1:C:7:THR:HG1	1:C:77:THR:HG21	1.63	0.63
1:C:41:LYS:HE2	3:C:501:GOL:H11	1.81	0.63
1:B:77:THR:HG23	1:B:80:TYR:CA	2.31	0.60
1:A:12:CYS:SG	1:A:164:GLY:HA3	2.41	0.60
1:B:19:ILE:HG21	1:B:78:MET:HE2	1.84	0.60
1:B:146:CYS:HB2	1:B:348:ILE:HD11	1.82	0.60
1:D:15:LEU:HD12	1:D:77:THR:HG23	1.82	0.60
1:B:15:LEU:HD21	1:B:150:LYS:HG3	1.84	0.60
1:A:-2:GLY:HA2	1:A:31:ASP:O	2.02	0.60
1:B:23:LEU:HB3	1:B:65:ILE:HD12	1.85	0.59
1:A:182:THR:HA	1:D:11:ASP:OD2	2.03	0.59
1:B:77:THR:HG23	1:B:80:TYR:N	2.17	0.58
1:B:12:CYS:SG	1:B:164:GLY:HA3	2.44	0.58
1:D:347:TYR:CE1	1:D:366:PRO:HG3	2.39	0.58
1:C:15:LEU:HD13	1:C:77:THR:HG1	1.66	0.58
1:D:204:LEU:HD21	1:D:384:LEU:HB3	1.85	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:204:LEU:HD13	1:A:217:LEU:HD11	1.88	0.56
1:D:215:ILE:HB	1:D:388:ARG:HD2	1.87	0.55
1:B:347:TYR:CE1	1:B:366:PRO:HG3	2.42	0.55
1:B:146:CYS:HB2	1:B:348:ILE:CD1	2.38	0.54
1:C:215:ILE:HB	1:C:388:ARG:HD2	1.90	0.54
1:A:16:ASN:HB3	1:A:71:LEU:HG	1.89	0.54
1:A:23:LEU:HB3	1:A:65:ILE:HD12	1.90	0.53
1:C:151:THR:HG21	1:C:155:ASP:OD1	2.08	0.53
1:C:258:LEU:HA	1:C:262:PHE:CD2	2.44	0.53
1:C:7:THR:HG21	1:C:77:THR:CG2	2.40	0.52
1:B:187:GLN:HG2	1:B:241:LYS:HB3	1.91	0.52
1:D:252:TYR:CD2	1:D:284:PRO:HG3	2.44	0.52
1:B:3:VAL:HG13	1:B:121:ALA:HB3	1.92	0.51
1:D:16:ASN:HB3	1:D:71:LEU:HG	1.92	0.51
1:D:164:GLY:H	1:D:333:ASP:CG	2.18	0.51
1:C:258:LEU:HA	1:C:262:PHE:HD2	1.73	0.51
1:A:77:THR:HG23	1:A:80:TYR:N	2.26	0.50
1:B:233:MET:HG2	1:B:305:TYR:CD2	2.46	0.50
1:A:238:SER:HB3	1:A:399:LYS:HB2	1.93	0.50
1:B:215:ILE:HB	1:B:388:ARG:HD2	1.93	0.49
1:C:65:ILE:HD13	1:D:394:VAL:HG11	1.94	0.49
1:C:151:THR:HG23	1:C:154:ASN:H	1.77	0.49
1:A:267:GLN:C	1:A:269:ASP:H	2.21	0.49
1:D:15:LEU:HD13	1:D:77:THR:HG23	1.71	0.49
1:D:15:LEU:HD21	1:D:150:LYS:HG3	1.94	0.49
1:D:3:VAL:HG21	1:D:345:MET:HE1	1.96	0.48
1:C:238:SER:HB3	1:C:399:LYS:HB2	1.95	0.48
1:C:267:GLN:C	1:C:269:ASP:H	2.21	0.48
1:A:164:GLY:H	1:A:333:ASP:CG	2.22	0.48
1:B:175:THR:HG21	1:B:320:LEU:HD21	1.95	0.48
1:D:389:ASP:O	1:D:393:THR:HG23	2.14	0.47
1:A:77:THR:HG23	1:A:80:TYR:CA	2.44	0.47
1:A:175:THR:HG21	1:A:320:LEU:HD21	1.97	0.47
1:C:204:LEU:HD21	1:C:384:LEU:HB3	1.96	0.47
1:C:228:ILE:O	1:C:232:LEU:HG	2.14	0.47
1:C:16:ASN:HB3	1:C:71:LEU:HG	1.97	0.47
1:C:7:THR:HG21	1:C:77:THR:HG23	1.96	0.46
1:C:15:LEU:CD1	1:C:77:THR:OG1	2.61	0.46
1:B:269:ASP:O	1:B:272:ASN:HB2	2.15	0.46
1:C:40:ILE:HA	1:C:79:LEU:O	2.16	0.46
1:A:6:LEU:HB3	1:A:39:ILE:HB	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:393:THR:HA	1:A:396:HIS:NE2	2.30	0.46
1:B:151:THR:HG21	1:B:155:ASP:OD1	2.16	0.46
1:C:164:GLY:H	1:C:333:ASP:CG	2.24	0.46
1:D:356:LEU:HD22	1:D:372:GLY:HA3	1.97	0.46
1:B:215:ILE:HD12	1:B:388:ARG:HG3	1.99	0.45
1:C:7:THR:CB	1:C:77:THR:HG21	2.45	0.45
1:D:192:THR:HG23	1:D:318:VAL:HG12	1.98	0.45
1:C:347:TYR:CE1	1:C:366:PRO:HG3	2.52	0.44
1:D:150:LYS:HE2	1:D:150:LYS:HB3	1.69	0.44
1:D:125:ILE:HG23	1:D:148:CYS:HB2	1.99	0.44
1:D:347:TYR:CZ	1:D:366:PRO:HG3	2.53	0.44
1:A:4:GLY:HA2	1:A:37:ILE:O	2.18	0.44
1:C:7:THR:CG2	1:C:77:THR:HG21	2.48	0.44
1:B:204:LEU:HD21	1:B:384:LEU:HB3	1.98	0.44
1:B:283:LEU:C	1:B:285:LYS:H	2.26	0.44
1:B:77:THR:HG21	1:B:80:TYR:C	2.43	0.44
1:C:380:PRO:HA	1:C:385:ILE:HG13	2.00	0.44
1:A:40:ILE:HA	1:A:79:LEU:O	2.18	0.43
1:A:151:THR:HG21	1:A:155:ASP:OD1	2.18	0.43
1:D:4:GLY:O	1:D:122:LEU:HA	2.18	0.43
1:B:40:ILE:HA	1:B:79:LEU:O	2.18	0.43
1:B:335:VAL:O	1:B:339:ARG:HG3	2.19	0.43
1:A:88:LYS:H	3:A:503:GOL:H2	1.83	0.43
1:B:45:VAL:C	1:B:47:ALA:H	2.26	0.43
1:B:304:LYS:HD3	1:B:308:ASP:OD2	2.19	0.42
1:C:4:GLY:HA2	1:C:37:ILE:O	2.18	0.42
1:D:12:CYS:SG	1:D:164:GLY:HA3	2.59	0.42
1:C:267:GLN:C	1:C:269:ASP:N	2.77	0.42
1:D:348:ILE:HD13	1:D:348:ILE:HA	1.93	0.42
1:D:78:MET:HB2	1:D:78:MET:HE3	1.68	0.42
1:D:258:LEU:HD11	1:D:265:ILE:HG21	2.01	0.42
1:B:244:MET:HE3	1:B:244:MET:HB3	1.90	0.42
1:C:285:LYS:HE3	1:C:285:LYS:HB2	1.66	0.42
1:A:18:VAL:HG21	1:A:163:PHE:CE2	2.55	0.42
1:D:151:THR:HG22	1:D:162:THR:HG21	2.02	0.42
1:D:86:PRO:HD2	1:D:133:VAL:HG21	2.02	0.41
1:A:77:THR:HG23	1:A:80:TYR:H	1.84	0.41
1:C:154:ASN:OD1	1:C:161:PHE:HA	2.19	0.41
1:B:164:GLY:H	1:B:333:ASP:CG	2.28	0.41
1:A:192:THR:OG1	1:A:318:VAL:CG1	2.69	0.41
1:B:129:ASP:O	1:B:133:VAL:HG23	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:204:LEU:HD22	1:B:378:ILE:HD13	2.03	0.41
1:D:6:LEU:HB2	1:D:42:GLY:HA2	2.02	0.41
1:B:324:MET:HE3	1:B:324:MET:HB2	1.79	0.41
1:D:151:THR:HG21	1:D:155:ASP:OD1	2.20	0.41
1:C:335:VAL:O	1:C:339:ARG:HG3	2.20	0.41
1:D:3:VAL:HG23	1:D:36:VAL:HA	2.03	0.41
1:B:77:THR:HG23	1:B:77:THR:O	2.21	0.41
1:C:121:ALA:HB1	1:C:348:ILE:HD12	2.03	0.41
1:A:138:TYR:HB2	1:A:145:VAL:CG1	2.51	0.40
1:D:23:LEU:HB3	1:D:65:ILE:HD12	2.03	0.40
1:D:244:MET:HE3	1:D:244:MET:HB3	1.99	0.40
1:B:214:ILE:HB	1:B:245:ILE:HG12	2.02	0.40
1:D:197:ARG:O	1:D:250:GLY:HA3	2.21	0.40
1:A:15:LEU:HD21	1:A:150:LYS:HG3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/424 (92%)	373 (96%)	17 (4%)	0	100	100
1	B	398/424 (94%)	378 (95%)	19 (5%)	1 (0%)	36	56
1	C	383/424 (90%)	365 (95%)	18 (5%)	0	100	100
1	D	384/424 (91%)	367 (96%)	16 (4%)	1 (0%)	36	56
All	All	1555/1696 (92%)	1483 (95%)	70 (4%)	2 (0%)	48	69

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	274	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	141	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	278/355 (78%)	267 (96%)	11 (4%)	28	52
1	B	258/355 (73%)	249 (96%)	9 (4%)	32	57
1	C	261/355 (74%)	257 (98%)	4 (2%)	57	78
1	D	267/355 (75%)	260 (97%)	7 (3%)	40	66
All	All	1064/1420 (75%)	1033 (97%)	31 (3%)	37	63

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	74	LYS
1	A	87	PHE
1	A	116	THR
1	A	180	THR
1	A	195	MET
1	A	260	ARG
1	A	283	LEU
1	A	301	ASP
1	A	302	ILE
1	A	356	LEU
1	A	393	THR
1	B	3	VAL
1	B	12	CYS
1	B	36	VAL
1	B	40	ILE
1	B	58	HIS
1	B	116	THR
1	B	124	THR
1	B	318	VAL
1	B	359	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	87	PHE
1	C	182	THR
1	C	365	VAL
1	C	367	VAL
1	D	12	CYS
1	D	40	ILE
1	D	119	ILE
1	D	145	VAL
1	D	285	LYS
1	D	318	VAL
1	D	399	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	310	HIS
1	A	386	GLN
1	C	50	ASN
1	C	386	GLN
1	D	58	HIS
1	D	112	ASN
1	D	310	HIS
1	D	386	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PEP	A	501	-	9,9,9	3.28	3 (33%)	11,13,13	2.01	4 (36%)
2	PEP	B	503	-	9,9,9	3.36	3 (33%)	11,13,13	1.99	4 (36%)
2	PEP	C	502	-	9,9,9	3.44	3 (33%)	11,13,13	1.89	4 (36%)
2	PEP	A	502	-	9,9,9	3.56	3 (33%)	11,13,13	1.75	4 (36%)
2	PEP	D	502	-	9,9,9	3.58	3 (33%)	11,13,13	1.78	3 (27%)
3	GOL	A	503	-	5,5,5	0.45	0	5,5,5	0.63	0
2	PEP	B	502	-	9,9,9	3.60	3 (33%)	11,13,13	1.75	3 (27%)
2	PEP	D	501	-	9,9,9	3.39	3 (33%)	11,13,13	1.86	4 (36%)
3	GOL	C	501	-	5,5,5	0.32	0	5,5,5	0.72	0
2	PEP	B	501	-	9,9,9	3.36	3 (33%)	11,13,13	1.96	4 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PEP	A	501	-	-	0/9/9/9	-
2	PEP	B	503	-	-	2/9/9/9	-
2	PEP	C	502	-	-	0/9/9/9	-
2	PEP	A	502	-	-	5/9/9/9	-
2	PEP	D	502	-	-	5/9/9/9	-
3	GOL	A	503	-	-	4/4/4/4	-
2	PEP	B	502	-	-	4/9/9/9	-
2	PEP	D	501	-	-	4/9/9/9	-
3	GOL	C	501	-	-	2/4/4/4	-
2	PEP	B	501	-	-	0/9/9/9	-

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	502	PEP	C2-C1	-9.84	1.39	1.49
2	D	502	PEP	C2-C1	-9.79	1.39	1.49
2	A	502	PEP	C2-C1	-9.71	1.39	1.49
2	C	502	PEP	C2-C1	-9.32	1.40	1.49
2	D	501	PEP	C2-C1	-9.15	1.40	1.49
2	B	501	PEP	C2-C1	-9.06	1.40	1.49
2	B	503	PEP	C2-C1	-9.03	1.40	1.49
2	A	501	PEP	C2-C1	-8.81	1.40	1.49
2	A	502	PEP	C3-C2	3.20	1.40	1.31
2	B	503	PEP	C3-C2	3.16	1.40	1.31
2	D	502	PEP	C3-C2	3.15	1.40	1.31
2	D	501	PEP	C3-C2	3.14	1.40	1.31
2	C	502	PEP	C3-C2	3.13	1.40	1.31
2	B	502	PEP	C3-C2	3.13	1.40	1.31
2	B	501	PEP	C3-C2	3.10	1.40	1.31
2	A	501	PEP	C3-C2	3.09	1.40	1.31
2	B	502	PEP	O2'-C1	-2.63	1.22	1.30
2	C	502	PEP	O2'-C1	-2.60	1.23	1.30
2	A	502	PEP	O2'-C1	-2.58	1.23	1.30
2	D	501	PEP	O2'-C1	-2.57	1.23	1.30
2	B	501	PEP	O2'-C1	-2.56	1.23	1.30
2	A	501	PEP	O2'-C1	-2.54	1.23	1.30
2	D	502	PEP	O2'-C1	-2.53	1.23	1.30
2	B	503	PEP	O2'-C1	-2.52	1.23	1.30

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	PEP	O2-C2-C3	-4.40	116.32	124.79
2	A	501	PEP	O2-C2-C3	-4.38	116.36	124.79
2	B	503	PEP	O2-C2-C3	-4.38	116.36	124.79
2	C	502	PEP	O2-C2-C3	-4.29	116.54	124.79
2	D	501	PEP	O2-C2-C3	-4.11	116.87	124.79
2	B	502	PEP	O2-C2-C3	-3.95	117.18	124.79
2	D	502	PEP	O2-C2-C3	-3.62	117.83	124.79
2	A	502	PEP	O2-C2-C3	-3.59	117.88	124.79
2	D	502	PEP	O1-C1-C2	-3.10	117.11	121.79
2	A	501	PEP	O1-C1-C2	-3.01	117.25	121.79
2	B	501	PEP	O1-C1-C2	-2.78	117.60	121.79
2	B	503	PEP	C3-C2-C1	2.77	127.85	122.73
2	C	502	PEP	C3-C2-C1	2.74	127.80	122.73
2	D	501	PEP	O1-C1-C2	-2.73	117.68	121.79
2	A	502	PEP	O1-C1-C2	-2.68	117.75	121.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	PEP	O2'-C1-C2	2.67	118.47	113.91
2	B	503	PEP	O1-C1-C2	-2.61	117.85	121.79
2	C	502	PEP	O1-C1-C2	-2.58	117.90	121.79
2	B	502	PEP	C3-C2-C1	2.52	127.38	122.73
2	D	501	PEP	C3-C2-C1	2.50	127.36	122.73
2	D	502	PEP	O2'-C1-C2	2.49	118.16	113.91
2	B	502	PEP	O1-C1-C2	-2.46	118.08	121.79
2	B	501	PEP	O2'-C1-C2	2.40	118.01	113.91
2	D	501	PEP	O2'-C1-C2	2.38	117.96	113.91
2	A	502	PEP	C3-C2-C1	2.37	127.11	122.73
2	B	501	PEP	C3-C2-C1	2.36	127.10	122.73
2	A	501	PEP	C3-C2-C1	2.32	127.01	122.73
2	B	503	PEP	O2'-C1-C2	2.28	117.81	113.91
2	C	502	PEP	O2'-C1-C2	2.26	117.76	113.91
2	A	502	PEP	O2'-C1-C2	2.17	117.61	113.91

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	502	PEP	O1-C1-C2-C3
2	A	502	PEP	O1-C1-C2-O2
2	A	502	PEP	O2'-C1-C2-C3
2	A	502	PEP	O2'-C1-C2-O2
2	B	502	PEP	O1-C1-C2-C3
2	B	502	PEP	O1-C1-C2-O2
2	B	502	PEP	O2'-C1-C2-C3
2	B	502	PEP	O2'-C1-C2-O2
2	D	501	PEP	O1-C1-C2-C3
2	D	501	PEP	O2'-C1-C2-C3
2	D	501	PEP	O2'-C1-C2-O2
2	D	502	PEP	O1-C1-C2-C3
2	D	502	PEP	O2'-C1-C2-C3
3	A	503	GOL	O1-C1-C2-O2
3	A	503	GOL	C1-C2-C3-O3
3	C	501	GOL	C1-C2-C3-O3
3	A	503	GOL	O2-C2-C3-O3
3	C	501	GOL	O2-C2-C3-O3
3	A	503	GOL	O1-C1-C2-C3
2	B	503	PEP	C2-O2-P-O1P
2	D	501	PEP	O1-C1-C2-O2
2	D	502	PEP	O1-C1-C2-O2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	D	502	PEP	O2'-C1-C2-O2
2	A	502	PEP	C2-O2-P-O3P
2	B	503	PEP	C2-O2-P-O3P
2	D	502	PEP	C2-O2-P-O2P


There are no ring outliers.


2 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	503	GOL	1	0
3	C	501	GOL	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	396/424 (93%)	0.38	9 (2%) 61 56	33, 52, 80, 120	0
1	B	402/424 (94%)	0.55	37 (9%) 14 12	33, 59, 97, 130	0
1	C	389/424 (91%)	0.31	13 (3%) 49 44	30, 53, 86, 142	0
1	D	390/424 (91%)	0.44	22 (5%) 30 25	33, 56, 89, 146	0
All	All	1577/1696 (92%)	0.42	81 (5%) 33 29	30, 55, 89, 146	0

All (81) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	280	ASN	3.9
1	C	403	PHE	3.7
1	A	269	ASP	3.7
1	C	89	ALA	3.6
1	D	403	PHE	3.4
1	C	267	GLN	3.3
1	B	403	PHE	3.3
1	B	43	TRP	3.2
1	B	143	ALA	3.2
1	C	266	SER	3.2
1	C	271	ASP	3.1
1	B	117	LEU	3.1
1	D	103	THR	3.1
1	C	284	PRO	3.1
1	D	270	ILE	3.1
1	D	77	THR	3.0
1	A	283	LEU	3.0
1	B	278	PHE	3.0
1	C	95	ASP	3.0
1	B	118	ASN	3.0
1	B	142	ASN	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	117	LEU	3.0
1	C	269	ASP	2.9
1	D	100	GLU	2.8
1	B	116	THR	2.8
1	B	45	VAL	2.7
1	B	35	ASP	2.7
1	A	90	ILE	2.7
1	B	348	ILE	2.7
1	C	286	LEU	2.7
1	D	138	TYR	2.7
1	D	102	LYS	2.6
1	D	274	PRO	2.6
1	B	12	CYS	2.6
1	D	273	LEU	2.6
1	B	350	ASP	2.5
1	D	281	PRO	2.5
1	D	276	ASP	2.5
1	D	283	LEU	2.5
1	B	286	LEU	2.4
1	A	264	VAL	2.4
1	B	133	VAL	2.4
1	A	266	SER	2.4
1	B	52	SER	2.4
1	D	269	ASP	2.4
1	A	286	LEU	2.4
1	B	46	PHE	2.4
1	B	31	ASP	2.4
1	C	283	LEU	2.3
1	B	1	MET	2.3
1	B	125	ILE	2.3
1	D	140	TYR	2.3
1	B	93	LEU	2.3
1	B	273	LEU	2.3
1	B	29	GLU	2.3
1	D	118	ASN	2.2
1	D	34	VAL	2.2
1	B	342	TRP	2.2
1	C	229	VAL	2.2
1	A	89	ALA	2.2
1	B	287	ASN	2.2
1	A	403	PHE	2.2
1	B	123	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	265	ILE	2.1
1	D	49	GLU	2.1
1	C	308	ASP	2.1
1	B	354	GLY	2.1
1	A	97	ILE	2.1
1	B	0	HIS	2.1
1	B	141	GLY	2.1
1	B	21	GLY	2.1
1	D	101	GLU	2.1
1	B	353	TYR	2.1
1	D	271	ASP	2.1
1	B	279	GLY	2.0
1	B	58	HIS	2.0
1	B	3	VAL	2.0
1	D	56	VAL	2.0
1	B	26	ALA	2.0
1	B	352	ASN	2.0
1	B	266	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PEP	D	501	10/10	0.79	0.12	68,80,85,92	0
2	PEP	C	502	10/10	0.81	0.12	59,66,73,73	0
3	GOL	C	501	6/6	0.81	0.13	53,54,59,62	0
3	GOL	A	503	6/6	0.84	0.17	70,79,79,80	0
2	PEP	B	501	10/10	0.84	0.13	64,69,76,78	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PEP	D	502	10/10	0.86	0.11	60,72,83,84	0
2	PEP	B	503	10/10	0.88	0.11	49,58,75,79	0
2	PEP	A	501	10/10	0.89	0.10	47,60,63,65	0
2	PEP	B	502	10/10	0.89	0.10	62,72,78,87	0
2	PEP	A	502	10/10	0.90	0.10	50,64,71,75	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around PEP D 501:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEP C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEP D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEP B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEP B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PEP A 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.