Full wwPDB X-ray Structure Validation Report ⓘ

Nov 17, 2026 – 05:36 PM JST

PDB ID	:	46DZ / pdb_000046dz
Title	:	Crystal structure of BcABA4 from Botrytis cinerea in complex with ABA and NAD+
Authors	:	Li, S.Y.; Liang, B.Y.; Huang, J.-W.; Chen, C.-C.; Guo, R.-T.
Deposited on	:	2026-09-19
Resolution	:	1.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.2
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1003 (1.54-1.54)
Clashscore	190562	1025 (1.54-1.54)
Ramachandran outliers	187476	1007 (1.54-1.54)
Sidechain outliers	187428	1007 (1.54-1.54)
RSRZ outliers	180081	1002 (1.54-1.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	281	86% • • 8%
1	B	281	86% 6% 8%
1	C	281	84% 8% 8%
1	D	281	% 84% 9% • 7%

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 8677 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Short-chain dehydrogenase/reductase aba4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	258	Total	C	N	O	S	0	0	0
			1906	1193	330	377	6			
1	B	258	Total	C	N	O	S	0	0	0
			1906	1193	330	377	6			
1	C	258	Total	C	N	O	S	0	0	0
			1906	1193	330	377	6			
1	D	262	Total	C	N	O	S	0	0	0
			1924	1203	334	381	6			

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	HIS	-	expression tag	UNP A0A384JQF5
A	-21	HIS	-	expression tag	UNP A0A384JQF5
A	-20	HIS	-	expression tag	UNP A0A384JQF5
A	-19	HIS	-	expression tag	UNP A0A384JQF5
A	-18	HIS	-	expression tag	UNP A0A384JQF5
A	-17	HIS	-	expression tag	UNP A0A384JQF5
A	-16	GLU	-	expression tag	UNP A0A384JQF5
A	-15	ASN	-	expression tag	UNP A0A384JQF5
A	-14	LEU	-	expression tag	UNP A0A384JQF5
A	-13	TYR	-	expression tag	UNP A0A384JQF5
A	-12	PHE	-	expression tag	UNP A0A384JQF5
A	-11	GLN	-	expression tag	UNP A0A384JQF5
A	-10	GLY	-	expression tag	UNP A0A384JQF5
A	-9	ALA	-	expression tag	UNP A0A384JQF5
A	-8	GLY	-	expression tag	UNP A0A384JQF5
A	-7	ALA	-	expression tag	UNP A0A384JQF5
A	-6	GLY	-	expression tag	UNP A0A384JQF5
A	-5	ALA	-	expression tag	UNP A0A384JQF5
A	-4	GLY	-	expression tag	UNP A0A384JQF5
A	-3	ALA	-	expression tag	UNP A0A384JQF5
A	-2	GLY	-	expression tag	UNP A0A384JQF5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	ALA	-	expression tag	UNP A0A384JQF5
A	0	GLY	-	expression tag	UNP A0A384JQF5
B	-22	HIS	-	expression tag	UNP A0A384JQF5
B	-21	HIS	-	expression tag	UNP A0A384JQF5
B	-20	HIS	-	expression tag	UNP A0A384JQF5
B	-19	HIS	-	expression tag	UNP A0A384JQF5
B	-18	HIS	-	expression tag	UNP A0A384JQF5
B	-17	HIS	-	expression tag	UNP A0A384JQF5
B	-16	GLU	-	expression tag	UNP A0A384JQF5
B	-15	ASN	-	expression tag	UNP A0A384JQF5
B	-14	LEU	-	expression tag	UNP A0A384JQF5
B	-13	TYR	-	expression tag	UNP A0A384JQF5
B	-12	PHE	-	expression tag	UNP A0A384JQF5
B	-11	GLN	-	expression tag	UNP A0A384JQF5
B	-10	GLY	-	expression tag	UNP A0A384JQF5
B	-9	ALA	-	expression tag	UNP A0A384JQF5
B	-8	GLY	-	expression tag	UNP A0A384JQF5
B	-7	ALA	-	expression tag	UNP A0A384JQF5
B	-6	GLY	-	expression tag	UNP A0A384JQF5
B	-5	ALA	-	expression tag	UNP A0A384JQF5
B	-4	GLY	-	expression tag	UNP A0A384JQF5
B	-3	ALA	-	expression tag	UNP A0A384JQF5
B	-2	GLY	-	expression tag	UNP A0A384JQF5
B	-1	ALA	-	expression tag	UNP A0A384JQF5
B	0	GLY	-	expression tag	UNP A0A384JQF5
C	-22	HIS	-	expression tag	UNP A0A384JQF5
C	-21	HIS	-	expression tag	UNP A0A384JQF5
C	-20	HIS	-	expression tag	UNP A0A384JQF5
C	-19	HIS	-	expression tag	UNP A0A384JQF5
C	-18	HIS	-	expression tag	UNP A0A384JQF5
C	-17	HIS	-	expression tag	UNP A0A384JQF5
C	-16	GLU	-	expression tag	UNP A0A384JQF5
C	-15	ASN	-	expression tag	UNP A0A384JQF5
C	-14	LEU	-	expression tag	UNP A0A384JQF5
C	-13	TYR	-	expression tag	UNP A0A384JQF5
C	-12	PHE	-	expression tag	UNP A0A384JQF5
C	-11	GLN	-	expression tag	UNP A0A384JQF5
C	-10	GLY	-	expression tag	UNP A0A384JQF5
C	-9	ALA	-	expression tag	UNP A0A384JQF5
C	-8	GLY	-	expression tag	UNP A0A384JQF5
C	-7	ALA	-	expression tag	UNP A0A384JQF5
C	-6	GLY	-	expression tag	UNP A0A384JQF5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-5	ALA	-	expression tag	UNP A0A384JQF5
C	-4	GLY	-	expression tag	UNP A0A384JQF5
C	-3	ALA	-	expression tag	UNP A0A384JQF5
C	-2	GLY	-	expression tag	UNP A0A384JQF5
C	-1	ALA	-	expression tag	UNP A0A384JQF5
C	0	GLY	-	expression tag	UNP A0A384JQF5
D	-22	HIS	-	expression tag	UNP A0A384JQF5
D	-21	HIS	-	expression tag	UNP A0A384JQF5
D	-20	HIS	-	expression tag	UNP A0A384JQF5
D	-19	HIS	-	expression tag	UNP A0A384JQF5
D	-18	HIS	-	expression tag	UNP A0A384JQF5
D	-17	HIS	-	expression tag	UNP A0A384JQF5
D	-16	GLU	-	expression tag	UNP A0A384JQF5
D	-15	ASN	-	expression tag	UNP A0A384JQF5
D	-14	LEU	-	expression tag	UNP A0A384JQF5
D	-13	TYR	-	expression tag	UNP A0A384JQF5
D	-12	PHE	-	expression tag	UNP A0A384JQF5
D	-11	GLN	-	expression tag	UNP A0A384JQF5
D	-10	GLY	-	expression tag	UNP A0A384JQF5
D	-9	ALA	-	expression tag	UNP A0A384JQF5
D	-8	GLY	-	expression tag	UNP A0A384JQF5
D	-7	ALA	-	expression tag	UNP A0A384JQF5
D	-6	GLY	-	expression tag	UNP A0A384JQF5
D	-5	ALA	-	expression tag	UNP A0A384JQF5
D	-4	GLY	-	expression tag	UNP A0A384JQF5
D	-3	ALA	-	expression tag	UNP A0A384JQF5
D	-2	GLY	-	expression tag	UNP A0A384JQF5
D	-1	ALA	-	expression tag	UNP A0A384JQF5
D	0	GLY	-	expression tag	UNP A0A384JQF5

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is (2Z,4E)-5-[(1S)-1-hydroxy-2,6,6-trimethyl-4-oxocyclohex-2-en-1-yl]-3-methylpenta-2,4-dienoic acid (CCD ID: A8S) (formula: $C_{15}H_{20}O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 19 15 4	0	0
3	B	1	Total C O 19 15 4	0	0
3	C	1	Total C O 19 15 4	0	0
3	D	1	Total C O 19 15 4	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	273	Total O 273 273	0	0
4	B	242	Total O 242 242	0	0
4	C	140	Total O 140 140	0	0
4	D	128	Total O 128 128	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Short-chain dehydrogenase/reductase aba4

Chain A:



• Molecule 1: Short-chain dehydrogenase/reductase aba4

Chain B:



• Molecule 1: Short-chain dehydrogenase/reductase aba4

Chain C:



• Molecule 1: Short-chain dehydrogenase/reductase aba4

Chain D:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α, β, γ	71.67Å 100.46Å 166.17Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 1.53 25.00 – 1.53	Depositor EDS
% Data completeness (in resolution range)	95.7 (25.00-1.53) 96.0 (25.00-1.53)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.87 (at 1.53Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.121 , 0.169 0.121 , 0.170	Depositor DCC
R_{free} test set	8633 reflections (4.75%)	wwPDB-VP
Wilson B-factor (Å^2)	19.4	Xtriage
Anisotropy	0.966	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.36 , 47.0	EDS
L-test for twinning[2]	$< \|L\| > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.98	EDS
Total number of atoms	8677	wwPDB-VP
Average B, all atoms (Å^2)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.19 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.7822e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, A8S

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	1.15	1/1930 (0.1%)	1.23	5/2608 (0.2%)
1	B	1.17	1/1930 (0.1%)	1.17	3/2608 (0.1%)
1	C	1.13	2/1930 (0.1%)	1.25	2/2608 (0.1%)
1	D	1.09	0/1948	1.27	5/2632 (0.2%)
All	All	1.14	4/7738 (0.1%)	1.23	15/10456 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	105	GLY	C-O	7.32	1.30	1.23
1	C	40	ILE	C-O	5.55	1.30	1.24
1	B	57	TYR	N-CA	5.39	1.53	1.46
1	A	205	ILE	C-O	-5.19	1.18	1.24

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	258	CYS	CA-CB-SG	-10.57	90.09	114.40
1	A	258	CYS	CA-C-O	-10.53	102.91	120.80
1	D	258	CYS	CA-C-O	-8.75	105.93	120.80
1	A	258	CYS	CB-CA-C	7.48	124.32	110.10
1	C	258	CYS	CA-C-O	-6.43	109.86	120.80
1	D	59	ASP	CB-CA-C	-6.25	100.04	110.29
1	B	258	CYS	CA-C-O	-6.01	110.58	120.80
1	B	127	ASN	CA-CB-CG	6.01	118.61	112.60
1	A	47	GLU	N-CA-CB	5.99	119.03	110.16
1	D	59	ASP	CA-CB-CG	5.81	118.41	112.60
1	A	127	ASN	CA-CB-CG	5.33	117.94	112.60
1	B	59	ASP	CA-CB-CG	5.28	117.88	112.60
1	D	123	THR	CA-CB-OG1	-5.23	101.76	109.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	D	34	ARG	CB-CA-C	5.11	117.96	109.53
1	C	70	PHE	CA-CB-CG	-5.07	108.73	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1906	0	1942	13	0
1	B	1906	0	1942	13	0
1	C	1906	0	1942	13	0
1	D	1924	0	1958	18	0
2	A	44	0	26	0	0
2	B	44	0	26	1	0
2	C	44	0	26	1	0
2	D	44	0	26	0	0
3	A	19	0	19	2	0
3	B	19	0	19	0	0
3	C	19	0	19	1	0
3	D	19	0	19	0	0
4	A	273	0	0	2	0
4	B	242	0	0	1	0
4	C	140	0	0	2	0
4	D	128	0	0	3	0
All	All	8677	0	7964	48	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (48) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:N	4:A:401:HOH:O	1.72	0.94
1:A:165:HIS:HE1	1:B:172:ARG:HH11	1.25	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:172:ARG:HH11	1:B:165:HIS:HE1	1.32	0.78
1:C:165:HIS:HE1	1:D:172:ARG:HH11	1.30	0.75
1:C:172:ARG:HH11	1:D:165:HIS:HE1	1.31	0.75
1:C:138:ASN:ND2	4:C:402:HOH:O	2.26	0.69
1:A:258:CYS:HB2	4:D:469:HOH:O	1.96	0.65
1:B:22:LEU:C	1:B:22:LEU:HD23	2.27	0.59
1:B:45:LEU:HD13	1:B:62:THR:HB	1.90	0.54
1:A:45:LEU:HD13	1:A:62:THR:HB	1.91	0.53
1:B:191:GLY:O	2:B:301:NAD:H4N	2.09	0.52
3:A:302:A8S:H13A	3:A:302:A8S:H4	1.92	0.51
1:C:12:ALA:O	1:C:90:SER:HA	2.10	0.51
1:D:45:LEU:HD13	1:D:62:THR:HB	1.93	0.51
1:A:165:HIS:HE1	1:B:172:ARG:NH1	2.01	0.50
1:C:172:ARG:NH1	1:D:165:HIS:HE1	2.06	0.50
1:A:43:ASP:O	1:A:47:GLU:HG2	2.11	0.50
1:D:49:GLN:HG3	1:D:60:VAL:HG22	1.93	0.50
1:D:21:GLY:HA2	1:D:93:LEU:HD12	1.94	0.49
1:D:12:ALA:O	1:D:90:SER:HA	2.13	0.49
1:B:161:SER:O	1:B:165:HIS:HD2	1.96	0.49
3:A:302:A8S:H13A	3:A:302:A8S:C4	2.42	0.48
1:A:172:ARG:HH11	1:B:165:HIS:CE1	2.22	0.48
1:A:12:ALA:O	1:A:90:SER:HA	2.14	0.48
1:A:165:HIS:CE1	1:B:172:ARG:HH11	2.17	0.48
1:D:35:LEU:HB2	1:D:60:VAL:HB	1.97	0.46
1:B:26:LYS:NZ	4:B:402:HOH:O	2.42	0.46
1:A:51:GLN:NE2	4:A:408:HOH:O	2.47	0.46
1:B:45:LEU:HD23	1:B:45:LEU:HA	1.87	0.46
1:C:172:ARG:HH11	1:D:165:HIS:CE1	2.22	0.45
1:C:229:GLU:HA	1:C:232:GLN:HE21	1.82	0.45
1:C:165:HIS:HE1	1:D:172:ARG:NH1	2.06	0.44
1:B:229:GLU:HA	1:B:232:GLN:HE21	1.83	0.44
1:D:22:LEU:CD2	1:D:48:LEU:HD13	2.48	0.44
3:C:302:A8S:C4	3:C:302:A8S:H13A	2.47	0.43
1:C:191:GLY:O	2:C:301:NAD:H4N	2.18	0.43
1:C:68:ARG:HD3	4:C:465:HOH:O	2.17	0.43
1:D:138:ASN:ND2	4:D:406:HOH:O	2.48	0.43
1:C:104:LYS:HE3	1:C:108:GLU:HB3	2.00	0.43
1:D:53:GLU:OE1	4:D:401:HOH:O	2.21	0.41
1:C:165:HIS:CE1	1:D:172:ARG:HH11	2.21	0.41
1:B:22:LEU:CD2	1:B:26:LYS:HD3	2.50	0.41
1:D:22:LEU:HD22	1:D:48:LEU:HD22	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:161:SER:O	1:A:165:HIS:HD2	2.03	0.41
1:D:22:LEU:C	1:D:22:LEU:HD13	2.46	0.41
1:A:3:SER:HA	1:C:1:MET:O	2.21	0.41
1:D:20:ILE:HG22	1:D:93:LEU:HD13	2.03	0.41
1:D:51:GLN:HE21	1:D:51:GLN:HB2	1.78	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	256/281 (91%)	250 (98%)	6 (2%)	0	100	100
1	B	256/281 (91%)	251 (98%)	5 (2%)	0	100	100
1	C	256/281 (91%)	250 (98%)	6 (2%)	0	100	100
1	D	260/281 (92%)	256 (98%)	4 (2%)	0	100	100
All	All	1028/1124 (92%)	1007 (98%)	21 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	202/214 (94%)	200 (99%)	2 (1%)	68	42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	B	202/214 (94%)	198 (98%)	4 (2%)	48 18
1	C	202/214 (94%)	196 (97%)	6 (3%)	36 8
1	D	202/214 (94%)	195 (96%)	7 (4%)	32 7
All	All	808/856 (94%)	789 (98%)	19 (2%)	43 13

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	LEU
1	A	47	GLU
1	B	22	LEU
1	B	44	LYS
1	B	60	VAL
1	B	207	LEU
1	C	3	SER
1	C	22	LEU
1	C	58	VAL
1	C	168	ILE
1	C	199	LYS
1	C	207	LEU
1	D	16	SER
1	D	22	LEU
1	D	46	LYS
1	D	58	VAL
1	D	60	VAL
1	D	99	GLU
1	D	207	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	51	GLN
1	A	78	ASN
1	A	109	GLN
1	A	127	ASN
1	A	165	HIS
1	A	232	GLN
1	B	4	GLN
1	B	8	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	51	GLN
1	B	78	ASN
1	B	127	ASN
1	B	139	ASN
1	B	165	HIS
1	B	232	GLN
1	C	4	GLN
1	C	8	ASN
1	C	78	ASN
1	C	109	GLN
1	C	127	ASN
1	C	139	ASN
1	C	165	HIS
1	C	232	GLN
1	D	8	ASN
1	D	51	GLN
1	D	78	ASN
1	D	127	ASN
1	D	138	ASN
1	D	139	ASN
1	D	165	HIS
1	D	232	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	NAD	C	301	-	45,48,48	0.73	1 (2%)	63,73,73	0.86	2 (3%)
3	A8S	B	302	-	17,19,19	1.07	1 (5%)	17,29,29	1.23	3 (17%)
2	NAD	A	301	-	45,48,48	0.88	2 (4%)	63,73,73	0.87	1 (1%)
3	A8S	A	302	-	17,19,19	0.87	1 (5%)	17,29,29	1.28	2 (11%)
3	A8S	C	302	-	17,19,19	0.85	1 (5%)	17,29,29	0.87	1 (5%)
2	NAD	B	301	-	45,48,48	0.95	2 (4%)	63,73,73	1.04	5 (7%)
3	A8S	D	302	-	17,19,19	1.00	1 (5%)	17,29,29	1.15	1 (5%)
2	NAD	D	301	-	45,48,48	0.66	0	63,73,73	0.88	1 (1%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	C	301	-	-	9/30/62/62	0/5/5/5
3	A8S	B	302	-	-	3/10/34/34	0/1/1/1
2	NAD	A	301	-	-	9/30/62/62	0/5/5/5
3	A8S	A	302	-	-	4/10/34/34	0/1/1/1
3	A8S	C	302	-	-	5/10/34/34	0/1/1/1
2	NAD	B	301	-	-	7/30/62/62	0/5/5/5
3	A8S	D	302	-	-	5/10/34/34	0/1/1/1
2	NAD	D	301	-	-	8/30/62/62	0/5/5/5

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	NAD	C2N-N1N	3.89	1.39	1.35
2	C	301	NAD	C2N-N1N	3.57	1.39	1.35
3	D	302	A8S	O12-C1	3.22	1.31	1.23
3	B	302	A8S	O12-C1	3.19	1.31	1.23
2	A	301	NAD	C2N-N1N	3.01	1.38	1.35
2	B	301	NAD	C2D-C1D	-2.62	1.49	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	302	A8S	O12-C1	2.21	1.28	1.23
3	C	302	A8S	O12-C1	2.10	1.28	1.23
2	A	301	NAD	O4D-C1D	2.09	1.44	1.41

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	D	302	A8S	C5-C4-C3	3.60	131.11	125.53
2	B	301	NAD	C6N-N1N-C2N	-3.31	118.96	121.97
2	D	301	NAD	C6N-N1N-C2N	-3.19	119.07	121.97
3	A	302	A8S	O12-C1-C2	-2.88	114.74	123.89
3	A	302	A8S	O11-C1-C2	2.55	121.41	113.50
2	B	301	NAD	C2N-C3N-C4N	2.54	121.14	118.26
2	C	301	NAD	C6N-N1N-C2N	-2.52	119.68	121.97
3	B	302	A8S	C5-C4-C3	2.48	129.38	125.53
2	C	301	NAD	O7N-C7N-C3N	-2.16	117.04	119.63
2	B	301	NAD	O4D-C1D-C2D	-2.13	103.82	106.93
3	C	302	A8S	C6-C3-C2	2.12	129.25	123.12
2	B	301	NAD	O7N-C7N-C3N	-2.07	117.15	119.63
2	A	301	NAD	C6N-N1N-C2N	-2.04	120.11	121.97
3	B	302	A8S	C1-C2-C3	2.03	131.66	128.50
2	B	301	NAD	C4N-C3N-C7N	-2.02	115.63	121.04
3	B	302	A8S	O12-C1-C2	-2.02	117.48	123.89

There are no chirality outliers.

All (50) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	NAD	C5D-O5D-PN-O1N
2	A	301	NAD	C5D-O5D-PN-O2N
2	A	301	NAD	O4D-C1D-N1N-C2N
2	B	301	NAD	C5D-O5D-PN-O1N
2	B	301	NAD	C5D-O5D-PN-O2N
2	B	301	NAD	O4D-C1D-N1N-C2N
2	C	301	NAD	C5D-O5D-PN-O3
2	C	301	NAD	C5D-O5D-PN-O2N
2	C	301	NAD	O4D-C1D-N1N-C2N
2	C	301	NAD	O4D-C1D-N1N-C6N
2	D	301	NAD	PN-O3-PA-O5B
2	D	301	NAD	C5D-O5D-PN-O1N
2	D	301	NAD	C5D-O5D-PN-O2N
2	D	301	NAD	O4D-C1D-N1N-C2N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	302	A8S	C1-C2-C3-C4
3	B	302	A8S	O11-C1-C2-C3
3	B	302	A8S	O12-C1-C2-C3
3	C	302	A8S	C4-C5-C7-O7
3	C	302	A8S	C4-C5-C7-C8
3	C	302	A8S	C4-C5-C7-C12
3	D	302	A8S	C4-C5-C7-C12
3	A	302	A8S	O11-C1-C2-C3
3	A	302	A8S	O12-C1-C2-C3
3	C	302	A8S	O12-C1-C2-C3
3	C	302	A8S	O11-C1-C2-C3
3	D	302	A8S	O11-C1-C2-C3
3	D	302	A8S	O12-C1-C2-C3
2	A	301	NAD	PN-O3-PA-O5B
2	A	301	NAD	C5D-O5D-PN-O3
2	B	301	NAD	C5D-O5D-PN-O3
2	D	301	NAD	C5D-O5D-PN-O3
2	A	301	NAD	PA-O3-PN-O2N
2	B	301	NAD	PA-O3-PN-O2N
2	C	301	NAD	PA-O3-PN-O2N
2	C	301	NAD	C5D-O5D-PN-O1N
3	D	302	A8S	C4-C5-C7-C8
2	A	301	NAD	PA-O3-PN-O1N
2	D	301	NAD	PA-O3-PN-O1N
2	D	301	NAD	PA-O3-PN-O2N
2	B	301	NAD	PA-O3-PN-O1N
2	A	301	NAD	C2D-C1D-N1N-C6N
2	C	301	NAD	C2D-C1D-N1N-C6N
2	A	301	NAD	O4B-C4B-C5B-O5B
2	B	301	NAD	O4B-C4B-C5B-O5B
2	C	301	NAD	O4B-C4B-C5B-O5B
2	D	301	NAD	O4B-C4B-C5B-O5B
2	C	301	NAD	PA-O3-PN-O1N
3	A	302	A8S	C4-C5-C7-O7
3	B	302	A8S	C4-C5-C7-O7
3	D	302	A8S	C4-C5-C7-O7

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	301	NAD	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	302	A8S	2	0
3	C	302	A8S	1	0
2	B	301	NAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand NAD C 301



Ligand A8S B 302



Bond lengths



Bond angles



Torsions



Rings

Ligand NAD A 301



Bond lengths



Bond angles



Torsions



Rings

Ligand A8S A 302



Bond lengths



Bond angles



Torsions



Rings

Ligand A8S C 302



Bond lengths



Bond angles



Torsions



Rings

Ligand NAD B 301



Bond lengths



Bond angles



Torsions



Rings

Ligand A8S D 302



Bond lengths



Bond angles



Torsions



Rings



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	258/281 (91%)	-0.54	1 (0%) 88 92	18, 24, 43, 61	0
1	B	258/281 (91%)	-0.56	0 100 100	18, 25, 43, 64	0
1	C	258/281 (91%)	-0.31	0 100 100	22, 37, 62, 79	0
1	D	262/281 (93%)	-0.23	3 (1%) 78 84	23, 40, 66, 94	0
All	All	1036/1124 (92%)	-0.41	4 (0%) 88 92	18, 30, 60, 94	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	-3	ALA	4.7
1	D	-2	GLY	2.3
1	A	1	MET	2.3
1	D	-1	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	A8S	C	302	19/19	0.93	0.09	37,41,54,58	0
3	A8S	B	302	19/19	0.95	0.07	25,30,40,41	0
3	A8S	D	302	19/19	0.95	0.07	40,46,63,63	0
3	A8S	A	302	19/19	0.96	0.07	28,35,49,51	0
2	NAD	D	301	44/44	0.98	0.04	33,40,44,46	0
2	NAD	C	301	44/44	0.99	0.04	30,35,39,42	0
2	NAD	A	301	44/44	0.99	0.03	20,23,26,28	0
2	NAD	B	301	44/44	0.99	0.03	19,22,24,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A8S C 302:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around A8S B 302:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around A8S D 302:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around A8S A 302:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around NAD D 301:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around NAD C 301:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around NAD A 301:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around NAD B 301:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



6.5 Other polymers (i)

There are no such residues in this entry.